

Standards Manager Web Standards List
ASD-STAN-AeroSpace and Defence Industries Association of Europe

Id	Number	Title	Year	Organization	Page
1	PREN 2713-012	Aerospace series ù Cables, electrical, single and multicore for general purpose ù Operating temperatures between ù55 °C and 200 °C ù Part 012: MNA (1 core), MNB (pair), MNC (3 cores), MND (4 cores), cables family ù Silver-plated copper screened (spiral) a	2020	ASD-STAN	
2	PREN 2854-002	Aerospace series Cables, electrical for general purpose Cross sections equal to and greater than 9 mm ² Operating temperatures between - 55 °C and 260 °C Part 002: General - Edition P 2	2020	ASD-STAN	
3	PREN 3155-074	Aerospace series Electrical contacts used in elements of connection Part 074: Contacts, electrical, quadrax, size 8, male, type E, crimp, class R Product standard - Edition P1	2020	ASD-STAN	
4	PREN 3155-075	Aerospace series Electrical contacts used in elements of connection Part 075: Contacts, electrical, quadrax, size 8, female, type E, crimp, class R Product standard - Edition P1	2020	ASD-STAN	
5	PREN 3475-705	Aerospace Series Cables, Electrical, Aircraft Use Test Methods Part 705: Contrast Measurement - Edition P 2	2020	ASD-STAN	
6	PREN 4627	Aerospace series Steel X4CrNiMo16-5-1 (1.4418) Air melted Hardened and tempered Forgings De ù 200 mm 1 150 MPa ù Rm ù 1 300 MPa - Edition P 2	2020	ASD-STAN	
7	PREN 4628	Aerospace series Steel X4CrNiMo16-5-1 (1.4418) Air melted Hardened and tempered Bar De less than or equal to 200 mm 1 150 MPa less than or equal to Rm less than or equal to 1 300 MPa - Edition P 2	2020	ASD-STAN	
8	PREN 4630	Aerospace series Steel X4CrNiMo16-5-1 (1.4418) Air melted Hardened and tempered Forgings De ù 200 mm 900 MPa ù Rm ù 1 050 MPa - Edition P 2	2020	ASD-STAN	
9	PREN 4631	Aerospace series Steel X4CrNiMo16-5-1 (1.4418) Air melted Hardened and tempered Bar De less than or equal to 200 mm 900 MPa less than or equal to Rm less than or equal to 1 050 MPa - Edition P 2	2020	ASD-STAN	
10	PREN 4641-301	Aerospace series Cables, optical 125 ç_m diameter cladding Part 301: Tight structure 50/125 ç_m GI fibre nominal 1,8 mm outside diameter Product standard - Edition P1	2020	ASD-STAN	
11	PREN 4677-001	Aerospace series Welded and brazed assemblies for aerospace construction Joints of metallic materials by electron beam welding Part 001: Quality of welded assemblies - Edition P 1	2020	ASD-STAN	
12	PREN 4844	Aerospace series ù Screws, 100 countersunk normal head, Spiral Drive Recess, threaded to head, in heat and corrosion resisting steel, passivated ù Classification: 1 100 MPa (at ambient temperature)/425 °C	2020	ASD-STAN	
13	PREN 4845	Aerospace series ù Screws, 100 countersunk normal head, Spiral Drive Recess, short thread, in heat resisting steel FE-PA2601 (A286), passivated ù Classification: 900 MPa (at ambient temperature)/650 °C	2020	ASD-STAN	
14	PREN 4846	Aerospace series ù Screws, pan head, Spiral Drive Recess, threaded to head, in heat and corrosion resisting steel, passivated ù Classification: 1 100 MPa (at ambient temperature)/425 °C Edition P1	2020	ASD-STAN	
15	PREN 4847	Aerospace series ù Screws, pan head, Spiral Drive Recess, coarse tolerance normal shank, medium length thread, in alloy steel, cadmium plated ù Classification: 1 100 MPa (at ambient temperature)/235 °C	2020	ASD-STAN	
16	PREN 4848	Aerospace series ù Screws, pan head, Spiral Drive Recess, coarse tolerance normal shank, medium length thread, in titanium alloy, anodized, MoS2 lubricated ù Classification: 1 100 MPa (at ambient temperature)/315 °C	2020	ASD-STAN	
17	PREN 4849	Aerospace series ù Screws, 100 countersunk normal head, Spiral Drive Recess, close tolerance normal shank, short thread, in titanium alloy, aluminium IVD coated ù Classification: 1 100 MPa (at ambient temperature)/425 °C	2020	ASD-STAN	
18	PREN 4850	Aerospace series ù Screws, 100 countersunk normal head, Spiral Drive Recess, coarse tolerance normal shank, medium length thread, in alloy steel, cadmium plated ù Classification: 1 100 MPa (at ambient temperature)/235 °C	2020	ASD-STAN	
19	PREN 4851	Aerospace series ù Screws, 100 countersunk normal head, Spiral Drive Recess, coarse tolerance normal shank, long thread, in alloy steel, cadmium plated ù Classification: 1 100 MPa (at ambient temperature)/235 °C	2020	ASD-STAN	
20	PREN 4853	Aerospace series ù Externally threaded fastener, 100 countersunk normal head, Spiral Drive Recess ù Classification: 1 100 MPa (at ambient temperature)/425 °C	2020	ASD-STAN	
21	PREN 4868	Aerospace series Anodic electrodeposition of hexavalent chromium free primer - Edition P 1	2020	ASD-STAN	

22	PREN 4876	Aerospace series Environmental testing ù Durability of the displays by general usage	2020	ASD-STAN	
23	PREN 3745-412	Aerospace Series Fibres and Cables, Optical, Aircraft Use Test Methods Part 412: Humidity Resistance - Edition P 1	2020	ASD-STAN	
24	PREN 4035	Aerospace Series Rod Ends, Adjustable with Self-Aligning Double Row Ball Bearing in Corrosion Resisting Steel, Reduced Internal Radial Clearance and Threaded Shank in Titanium Alloy Dimension and Loads - Edition P 1	2020	ASD-STAN	
25	PREN 4036	Aerospace Series Rod Ends, Adjustable with Self-Aligning Double Row Ball Bearing and Threaded Shank in Corrosion Resisting Steel, Reduced Internal Radial Clearance Dimensions and Loads - Edition P 1	2020	ASD-STAN	
26	PREN 4179	Aerospace series Qualification and approval of personnel for nondestructive testing	2020	ASD-STAN	
27	PREN 4882	Aerospace series Steel X5CrNiCu 17-4 (1.4542) ù Air melted ù Solution treated and precipitation treated ù Sheets and strips ù a ? 6 mm ù Rm ? 1 070 MPa	2020	ASD-STAN	
28	PREN 4883	Aerospace series Steel X5CrNiCu 17-4 (1.4542) ù Air melted ù Solution treated and precipitation treated ù Plates ù 6 ? a ? 100 mm ù Rm ? 1 070 MPa	2020	ASD-STAN	
29	PREN 4884	Aerospace series Steel X3CrNiMoAl 13-8-2 ù Vacuum induction melted and consumable electrode remelted ù Solution treated and precipitation treated ù Bars for machining ù a or D ? 200 mm ù 1 200 MPa ? Rm ? 1 350 MPa	2020	ASD-STAN	
30	PREN 6059-401	Aerospace Series Electrical Cables, Installation Protection Sleeves Test Methods Part 401: Expansion Range - Edition P 1	2020	ASD-STAN	
31	PREN 6069	Aerospace series Rivet, 100 Degrees reduced flush head, close tolerance Inch series - Edition P 3	2020	ASD-STAN	
32	PREN 6080	Aerospace Series Rivet, 100 Degrees Normal Flush Head, Close Tolerance Inch Series - Edition P 3;:2001 Edition P 1	2020	ASD-STAN	
33	PREN 6081	Aerospace Series Rivet, Universal Head, close tolerance Inch series - Edition P 2;:2001 Edition P 1	2020	ASD-STAN	
34	PREN 6099	Aerospace series ù Rod-end, spherical, plain bearing, metal to metal ù Technical specification	2020	ASD-STAN	
35	PREN 6101	Aerospace series Rivet, 100° medium flush head, close tolerance Inch series - Edition P 2; Corrigendum: 06/30/2006;:2001 Edition P 1	2020	ASD-STAN	
36	PREN 9104-3	Aerospace series ù Quality management systems ù Part 3: Requirements for Aviation, Space, and Defence Auditor Training, Development, Competence, and Authentication	2020	ASD-STAN	
37	PREN 9208	Aerospace series ù Programme management ù Expression of need ù Guidance on and format for (Need) Technical Specification	2020	ASD-STAN	
38	TR 3198	Aerospace series - Manufacturers identification monograms and marks for EN aerospace products - Edition 15	2020	ASD-STAN	
39	TR 4648	Aerospace series Cable, electrical Re-qualification following changes in design, material or manufacturing process - Edition 1	2020	ASD-STAN	
40	TR 4885	Aerospace series ù Jet lag and lighting ù Biological effects and recommendations	2020	ASD-STAN	
41	TR 4903	Aerospace series Surface treatments ù Template for the writing of surface treatments standards dedicated to the result of process	2020	ASD-STAN	
42	PREN 4825	Aerospace series Steel X12CrNiMoV12-3 (1.4938) ù Air melted and consumable electrode remelted ù Hardened and tempered ù Bars ù De ? 150 mm ù 900 MPa ? Rm ? 1 100 MPa	2020	ASD-STAN	
43	PREN 4841-1	Aerospace series ù Shock mount with bushes ù Part 1: Technical specification	2019	ASD-STAN	
44	PREN 4841-2	Aerospace series ù Shock mount with bushes ù Part 2: Technical overview	2019	ASD-STAN	
45	PREN 2997-002	Aerospace series Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures - 65 °C to 175 °C continuous, 200 °C continuous, 260 °C peak Part 002: Specification of performance and contact a	2019	ASD-STAN	
46	PREN 9300-120	Aerospace series - LOTAR - Long Term Archiving and Retrieval of digital technical product documentation such as 3D CAD and PDM data - Part 120: CAD 3D explicit geometry with graphic product and manufacturing information	2019	ASD-STAN	
47	PREN 9300-121	Aerospace series - LOTAR - Long Term Archiving and Retrieval of digital technical product documentation such as 3D CAD and PDM data - Part 121: Semantic representation of CAD 3D Explicit Geometry with Product and Manufacturing Information	2019	ASD-STAN	
48	PREN 9300-125	Aerospace series - LOTAR - Part 125: Explicit CAD assembly structure with Graphic Product and Manufacturing Information (PMI)	2019	ASD-STAN	
49	PREN 9721	Aerospace series ù General recommendation for the BIT Architecture in an integrated system	2019	ASD-STAN	

50	PREN 6049-009	Aerospace series Electrical cables, installation Protection sleeve in meta-aramid fibres Part 009: Self-wrapping fire protection sleeve, flexible, post installation, operating temperature from - 55 °C to 260 °C Product standard - Edition P 2	2019	ASD-STAN	
51	PREN 4496	Aerospace Series Screws, 100 Degree Countersunk Normal Head, Offset Cruciform Recess, Close Tolerance Normal Shank, Short Thread, in Titanium Alloy, Anodized, with Aluminium Pigmented Coating Classification: 1 100 MPa (at Ambient Temperature)/ 315 C Degre	2019	ASD-STAN	
52	PREN 4613	Spherical plain bearings in corrosion resisting steel with self-lubricating liner, narrow series â__ Dimensions and loads â__ Inch series - Edition 1	2019	ASD-STAN	
53	PREN 4614	Aerospace series Spherical plain bearings in corrosion resisting steel with self-lubricating liner, wide series â__ Dimensions and loads â__ Inch series - Edition P 1	2019	ASD-STAN	
54	PREN 4881	Aerospace series Micro-arc oxidation of aluminium and aluminium alloys	2019	ASD-STAN	
55	PREN 4700-002	Aerospace series Steel and heat resisting alloys Wrought products Technical specification Part 002: Bar and section - Edition P 3	2019	ASD-STAN	
56	PREN 4717	Aerospace series Polyetheretherketone with 55 % continuous carbon fibre by volume (PEEK-CF55) Stock shape material Material specification	2019	ASD-STAN	
57	PREN 4718	Aerospace series Polyetheretherketone with 55 % continuous glass fibre by volume (PEEK-GF55) Stock shape material Material specification	2019	ASD-STAN	
58	PREN 3523	Aerospace Series Steel FE-PL1505 (15CrMoV6) Air Melted Hardened and Tempered Bar for Machining De Less Than or Equal to 100 mm 1 080 MPa Less Than or Equal to Rm Less Than or Equal to 1 280 MPa - Edition P 2	2019	ASD-STAN	
59	PREN 3524	Aerospace Series Steel FE-PL1505 (15CrMoV6) Air Melted Hardened and Tempered Sheet and Strip 2 mm Less Than or Equal to a Less Than or Equal to 6 mm 1 080 MPa Less Than or Equal to Rm Less Than or Equal to 1 280 MPa - Edition P 2	2019	ASD-STAN	
60	PREN 3525	Aerospace Series Steel FE-PL1505 (15CrMoV6) Air Melted Hardened and Tempered Plate 6 mm Less Than or Equal to a Less Than or Equal to 20 mm 1 080 MPa Less Than Rm Less Than or Equal to 1 280 MPa - Edition P 2	2019	ASD-STAN	
61	PREN 3526	Aerospace Series Steel FE-PL1505 (15CrMoV6) Air Melted Hardened and Tempered Sheet and Strip 0,5 mm Less Than or Equal to a Less Than or Equal to 6 mm 980 MPa Less Than Rm Less Than or Equal to 1 180 MPa - Edition P 2	2019	ASD-STAN	
62	PREN 3572	Aerospace Series PTFE Flexible Hose Assembly with Convaluted Inner Tube of a Nominal Pressure up to 6800 kPa and 8 Degree 30 Fitting in Titanium Product Standard - Issue P 1	2019	ASD-STAN	
63	PREN 3373-001	Aerospace Series Terminal Lugs and In-Line Splices for Crimping on Electric Conductors Part 001: Technical Specification - Edition P 3	2019	ASD-STAN	
64	PREN 3434	Aerospace series - Nuts, hexagon, slotted/castellated, selflocking, in steel, cadmium plated, MoS2 lubricated - Classification: 900 MPa (at ambient temperature)/235 °C	2019	ASD-STAN	
65	PREN 3475-512	Aerospace Series, Cables, Electrical, Aircraft Use Test Methods Part 512: Flexure Endurance - Edition P 1	2019	ASD-STAN	
66	PREN 2854-003	Aerospace series Cables, electrical for general purpose Cross sections equal to and greater than 9 mm2 Operating temperatures between - 55 °C and 260 °C Part 003: Product standard - Edition P 2	2019	ASD-STAN	
67	PREN 2755	Aerospace Series Bearings, Spherical Plain in Corrosion Resisting Steel with Self-Lubricating Liner Elevated Loads at Ambient Temperature Technical Specification - Edition P3	2019	ASD-STAN	
68	PREN 2002-001	Aerospace series Metallic materials Test methods Part 001: Tensile testing at ambient temperature	2019	ASD-STAN	
69	PREN 2213	Aerospace series Steel FE-PL1505 (15CrMoV6) Air melted Hardened and tempered Bars De Less than or equal to 16 mm 980 MPa Less than or equal to Rm Less than or equal to 1 180 MPa - Edition P 1	2019	ASD-STAN	
70	PREN 2235	Aerospace series Single and multicore electrical cables, screened and jacketed Technical specification - Edition P 4	2019	ASD-STAN	
71	PREN 2252	Aerospace series Steel FE-PL1505 (15CrMoV6) 1 080 MPa Less than or Equal to Rm Less than or Equal to 1 250 MPa Forgings De Less than or Equal to 100 mm - Edition P 1	2019	ASD-STAN	
72	PREN 2287	Aerospace Series Bushes, Plain Corrosion Resisting Steel with Self-Lubricating Liner Dimensions and Loads - Edition P 1	2019	ASD-STAN	
73	PREN 3155-026	Aerospace series Electrical contacts used in elements of connection Part 026: Contacts, electrical, male, type A, crimp, class R Product standard - Edition P 4	2018	ASD-STAN	

74	PREN 3155-079	Aerospace series Electrical contacts used in elements of connection Part 079: Contacts size 22 for EN 2997, electrical, female, type A, crimp, class S Product standard - Edition P 2	2018	ASD-STAN	
75	PREN 3155-070	Aerospace series Electrical contacts used in elements of connection Part 070: Contacts, electrical, male, type A, crimp, class S Product standard - Edition P 3	2018	ASD-STAN	
76	PREN 4056-003	Aerospace series Cable ties for harnesses Part 003: Plastic cable ties Operating temperatures 65 °C to 105 °C and 65 °C to 150 °C Product standard - Edition P 2	2018	ASD-STAN	
77	PREN 4860	Aerospace series Environmental testing Test Xb: Abrasion of markings, letterings, surfaces and materials caused by rubbing of fingertips and hands - Edition P 1	2018	ASD-STAN	
78	PREN 4854-1	Aerospace series - Bearing, spherical plain, in corrosion resisting steel with self-lubricating liner, low starting torque and low friction coefficient, elevated duty cycles under low oscillations at different operating conditions, narrow series - Part 1:	2018	ASD-STAN	
79	PREN 6056	Aerospace series - Rod-end with bearing per EN 4614 with self lubricating liner in corrosion resisting steel with external threaded shank - Dimensions and loads - Inch series - Edition P 2	2018	ASD-STAN	
80	PREN 4612-010	Aerospace series Cables, electrical, for general purpose, single and multicore assembly XLETFE Family Jacketed or screened and jacketed Part 010: Silver plated copper Operating temperatures, between - 65 °C and 150 °C Dual extruded wall for open applica	2018	ASD-STAN	
81	PREN 4660-003	Aerospace series - Modular and Open Avionics Architectures - Part 003: Communications/Network - Edition P 2	2018	ASD-STAN	
82	PREN 3155-077	Aerospace series Electrical contacts used in elements of connection Part 077: Contacts, electrical, female, type A, crimp, class R Product standard - Edition P 2	2018	ASD-STAN	
83	PREN 3155-027	Aerospace series Electrical contacts used in elements of connection Part 027: Contacts, electrical, female, type A, crimp, class R Product standard - Edition P 4	2018	ASD-STAN	
84	PREN 3155-081	Aerospace series Electrical contacts used in elements of connection Part 081: Contacts size 22 for EN 2997, electrical, female, type A, crimp, class T Product standard - Edition P 2	2018	ASD-STAN	
85	PREN 3155-071	Aerospace series Electrical contacts used in elements of connection Part 071: Contacts, electrical, female, type A, crimp, class S Product standard - Edition P 3	2018	ASD-STAN	
86	PREN 4612-002	Aerospace series Cables, electrical, for general purpose, single and multicore assembly XLETFE Family Jacketed or screened and jacketed Part 002: General - Edition P 2	2018	ASD-STAN	
87	PREN 4854-2	Aerospace series - Bearing, spherical plain, in corrosion resisting steel with self-lubricating liner, low starting torque and low friction coefficient, elevated duty cycles under low oscillations at different operating conditions, wide series - Part 2: D	2018	ASD-STAN	
88	PREN 6096	Aerospace series - Bearing, spherical plain with self-lubricating liner, extra wide inner ring in corrosion resisting steel - Dimensions and loads - Inch series - Edition P 2	2018	ASD-STAN	
89	PREN 4612-011	Aerospace series Cables, electrical, for general purpose, single and multicore assembly XLETFE Family Jacketed or screened and jacketed Part 011: Nickel plated copper Operating temperatures, between - 65 °C and 150 °C Dual extruded wall for open applica	2018	ASD-STAN	
90	PREN 4660-005	Aerospace series - Modular and Open Avionics Architectures - Part 005: Software - Edition P 2	2018	ASD-STAN	
91	PREN 3745-404	Aerospace series Fibres and cables, optical, aircraft use Test methods Part 404: Thermal shock - Edition P 2	2018	ASD-STAN	
92	PREN 3275	Aerospace series - Pipe coupling 8°30 up to 28 000 kPa Dynamic beam seal - Metric series - Technical specification - Edition P 2	2018	ASD-STAN	
93	PREN 3155-083	Aerospace series Electrical contacts used in elements of connection Part 083: Contact, electrical, female, type A, crimp, class S, size 8 Product standard - Edition P 2; Incorporating Corrigendum: 05/03/2018	2018	ASD-STAN	
94	PREN 4612-003	Aerospace series Cables, electrical, for general purpose, single and multicore assembly XLETFE Family Jacketed or screened and jacketed Part 003: Tin plated copper Operating temperatures, between - 65 °C and 135 °C Single extruded wall for open applicat	2018	ASD-STAN	
95	PREN 4854-3	Aerospace series - Bearings, spherical plain, in corrosion resisting steel with self-lubricating liner, low starting torque and low friction coefficient, elevated duty cycles under low oscillations at different operating conditions, wide series - Part 3:	2018	ASD-STAN	
96	PREN 6097	Aerospace series - Bearing, spherical plain, metal to metal, extra wide inner ring in corrosion resisting steel - Dimensions and loads - Inch series - Edition P 2	2018	ASD-STAN	

97	PREN 4612-012	Aerospace series Cables, electrical, for general purpose, single and multicore assembly XLETFE Family Jacketed or screened and jacketed Part 012: Nickel plated copper Operating temperatures, between 65 °C and 150 °C Dual extruded wall for open applicati	2018	ASD-STAN	
98	PREN 4660-004	Aerospace series - Modular and open avionics architectures - Part 004: Packaging - Edition P 2	2018	ASD-STAN	
99	PREN 4604-003	Aerospace series Cable, electrical, for signal transmission Part 003: Cable, coaxial, 50 Ohm, 200 °C, type WZ Product standard - Edition P 3	2018	ASD-STAN	
100	PREN 3645-001	Aerospace series Connectors, electrical, circular, scoop-proof, triple start threaded coupling, operating temperature 175 °C or 200 °C continuous Part 001: Technical specification - Edition P 4	2018	ASD-STAN	
101	PREN 6046	Aerospace series - Bearings, spherical plain, in corrosion resisting steel - Narrow series - Dimensions and loads - Inch series - Edition P 7	2018	ASD-STAN	
102	PREN 3660-033	Aerospace series - Cable outlet accessories for circular and rectangular electrical and optical connectors - Part 033: Stainless steel banding band, style Z, for attachment of individual and/or overall screens to cable outlets - Product standard - Edition	2018	ASD-STAN	
103	PREN 4612-004	Aerospace series Cables, electrical, for general purpose, single and multicore assembly XLETFE Family Jacketed or screened and jacketed Part 004: Tin plated copper Operating temperatures, between 65 °C and 135 °C Single extruded wall for open applicatio	2018	ASD-STAN	
104	PREN 3475-418	Aerospace series Cables, electrical, aircraft use Test methods Part 418: Thermal endurance for conductors - Edition P 2	2018	ASD-STAN	
105	PREN 6098	Aerospace series - Rod-end with bearing per EN 6097 in corrosion resisting steel, extra wide inner ring, external threaded shank - Dimensions and loads - Inch series - Edition P 2	2018	ASD-STAN	
106	PREN 4707	Aerospace series Acid pickling of aluminium and aluminium alloys without hexavalent chromium - Edition P 2	2018	ASD-STAN	
107	PREN 6133 CORR 1	Aerospace series - Rod-end, with bearing per EN 6096, with self-lubricating liner in corrosion resisting steel, extra wide inner ring, external threaded shank - Dimensions and loads - Inch series - Edition P 2	2018	ASD-STAN	
108	PREN 4708-107	Aerospace series Sleeving, heat-shrinkable, for binding, insulation and identification Part 107: Polytetrafluoroethylene (PTFE) Operating temperatures â 65 °C to 260 °C Product standard - Edition P 1	2018	ASD-STAN	
109	PREN 3837	Aerospace series Paints and varnishes Nature and method for surface preparation of test pieces in aluminium alloys - Edition P 2	2018	ASD-STAN	
110	PREN 4612-005	Aerospace series Cables, electrical, for general purpose, single and multicore assembly XLETFE Family Jacketed or screened and jacketed Part 005: Tin plated copper Operating temperatures, between 65 °C and 135 °C Dual extruded wall for open applications	2018	ASD-STAN	
111	PREN 4608-001	Aerospace series Cable, electrical, fire resistant Single and twisted multicore assembly, screened (braided) and jacketed Operating temperatures between 65 °C and 260 °C Part 001: Technical specification - Edition P 2	2018	ASD-STAN	
112	PREN 6133	Aerospace series - Rod-end, with bearing per EN 6096, with selflubricating liner in corrosion resisting steel, extra wide inner ring, external threaded shank - Dimensions and loads - Inch series - Edition P 2	2018	ASD-STAN	
113	PREN 3155-076	Aerospace series Electrical contacts used in elements of connection Part 076: Contacts, electrical, male, type A, crimp, class R Product standard - Edition P 2	2018	ASD-STAN	
114	PREN 2885	Aerospace Series Bolts, Pan Head, Torq-Setrm Recess, Coarse Tolerance Shank, Short Thread, in Steel, Cadmium Plated Classification: 900 MPa/235 Degrees Celsius - Issue P 1	2018	ASD-STAN	
115	PREN 2886	Aerospace Series Bolts, Pan Head, Torq-Setrm Recess, Close Tolerance Shank, Short Thread, in Steel, Cadmium Plated Classification: 900 MPa/235 Degrees Celsius - Issue P 1	2018	ASD-STAN	
116	PREN 3660-062	Aerospace series Cable outlet accessories for circular and rectangular electrical and optical connectors Part 062: Cable outlet, style K, 90°, for heat shrinkable boot, shielded, sealed, self-locking for EN 3645 Product standard - Edition P 2	2018	ASD-STAN	
117	PREN 3660-063	Aerospace series Cable outlet accessories for circular and rectangular electrical and optical connectors Part 063: Cable outlet, style K, straight, for heat shrinkable boot, shielded, sealed, self-locking for EN 3645 Product standard - Edition P 2	2018	ASD-STAN	
118	PREN 3660-064	Aerospace series Cable outlet accessories for circular and rectangular electrical and optical connectors Part 064: Cable outlet, style K, straight, for heat shrinkable boot, shielded, sealed, self-locking for EN 2997 Product standard - Edition P 2	2018	ASD-STAN	
119	PREN 3660-065	Aerospace series Cable outlet accessories for circular and rectangular electrical and optical connectors Part 065: Cable outlet, style K, 90°, for heat shrinkable boot, shielded, sealed, self-locking for EN 2997 Product standard - Edition P 2	2018	ASD-STAN	

120	PREN 9251	Aerospace series - Flammability Test Organisations Qualification Standard	2018	ASD-STAN	
121	TR 6058	Aerospace series Cable code identification list - Edition 11	2018	ASD-STAN	
122	PREN 9252	Aerospace series - Assessment of Design Suppliers Managing and Approving Repairs - Edition P1	2018	ASD-STAN	
123	PREN 3155-065	Aerospace series Electrical contacts used in elements of connection Part 065: Contacts, electrical, male, type A, crimp, class S, size 8 Product standard - Edition P 4	2018	ASD-STAN	
124	PREN 3844-3	Aerospace series Flammability of non-metallic materials Part 3: Small burner test, 45° Determination of the resistance of material to flame and glow propagation and to flame penetration - Edition P 2	2018	ASD-STAN	
125	PREN 4827	Aerospace series Hexavalent chromium free anodizing of aluminium and aluminium alloys - Edition P 2	2018	ASD-STAN	
126	PREN 2583	Aerospace series - Bolts, MJ threads, in heat resisting nickel base alloy NI-PH2601 (Inconel 718), Classification: 1 275 MPa (at ambient temperature)/650 °C - Technical specification - Edition P2	2018	ASD-STAN	
127	PREN 6055	Aerospace series - Rod-end with bearing per EN 4265 in corrosion resisting steel, external threaded shank - Dimensions and loads - Inch series - Edition P 2	2018	ASD-STAN	
128	PREN 4612-009	Aerospace series Cables, electrical, for general purpose, single and multicore assembly XLETFE Family Jacketed or screened and jacketed Part 009: Silver plated copper Operating temperatures, between - 65 °C and 150 °C Dual extruded wall for open applica	2018	ASD-STAN	
129	PREN 4861	Aerospace series Metrological assessment procedure for kinematic fields measured by digital image correlation - Edition P 1	2018	ASD-STAN	
130	PREN 9255	Aerospace series - Acceptance of supplier's design capabilities and management of Design Organisation authorisations - Edition P 1	2018	ASD-STAN	
131	PREN 4708-108	Aerospace series Sleeving, heat-shrinkable, for binding, insulation and identification Part 108: Limited fire hazard sleeving Operating temperatures à 65 °C to 150 °C Product standard - Edition P 1	2018	ASD-STAN	
132	TR 4865	Aerospace series Suitable cable outlet to be mated on EN 3645 connector (layout type: 21R48) for the qualification of electrical contact Product standards EN 3155-065 and EN 3155-083 - Edition 1	2018	ASD-STAN	
133	PREN 4612-006	Aerospace series Cables, electrical, for general purpose, single and multicore assembly XLETFE Family Jacketed or screened and jacketed Part 006: Tin plated copper Operating temperatures, between - 65 °C and 135 °C Dual extruded wall for open applicatio	2018	ASD-STAN	
134	PREN 4708-105	Aerospace series Sleeving, heat-shrinkable, for binding, insulation and identification Part 105: Semi-flexible polyvinylidene fluoride (PVDF) Operating temperature 55 °C to 150 °C Product standard - Edition P 1	2018	ASD-STAN	
135	PREN 4866	Aerospace series Definitions of imperfections and defects in organic matrix composite materials - Edition P 1	2018	ASD-STAN	
136	TR 4858	Aerospace series - Pipe couplings materials and surface treatments - Edition P1	2018	ASD-STAN	
137	PREN 4868	Aerospace series Anodic electrodeposition of hexavalent chromium free primer - Edition P 1	2018	ASD-STAN	
138	PREN 3155-008	Aerospace series Electrical contacts used in elements of connection Part 008: Contacts, electrical, male, type A, crimp, class S Product standard - Edition P 5	2018	ASD-STAN	
139	PREN 3844-1	Aerospace series Flammability of non-metallic materials Part 1: Small burner test, vertical Determination of the vertical flame propagation - Edition P 2	2018	ASD-STAN	
140	PREN 3278	Aerospace series - Sleeves, tubular, protruding head, in corrosion resisting steel, passivated (0,25 mm wall thickness) - Edition P 2	2018	ASD-STAN	
141	PREN 3818	Aerospace series - Bolts, MJ threads, in titanium alloy TI-P64001 - Strength class: 1 100 MPa (at ambient temperature) - Technical specification - Edition P 2	2018	ASD-STAN	
142	PREN 4612-007	Aerospace series Cables, electrical, for general purpose, single and multicore assembly XLETFE Family Jacketed or screened and jacketed Part 007: Silver plated copper Operating temperatures, between - 65 °C and 150 °C Single extruded wall for open appli	2018	ASD-STAN	
143	PREN 4867	Aerospace series Laser surface marking by discoloration - Edition P 1	2018	ASD-STAN	
144	PREN 3299	Aerospace series - Shaft-nuts and threaded rings, self-locking, right- or left-hand MJ threads, in heat resisting steel FE-PA2601 (A286), silver plated - Technical specification - Edition P 2	2018	ASD-STAN	
145	PREN 2465	Aerospace series Steel X2CrNi18-9 (1.4307) Softened 450 MPa à □ Rm à □ 680 MPa Bar for machining 4 mm à □ De à □ 100 mm - Edition P 2	2018	ASD-STAN	

146	PREN 4476	Aerospace series Paints and varnishes Cold curing intermediate coat - Edition P 3	2018	ASD-STAN	
147	PREN 3155-009	Aerospace series Electrical contacts used in elements of connection Part 009: Contacts, electrical, female, type A, crimp, class S Product standard - Edition P 4	2018	ASD-STAN	
148	PREN 3844-2	Aerospace series Flammability of non-metallic materials Part 2: Small burner test, horizontal Determination of the horizontal flame propagation - Edition P 2	2018	ASD-STAN	
149	PREN 4161	Aerospace series - Screws, pan head, offset cruciform recess, coarse tolerance normal shank, long thread, in alloy steel, cadmium plated - Classification: 1 100 PMA (at ambient temperature)/235 °C - Edition P 3	2018	ASD-STAN	
150	PREN 9138	Aerospace Series - Quality Management Systems - Statistical Product Acceptance Requirements - Edition P 1	2018	ASD-STAN	
151	PREN 3833	Aerospace series - Bolts, MJ threads, in heat resisting nickel base alloy NI-PH2601 (Inconel 718), passivated - Classification: 1 550 MPa (at ambient temperature)/650 °C - Technical specification - Edition P 3	2018	ASD-STAN	
152	PREN 4612-008	Aerospace series Cables, electrical, for general purpose, single and multicore assembly XLETFE Family Jacketed or screened and jacketed Part 008: Silver plated copper Operating temperatures, between - 65 °C and 150 °C Single extruded wall for open appli	2018	ASD-STAN	
153	PREN 3685	Aerospace series - Bolts in heat resisting steel FE-PA2601 (A286) - Classification: 1 100 MPa/650 °C - Technical specification - Edition P 3	2018	ASD-STAN	
154	PREN 3155-003	Aerospace series Electrical contacts used in elements of connection Part 003: Contacts, electrical, female, type A, crimp, class S Product standard - Edition P 4	2018	ASD-STAN	
155	PREN 4641-201	Aerospace series Cables, optical, 125 \times m diameter cladding Part 201: Semi-loose structure 9/125 \times m SM fiber nominal 1,8 mm outside diameter Product standard - Edition P 1	2017	ASD-STAN	
156	PREN 2591-228	Aerospace series Elements of electrical and optical connection Test methods Part 228: Ferrule withdrawal force - Edition P 1	2017	ASD-STAN	
157	PREN 4726	Aerospace series - Acceptance parameters of aesthetical variations for all visible equipment installed in aircraft cabins under all contractual variations - Edition P 1	2017	ASD-STAN	
158	PREN 4611-002	Aerospace series Cables, electrical, for general purpose, single and multicore assembly XLETFE Family Part 002: General - Edition P 2	2017	ASD-STAN	
159	PREN 4856	Rotorcraft - Emergency Breathing Systems (EBS) - Requirements, testing and marking - Edition P1; Incorporating Corrigendum: 12-01-2017	2017	ASD-STAN	
160	PREN 4611-003	Aerospace series Cables, electrical, for general purpose, single and multicore assembly XLETFE Family Part 003: Tin plated copper Operating temperatures, between - 65 Degrees Celsius and 135 Degrees Celsius Single extruded wall for enclosed applications	2017	ASD-STAN	
161	PREN 4611-006	Aerospace series Cables, electrical, for general purpose, single and multicore assembly XLETFE Family Part 006: Silver plated copper Operating temperatures between - 65 °C and 150 °C Dual extruded wall for open applications UV laser printable Product st	2017	ASD-STAN	
162	PREN 4529-002	Aerospace series Elements of electrical and optical connection Sealing plugs Part 002: Index of product standards - Edition P 2	2017	ASD-STAN	
163	PREN 3645-005	Aerospace series Connectors, electrical, circular, scoop-proof, triple start threaded coupling, operating temperature 175 °C or 200 °C continuous - Part 005: Receptacle, hermetic, round flange, solder mounting - Product standard - Edition P 2	2017	ASD-STAN	
164	PREN 4641-200	Aerospace series Cables, optical, 125 \times m diameter cladding Part 200: Semi-loose structure 9/125 \times m GI fibre nominal 0,9 mm outside diameter Product standard - Edition P 1	2017	ASD-STAN	
165	PREN 4611-004	Aerospace series Cables, electrical, for general purpose, single and multicore assembly XLETFE Family Part 004: Tin plated copper Operating temperatures, between \hat{a} 65 °C and 135 °C Dual extruded wall for open applications UV laser printable Product st	2017	ASD-STAN	
166	PREN 4835	Aerospace series - Installation and removal requirements for Ring locked fitting and reducer, 24° Cone up to 35 000 kPa (5 080 psi) - Inch Series - Edition P1	2017	ASD-STAN	
167	PREN 3645-009	Aerospace series Connectors, electrical, circular, scoop-proof, triple start threaded coupling, operating temperature 175 °C or 200 °C continuous Part 009: Receptacle, round flange, jam nut mounting Product standard - Edition P 3	2017	ASD-STAN	
168	PREN 4611-005	Aerospace series Cables, electrical, for general purpose, single and multicore assembly XLETFE Family Part 005: Silver plated copper Operating temperatures between - 65 °C and 150 °C Single extruded wall for enclosed applications UV laser printable Prod	2017	ASD-STAN	

169	PREN 4641-001	Aerospace series Cables, optical, 125 μ m diameter cladding Part 001: Technical specification - Edition P2	2017	ASD-STAN	
170	PREN 2894	Aerospace series - Nuts, bihexagonal, self-locking, with counterbore, in heat resisting nickel base alloy, passivated, MoS ₂ lubricated - Classification: 1 550 MPa (at ambient temperature) / 315 $^{\circ}$ C - Edition P 3	2017	ASD-STAN	
171	PREN 3155-082	Aerospace series Electrical contacts used in elements of connection Part 082: Contacts, electrical, female, type A, crimp, class S Product standard - Edition P 2	2017	ASD-STAN	
172	PREN 4641-106	Aerospace series Cables, optical, 125 μ m diameter cladding Part 106: Semi-loose structure 62,5/125 μ m GI fibre nominal 0,9 mm outside diameter Product standard - Edition P 1	2017	ASD-STAN	
173	PREN 9107	Aerospace series Quality systems - Direct Delivery Authorization - Guidance for Aerospace Companies - Edition P 2	2017	ASD-STAN	
174	PREN 4834	Aerospace series - Adaptor, Pipe coupling 24 $^{\circ}$ Cone up to 35 000 kPa (5 080 psi) Port for Ring locked fitting - Inch Series - Geometric configuration - Edition P1	2017	ASD-STAN	
175	PREN 3645-010	Aerospace series Connectors, electrical, circular, scoop-proof, triple start threaded coupling, operating temperature 175 $^{\circ}$ C or 200 $^{\circ}$ C continuous Part 010: Receptacle, hermetic, round flange, jam nut mounting Product standard - Edition P 2	2017	ASD-STAN	
176	PREN 4165-026	Aerospace series Connector, electrical, rectangular, modular Operating temperature 175 $^{\circ}$ C continuous Part 026: Accessories for single module connector Product standard - Edition P 3	2017	ASD-STAN	
177	PREN 4124	Aerospace series - Shank nuts, self-locking, in heat resisting nickel base alloy NI-PH1302 (Waspaloy), silver plated on thread, for 60 $^{\circ}$ swage - Classification: 1 210 MPa (at ambient temperature) / 730 $^{\circ}$ C - Edition P 2	2017	ASD-STAN	
178	PREN 3155-080	Aerospace series Electrical contacts used in elements of connection Part 080: Contacts size 22 for EN 2997, electrical, male, type A, crimp, class T Product standard - Edition P 2	2017	ASD-STAN	
179	PREN 9146	Foreign Object Damage (FOD) Prevention Program - Requirements for Aviation, Space, and Defence Organizations - Edition P1	2017	ASD-STAN	
180	PREN 4730	Aerospace series - Anthropometric dimensioning of aircraft seats - Edition P1	2017	ASD-STAN	
181	PREN 2564	Aerospace series Carbon fibre laminates Determination of the fibre, resin and void contents - Edition P 2	2017	ASD-STAN	
182	TR 3198	Aerospace series - Manufacturers identification monograms and marks for EN aerospace products - Edition 15	2017	ASD-STAN	
183	PREN 9278	Aerospace series - General Principles of Obsolescence Management of chemicals, materials and processes - Edition P1	2017	ASD-STAN	
184	PREN 4833	Aerospace series - Pipe coupling 24 $^{\circ}$ Cone up to 35 000 kPa (5 080 psi) Ring locked fitting - Flareless End - Inch Series - Extra Fine Thread Pitch - Edition P1	2017	ASD-STAN	
185	PREN 3660-005	Aerospace series Cable outlet accessories for circular and rectangular electrical and optical connectors Part 005: Cable outlet, style A, 90 $^{\circ}$, unsealed with clamp strain relief Product standard - Edition P 4	2017	ASD-STAN	
186	PREN 4123	Aerospace series - Shank nuts, self-locking, in heat resisting nickel base alloy NI-PH2601 (Inconel 718), silver plated on thread - Classification: 1 550 MPa (at ambient temperature) / 600 $^{\circ}$ C - Edition P2	2017	ASD-STAN	
187	PREN 3155-078	Aerospace series Electrical contacts used in elements of connection Part 078: Contacts size 22 for EN 2997, electrical, male, type A, crimp, class S Product standard - Edition P 2	2017	ASD-STAN	
188	PREN 4708-001	Aerospace series Sleeving, heat-shrinkable, for binding, insulation and identification Part 001: Technical specification - Edition P 2	2017	ASD-STAN	
189	PREN 6059-407	Aerospace series Electrical cables, installation Protection sleeves Test methods Part 407: Mark adherence and print permanence - Edition P 1	2017	ASD-STAN	
190	PREN 4832	Aerospace series - Adaptor, Pipe coupling 24 $^{\circ}$ Cone up to 35 000 kPa (5 080 psi) Ringlocked fitting and Ring-locked fitting-reducer - Inch Series - Technical specification - Edition P1	2017	ASD-STAN	
191	PREN 4840-101	Aerospace series Heat shrinkable moulded shapes Part 101: Polyolefin, semi-rigid, limited fire hazard Temperature range 30 $^{\circ}$ C to 105 $^{\circ}$ C Product standard - Edition P 1	2017	ASD-STAN	
192	PREN 3660-004	Aerospace series Cable outlet accessories for circular and rectangular electrical and optical connectors Part 004: Cable outlet, style A, straight, unsealed with clamp strain relief Product standard - Edition P 4	2017	ASD-STAN	
193	PREN 6059-402	Aerospace series Electrical cables, installation - Protection sleeves - Test methods - Part 402: Bending properties - Edition P 2	2017	ASD-STAN	
194	PREN 4122	Aerospace series - Shank nuts, self-locking, in heat resisting steel FE-PA2601 (A286), silver plated on thread - Classification: 1 100 MPa (at ambient temperature) / 650 $^{\circ}$ C - Edition P 2	2017	ASD-STAN	

195	PREN 3745-506	Aerospace series Fibres and cables, optical, aircraft use Test methods Part 506: Impact resistance - Edition P 2	2017	ASD-STAN	
196	PREN 4710-03	Aerospace series - Quick release fastening systems for non-structural applications - Part 03: Spring clamp - Edition P2	2017	ASD-STAN	
197	PREN 3155-014	Aerospace series Electrical contacts used in elements of connection Part 014: Contacts, electrical, male, type A, crimp, class S Product standard - Edition P 5	2017	ASD-STAN	
198	PREN 2585	Aerospace Series Bearings, Spherical Plain in Corrosion Resisting Steel with Self-Lubricating Liner, Wide Series Elevated Loads at Ambient Temperature Dimensions and Loads - Edition P 2	2017	ASD-STAN	
199	PREN 2591-326	Aerospace series Elements of electrical and optical connection Test methods Part 326: Fire immersion test - Edition P 1	2017	ASD-STAN	
200	PREN 9115	Quality Management Systems - Requirements for Aviation, Space and Defence Organizations - Deliverable Software (Supplement to EN 9100) - Edition P2	2017	ASD-STAN	
201	PREN 3542	Aerospace series - Inserts, screw thread, helical coil, self-locking, in heat resisting nickel base alloy Ni-PH2801 (Inconel X750) - Edition P 2	2017	ASD-STAN	
202	PREN 3645-004	Aerospace series Connectors, electrical, circular, scoop-proof, triple start threaded coupling, operating temperature 175 °C or 200 °C continuous - Part 004: Receptacle, hermetic, square flange mounting - Product standard - Edition P 2	2017	ASD-STAN	
203	PREN 3745-411	Aerospace series Fibres and cables, optical, aircraft use Test methods Part 411: Resistance to fluids - Edition P 2	2017	ASD-STAN	
204	PREN 4710-01	Aerospace series - Quick release fastening systems for non-structural applications - Part 01: Technical specification - Edition P 2	2017	ASD-STAN	
205	PREN 4859	Aerospace series - Sensor based clamp load determination / high tensile bolts - Technical specification - Edition 1	2017	ASD-STAN	
206	PREN 2584	Aerospace series - Bearing, spherical plain in corrosion resisting steel with self-lubricating liner - Narrow series - Elevated load at ambient temperature - Dimensions and loads - Edition P2	2017	ASD-STAN	
207	PREN 2591-318	Aerospace series Elements of electrical and optical connection Test methods Part 318: Fire-resistance - Edition P 1	2017	ASD-STAN	
208	PREN 4836	Aerospace series - Adaptor, Pipe coupling 24° Cone up to 35 000 kPa (5 080 psi) Ringlocked fitting Reducer-Flareless End - Inch Series - Extra Fine Thread Pitch - Edition P1	2017	ASD-STAN	
209	PREN 2944	Aerospace series - Inserts, screw thread, helical coil, self-locking, in corrosion resisting steel FE-PA3004 - Edition P 2	2017	ASD-STAN	
210	PREN 4708-106	Aerospace series Sleeving, heat-shrinkable, for binding, insulation and identification Part 106: Limited fire hazard sleeving Operating temperature â 30 °C to 105 °C Product standard - Edition P 1; Incorporating Corrigendum: 07/06/2017	2017	ASD-STAN	
211	PREN 4708-102	Aerospace series Sleeving, heat-shrinkable, for binding, insulation and identification Part 102: Very flexible polymer Operating temperature â 75 °C to 150 °C Product standard - Edition P 1	2017	ASD-STAN	
212	PREN 4840-002	Aerospace series Heat shrinkable moulded shapes Part 002: Index of product standards and product dimensions - Edition P 1	2017	ASD-STAN	
213	PREN 3660-001	Aerospace series Cable outlet accessories for circular and rectangular electrical and optical connectors Part 001: Technical specification - Edition P 4	2017	ASD-STAN	
214	PREN 4604-001	Aerospace series Cable, electrical, for signal transmission Part 001: Technical specification - Edition P 4	2017	ASD-STAN	
215	PREN 4641-202	Aerospace series Cables, optical, 125 µm diameter cladding Part 202: Semi-loose, ruggedized simplex construction 9/125 µm SM fibre nominal 2,74 mm outside diameter Product standard - Edition P 1	2017	ASD-STAN	
216	PREN 6059-305	Aerospace series Electrical cables, installation Protection sleeves Test methods Part 305: Fluid absorption - Edition P 2	2017	ASD-STAN	
217	PREN 4852	Aerospace series - External spiral drive heads for threaded fasteners - Geometrical definition and wrenching configuration - Edition P 1	2017	ASD-STAN	
218	PREN 2267-010	Aerospace series Cables, electrical, for general purpose Operating temperatures between 55 °C and 260 °C Part 010: DR family, single UV laser printable Product standard - Edition P 4	2017	ASD-STAN	
219	PREN 4611-007	Aerospace series Cables, electrical, for general purpose, single and multicore assembly XLETFE Family Part 007: Nickel plated copper Operating temperatures, between - 65 °C and 150 °C Dual extruded wall for open applications UV laser printable Product s	2017	ASD-STAN	

220	PREN 4708-103	Aerospace series Sleeving, heat-shrinkable, for binding, insulation and identification Part 103: Fluoroelastomer sleeves - Operating temperature - 55 °C to 200 °C - Product standard - Edition P 1; Incorporating Corrigendum: 07/13/2017	2017	ASD-STAN	
221	PREN 3645-013	Aerospace series Connectors, electrical, circular, scoop-proof, triple start threaded coupling, operating temperature 175 °C or 200 °C continuous Part 013: Dummy receptacle Product standard - Edition P 2	2017	ASD-STAN	
222	PREN 3155-015	Aerospace series Electrical contacts used in elements of connection Part 015: Contacts, electrical, female, type A, crimp, class S Product standard - Edition P 5	2017	ASD-STAN	
223	PREN 2951	Aerospace series Metallic materials Test method Micrographic determination of content of non-metallic inclusions - Edition P 2	2017	ASD-STAN	
224	PREN 4706	Aerospace series LED colour and brightness ranking - Edition P 2	2017	ASD-STAN	
225	PREN 3646-006	Aerospace series Connectors, electrical, circular, bayonet coupling, operating temperature 175 °C or 200 °C continuous Part 006: Receptacle, hermetic, jam-nut mounting Product standard - Edition: P 2	2017	ASD-STAN	
226	PREN 4510	Aerospace series - Pipe coupling, 60°, spherical, in titanium alloy TIP64001, port adapter, straight, double end, with locking ring - Edition P1	2017	ASD-STAN	
227	PREN 3660-003	Aerospace series Cable outlet accessories for circular and rectangular electrical and optical connectors Part 003: Grommet nut, style A Product standard - Edition P 4	2017	ASD-STAN	
228	PREN 2799	Aerospace series Fluorocarbon rubber (FKM) Low compressions set Hardness 90 IRHD - Edition P 2	2016	ASD-STAN	
229	PREN 4702-02	Aerospace series - Quick release fastening systems with non metallic stud for non-structural applications - Part 02: Spring clamp stud combination - Edition P 1	2016	ASD-STAN	
230	PREN 4533-003	Aerospace series Fibre optic systems Handbook Part 003: Looming and installation practices - Edition P 2	2016	ASD-STAN	
231	PREN 2812	Aerospace series Stripping of electric cables - Edition P 4	2016	ASD-STAN	
232	PREN 4681-005	Aerospace series Cables, electric, general purpose, with conductors in aluminium or copper-clad aluminium Part 005: AZ family, single, for use in low pressure atmosphere Product standard - Edition P 2; Incorporating Corrigendum: 07/03/2017	2016	ASD-STAN	
233	PREN 3475-603	Aerospace series Cables, electrical, aircraft use Test methods Part 603: Resistance to wet arc tracking - Edition P 5	2016	ASD-STAN	
234	PREN 4842	Aerospace series X5CrNiCu15-5 (1.4545) Consumable electrode remelted (ESR or VAR) Solution treated and precipitation treated (H1025) Bar for machining a or D $\hat{=}$ 250 mm l 070 MPa $\hat{=}$ Rm $\hat{=}$ 1 200 MPa Premium quality (pq) - Edition P 1	2016	ASD-STAN	
235	PREN 6059-309	Aerospace series Electrical cables, installation Protection sleeves Test methods Part 309: Fire resistance when fitted on a cable bundle - Edition P 1	2016	ASD-STAN	
236	PREN 2899	Aerospace series Vulcanized rubbers Test on the susceptibility to corrosion in a damp atmosphere of metals in contact with vulcanized rubbers - Edition P 2	2016	ASD-STAN	
237	PREN 6049-008	Aerospace series Electrical cables, installation Protection sleeve in meta-aramid fibres Part 008: Self-wrapping shielded (EMI) protective sleeve with nickel copper braid, flexible post installation operating temperature from - 55 °C to 200 °C Product s	2016	ASD-STAN	
238	TR 4666	Aerospace series Aircraft integrated air quality and pressure standards, criteria and determination methods - Edition 1	2016	ASD-STAN	
239	PREN 4702-03	Aerospace series - Quick release fastening systems for non-structural applications - Part 03: Stud - quick-release and locking - Edition P 1	2016	ASD-STAN	
240	PREN 4533-004	Aerospace series Fibre optic systems Handbook Part 004: Repair, maintenance, cleaning and inspection - Edition P 2	2016	ASD-STAN	
241	PREN 3197	Aerospace series Design and installation of aircraft electrical and optical interconnection systems - Edition P 3	2016	ASD-STAN	
242	PREN 4681-006	Aerospace series Cables, electric, general purpose, with conductors in aluminium or copper-clad aluminium Part 006: AZA family, single and multicore assembly, for use in low pressure atmosphere Product standard - Edition P 2; Incorporating Corrigendum: 07	2016	ASD-STAN	
243	PREN 2566	Aerospace series Fluorocarbon rubber (FKM) Hardness 70 IRHD - Edition P 2	2016	ASD-STAN	
244	PREN 4652-002	Aerospace series Connectors, coaxial, radio frequency Part 002: Specification of performances - Edition P 1	2016	ASD-STAN	
245	PREN 9100	Quality Management Systems Requirements for Aviation, Space and Defence Organizations - Edition P 4	2016	ASD-STAN	

246	PREN 9223-100	Programme Management - Configuration Management - Part 100: A guide for the application of the principles of configuration management - Edition P 1	2016	ASD-STAN	
247	PREN 9250	Aerospace series Test organisations General requirements for test process and capabilities - Edition P 1	2016	ASD-STAN	
248	PREN 4708-301	Aerospace series Sleeving, heat-shrinkable, for binding, insulation and identification Part 301: Adhesive lined polyolefin sleeveings Operating temperature 55 °C to 105 °C Product standard - Edition P 1	2016	ASD-STAN	
249	PREN 3646-003	Aerospace series Connectors, electrical, circular, bayonet coupling, operating temperature 175 °C or 200 °C continuous Part 003: Receptacle, square flange mounting Product standard - Edition P 2	2016	ASD-STAN	
250	PREN 4702-04	Aerospace series - Quick release fastening systems with non metallic stud for non-structural applications - Part 04: Spring clamp - Edition P 1	2016	ASD-STAN	
251	PREN 4604-010	Aerospace series Cable, electrical, for signal transmission Part 010: Cable, coaxial, light weight, 50 ohms, 200 °C, type KX (light WD) Product standard - Edition P 4	2016	ASD-STAN	
252	PREN 4652-221	Aerospace series Connectors, coaxial, radio frequency Part 221: Type 2, TNC interface Crimp version Right angle plug Product standard - Edition P 1	2016	ASD-STAN	
253	PREN 3475-411	Aerospace series Cables, electrical, aircraft use Test methods Part 411: Resistance to fluids - Edition P 3	2016	ASD-STAN	
254	PREN 6059-303	Aerospace series Electrical cables, installation Protection sleeves Test methods Part 303: Resistance to fluids - Edition P 3	2016	ASD-STAN	
255	PREN 4652-220	Aerospace series Connectors, coaxial, radio frequency Part 220: Type 2 TNC interface Crimp version Straight plug Product standard - Edition P 1	2016	ASD-STAN	
256	PREN 3719 CORR	Aerospace series Aluminium or aluminium alloy conductors for electrical cables Product standard - Edition P 4	2016	ASD-STAN	
257	PREN 2567	Aerospace series Fluorocarbon rubber (FKM) Hardness 80 IRHD - Edition P 2	2016	ASD-STAN	
258	PREN 9223-101	Programme Management - Configuration Management - Part 101: Configuration identification - Edition P 1	2016	ASD-STAN	
259	PREN 4652-321	Aerospace series Connectors, coaxial, radio frequency Part 321: Type 3, N interface Crimp assembly version Right angle plug Product standard - Edition P 1	2016	ASD-STAN	
260	PREN 4840-001	Aerospace series Heat shrinkable moulded shapes Part 001: Technical specification - Edition P 1	2016	ASD-STAN	
261	PREN 4165-022	Aerospace series Connectors, electrical, rectangular, modular Operating temperature 175 °C continuous Part 022: Insertion/extraction tool for removal of modules Product standard - Edition P 2	2016	ASD-STAN	
262	PREN 4652-222	Aerospace series Connectors, coaxial, radio frequency Part 222: Type 2, TNC interface Crimp version Square flange receptacle Product standard - Edition P 1	2016	ASD-STAN	
263	PREN 3745-505	Aerospace series Fibres and cables, optical, aircraft use Test methods Part 505: Cable tensile strength - Edition P 2	2016	ASD-STAN	
264	PREN 4702-05	Aerospace series - Quick release fastening systems with non metallic stud for non-structural applications - Part 05: Retaining washer - Edition P 1	2016	ASD-STAN	
265	PREN 4674-004	Aerospace series Electrical cables, installation Self-wrapping shielding (EMI) protective sleeve Part 004: Open sleeve Outside pressurized area EMI protection 10 kA Temperature range 65 °C to 200 °C Product standard - Edition P 2	2016	ASD-STAN	
266	PREN 6059-503	Aerospace series Electrical cables, installation Protection sleeves Test methods Part 503: Temperature rise due to rated current injected on the sleeve - Edition P 2	2016	ASD-STAN	
267	PREN 4838-001	Aerospace series Arc Fault Circuit breakers, single-pole, temperature compensated, rated current 3 A to 25 A 115 V a.c. 400 Hz constant frequency Part 001: Technical specification - Edition P 1; Incorporating Corrigendum: 2/13/2017	2016	ASD-STAN	
268	PREN 9300-110	Aerospace series LOTAR Long Term Archiving and Retrieval of digital technical product documentation such as 3D, CAD and PDM data Part 110: CAD mechanical 3D Explicit geometry information - Edition P 2	2016	ASD-STAN	
269	PREN 2568	Aerospace series Fluorocarbon rubber (FKM) Hardness 90 IRHD - Edition P 2	2016	ASD-STAN	
270	PREN 9101	Quality Management Systems - Audit Requirements for Aviation, Space, and Defence Organizations	2016	ASD-STAN	
271	PREN 9223-102	Programme Management - Configuration Management - Part 102: Configuration status accounting - Edition P 1	2016	ASD-STAN	

272	PREN 9133	Aerospace series Quality Management Systems Qualification Procedure for Aerospace Standard Products - Edition P 2	2016	ASD-STAN	
273	PREN 4838-005	Aerospace series Arc Fault Circuit breakers, single-pole, temperature compensated, rated current 3 A to 25 A 115 V a.c. 400 Hz constant frequency Part 005: With polarized signal contact Product standard - Edition P 1	2016	ASD-STAN	
274	PREN 4652-320	Aerospace series Connectors, coaxial, radio frequency Part 320: Type 3, N interface Crimp version Straight plug Product standard - Edition P 1	2016	ASD-STAN	
275	PREN 6118	Aerospace series - Process specification - Aluminium base protection for fasteners - Edition P 3	2016	ASD-STAN	
276	PREN 3155-004	Aerospace series Electrical contacts used in elements of connection Part 004: Contacts, electrical, male, type A, crimp, class T Product standard - Edition P 4	2016	ASD-STAN	
277	PREN 4652-322	Aerospace series Connectors, coaxial, radio frequency Part 322: Type 3, N interface Crimp version Square flange receptacle Product standard - Edition P 1	2016	ASD-STAN	
278	PREN 9300-200	Aerospace series LOTAR LOnG Term Archiving and Retrieval of digital technical product documentation such as 3D, CAD and PDM data Part 200: Common Concepts for LOnG Term Archiving and Retrieval of Product Structure Information - Edition P 1	2016	ASD-STAN	
279	TR 6058	Aerospace series Cable code identification list - Edition 11	2016	ASD-STAN	
280	PREN 9136	Aerospace series - Root Cause Analysis and Problem Solving (9S Methodology)	2016	ASD-STAN	
281	PREN 4533-002	Aerospace series Fibre optic systems Handbook Part 002: Test and measurement - Edition P 2	2016	ASD-STAN	
282	PREN 3475-605	Aerospace series Cables, electrical, aircraft use Test methods Part 605: Wet short circuit test - Edition P 3	2016	ASD-STAN	
283	PREN 3375-001	Aerospace series Cable, electrical, for digital data transmission Part 001: Technical specification - Edition P 2	2016	ASD-STAN	
284	PREN 2234	Aerospace series Cable, electrical, fire resistant Technical specification - Edition P 4	2016	ASD-STAN	
285	PREN 4731	Aerospace series Spectral quality of LED luminaires used with photoluminescent marking systems - Edition P 1	2016	ASD-STAN	
286	PREN 2795	Aerospace series Fluorocarbon rubber (FKM) Low compressions set Hardness 50 IRHD - Edition P 2	2016	ASD-STAN	
287	PREN 9223-103	Programme Management - Configuration Management - Part 103: Configuration Verifications, Reviews and Audits - Edition P 1	2016	ASD-STAN	
288	PREN 9117	Aerospace series Delegated Product Release Verification - Edition P 1	2016	ASD-STAN	
289	PREN 2346-005	Aerospace series Cable, electrical, fire resistant Operating temperatures between 65 °C and 260 °C Part 005: DW family, single UV laser printable and multicore assembly Light weight Product standard - Edition P 3	2016	ASD-STAN	
290	PREN 3155-005	Aerospace series Electrical contacts used in elements of connection Part 005: Contacts, electrical, female, type A, crimp, class T Product standard - Edition P 4	2016	ASD-STAN	
291	PREN 9110	Quality Management Systems - Requirements for Aviation Maintenance Organizations	2016	ASD-STAN	
292	PREN 4839-001	Aerospace series Arc Fault Circuit breakers, three-pole, temperature compensated, rated current 3 A to 25 A 115 V a.c. 400 Hz constant frequency Part 001: Technical specification - Edition P 1	2016	ASD-STAN	
293	PREN 4708-104	Aerospace series Sleeving, heat-shrinkable, for binding, insulation and identification Part 104: Semi-rigid polyvinylidene fluoride (PDVF) Operating temperature 55 °C to 175 °C Product standard - Edition P 1	2016	ASD-STAN	
294	PREN 9145	Aerospace series - Requirements for Advanced Product Quality Planning and Production Part Approval Process - Edition P 1	2016	ASD-STAN	
295	PREN 2796	Aerospace series Fluorocarbon rubber (FKM) Low compressions set Hardness 60 IRHD - Edition P 2	2016	ASD-STAN	
296	PREN 9223-104	Programme Management - Configuration Management - Part 104: Configuration Control - Edition P 1	2016	ASD-STAN	
297	PREN 6049-001	Aerospace series Electrical cables, installation Protection sleeve in meta-aramid fibres Part 001: Technical specification - Edition P 4	2016	ASD-STAN	
298	PREN 2591-100	Aerospace series Elements of electrical and optical connection Test methods Part 100: General - Edition P 2	2016	ASD-STAN	
299	PREN 9120	Quality Management Systems - Requirements for Aviation, Space and Defence Distributors	2016	ASD-STAN	

300	PREN 4838-004	Aerospace series Arc Fault Circuit breakers, single-pole, temperature compensated, rated current 3 A to 25 A 115 V a.c. 400 Hz constant frequency Part 004: With signal contact Product standard - Edition P 1	2016	ASD-STAN	
301	PREN 3745-202	Aerospace series Fibres and cables, optical, aircraft use Test methods Part 202: Fibre dimensions - Edition P 4	2016	ASD-STAN	
302	PREN 3475-701	Aerospace series Cables, electrical, aircraft use Test methods Part 701: Strippability and adherence of insulation to the conductor - Edition P 2	2016	ASD-STAN	
303	PREN 3264	Aerospace series - Pipe coupling 8 ¹ °30 in titanium alloy - Thrust wire nuts - Edition P 4	2016	ASD-STAN	
304	PREN 3719	Aerospace series Aluminium or aluminium alloy conductors for electrical cables Product standard - Edition P 4	2016	ASD-STAN	
305	PREN 9162	Aerospace series - Aerospace Operator Self-Verification Programs	2016	ASD-STAN	
306	PREN 2797	Aerospace series Fluorocarbon rubber (FKM) Low compressions set Hardness 70 IRHD - Edition P 2	2016	ASD-STAN	
307	PREN 9223-105	Programme Management - Configuration Management - Part 105: Glossary - Edition P 1	2016	ASD-STAN	
308	PREN 6049-003	Aerospace series Electrical cables, installation Protection sleeve in meta-aramid fibres Part 003: Braided, tubular, expandable Product standard - Edition P 2	2016	ASD-STAN	
309	PREN 2591-403	Aerospace series Elements of electrical and optical connection Test methods Part 403: Sinusoidal and random vibration - Edition P 3	2016	ASD-STAN	
310	PREN 2084	Aerospace series Cables, electrical, general purpose, with conductors in copper or copper alloy Technical specification - Edition P 3	2016	ASD-STAN	
311	PREN 3475-604	Aerospace series Cables, electrical, aircraft use Test methods Part 604: Resistance to dry arc propagation - Edition P 3	2016	ASD-STAN	
312	PREN 3475-707	Aerospace series Cables, electrical, aircraft use Test methods Part 707: Stabilization of assembly - Edition P1	2016	ASD-STAN	
313	PREN 4533-001	Aerospace series Fibre optic systems Handbook Part 001: Termination methods and tools - Edition P 2	2016	ASD-STAN	
314	PREN 4839-003	Aerospace series Arc Fault Circuit breakers, three-pole, temperature compensated, rated current 3 A to 25 A, 115/200 V a.c. 400 Hz constant frequency Part 003: Without auxiliary contacts Product standard - Edition P 1	2016	ASD-STAN	
315	PREN 2798	Aerospace series Fluorocarbon rubber (FKM) Low compressions set Hardness 80 IRHD - Edition P 2	2016	ASD-STAN	
316	PREN 4727	Aerospace series Standardized passenger seat weight information - Edition P 2	2015	ASD-STAN	
317	TR 4732	Aerospace series Compatibility validation procedure between components with cadmium and/or chromium VI with their green substitute - Edition 1	2015	ASD-STAN	
318	PREN 4652-421	Aerospace series Connectors, coaxial, radio frequency Part 421: Type 4, C interface Crimp assembly version Right angle plug Product standard - Edition P 1	2015	ASD-STAN	
319	PREN 4165-024	Aerospace series Connectors, electrical, rectangular, modular Operating temperature 175 °C continuous Part 024: Single module plug Product standard - Edition P 2	2015	ASD-STAN	
320	PREN 4535-2	Aerospace series Bushes, flanged in aluminium alloy with self-lubricating liner, elevated load Part 2: Dimensions and loads Inch series - Edition P2	2015	ASD-STAN	
321	PREN 3660-032	Aerospace series Cable outlet accessories for circular and rectangular electrical and optical connectors Part 032: Cable outlet, style K, straight, for heat shrinkable boot, shielded, sealed for EN 2997 Product standard - Edition P 1	2015	ASD-STAN	
322	PREN 4808	Aerospace series Flange couplings Weld coupling, 90° elbow, in nickel alloy Inch series - Edition P 1	2015	ASD-STAN	
323	PREN 4681-001	Aerospace series Cables, electric, general purpose, with conductors in aluminium or copper-clad aluminium Part 001: Technical specification - Edition P 2	2015	ASD-STAN	
324	PREN 6076	Aerospace series Static seal elements O-Ring for straight thread tube fitting boss, ethylene-propylene, moulded, phosphate ester resistant (- 55 °C to 107 °C) Inch series - Edition P 2	2015	ASD-STAN	
325	PREN 4652-420	Aerospace series Connectors, coaxial, radio frequency Part 420: Type 4, C interface Crimp assembly version Straight plug Product standard - Edition P 1	2015	ASD-STAN	
326	PREN 3660-031	Aerospace series Cable outlet accessories for circular and rectangular electrical and optical connectors Part 031: Cable outlet, style K, straight, for heat shrinkable boot, shielded, sealed for EN 3645 Product standard - Edition P 1	2015	ASD-STAN	

327	PREN 4807	Aerospace series Flange couplings Weld coupling, 90° elbow, in heat resisting steel Inch series - Edition P 1	2015	ASD-STAN	
328	PREN 3745-517	Aerospace series Fibres and cables, optical, aircraft use Test methods Part 517: Cable tie clamping test - Edition P 2	2015	ASD-STAN	
329	PREN 6059-304	Aerospace series Electrical cables, installation Protection sleeves Test methods Part 304: Flammability - Edition P 2	2015	ASD-STAN	
330	PREN 4534-2	Aerospace series Bushes, plain in aluminium alloy with self-lubricating liner, elevated load Part 2: Dimensions and loads Inch series - Edition P 2	2015	ASD-STAN	
331	PREN 3773-006	Aerospace series Circuit breakers, single-pole, temperature compensated, rated currents 1 A to 25 A Part 006: 6,3 mm blade terminal Product standard - Edition P 1	2015	ASD-STAN	
332	PREN 6075	Aerospace series Static seal elements O-Ring ethylene-propylene, moulded, phosphate ester resistant (- 55 °C to 107 °C) Inch series - Edition P 2	2015	ASD-STAN	
333	PREN 4816	Aerospace series Flange couplings Gasket seal with nickel alloy C seal Technical specification Inch series - Edition P 1	2015	ASD-STAN	
334	PREN 4644-001	Aerospace series Connector, electrical and optical, rectangular, modular, rectangular inserts, operating temperature 175 °C (or 125 °C) continuous Part 001: Technical specification - Edition P 3	2015	ASD-STAN	
335	PREN 3302	Aerospace series Bolts in heat resisting steel FE-PM1708 (FV535) Classification: 1 000 MPa / 550 °C Technical specification - Issue P 2	2015	ASD-STAN	
336	PREN 4806	Aerospace series Flange couplings Weld coupling, straight, in nickel alloy Inch series - Edition P 1	2015	ASD-STAN	
337	PREN 3375-009	Aerospace series Cable, electrical, for digital data transmission Part 009: Single braid - CAN Bus - 120 ohms - Type WX Product standard - Edition P 2	2015	ASD-STAN	
338	PREN 4165-025	Aerospace series Connectors, electrical, rectangular, modular Operating temperature 175 °C continuous Part 025: Module receptacle Product standard - Edition P 2	2015	ASD-STAN	
339	PREN 4695	Aerospace series Tie rod with integrated bolts Assembly code G, H and K - Edition P 2	2015	ASD-STAN	
340	PREN 3660-066	Aerospace series Cable outlet accessories for circular and rectangular electrical and optical connectors Part 066: Cable outlet, style K, 90°, for heat shrinkable boot, shielded, sealed for EN 2997 and EN 3646 Product standard - Edition P 1	2015	ASD-STAN	
341	PREN 4008-004	Aerospace series Elements of electrical and optical connection Crimping tools and associated accessories Part 004: Die for crimping tool M22520/5-01 Product standard - Edition P 1	2015	ASD-STAN	
342	PREN 4814	Aerospace series Flange couplings up to 21 000 kPa Technical specification Inch series - Edition P 1	2015	ASD-STAN	
343	PREN 3672	Aerospace series Shank nuts, self-locking, in heat resisting nickel base alloy NI-P101HT (Waspaloy), silver plated, for 30° swage Classification: 1 210 MPa (at ambient temperature)/730 °C - Edition P 2	2015	ASD-STAN	
344	PREN 2997-007	Aerospace Series Connectors, Electrical, Circular, Coupled By Threaded Ring, Fire-Resistant Or Non Fire-Resistant, Operating Temperatures -65 °C To 175 °C Continuous, 200 °C Continuous, 260 °C Peak Part 007: Hermetic Receptacle With Round Flange Attac	2015	ASD-STAN	
345	PREN 2714-013	Aerospace series Cables, electrical, single and multicore for general purpose Operating temperatures between - 55 °C and 260 °C Part 013: DR family, screened (spiral) and jacketed, UV laser printable Product standard - Edition P 2	2015	ASD-STAN	
346	PREN 4805	Aerospace series Flange couplings Weld coupling, straight, in heat resisting steel Inch series - Edition P 1	2015	ASD-STAN	
347	PREN 9132	Aerospace series Data Matrix Quality Requirements for Parts Marking - Edition P 3	2015	ASD-STAN	
348	PREN 3021	Aerospace series Molybdenum disulphide dry film lubricants graphite and halogen free Technical specification - Edition P 1	2015	ASD-STAN	
349	PREN 4694	Aerospace series Tie rod with integrated bolts Assembly code D, E and F - Edition P 2	2015	ASD-STAN	
350	PREN 4008-003	Aerospace series Elements of electrical and optical connection Crimping tools and associated accessories Part 003: Positioner for crimping tool M22520/2-01 Product standard - Edition P 1	2015	ASD-STAN	
351	PREN 4813	Aerospace series Flange couplings Cap, in heat resisting steel Inch series - Edition P 1	2015	ASD-STAN	
352	PREN 2311	Aerospace series Bushes with self-lubricating liner Technical specification - Edition P 2	2015	ASD-STAN	
353	PREN 4804	Aerospace series Flange couplings Swivel flange with 4 fastening holes, in nickel alloy Inch series - Edition P 1	2015	ASD-STAN	
354	PREN 3375-007	Aerospace series Cable, electrical, for digital data transmission Part 007: Double braid 77 ohms Type WW Product standard - Edition P 2	2015	ASD-STAN	

355	PREN 2997-006	Aerospace series Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures - 65 °C to 175 °C continuous, 200 °C continuous, 260 °C peak Part 006: Hermetic jam-nut mounted receptacle Produc	2015	ASD-STAN	
356	PREN 3745-516	Aerospace series Fibres and cables, optical, aircraft use Test methods Part 516: Severe cable bend test - Edition P 2	2015	ASD-STAN	
357	PREN 4803	Aerospace series Flange couplings Swivel flange with 4 fastening holes, in heat resisting steel Inch series - Edition P 1	2015	ASD-STAN	
358	PREN 4708-101	Aerospace series Sleeving, heat-shrinkable, for binding, insulation and identification Part 101: Polyolefin sleeving Operating temperatures - 55 °C to 135 °C Product standard - Edition P 1	2015	ASD-STAN	
359	PREN 4692	Aerospace series Tie rod with integrated bolts Locking clip - Edition P 2	2015	ASD-STAN	
360	TR 4609	Aerospace series Spiral drive recesses for threaded fasteners Geometrical definition and technical requirements - Edition 1	2015	ASD-STAN	
361	PREN 6109	Aerospace series Static seal elements elastomer, moulded, phosphate ester resistant Technical specification - Edition P 2	2015	ASD-STAN	
362	PREN 4811	Aerospace series Flange couplings Gasket seal with fluorocarbon seal on aluminium plate with 4 fastening holes Inch series - Edition P 1	2015	ASD-STAN	
363	PREN 3820	Aerospace series Metric bolts, normal hexagon head, coarse tolerance normal shank, short thread, in titanium alloy, anodized, MoS2 lubricated Classification: 1 100 MPa (at ambient temperature)/315 °C - Edition P 3	2015	ASD-STAN	
364	PREN 3646-005	Aerospace series Connectors, electrical, circular, bayonet coupling, operating temperature 175 °C or 200 °C continuous Part 005: Receptacle, hermetic, square flange mounting Product standard - Edition P 2	2015	ASD-STAN	
365	PREN 2714-014	Aerospace series Cables, electrical, single and multicore for general purpose Operating temperatures between - 55 °C and 260 °C Part 014: DR family, 4 to 11 cores, taped, screened (braided) and jacketed, UV laser printable Product standard - Edition P 3	2015	ASD-STAN	
366	PREN 4802	Aerospace series Flange couplings Swivel flange with 3 fastening holes, in nickel alloy Inch series - Edition P 1	2015	ASD-STAN	
367	PREN 2267-009	Aerospace series Cables, electrical, for general purpose Operating temperatures between 55 °C and 260 °C Part 009: DRA family, single and multicore assembly Product standard - Edition P 3	2015	ASD-STAN	
368	PREN 4674-003	Aerospace series Electrical cables, installation Self-wrapping shielding (EMI) protective sleeve Part 003: Open sleeve Inside pressurized area EMI protection 5 kA Temperature range - 65 °C to 200 °C Product standard - Edition P 2	2015	ASD-STAN	
369	PREN 3660-035	Aerospace series Cable outlet accessories for circular and rectangular electrical and optical connectors Part 035: Cable outlet, style K, 90°, for heat shrinkable boot, shielded, sealed for EN 3645 Product standard - Edition P 1	2015	ASD-STAN	
370	PREN 4810	Aerospace series Flange couplings Gasket seal with nickel alloy C seal on heat resisting steel plate with 3 fastening holes Inch series - Edition P 1	2015	ASD-STAN	
371	PREN 6059-202	Aerospace series Electrical cables, installation Protection sleeves Test methods Part 202: Dimensions and mass - Edition P 2	2015	ASD-STAN	
372	PREN 4691-2	Aerospace series Tie rod with integrated bolts Part 2: Overview construction kit - Edition P 2	2015	ASD-STAN	
373	PREN 2714-002	Aerospace series Cables, electrical, single and multicore for general purpose Operating temperatures between - 55 °C and 260 °C Part 002: Screened and jacketed General - Edition P 6	2015	ASD-STAN	
374	PREN 4801	Aerospace series Flange couplings Swivel flange with 3 fastening holes, in heat resisting steel Inch series - Edition P 1	2015	ASD-STAN	
375	PREN 4674-001	Aerospace series Electrical cables, installation Self-wrapping shielding (EMI) protective sleeve Part 001: Technical specification - Edition P 2	2015	ASD-STAN	
376	PREN 4691-1	Aerospace series Tie rod with integrated bolts Part 001: Technical specification - Edition P 2	2015	ASD-STAN	
377	PREN 3660-034	Aerospace series Cable outlet accessories for circular and rectangular electrical and optical connectors Part 034: Memory metal rings for the attachment of screens Product standard - Edition P 1	2015	ASD-STAN	
378	TR 4815	Aerospace series Flange couplings, up to 21 000 kPa Design standard Inch series - Edition 1	2015	ASD-STAN	
379	PREN 4809	Aerospace series Flange couplings Gasket seal with fluorocarbon seal on aluminium plate with 3 fastening holes Inch series - Edition P 1	2015	ASD-STAN	
380	PREN 4693	Aerospace series Tie rod with integrated bolts Assembly code A, B and C - Edition P 2	2015	ASD-STAN	
381	PREN 4729	Aerospace series Trivalent chromium based chemical conversion coatings for aluminium and aluminium alloys - Edition P 1	2015	ASD-STAN	

382	PREN 4812	Aerospace series Flange couplings Gasket seal with nickel alloy C seal on heat resisting steel plate with 4 fastening holes Inch series - Edition P 1	2015	ASD-STAN	
383	PREN 3745-510	Aerospace series Fibres and cables, optical, aircraft use Test methods Part 510: Bending test - Edition P 3	2015	ASD-STAN	
384	PREN 2997-002	Aerospace series Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures - 65 °C to 175 °C continuous, 200 °C continuous, 260 °C peak Part 002: Specification of performance and contact a	2015	ASD-STAN	
385	PREN 2997-005	Aerospace series Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures - 65 °C to 175 °C continuous, 200 °C continuous, 260 °C peak Part 005: Hermetic square flange receptacle Product	2015	ASD-STAN	
386	PREN 3645-008	Aerospace series Connectors, electrical, circular, scoop-proof, triple start threaded coupling, operating temperature 175 °C or 200 °C continuous Part 008: Non release plug with grounding ring Product standard - Edition P 2	2014	ASD-STAN	
387	PREN 4652-111	Aerospace series Connectors, coaxial, radio frequency Part 111: Type 1, BNC interface Clamp assembly version Right angle plug Product standard - Edition P 1	2014	ASD-STAN	
388	PREN 6029	Aerospace series Rod-ends, adjustable, single fork with UNJ threaded shank min. engagement: 1,5 x thread diameter in corrosion resisting steel Dimensions and loads Inch series - Edition P 2	2014	ASD-STAN	
389	TR 4654-200	Aerospace series Connectors, electrical, EN 4644 specific products Part 200: Size 8 male quadrax contact pc tails - Edition 2	2014	ASD-STAN	
390	PREN 4652-413	Aerospace series Connectors, coaxial, radio frequency Part 413: Type 4, C interface Clamp nut assembly version Bulkhead receptacle Product standard - Edition P 1	2014	ASD-STAN	
391	PREN 3660-002	Aerospace series Cable outlet accessories for circular and rectangular electrical and optical connectors Part 002: Index of product standards - Edition P 3	2014	ASD-STAN	
392	PREN 4644-011	Aerospace series Connector, electrical and optical, rectangular, modular, rectangular inserts, operating temperature 175 °C (or 125 °C) continuous Part 011: Plug, size 1, class A, C and E Product standard - Edition P 1	2014	ASD-STAN	
393	PREN 4830-004	Aerospace series Connectors, optical, rectangular, modular, operating temperature 125 °C, for EN 4639-10X contacts Part 004: Extraction tool Product standard	2014	ASD-STAN	
394	PREN 2997-014	Aerospace series Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures 65 °C to 175 °C continuous, 200 °C continuous, 260 °C peak Part 014: Square flange receptacle with integrated acc	2014	ASD-STAN	
395	PREN 4697	Aerospace series General and installation requirements for passenger seat fittings - Edition P 2	2014	ASD-STAN	
396	PREN 4652-112	Aerospace series Connectors, coaxial, radio frequency Part 112: Type 1 BNC interface Clamp nut assembly version Square flange receptacle Product standard - Edition P 1	2014	ASD-STAN	
397	TR 4837	Aerospace series Applicable crimping tools for electrical contact product standards EN 3155-003, EN 3155-008 and EN 3155-009 for contact size # 10 and barrel size # 10 only - Edition 1	2014	ASD-STAN	
398	PREN 3745-410	Aerospace series Fibres and cables, optical, aircraft use Test methods Part 410: Thermal life - Edition P 2	2014	ASD-STAN	
399	TR 4618	Aerospace series Aircraft internal air quality standards, criteria and determination methods - Edition 1; Incorporated Corrigendum: 11/13/2014	2014	ASD-STAN	
400	PREN 4652-211	Aerospace series Connectors, coaxial, radio frequency Part 211: Type 2, TNC interface Clamp nut assembly version Right angle plug Product standard - Edition P 1	2014	ASD-STAN	
401	PREN 3660-062	Aerospace series Cable outlet accessories for circular and rectangular electrical and optical connectors Part 062: Cable outlet, style K, 90°, for heat shrinkable boot, shielded, sealed, self-locking for EN 3645 Product standard - Edition P 2	2014	ASD-STAN	
402	PREN 4644-012	Aerospace series Connector, electrical and optical, rectangular, modular, rectangular inserts, operating temperature 175 °C (or 125 °C) continuous Part 012: Receptacle, size 1, class A, C and E Product standard - Edition P 1	2014	ASD-STAN	
403	PREN 3645-006	Aerospace series Connectors, electrical, circular, scoop-proof, triple start threaded coupling, operating temperature 175 °C or 200 °C continuous Part 006: Protective cover for receptacle Product standard - Edition P 2	2014	ASD-STAN	
404	PREN 3909	Aerospace series Test fluids for electrical and optical components and sub-assemblies - Edition P 3	2014	ASD-STAN	

405	PREN 6138	Aerospace series Caps, protective, non-metallic for flared and flareless fitting ends, for fluid systems with $\hat{a}_{\square} \geq 3\,000$ PSI (21 000 kPa) working pressure - Edition P 1; Incorporates Corrigendum: October 23, 2014	2014	ASD-STAN	
406	PREN 4652-113	Aerospace series Connectors, coaxial, radio frequency Part 113: Type 1, BNC interface Clamp nut assembly version Bulkhead receptacle Product standard - Edition P 1	2014	ASD-STAN	
407	PREN 4710-02	Aerospace series Quick release fastening systems for non-structural applications Part 02: Spring clamp stud combination - Edition P 1	2014	ASD-STAN	
408	TR 4831	Aerospace series Applicable crimping tools for electrical contact product standards EN 3155-065 and EN 3155-083 - Edition 1	2014	ASD-STAN	
409	PREN 3660-063	Aerospace series Cable outlet accessories for circular and rectangular electrical and optical connectors Part 063: Cable outlet, style K, straight, for heat shrinkable boot, shielded, sealed, self-locking for EN 3645 Product standard - Edition P 2	2014	ASD-STAN	
410	PREN 4165-001	Aerospace series Connectors, electrical, rectangular, modular Operating temperature 175 °C continuous Part 001: Technical specification - Edition P 2	2014	ASD-STAN	
411	PREN 3646-001	Aerospace series Connectors, electrical, circular, bayonet coupling, operating temperature 175 °C or 200 °C continuous Part 001: Technical specification - Edition P 2	2014	ASD-STAN	
412	PREN 4644-013	Aerospace series Connector, electrical and optical, rectangular, modular, rectangular inserts, operating temperature 175 °C (or 125 °C) continuous Part 013: Plug, size 1, with ground block, class B and F Product standard - Edition P 1	2014	ASD-STAN	
413	PREN 9114	Aerospace series Quality systems Direct Ship Guidance for Aerospace Companies - Edition P 2	2014	ASD-STAN	
414	PREN 9102	Aerospace series Quality Systems First Article Inspection Requirement - Edition P 3	2014	ASD-STAN	
415	PREN 4531-001	Aerospace series Connectors, optical, circular, single and multipin, coupled by triple start threaded ring Flush contacts Part 001: Technical specification - Edition P 3	2014	ASD-STAN	
416	PREN 4652-213	Aerospace series Connectors, coaxial, radio frequency Part 213: Type 2, TNC interface Clamp nut assembly version Bulkhead receptacle Product standard - Edition P 1	2014	ASD-STAN	
417	PREN 3645-007	Aerospace series Connectors, electrical, circular, scoop-proof, triple start threaded coupling, operating temperature 175 °C or 200 °C continuous Part 007: Protective cover for plug Product standard - Edition P 2	2014	ASD-STAN	
418	PREN 4644-025	Aerospace series Connector, electrical and optical, rectangular, modular, rectangular inserts, operating temperature 175 °C (or 125 °C) continuous Part 025: Receptacle, size 2, with flange, class A, C and E Product standard - Edition P 1	2014	ASD-STAN	
419	PREN 4652-210	Aerospace series Connectors, coaxial, radio frequency Part 210: Type 2, TNC interface Clamp nut assembly version Straight plug Product standard - Edition P 1	2014	ASD-STAN	
420	PREN 2997-009	Aerospace series Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures - 65 °C to 175 °C continuous, 200 °C continuous, 260 °C peak Part 009: Protective cover for receptacle Product st	2014	ASD-STAN	
421	PREN 3660-064	Aerospace series Cable outlet accessories for circular and rectangular electrical and optical connectors Part 064: Cable outlet, style K, straight, for heat shrinkable boot, shielded, sealed, self-locking for EN 2997 Product standard - Edition P 2	2014	ASD-STAN	
422	PREN 4710-07	Aerospace series Quick release fastening systems for non-structural applications Part 07: Retaining grommet - Edition P 1	2014	ASD-STAN	
423	PREN 4644-014	Aerospace series Connector, electrical and optical, rectangular, modular, rectangular inserts, operating temperature 175 °C (or 125 °C) continuous Part 014: Receptacle, size 1, with ground block, class B and F Product standard - Edition P 1	2014	ASD-STAN	
424	PREN 4644-024	Aerospace series Connector, electrical and optical, rectangular, modular, rectangular inserts, operating temperature 175 °C (or 125 °C) continuous Part 024: Receptacle size 2 with class A, C and E Product standard - Edition P 1	2014	ASD-STAN	
425	PREN 9104-002	Aerospace series Quality management systems Part 002: Requirements for Oversight of Aerospace Quality Management System Certification/Registrations Programs - Edition P 2; Incorporating Corrigendum: October 23, 2014	2014	ASD-STAN	
426	PREN 4644-003	Aerospace series Connector, electrical and optical, rectangular, modular, rectangular inserts, operating temperature 175 °C (or 125 °C) continuous Part 003: Rectangular inserts Product standard - Edition P 3	2014	ASD-STAN	
427	PREN 2997-010	Aerospace series Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures - 65 °C to 175 °C continuous, 200 °C continuous, 260 °C peak Part 010: Protective cover for plug Product standard	2014	ASD-STAN	
428	PREN 3155-001	Aerospace series Electrical contacts used in elements of connection Part 001: Technical specification - Edition P 5	2014	ASD-STAN	

429	PREN 4652-310	Aerospace series Connectors, coaxial, radio frequency Part 310: Type 3, N interface Clamp nut assembly version Straight plug Product standard - Edition P 1	2014	ASD-STAN	
430	PREN 4138	Aerospace series Screws, pan head, offset cruciform recess, coarse tolerance normal shank, medium length thread, in alloy steel, cadmium plated Classification: 1 100 MPa (at ambient temperature) / 235 °C - Edition P 2	2014	ASD-STAN	
431	PREN 4710-04	Aerospace series Quick release fastening systems for non-structural applications Part 04: Spring clamp One way tolerance compensation - Edition P 1	2014	ASD-STAN	
432	PREN 3660-065	Aerospace series Cable outlet accessories for circular and rectangular electrical and optical connectors Part 065: Cable outlet, style K, 90°, for heat shrinkable boot, shielded, sealed, self-locking for EN 2997 Product standard - Edition P 2	2014	ASD-STAN	
433	PREN 2591-315	Aerospace series Elements of electrical and optical connection Test methods Part 315: Resistance to fluids - Edition P 1	2014	ASD-STAN	
434	PREN 4652-410	Aerospace series Connectors, coaxial, radio frequency Part 410: Type 4, C interface Clamp nut assembly version Straight plug Product standard - Edition P 1	2014	ASD-STAN	
435	PREN 4644-026	Aerospace series Connector, electrical and optical, rectangular, modular, rectangular inserts, operating temperature 175 °C (or 125 °C) continuous Part 026: Receptacle size 2 with ground block, class B and F Product standard - Edition P 1	2014	ASD-STAN	
436	PREN 4644-021	Aerospace series Connector, electrical and optical, rectangular, modular, rectangular inserts, operating temperature 175 °C (or 125 °C) continuous Part 021: Plug, size 2, without mounting holes, class A, C and E Product standard - Edition P 1	2014	ASD-STAN	
437	PREN 6113	Aerospace series Circuit breaker, connecting and attachment hardware - Edition P 2	2014	ASD-STAN	
438	PREN 4652-412	Aerospace series Connectors, coaxial, radio frequency Part 412: Type 4, C interface Clamp nut assembly version Square flange receptacle Product standard - Edition P 1	2014	ASD-STAN	
439	PREN 4652-110	Aerospace series Connectors, coaxial, radio frequency Part 110: Type 1, BNC interface Clamp assembly version Straight plug Product standard - Edition P 1	2014	ASD-STAN	
440	PREN 4701-002	Aerospace series Connectors, optical, rectangular, modular, operating temperature 125 °C, for EN 4531-101 contacts Part 002: Specification of performance - Edition P 2	2014	ASD-STAN	
441	PREN 3645-003	Aerospace series Connectors, electrical, circular, scoop-proof, triple start threaded coupling, operating temperature 175 °C or 200 °C continuous Part 003: Receptacle square flange mounting Product standard - Edition P 2	2014	ASD-STAN	
442	PREN 4165-027	Aerospace series Connectors, electrical, rectangular, modular Operating temperature 175 °C continuous Part 027: Rack and panel rear mounted plug for 2 and 4 modules, series 3 Product standard - Edition P 1	2014	ASD-STAN	
443	PREN 4644-002	Aerospace series Connector, electrical and optical, rectangular, modular, rectangular inserts, operating temperature 175 °C (or 125 °C) continuous Part 002: Specification of performance and contact arrangements - Edition P 3	2014	ASD-STAN	
444	PREN 4165-018	Aerospace series Connectors, electrical, rectangular, modular Operating temperature 175 °C continuous Part 018: Protective cover for all receptacles series 2 Product standard - Edition P 2	2014	ASD-STAN	
445	PREN 4531-201	Aerospace series Connectors, optical, circular, single and multipin, coupled by triple start threaded ring Flush contacts Part 201: Optical contact for EN 4641 singlemode cable - 55 °C to 125 °C Product standard - Edition P 1	2014	ASD-STAN	
446	PREN 4830-003	Aerospace series Connectors, optical, rectangular, modular, operating temperature 125 °C, for EN 4639-10X contacts Part 003: Module Product standard - Edition P 1	2014	ASD-STAN	
447	PREN 4073	Aerospace series Screws, pan head, six lobe recess, coarse tolerance shank, medium length thread, in alloy steel, cadmium plated Classification: 1 100 MPa (at ambient temperature) / 235 °C - Edition P 2	2014	ASD-STAN	
448	PREN 3375-011	Aerospace series Cable, electrical for digital data transmission Part 011: Single braid Star Quad 100 ohms Light weight Type KL Product standard - Edition P 2	2014	ASD-STAN	
449	PREN 4652-212	Aerospace series Connectors, coaxial, radio frequency Part 212: Type 2, TNC interface Clamp nut assembly version Square flange receptacle Product standard - Edition P 1	2014	ASD-STAN	
450	PREN 4644-133	Aerospace series Connector, electrical and optical, rectangular, modular, rectangular inserts, operating temperature 175 °C (or 125 °C) continuous Part 133: Size 3 receptacle for rack and panel application, class C and D Product standard - Edition P 2	2014	ASD-STAN	
451	PREN 9116	Aerospace series Notice of Change (NOC) Requirements - Edition P 1	2014	ASD-STAN	
452	PREN 4710-05	Aerospace series Quick release fastening systems for non-structural applications Part 05: Spring clamp Two ways tolerance compensation - Edition P 1	2014	ASD-STAN	

453	PREN 4652-311	Aerospace series Connectors, coaxial, radio frequency Part 311: Type 3, N interface Clamp nut assembly version Right angle plug Product standard - Edition P 1	2014	ASD-STAN	
454	PREN 4162	Aerospace series Screws 100 ^o countersunk normal head, offset cruciform recess, coarse tolerance normal shank, medium length thread, in alloy steel, cadmium plated Classification: 1 100 MPa (at ambient temperature) / 235 ^o C - Edition P 2	2014	ASD-STAN	
455	PREN 4165-002	Aerospace series Connectors, electrical, rectangular, modular Operating temperature 175 ^o C continuous Part 002: Specification of performance and contact arrangements - Edition P 2	2014	ASD-STAN	
456	PREN 2943	Aerospace series Inserts, screw thread, helical coil, self-locking Technical specification - Edition P 2	2014	ASD-STAN	
457	PREN 3646-004	Aerospace series Connectors, electrical, circular, bayonet coupling, operating temperature 175 ^o C or 200 ^o C continuous Part 004: Receptacle, jam-nut mounting Product standard - Edition P 3	2014	ASD-STAN	
458	PREN 4652-411	Aerospace series Connectors, coaxial, radio frequency Part 411: Type 4, C interface Clamp nut assembly version Right angle plug Product standard - Edition P 1	2014	ASD-STAN	
459	PREN 2267-011	Aerospace series Cables, electrical, for general purpose Operating temperatures between - 65 ^o C and 260 ^o C Part 011: DZA family, single and multicore assembly for use in low pressure atmosphere Product standard - Edition P 1	2014	ASD-STAN	
460	PREN 4644-022	Aerospace series Connector, electrical and optical, rectangular, modular, rectangular inserts, operating temperature 175 ^o C (or 125 ^o C) continuous Part 022: Plug, size 2, with mounting holes, class A, C and E Product standard - Edition P 1	2014	ASD-STAN	
461	PREN 4644-131	Aerospace series Connector, electrical and optical, rectangular, modular, rectangular inserts, operating temperature 175 ^o C (or 125 ^o C) continuous Part 131: Size 3 plug for rack and panel applications, class C and D Product standard - Edition P 2	2014	ASD-STAN	
462	PREN 4644-141	Aerospace series Connector, electrical and optical, rectangular, modular, rectangular inserts, operating temperature 175 ^o C (or 125 ^o C) continuous Part 141: Size 4 plug for rack and panel applications, class C and D Product standard - Edition P 2	2014	ASD-STAN	
463	PREN 4652-312	Aerospace series Connectors, coaxial, radio frequency Part 312: Type 3, N interface Clamp nut assembly version Square flange receptacle Product standard - Edition P 1	2014	ASD-STAN	
464	PREN 4163	Aerospace series Screws 100 ^o countersunk normal head, offset cruciform recess, coarse tolerance normal shank, long thread, in alloy steel, cadmium plated Classification: 1 100 MPa (at ambient temperature) / 235 ^o C - Edition P2	2014	ASD-STAN	
465	PREN 4710-06	Aerospace series Quick release fastening systems for non-structural applications Part 06: Stud - quick-release and locking - Edition P 1	2014	ASD-STAN	
466	PREN 4178	Aerospace series Screws, pan head, six lobe recess, coarse tolerance normal shank, medium length thread, in titanium alloy, anodized, MoS2 lubricated Classification: 1 100 MPa (at ambient temperature) / 315 ^o C - Edition P 2	2014	ASD-STAN	
467	PREN 3375-011 CORR 2	Aerospace series Cable, electrical for digital data transmission Part 011: Single braid Star Quad 100 ohms Light weight Type KL Product standard - Edition P 2	2014	ASD-STAN	
468	PREN 2266-008	Aerospace series Cables, electrical, for general purpose Operating temperatures between - 55 ^o C and 200 ^o C Part 008: DRP (pair) DRT (3 cores) DRQ (4 cores) family, multicore UV laser printable jacketed cable Product standard - Edition P 1	2014	ASD-STAN	
469	PREN 2267-012	Aerospace series Cables, electrical, for general purpose Operating temperatures between - 65 ^o C and 260 ^o C Part 012: DZ family, single UV laser printable for use in low pressure atmosphere Product standard - Edition P 1	2014	ASD-STAN	
470	PREN 4165-003	Aerospace series Connectors, electrical, rectangular, modular Operating temperature 175 ^o C continuous Part 003: Modules series 2 and series 3 Product standard - Edition P 3	2014	ASD-STAN	
471	PREN 4128	Aerospace series Bolts, normal hexagonal head, coarse tolerance shank, short thread, in heat resisting nickel base alloy, aluminium IVD coated Classification: 1 250 MPa (at ambient temperature) / 425 ^o C - Edition P 3	2014	ASD-STAN	
472	PREN 3646-010	Aerospace series Connectors, electrical, circular, bayonet coupling, operating temperature 175 ^o C or 200 ^o C continuous Part 010: Protective cover for plug Product standard - Edition P 2	2014	ASD-STAN	
473	PREN 4604-009	Aerospace series Cable, electrical, for signal transmission Part 009: Cable, coaxial, light weight, 50 ohms, 180 ^o C, type KW (light WN) Product standard - Edition P 4	2014	ASD-STAN	
474	PREN 4531-002	Aerospace series Connectors, optical, circular, single and multipin, coupled by triple start threaded ring Flush contacts Part 002: Specification of performance and contact arrangements - Edition P 3	2014	ASD-STAN	
475	PREN 4830-001	Aerospace series Connectors, optical, rectangular, modular, operating temperature 125 ^o C, for EN 4639-10X contacts Part 001: Technical specification - Edition P 1	2014	ASD-STAN	
476	TR 4654-003	Aerospace series Connectors electrical, EN 4644 specific products Part 003: Inserts with PC tails electrical contacts - Edition 2	2014	ASD-STAN	

477	PREN 4700-002	Aerospace series Steel and heat resisting alloys Wrought products Technical specification Part 002: Bar and section - Edition P 3	2014	ASD-STAN	
478	PREN 4652-313	Aerospace series Connectors, coaxial, radio frequency Part 313: Type 3, N interface Clamp nut assembly version Bulkhead receptacle Product standard - Edition P 1	2014	ASD-STAN	
479	PREN 4644-201	Aerospace series Connector, electrical and optical, rectangular, modular, rectangular inserts, operating temperature 175 °C (or 125 °C) continuous Part 201: Locking and polarizing hardware Product standard - Edition P 1	2014	ASD-STAN	
480	PREN 4644-023	Aerospace series Connector, electrical and optical, rectangular, modular, rectangular inserts, operating temperature 175 °C (or 125 °C) continuous Part 023: Plug, size 2, with ground block, class B and F Product standard - Edition P 1	2014	ASD-STAN	
481	PREN 2591-227	Aerospace series Elements of electrical and optical connection Test methods Part 227: Partial discharges test - Edition P 1	2014	ASD-STAN	
482	PREN 4474	Aerospace series Aluminium pigmented coatings Coating methods - Edition P 2	2014	ASD-STAN	
483	PREN 4652-001	Aerospace series Connectors, coaxial, radio frequency Part 001: Technical specification - Edition P 1	2014	ASD-STAN	
484	PREN 3646-009	Aerospace series Connectors, electrical, circular, bayonet coupling, operating temperature 175 °C or 200 °C continuous Part 009: Protective cover for receptacle Product standard - Edition P 2	2014	ASD-STAN	
485	PREN 4531-101	Aerospace series Connectors, optical, circular, single and multipin, coupled by triple start threaded ring Flush contacts Part 101: Optical contact for EN 4641 multimode cable - 55 °C to 125 °C Product standard - Edition P 3	2014	ASD-STAN	
486	PREN 4830-002	Aerospace series Connectors, optical, rectangular, modular, operating temperature 125 °C, for EN 4639-10X contacts Part 002: Specification of performance - Edition P 1	2014	ASD-STAN	
487	PREN 4165-015	Aerospace series Connectors, electrical, rectangular, modular Operating temperature 175 °C continuous Part 015: Round chimney for accessory (1 per module cavity), 2 and 4 modules Product standard - Edition P 2	2014	ASD-STAN	
488	PREN 9239	Aerospace series Programme Management Guide for the risk management - Edition P 1	2014	ASD-STAN	
489	PREN 4072	Aerospace series Screws, 100° countersunk normal head, offset cruciform recess, close tolerance shank, short thread, in titanium alloy, aluminium IVD coated Classification: 1 100 MPa (at ambient temperature) / 425 °C - Edition P 3	2014	ASD-STAN	
490	TR 4654-010	Aerospace series Connectors electrical, EN 4644 specific products Part 010: 1Q18 connectors - Edition 2	2014	ASD-STAN	
491	PREN 4552	Aerospace series Pipe coupling 37°, spherical, in heat resisting steel Straight nipples, welded end Inch series - Edition P 2	2013	ASD-STAN	
492	PREN 4604-005	Aerospace series Cable, electrical, for signal transmission Part 005: Cable, coaxial, 75 ohms, 200 °C, type WL Product standard - Edition P 3	2013	ASD-STAN	
493	PREN 2278	Aerospace series Steel X12CrNiMoV12-3 (1.4933) 900 MPa Less than or equal to Rm Less than or equal to 1 100 MPa Bars De Less than or equal to 150 mm - Edition P 1	2013	ASD-STAN	
494	PREN 2235	Aerospace series Single and multicore electrical cables, screened and jacketed Technical specification - Edition P 4	2013	ASD-STAN	
495	PREN 3716-004	Aerospace series Connectors, single-way with triaxial interface, for transmission of digital data Part 004: Solder plug and terminator Product standard - Edition P 2	2013	ASD-STAN	
496	PREN 9277	Aerospace series Programme Management Guide for the management of Systems Engineering - Edition P 1	2013	ASD-STAN	
497	PREN 4826	Aerospace series Zinc-Nickel (12-16 % Ni) plating of steels with specified tensile strength Less than or equal to 1 450 MPa, copper alloys, nickel alloys and aluminium alloys for parts and fasteners - Edition P 1	2013	ASD-STAN	
498	PREN 3545-007	Aerospace series Connectors, electrical, rectangular, with sealed and non-sealed rear, plastic housing, locking device, operating temperatures - 55 °C to 175 °C Part 007: Cable clamp Product standard - Edition P 4	2013	ASD-STAN	
499	PREN 4056-001	Aerospace series Cable ties for harnesses Part 001: Technical specification - Edition P 2	2013	ASD-STAN	
500	PREN 6049-009	Aerospace series Electrical cables, installation Protection sleeve in meta-aramid fibres Part 009: Self-wrapping fire protection sleeve, flexible, post installation, operating temperature from - 55 °C to 260 °C Product standard - Edition P 2	2013	ASD-STAN	
501	PREN 4701-001	Aerospace series Connectors, optical, rectangular, modular, operating temperature 125 °C, for EN 4531-101 contacts Part 001: Technical specification - Edition P 2	2013	ASD-STAN	
502	PREN 4725	Aerospace series Aluminium alloy AL-P2024- Al Cu4Mg1 T351 Plate 6 mm < a & ̂ ̂ 150 mm - Edition P 1	2013	ASD-STAN	
503	PREN 9320	Aerospace series Programme Management General guidelines for acquisition and supply of open systems - Edition P 1	2013	ASD-STAN	

504	PREN 4199-004	Aerospace series Bonding straps for aircraft Part 004: Round bonding straps, copper, tin plated - 65 °C up to 150 °C and nickel plated - 65 °C up to 260 °C Product standard - Edition P 3	2013	ASD-STAN	
505	PREN 3545-005	Aerospace series Connectors, electrical, rectangular, with sealed and non-sealed rear, plastic housing, locking device, operating temperatures i__ 55 °C to 175 °C Part 005: Female coding and attachment system for mounting on free housing (plug) Product	2013	ASD-STAN	
506	PREN 3645-002	Aerospace series Connectors, electrical, circular, scoop-proof, triple start threaded coupling, operating temperature 175 °C or 200 °C continuous Part 002: Specification of performance and contact arrangements - Edition P 2	2013	ASD-STAN	
507	PREN 4728	Aerospace series Circuit breakers, single and three poles dummies Product standard - Edition P 1	2013	ASD-STAN	
508	PREN 4056-004	Aerospace series Cable ties for harnesses Part 004: Plastic cable ties For operating temperatures - 55 °C to 105 °C and - 55 °C to 150 °C Product standard - Edition P 1	2013	ASD-STAN	
509	PREN 3014	Aerospace series Shank nuts, self-locking, serrated, in heat resisting steel FE-PA2601 (A286) Classification: 1 100 MPa (at ambient temperature) / 650 °C - Edition P 3	2013	ASD-STAN	
510	PREN 4723	Aerospace series Standardized measurement methods for comfort and living space criteria for aircraft passenger seats - Edition P 1	2013	ASD-STAN	
511	PREN 4234	Aerospace series Clamps, worm drive Dimensions, masses - Edition P 4	2013	ASD-STAN	
512	PREN 4560	Aerospace Series Pipe Coupling, 37 Degrees, Spherical, Up to 21 000 kPa Inch Series Technical Specification - Edition P 2	2013	ASD-STAN	
513	PREN 4641-101	Aerospace series Cables, optical 125 ç_m diameter cladding Part 101: Tight structure 62,5 ç_m core GI fibre 0,9 mm outside diameter Product standard - Edition P 1	2013	ASD-STAN	
514	PREN 6059-502	Aerospace series Electrical cables, installation Protection sleeves Test methods Part 502: Resistance to electrical arcs - Edition P 2	2013	ASD-STAN	
515	PREN 2267-002	Aerospace Series Cables, Electrical, for General Purpose Operating Temperatures Between _55 °C and 260 °C Part 002: General - Edition P 5	2013	ASD-STAN	
516	PREN 6059-100	Aerospace series Electrical cables, installation Protection sleeves Test methods Part 100: General - Edition P 4	2013	ASD-STAN	
517	PREN 3015	Aerospace series Shank nuts, self-locking, serrated, in heat resisting steel FE-PA2601 (A286), silver plated Classification: 1 100 MPa (at ambient temperature) / 650 °C - Edition P 3	2013	ASD-STAN	
518	PREN 4199-003	Aerospace series Bonding straps for aircraft Part 003: Bonding strap assemblies with flat braided conductor copper, tin plated - 65 °C up to 150 °C and copper, nickel plated - 65 °C up to 260 °C Product standard - Edition P 2	2012	ASD-STAN	
519	PREN 4721	Aerospace series Steel X4CrNiMo16-5-1 (1.4418) Air melted and electroslag remelted (ESR) Hardened and tempered Bar De â □ 200 mm 900 MPa â □ Rm â □ 1 050 MPa - Edition P 1	2012	ASD-STAN	
520	PREN 3774-001	Aerospace series Circuit breakers, three-pole, temperature compensated, rated currents 1 A to 25 A Part 001: Technical specification - Edition P 2	2012	ASD-STAN	
521	PREN 4550-4	Aerospace series Pipe coupling, 37° Design configuration Inch series Part 4: Female sealing ends - Edition P 2	2012	ASD-STAN	
522	PREN 3682-006	Aerospace series Connectors, plug and receptacle, electrical, rectangular, interchangeable insert type, rack to panel, operating temperature 150 °C continuous Part 006: Size 3 receptacle Product standard - Edition P 2	2012	ASD-STAN	
523	PREN 2665-001	Aerospace series Circuit breakers, three-pole, temperature compensated, rated current 20 A to 50 A Part 001: Technical specification - Edition P 2	2012	ASD-STAN	
524	PREN 9300-002	Aerospace series LOTAR Long Term Archiving and Retrieval of digital technical product documentation such as 3D, CAD and PDM data Part 002: Requirements - Edition P 1	2012	ASD-STAN	
525	PREN 9300-005	Aerospace series LOTAR Long Term Archiving and Retrieval of digital technical product documentation such as 3D, CAD and PDM data Part 005: Authentication and Verification - Edition P 1	2012	ASD-STAN	
526	PREN 3682-007	Aerospace series Connectors, plug and receptacle, electrical, rectangular, interchangeable insert type, rack to panel, operating temperature 150 °C continuous Part 007: Size 3 plug Product standard - Edition P 2	2012	ASD-STAN	
527	PREN 3631	Aerospace series Fluid fittings, flanged, 90° elbowed Sealing by O-ring for 0,8 mm thick tubes - Edition P 2	2012	ASD-STAN	
528	PREN 4608-004	Aerospace series Single and twisted multicore assembly, screened (braided) and jacketed Operating temperatures between â 65 °C and 260 °C Part 004: DW family - Lightweight UV - Laser printable Product standard - Edition P 2	2012	ASD-STAN	
529	PREN 2794-001	Aerospace series Circuit breakers, single-pole, temperature compensated, rated current 20 A to 50 A Part 001: Technical specification - Edition P 2	2012	ASD-STAN	

530	PREN 9300-007	Aerospace series LOTAR Long Term Archiving and Retrieval of digital technical product documentation such as 3D, CAD and PDM data Part 007: Terms and References - Edition P 1	2012	ASD-STAN	
531	PREN 2665-004	Aerospace series Circuit breakers, three-pole, temperature compensated, rated current 20 A to 50 A Part 004: UNC thread terminals Product standard - Edition P 2	2012	ASD-STAN	
532	PREN 3635	Aerospace series Weld lip Geometrical configuration - Edition P 2	2012	ASD-STAN	
533	PREN 9104-001	Aerospace series Quality management systems Part 001: Requirements for Aviation, Space, and Defence Quality Management System Certification Programs - Edition P 1	2012	ASD-STAN	
534	PREN 4686	Aerospace series Pipe coupling 8 ¹ °30â in titanium alloy Equipped blind ferrules - Edition P 1	2012	ASD-STAN	
535	PREN 3375-012	Aerospace series Cable, electrical, for digital data transmission Part 012: Single braid Star Quad 100 ohms 260 °C Type KH Product standard - Edition P 1	2012	ASD-STAN	
536	PREN 9300-115	Aerospace series LOTAR Long Term Archiving and Retrieval of digital technical product documentation such as 3D, CAD and PDM data Part 115: Explicit CAD assembly structure - Edition P 1	2012	ASD-STAN	
537	PREN 2794-004	Aerospace series Circuit breakers, single-pole, temperature compensated, rated currents 20 A to 50 A Part 004: UNC thread terminals Product standard - Edition P 2	2012	ASD-STAN	
538	PREN 9300-100	Aerospace series LOTAR Long Term Archiving and Retrieval of digital technical product documentation such as 3D, CAD and PDM data Part 100: Common concepts for Long term archiving and retrieval of CAD 3D mechanical information - Edition P 1	2012	ASD-STAN	
539	PREN 3682-008	Aerospace series Connectors, plug and receptacle, electrical, rectangular, interchangeable insert type, rack to panel, operating temperature 150 °C continuous Part 008: Size 4 receptacle Product standard - Edition P 2	2012	ASD-STAN	
540	PREN 4674-002	Aerospace series Electrical cables, installation Self-wrapping shielding (EMI) protective sleeve Part 002: General and list of product standard - Edition P 1	2012	ASD-STAN	
541	PREN 4551	Aerospace series Pipe coupling 37 ¹ °, in heat resisting steel Swivel nuts Inch series - Edition P 2	2012	ASD-STAN	
542	PREN 3773-001	Aerospace series Circuit breakers, single-pole, temperature compensated, rated currents 1 A to 25 A Part 001: Technical specification - Edition P 2	2012	ASD-STAN	
543	PREN 3268	Aerospace series Pipe coupling 8 ¹ °30 in titanium alloy Pressure plugs - Edition P 3	2012	ASD-STAN	
544	PREN 6059-308	Aerospace series Electrical cables, installation Protection sleeves Test methods Part 308: Rapid change of temperature - Edition P 1	2012	ASD-STAN	
545	PREN 2402	Aerospace series Heat resisting nickel base alloy NiCr20Co3Fe3 Annealed Wire D â □ 10 mm - Edition P 1	2012	ASD-STAN	
546	PREN 4056-006	Aerospace series Cable ties for harnesses Part 006: Peek cable ties For operating temperatures - 55 °C to 240 °C Product standard - Edition P 1	2012	ASD-STAN	
547	PREN 4056-002	Aerospace series Cable ties for harnesses Part 002: Index of product standards - Edition P 2	2012	ASD-STAN	
548	PREN 6059-406	Aerospace series Electrical cables, installation Protection sleeves Test methods Part 406: Vibration - Edition P 2	2012	ASD-STAN	
549	PREN 3682-005	Aerospace series Connectors, plug and receptacle, electrical, rectangular, interchangeable insert type, rack to panel, operating temperature 150 °C continuous Part 005: Size 2 plug Product standard - Edition P 2	2012	ASD-STAN	
550	PREN 4199-001	Aerospace series Bonding straps for aircraft Part 001: Technical specification - Edition P 2	2012	ASD-STAN	
551	PREN 4720	Aerospace series Steel X4CrNiMo16-5-1 (1.4418) Air melted and electroslag remelted (ESR) Hardened and tempered Bar De â □ 200 mm 1 150 MPa â □ Rm â □ 1 300 MPa - Edition P 1	2012	ASD-STAN	
552	PREN 4121	Aerospace series Shank nuts, serrated, self-locking, in heat resisting steel FE-PA2601 (A286), silver plated on thread Classification: 1 100 MPa (at ambient temperature) / 650 °C - Edition P 2	2012	ASD-STAN	
553	PREN 3351	Aerospace series Titanium alloy Ti-4Al-4Mo-2Sn Solution treated and aged Forgings De Less Than or Equal to 150 mm - Edition P 3	2012	ASD-STAN	
554	PREN 4627	Aerospace series Steel X4CrNiMo16-5-1 (1.4418) Air melted Hardened and tempered Forgings De â □ 200 mm 1 150 MPa â □ Rm â □ 1 300 MPa - Edition P 2	2012	ASD-STAN	
555	PREN 3475-514	Aerospace series Cables, electrical, aircraft use Test methods Part 514: Porosity of copper cladding on aluminium strands - Edition P 2	2012	ASD-STAN	

556	PREN 3682-009	Aerospace series Connectors, plug and receptacle, electrical, rectangular, interchangeable insert type, rack to panel, operating temperature 150 °C continuous Part 009: Size 4 plug Product standard - Edition P 2	2012	ASD-STAN	
557	PREN 4008-018	Aerospace series Elements of electrical and optical connection Crimping tool and associated accessories Part 018: Positioner for crimping tool M22520/2-01 Product standard - Edition P 1	2012	ASD-STAN	
558	PREN 6059-504	Aerospace series Electrical cables, installation Protection sleeves Test methods Part 504: Temperature rise within a loom due to self-heating when within a protective sleeve - Edition P 1	2012	ASD-STAN	
559	PREN 4630	Aerospace series Steel X4CrNiMo16-5-1 (1.4418) Air melted Hardened and tempered Forgings De $\hat{\square}$ 200 mm 900 MPa $\hat{\square}$ Rm $\hat{\square}$ 1 050 MPa - Edition P 2	2012	ASD-STAN	
560	PREN 3773-004	Aerospace series Circuit breakers, single-pole, temperature compensated, rated currents 1 A to 25 A Part 004: UNC thread terminals Product standard - Edition P 2	2012	ASD-STAN	
561	PREN 9131	(R) Aerospace series - Quality Management Systems - Nonconformance Data Definition and Documentation - Edition P 4	2012	ASD-STAN	
562	PREN 2512	Aerospace series Aluminium alloy AL-P7175- T7351 Plate 6 mm < a $\hat{\square}$ 100 mm - Edition P 3	2012	ASD-STAN	
563	PREN 4057-402	Aerospace series Cable ties for harnesses Test methods Part 402: Life cycle - Edition P 2	2012	ASD-STAN	
564	PREN 4293	Aerospace series Aluminium alloy AL-P7175- T73511 Extruded bar and section a or D $\hat{\square}$ 150 mm - Edition P 2	2012	ASD-STAN	
565	PREN 6059-601	Aerospace series Electrical cables, installation Protection sleeves Test methods Part 601: Open and close - Edition P 1	2012	ASD-STAN	
566	PREN 3774-004	Aerospace series Circuit breakers, three-pole, temperature compensated, rated currents 1 A to 25 A Part 004: UNC thread terminals Product standard - Edition P 2	2012	ASD-STAN	
567	PREN 4549	Aerospace series Pipe coupling, in heat resisting steel or in heat resisting nickel alloy Coupling end, welded Design configuration Inch series - Edition P 2	2012	ASD-STAN	
568	PREN 4550-1	Aerospace series Pipe coupling, 37 ^o Design configuration Inch series Part 1: Male sealing ends, spherical - Edition P 2	2012	ASD-STAN	
569	PREN 4628	Aerospace series Steel X4CrNiMo16-5-1 (1.4418) Air melted Hardened and tempered Bar De less than or equal to 200 mm 1 150 MPa less than or equal to Rm less than or equal to 1 300 MPa - Edition P 2	2011	ASD-STAN	
570	PREN 2704	Aerospace series Aluminium alloy AL-P2024 T3511 Drawn bar De $\hat{\square}$ 75 mm - Edition P 1	2011	ASD-STAN	
571	PREN 4688	Aerospace series Paints and varnishes Corrosion inhibiting two components cold curing primer for military application - Edition P 1	2011	ASD-STAN	
572	PREN 2591-214	Aerospace series Elements of electrical and optical connection Test methods Part 214: Lightning strike, current and voltage pulse - Edition P 2	2011	ASD-STAN	
573	PREN 3682-004	Aerospace series Connectors, plug and receptacle, electrical, rectangular, interchangeable insert type, rack to panel, operating temperature 150 °C continuous Part 004: Size 2 receptacle Product standard - Edition P 2	2011	ASD-STAN	
574	PREN 2997-003	Aerospace series Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures $\hat{\square}$ 65 °C to 175 °C continuous, 200 °C continuous, 260 °C peak Part 003: Square flange receptacle $\hat{\square}$ Product sta	2011	ASD-STAN	
575	PREN 4500-005	Aerospace series Metallic materials Rules for drafting and presentation of material standards Part 005: Specific rules for steels - Edition P 2	2011	ASD-STAN	
576	PREN 2633	Aerospace series Aluminium alloy AL-P2024 T3511 Extruded bars and sections 1,2 mm $\hat{\square}$ De $\hat{\square}$ 160 mm with peripheral coarse grain control - Edition P 1	2011	ASD-STAN	
577	PREN 4632-006	Aerospace series Weldability and brazeability of materials in aerospace constructions Part 006: Homogeneous assemblies of titanium alloys - Edition P 1	2011	ASD-STAN	
578	PREN 4819	Aerospace series Contact Memory Button (CMB) tags intended for aircraft use - Edition P 1	2011	ASD-STAN	
579	PREN 3682-003	Aerospace series Connectors, plug and receptacle, electrical, rectangular, interchangeable insert type, rack to panel, operating temperature 150 °C continuous Part 003: Inserts Product standard - Edition P 2	2011	ASD-STAN	
580	PREN 4500-004	Aerospace series Metallic materials Rules for drafting and presentation of material standards Part 004: Specific rules for titanium and titanium alloys - Edition P 2	2011	ASD-STAN	
581	PREN 2837	Aerospace series Chloroprene rubber (CR) Heat resistance Hardness 60 IRHD - Edition P 1	2011	ASD-STAN	

582	PREN 4500-003	Aerospace series Metallic materials Rules for drafting and presentation of material standards Part 003: Specific rules for heat resisting alloys - Edition P 2	2011	ASD-STAN	
583	PREN 2836	Aerospace series Chloroprene rubber (CR) Heat resistance Hardness 50 IRHD - Edition P 1	2011	ASD-STAN	
584	PREN 2226	Aerospace series Steel FE-PM 3501 (X105CrMo17) Hardened and tempered Hand and die forgings De \hat{a} \square 150 mm - Edition P 1	2011	ASD-STAN	
585	PREN 2242	Aerospace series Crimping of electric cables with conductors defined by EN 2083, EN 4434 and EN 2346 - Edition P 2	2011	ASD-STAN	
586	PREN 4651	Aerospace series Copper-clad aluminium alloy conductors for electrical cables Product standard - Edition P 2	2011	ASD-STAN	
587	PREN 3475-307	Aerospace series Cables, electrical, aircraft use Test methods Part 307: Corona extinction voltage - Edition P 3	2011	ASD-STAN	
588	PREN 4631	Aerospace series Steel X4CrNiMo16-5-1 (1.4418) Air melted Hardened and tempered Bar De less than or equal to 200 mm 900 MPa less than or equal to Rm less than or equal to 1 050 MPa - Edition P 2	2011	ASD-STAN	
589	PREN 4818	Aerospace series Passive HF RFID tags intended for aircraft use for aircraft use - Edition P 1	2011	ASD-STAN	
590	PREN 4681-002	Aerospace series Cables, electric, general purpose, with conductors in aluminium or copper-clad aluminium Part 002: General - Edition P 1	2011	ASD-STAN	
591	PREN 3997	Aerospace series Aluminium alloy AL-P2024- Al Cu4Mg1 T3 Sheet and strip 0,4 mm \hat{a} \square a \hat{a} \square 6 mm - Edition P 3	2011	ASD-STAN	
592	PREN 4701-003	Aerospace series Connectors, optical, rectangular, modular, operating temperature 125 $^{\circ}$ C, for EN 4531-101 contacts Part 003: Module series 2 Product standard - Edition P 1	2011	ASD-STAN	
593	PREN 2032-001	Aerospace series Metallic materials Part 001: Conventional designation - Edition P 5	2011	ASD-STAN	
594	PREN 4817	Aerospace series Passive UHF RFID tags intended for aircraft use - Edition P 1	2011	ASD-STAN	
595	PREN 4629	Aerospace series Steel X4CrNiMo16-5-1 (1.4418) Air melted Softened Forging stock De less than or equal to 300 mm - Edition P 2	2011	ASD-STAN	
596	PREN 4689	Aerospace series Paints and varnishes Two components cold curing polyurethane finish High flexibility and chemical agent resistance for military application - Edition P 1	2011	ASD-STAN	
597	PREN 3375-002	Aerospace series Cable, electrical, for digital data transmission Part 002: General - Edition P 2	2011	ASD-STAN	
598	PREN 4687	Aerospace series Paints and varnishes Chromate free non corrosion inhibiting two components cold curing primer for military application - Edition P 1	2011	ASD-STAN	
599	PREN 2030	Aerospace series Steel FE-PM3501 (X105CrMo17) Hardened and tempered Bars De Less than or equal to 150 mm - Edition P 1	2011	ASD-STAN	
600	PREN 4500-001	Aerospace series Metallic materials Rules for drafting and presentation of material standards Part 001: General rules - Edition P 2	2011	ASD-STAN	
601	PREN 2835	Aerospace series Chloroprene rubber (CR) Heat resistance Hardness 40 IRHD - Edition P 1	2011	ASD-STAN	
602	PREN 3528	Aerospace series Steel FE-PM2701 (X2NiCoMo18-8-5) Vacuum induction melted and vacuum arc remelted Solution treated and precipitation treated Bar a or D Less Than or Equal to 150 mm 1 750 MPa Less Than or Equal to Rm Less Than or Equal to 2 000 MPa - Editi	2010	ASD-STAN	
603	PREN 2483	Aerospace series Steel FE-PL2108 (36NiCrMo16) 1 100 MPa Less than or equal to Rm Less than or equal to 1 300 MPa Forgings De Less than or equal to 100 mm - Edition P 1	2010	ASD-STAN	
604	PREN 2648	Aerospace series Washers, concave, in alloy steel, cadmium plated - Edition P 2	2010	ASD-STAN	
605	PREN 2593-001	Aerospace series Bases for 10 A electromagnetic plug-in relays, two and four poles double throw Part 001: Technical specification - Edition P 1	2010	ASD-STAN	
606	PREN 4531-901	Aerospace series Connectors, optical, circular, single and multipin, coupled by threaded ring Flush contacts Part 901: Filler plugs Product standard - Edition P 1	2010	ASD-STAN	
607	PREN 2491	Aerospace series Molybdenum disulphide dry lubricants Coating methods - Edition P 1	2010	ASD-STAN	
608	PREN 3274	Aerospace series Pipe coupling 8 Degrees 30 Thread end Geometric configuration - Edition P 2	2010	ASD-STAN	
609	PREN 3155-035	Aerospace series Electrical contacts used in elements of connection Part 035: Contacts, electrical, triaxial, size 08, female, type D, crimp, class R Product standard - Edition P 2	2010	ASD-STAN	

610	PREN 3310	Aerospace series Titanium alloy TI-P64001 (Ti-6Al-4V) Not heat treated Forging stock, for annealed forgings De Less than or equal to 360 mm - Edition P 3	2010	ASD-STAN	
611	PREN 3456	Aerospace series Titanium alloy TI-P64001 (Ti-6Al-4V) Annealed Sheet and strip, hot rolled a less than or equal to 6 mm - Edition P 3	2010	ASD-STAN	
612	PREN 3475-505	Aerospace series Cables, electrical, aircraft use Test methods Part 505: Tensile test on conductors and strands - Edition P 3	2010	ASD-STAN	
613	PREN 3464	Aerospace series Titanium alloy TI-P64001 (Ti-6Al-4V) Annealed Plate 6 mm less than a less than or equal to 100 mm - Edition P 3	2010	ASD-STAN	
614	PREN 4538-003	Aerospace series Bearings, spherical plain, in corrosion resisting steel with self-lubricating liner elevated load under low oscillations Narrow series Dimensions and loads Part 003: Inch series with low friction coefficient - Edition P 1	2010	ASD-STAN	
615	PREN 4265	Aerospace series Bearing spherical plain, metal to metal in corrosion resisting steel Wide series Dimensions and loads Inch series - Edition P 2	2010	ASD-STAN	
616	PREN 4704	Aerospace series Tartaric-Sulphuric-Acid anodizing of aluminium and aluminium wrought alloys for corrosion protection and paint pre-treatment (TSA) - Edition P 1	2010	ASD-STAN	
617	PREN 4268	Aerospace series Metallic materials Heat treatment facilities General requirements - Edition P 1	2010	ASD-STAN	
618	PREN 4008-007	Aerospace series Elements of electrical and optical connection Crimping tools and associated accessories Part 007: Positioner for crimping tool M22520/2-01 Product standard - Edition P 2	2010	ASD-STAN	
619	PREN 4266	Aerospace series Bearing spherical plain, metal to metal, in corrosion resisting steel, cadmium plated Wide series Dimensions and loads Inch series - Edition P 2	2010	ASD-STAN	
620	PREN 4644-142	Aerospace series Connector, electrical and optical, rectangular, modular, rectangular inserts, operating temperature 175 degrees C (or 125 degrees C) continuous Part 142: Size 4 receptacle for rack and panel application Product standard - Edition P 1	2010	ASD-STAN	
621	PREN 4641-100	Aerospace series Cables, optical 125 micrometers diameter cladding Part 100: Tight structure 62,5/125 micrometers core GI fibre 1,8 mm outside diameter Product standard - Edition P 1	2010	ASD-STAN	
622	PREN 4539-003	Aerospace series Bearings, spherical plain, in corrosion resisting steel with self-lubricating liner elevated load under low oscillations Wide series Dimensions and loads Part 003: Inch series with low friction coefficient - Edition P 1	2010	ASD-STAN	
623	PREN 3312	Aerospace series Titanium alloy TI-P64001 (Ti-6Al-4V) Annealed Forgings De Less Than or Equal to 150mm - Edition P 3	2010	ASD-STAN	
624	TR 4680	Aerospace series Contacts, electrical, qualification for change materials and process - Edition 1	2010	ASD-STAN	
625	PREN 4540	Aerospace series Bearings, spherical plain, in corrosion resisting steel with self-lubricating liner Elevated load under low oscillations Technical specification - Edition P 2	2010	ASD-STAN	
626	PREN 3873	Aerospace series Test methods for metallic materials Determination of fatigue crack growth rates using Corner-Cracked (CC) test pieces - Edition P 1	2010	ASD-STAN	
627	PREN 4008-008	Aerospace series Elements of electrical and optical connection Crimping tools and associated accessories Part 008: Positioner for crimping tool M22520/7-01 Product standard - Edition P 2	2010	ASD-STAN	
628	TR 4654-001	Aerospace series Connectors, electrical, EN 4644 specific products Part 001: Technical specification - Edition 1	2010	ASD-STAN	
629	PREN 9137	Quality management systems Guidance for the Application of AQAP 2110 within an EN 9100 Quality Management System - Edition P 1	2010	ASD-STAN	
630	PREN 4632-004	Welded and brazed assemblies for aerospace constructions Weldability and brazeability of materials Part 004: Homogeneous assemblies highly alloyed steels - Edition P 1	2010	ASD-STAN	
631	PREN 2591-402	Aerospace series Elements of electrical and optical connection Test methods Part 402: Shock - Edition P 2	2010	ASD-STAN	
632	PREN 2591-307	Aerospace series Elements of electrical and optical connection Test methods Part 307: Salt mist - Edition P 2	2010	ASD-STAN	
633	PREN 2482	Aerospace series Steel FE-PL2108 (36NiCrMo16) 1 100 MPa Less Than or Equal to Rm Less Than or Equal to 1 300 MPa Bars De Less Than or Equal to 100 mm - Edition P 1	2010	ASD-STAN	
634	PREN 3745-515	Aerospace series Fibres and cables, optical, aircraft use Test methods Part 515: Buffer insertion force - Edition P 1	2010	ASD-STAN	

635	PREN 3373-008	Aerospace series Terminal lugs and in-line splices For crimping on electrical conductors Part 008 :Copper lugs nickel plated ring shaped for copper conductors nickel plated for inch series studs up to 340 Degrees C Product standard - Edition P 1	2010	ASD-STAN	
636	PREN 6049-006	Aerospace series Electrical cables, installation Protection sleeve in meta-aramid fibres Part 006: Self-wrapping protective sleeve, flexible post installation Product standard - Edition P 4	2010	ASD-STAN	
637	PREN 3813	Aerospace Series Titanium Alloy TI-P64001 (Ti-6Al-4V) Annealed Bar and Wire for Forged Fasteners De Less Than or Equal to 50 mm - Edition P 2	2010	ASD-STAN	
638	PREN 3155-002	Aerospace series Electrical contacts used in elements of connection Part 002: List and utilization of contacts - Edition P 4	2010	ASD-STAN	
639	PREN 4641-301	Aerospace series Cables, optical 125 µm diameter cladding Part 301: Tight structure 50/125 µm GI fibre nominal 1,8 mm outside diameter Product standard - Edition P1	2010	ASD-STAN	
640	PREN 3354	Aerospace series Titanium alloy TI-P64001 (Ti-6Al-4V) Annealed Sheet for superplastic forming a less than or equal to 6 mm - Edition P 4	2010	ASD-STAN	
641	PREN 4641-103	Aerospace series Cables, optical 125 µm diameter cladding Part 103: Semi-loose, ruggedized simplex construction 62,5/125 µm GI fibre nominal 2,74 mm, outside diameter Product standard - Edition P 1	2010	ASD-STAN	
642	TR 4654-002	Aerospace series Connectors, electrical, EN 4644 specific products Part 002: Specification of performance and list of technical reports - Edition 1	2010	ASD-STAN	
643	PREN 3355	Aerospace series Titanium alloy TI-P64001 (Ti-6Al-4V) Annealed Extruded section De Less Than or Equal to 150 mm 900 MPa Less Than or Equal to Rm Less Than or Equal to 1 160 mm MPa - Edition P 3	2010	ASD-STAN	
644	PREN 3280	Aerospace series Bearings, airframe rolling, rigid or self-aligning Technical specification - Edition P 2	2010	ASD-STAN	
645	PREN 2133	Aerospace series Cadmium plating of steels with specified tensile strength Less than or equal to 1 450 MPa, copper, copper alloys and nickel alloys - Edition P 1	2010	ASD-STAN	
646	PREN 4641-105	Aerospace series Cables, optical 125 µm diameter cladding Part 105: Semi-loose, ruggedized quadraxial construction 62,5/125 µm GI fibre nominal, 5,72 mm outside diameter Product standard - Edition P 1	2010	ASD-STAN	
647	PREN 4531-003	Aerospace series Connectors, optical, circular, single and multipin, coupled by threaded ring Flush contacts Part 003: Square flange receptacle Product standard - Edition P 2	2010	ASD-STAN	
648	PREN 4531-004	Aerospace series Connectors, optical, circular, single and multipin, coupled by threaded ring Flush contacts Part 004: Jam nut receptacle Product standard - Edition P 2	2010	ASD-STAN	
649	PREN 2213	Aerospace series Steel FE-PL1505 (15CrMoV6) Air melted Hardened and tempered Bars De Less than or equal to 16 mm 980 MPa Less than or equal to Rm Less than or equal to 1 180 MPa - Edition P 1	2010	ASD-STAN	
650	PREN 4641-104	Aerospace series Cables, optical 125 µm diameter cladding Part 104: Semi-loose, ruggedized duplex construction 62,5/125 µm GI fibre nominal, 4,95 mm outside diameter Product standard - Edition P 1	2010	ASD-STAN	
651	PREN 3373-007	Aerospace series Terminal lugs and in-line splices for crimping on electrical conductors Part 007 : Nickel plated aluminium terminal lugs for crimping on nickel plated aluminium cable for inch series studs Product standard - Edition P 1	2010	ASD-STAN	
652	PREN 4156	Aerospace series Rod ends, with self-aligning double row ball bearings and threaded shank in steel Inner ring and balls in corrosion resisting steel Dimensions and loads Inch series - Edition P 2	2010	ASD-STAN	
653	PREN 2252	Aerospace series Steel FE-PL1505 (15CrMoV6) 1 080 MPa Less than or Equal to Rm Less than or Equal to 1 250 MPa Forgings De Less than or Equal to 100 mm - Edition P 1	2010	ASD-STAN	
654	PREN 4678	Aerospace series Weldments and brazements for aerospace structures Joints of metallic materials by laser beam welding Quality of weldments - Edition P 1	2010	ASD-STAN	
655	PREN 2997-001	Aerospace series Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures - 65 Degrees C to 175 Degrees C continuous, 200 Degrees C continuous, 260 Degrees C peak Part 001: Technical specific	2010	ASD-STAN	
656	PREN 6049-007	Aerospace series Electrical cables, installation Protection sleeve in meta-aramid fibres Part 007: Self-wrapping protective sleeve, flexible post installation operating temperature from - 55 Degrees C to 260 Degrees C Product standard - Edition P 1	2010	ASD-STAN	
657	PREN 3745-301	Aerospace series Fibres and cables, optical, aircraft use Test methods Part 301: Attenuation - Edition P 2	2010	ASD-STAN	

658	PREN 2481	Aerospace series Steel FE-PL2108 (36NiCrMo16) 1 250 MPa Less than or equal to Rm Less than or equal to 1 400 MPa Forgings De Less than or equal to 75 mm - Edition P 1	2010	ASD-STAN	
659	PREN 3745-405	Aerospace series Fibres and cables, optical, aircraft use Test methods Part 405: Low/high temperature bend test - Edition P 1	2010	ASD-STAN	
660	PREN 4531-005	Aerospace series Connectors, optical, circular, single and multipin, coupled by threaded ring Flush contacts Part 005: Plug Product standard - Edition P 2	2010	ASD-STAN	
661	PREN 4700-007	Aerospace series Steel and heat resisting alloys Wrought products Technical specification Part 007: Remelting stock - Edition P 1	2009	ASD-STAN	
662	PREN 4673-002	Aerospace series Inserts, UNJ threads, self-locking, with self-broaching keys Part 002: Design standard - Edition P 1	2009	ASD-STAN	
663	PREN 4473	Aerospace series Aluminium pigmented coatings for fasteners Technical specification - Edition P 2	2009	ASD-STAN	
664	PREN 3838	Aerospace series Requirements and tests on user-applied markings on aircraft electrical cables - Edition P 2	2009	ASD-STAN	
665	PREN 4673-001	Aerospace series Inserts, UNJ threads, self-locking, with self-broaching keys Part 001: Installation and removal procedure - Edition P 1	2009	ASD-STAN	
666	PREN 4800-008	Aerospace series Titanium and titanium alloys Technical specification Part 008: Pre-production and production castings - Edition P 2	2009	ASD-STAN	
667	PREN 2997-016	Aerospace series Connectors, electrical, circular, coupled be threaded ring, fire-resistant or non fire-resistant, operating temperatures - 65 degree C to 175 degree C continuous, 200 degree C continuous, 260 degree C peak Part 016: Plug with integrated a	2009	ASD-STAN	
668	PREN 4800-001	Aerospace series Titanium and titanium alloys Technical specification Part 001: Plate, sheet and strip - Edition P 2	2009	ASD-STAN	
669	PREN 4700-001	Aerospace series Steel and heat resisting alloys Wrought products Technical specification Part 001: Plate, sheet and strip - Edition P 2	2009	ASD-STAN	
670	PREN 3660-011	Aerospace series Cable outlet accessories for circular and rectangular electrical and optical connectors Part 011: Cable outlet, style K, 90 degrees, shielded, sealed, for heat shrinkable boot Product standard - Edition P 1	2009	ASD-STAN	
671	PREN 3475-100	Aerospace series Cables, electrical, aircraft use Test methods Part 100: General - Edition P 4	2009	ASD-STAN	
672	PREN 4659	Aerospace series Steel FE-PM1507 (X1CrNiMoAlTi12-11-2) Vacuum induction melted and consumable electrode remelted Solution treated and precipitation remelted Forgings a or D Less than or equal to 200 mm RM Greater than or equal to 1 650 MPa - Edition P1	2009	ASD-STAN	
673	PREN 3660-010	Aerospace series Cable outlet accessories for circular and rectangular electrical and optical connectors Part 010: Cable outlet, style K, straight, shielded, sealed, for heat shrinkable boot Product standard - Edition P 1	2009	ASD-STAN	
674	PREN 4677-001	Aerospace series Welded and brazed assemblies for aerospace construction Joints of metallic materials by electron beam welding Part 001: Quality of welded assemblies - Edition P 1	2009	ASD-STAN	
675	PREN 2997-015	Aerospace series Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures - 65 degree C to 175 degree C continuous, 200 degree C continuous, 260 degree C peak Part 015: Jam-nut mounted recept	2009	ASD-STAN	
676	PREN 6059-501	Aerospace series Electrical cables, installation Protection sleeves Test methods Part 501: Voltage proof test - Edition P 1	2009	ASD-STAN	
677	PREN 4673-003	Aerospace series Inserts, UNJ threads, self-locking, with self-broaching keys Part 003: Technical specification - Edition P 1	2009	ASD-STAN	
678	PREN 2283	Aerospace series Testing of aircraft wiring - Edition P 1	2009	ASD-STAN	
679	PREN 4658	Aerospace series Steel FE-PM1507 (X1CrNiMoAlTi12-11-2) Vacuum induction melted and consumable electrode remelted Solution treated and precipitation remelted Forgings a or D Less than or equal to 200 mm RM Greater than or equal to 1 520 MPa - Edition P1	2009	ASD-STAN	
680	TR 4661	Aerospace series Hinges, flight controls materials and surface treatments - Edition 1	2009	ASD-STAN	
681	PREN 6049-002	Aerospace series Electrical cables, installation Protection sleeve in meta-aramid fibres Part 002: General and list of product standard - Edition P 2	2009	ASD-STAN	

682	TR 4676	Aerospace series Aluminium pigmented coatings Lists of commercial products - Edition 1	2009	ASD-STAN	
683	TR 4648	Aerospace series Cable, electrical Re-qualification following changes in design, material or manufacturing process - Edition 1	2009	ASD-STAN	
684	PREN 4800-005	Aerospace series Titanium and titanium alloys Technical specification Part 005: Forging stock - Edition P 2	2009	ASD-STAN	
685	TR 4643	Aerospace series Epoxy for fibre optic connectors to EN 3733 Operating temperature up to 150 degree C continuous - Edition 1	2009	ASD-STAN	
686	PREN 4657	Aerospace series Steel FE-PM1507 (X1CrNiMoAlTi12-11-2) Vacuum induction melted and consumable electrode remelted Solution treated and precipitation remelted Bars a or D Less than or equal to 200 mm Rm Greater than or equal to 1 650 MPa - Edition P1	2009	ASD-STAN	
687	PREN 4800-003	Aerospace series Titanium and titanium alloys Technical specification Part 003: Tube - Edition P 2	2009	ASD-STAN	
688	PREN 4660-002	Aerospace series Modular and Open Avionics Architectures Part 002: Final Draft of Proposed Standards for Common Functional Modules - Edition P 1	2009	ASD-STAN	
689	PREN 2954-002	Aerospace series Macrostructure of titanium and titanium alloy wrought products Part 002: Macrostructure of bar, section, forging stock and forgings - Edition P 1	2009	ASD-STAN	
690	PREN 4673-006	Aerospace series Inserts, UNJ threads, self-locking, with self-broaching keys Part 006: In heat resisting steel FE-PA2601 (A286), MoS2 coated - Edition P 1	2009	ASD-STAN	
691	PREN 4632-005	Aerospace series Weldability and brazeability of materials in aerospace constructions Part 005: Welding and brazing of homogenous assemblies of heat resisting Ni or Co base alloys - Edition P 1	2009	ASD-STAN	
692	PREN 4700-006	Aerospace series Steel and heat resisting alloys Wrought products Technical specification Part 006: Pre-production and production forgings - Edition P 1	2009	ASD-STAN	
693	PREN 4672	Aerospace series Steel FE-PM1504 (X1CrNiMoAlTi12-10-2) Vacuum induction melted and consumable electrode remelted Softened Forging stock a or D Less than or equal to 300 mm - Edition P1	2009	ASD-STAN	
694	PREN 4655	Aerospace series steel FE-PM1506 (X1CrNiMoAlTi12-10-2) Vacuum induction melted and consumable electrode remelted Solution treated and precipitation remelted Bars a or D Less than or equal to 200 mm Rm greater that or equal to 1 400 MPa - Edition P1	2009	ASD-STAN	
695	PREN 4660-001	Aerospace series Modular and Open Avionics Architectures Part 001: Final Draft of Proposed Standards for Architecture - Edition P 1	2009	ASD-STAN	
696	PREN 4700-004	Aerospace series Steel and heat resisting alloys Wrought products Technical specification Part 004: Wire - Edition P 2	2009	ASD-STAN	
697	PREN 4675	Aerospace series Titanium Ti-P63002 (Ti5Al5Mo5V3Cr0,4Fe) Rm >= 1300 MPa Bars De <= 100 mm - Edition P 1	2009	ASD-STAN	
698	PREN 3238	Aerospace series Metallic materials Test method Shear test for wires and rivets - Edition P 1	2009	ASD-STAN	
699	PREN 4025	Aerospace Series Pipe Coupling 8 Degrees 30 in Titanium Alloy Elbows 45 Degrees, Bulkhead - Edition P 2	2009	ASD-STAN	
700	PREN 2954-001	Aerospace series Macrostructure of titanium and titanium alloy wrought products Part 001: General requirements - Edition P 1	2009	ASD-STAN	
701	PREN 4673-005	Aerospace series Inserts, UNJ threads, self-locking, with self-broaching keys Part 005: In heat resisting nickel base alloy Ni-P101HT (WASPALLOY), silver plating - Edition P 1	2009	ASD-STAN	
702	PREN 4700-005	Aerospace series Steel and heat resisting alloys Wrought products Technical specification Part 005: Forging stock - Edition P 1	2009	ASD-STAN	
703	PREN 4671	Aerospace series Steel FE-PM1506 (X1CrNiMoAlTi12-10-2) Vacuum induction melted and consumable electrode remelted Solution treated and precipitation remelted Forgings a or D Less than or equal to 200 mm Rm Greater than or equal to 1 400 MPa - Edition P1	2009	ASD-STAN	
704	PREN 4800-006	Aerospace series Titanium and titanium alloys Technical specification Part 006: Pre-production and production forgings - Edition P 2	2009	ASD-STAN	
705	PREN 4673-004	Aerospace series Inserts, UNJ threads, self-locking, with self-broaching keys Part 004: In heat resisting nickel base alloy Ni-P100HT (Inconel 718), silver plating - Edition P 1	2009	ASD-STAN	

706	PREN 9104-003	Aerospace series Quality management systems Part 003: Requirements for Aerospace Quality Management System (AQMS) Auditor Training and Qualification - Edition P 2	2009	ASD-STAN	
707	PREN 4700-003	Aerospace series Steel and heat resisting alloys Wrought products Technical specification Part 003: Tube - Edition P 2	2009	ASD-STAN	
708	PREN 4670	Aerospace series Steel FE-PM1507 (X1CrNiMoAlTi12-11-2) Vacuum induction melted and consumable electrode remelted Softened Forging stock a or D Less than or equal to 300 mm - Edition P1	2009	ASD-STAN	
709	PREN 4023	Aerospace Series Pipe Coupling 8 Degrees 30 in Titanium Alloy Elbows 45 Degrees - Edition P 2	2009	ASD-STAN	
710	PREN 4800-007	Aerospace series Titanium and titanium alloys Technical specification Part 007: Remelting stock - Edition P 1	2009	ASD-STAN	
711	PREN 9300-003	Aerospace series LOTAR Long Term Archiving and Retrieval of digital technical product documentation such as 3D, CAD and PDM data Part 003: Fundamentals and concepts - Edition P 1	2009	ASD-STAN	
712	PREN 4656	Aerospace series steel FE-PM1507 (X1CrNiMoAlTi12-11-2) Vacuum induction melted and consumable electrode remelted Solution treated and precipitation remelted Bars a or D Less than or equal to 200 mm Rm greater than or equal to 1 520 MPa - Edition P1	2009	ASD-STAN	
713	PREN 4800-004	Aerospace series Titanium and titanium alloys Technical specification Part 004: Wire - Edition P 2	2009	ASD-STAN	
714	PREN 4683	Aerospace series Steel FE-WM 3504 (X4CrNiMo16-5-1) Air melted Filler metal for welding Wire and rod - Edition P1	2009	ASD-STAN	
715	PREN 4662	Aerospace series Test specification for vibration control components - Edition P 1	2009	ASD-STAN	
716	PREN 4800-002	Aerospace series Titanium and titanium alloys Technical specification Part 002: Bar and section - Edition P 2	2009	ASD-STAN	
717	PREN 3911	Aerospace series Six lobe recess Geometrical definition - Edition P 2	2009	ASD-STAN	
718	PREN 4685	Aerospace series Titanium Ti10V2Fe3Al Bars D < 110 mm Rm greater than or equal to 1 240 MPa - Edition P1	2009	ASD-STAN	
719	PREN 2997-011	Aerospace series Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures 65 degree C to 175 degree C continuous, 200 degree C continuous, 260 degree C peak Part 011: Dummy receptacle Product	2009	ASD-STAN	
720	PREN 4624	Aerospace series Inserts, MJ threads, self-locking, with self-broaching keys, in heat resisting nickel base alloy NI-PH1302 (Waspaloy), silver plated - Edition P 1	2008	ASD-STAN	
721	TR 9536	Aerospace series Declarable Substances Recommended Practice	2008	ASD-STAN	
722	PREN 6069	Aerospace series Rivet, 100 Degrees reduced flush head, close tolerance Inch series - Edition P 3	2008	ASD-STAN	
723	PREN 4645-001	Aerospace series Connectors, optical, circular, single and multipin, coupled by threaded ring, self-locking 1,25 mm diameter ferrule with removable alignment sleeve holder Part 001: Technical specification - Edition P 1	2008	ASD-STAN	
724	PREN 2755	Aerospace Series Bearings, Spherical Plain in Corrosion Resisting Steel with Self-Lubricating Liner Elevated Loads at Ambient Temperature Technical Specification - Edition P3	2008	ASD-STAN	
725	PREN 4604-008	Aerospace series Cable, electrical, for signal transmission Part 008: Cable, coaxial, 50 ohms, 200 Degrees C, Type WD Product standard - Edition P 1	2008	ASD-STAN	
726	PREN 4637	Aerospace series Blast media White corundum - Edition P 1	2008	ASD-STAN	
727	PREN 4536-2	Aerospace series Bushes, plain in corrosion resisting steel with self-lubricating liner, elevated load &__ Part 2: Dimensions and loads &__ Inch series - Edition P1	2008	ASD-STAN	
728	PREN 4645-002	Aerospace series Connectors, optical, circular, single and multipin, coupled by threaded ring, self-locking 1,25 mm diameter ferrule with removable alignment sleeve holder Part 002: Specification of performance and contact arrangements - Edition P 1	2008	ASD-STAN	
729	PREN 3660-036	Aerospace series Cable outlet accessories for circular and rectangular electrical and optical connectors Part 036: Spacer pad for cable outlet, style Z Product standard - Edition P 1	2008	ASD-STAN	
730	PREN 3155-032	Aerospace series Electrical contacts used in elements of connection Part 032: Contacts, electrical, coaxial, 50 ohms size 5, male, type D, crimp, class R Product standard - Edition P1	2008	ASD-STAN	
731	PREN 4632-003	Aerospace series Weldability and brazeability of materials in aerospace constructions Part 003: Homogeneous assemblies of unalloyed and low alloy steels - Edition P 1	2008	ASD-STAN	

732	PREN 3375-008	Aerospace series Cable, electrical, for digital data transmission Part 008: Single braid â__ Star Quad 100 Ohms â__ Type KD â__ Product standard - Edition P1	2008	ASD-STAN	
733	PREN 4638	Aerospace series Blast media Brown corundum - Edition P 1	2008	ASD-STAN	
734	PREN 4537-2	Aerospace series Bushes, flanged in corrosion-resisting steel with self-lubricating liner, elevated load â__ Part 2: Dimensions and loads â__ Inch series - Edition P1	2008	ASD-STAN	
735	PREN 3660-016	Aerospace series Cable outlet accessories for circular and rectangular electrical and optical connectors Part 016: Grommet nut, style A, self-locking and non self-locking Product standard - Edition P 1	2008	ASD-STAN	
736	PREN 2606	Aerospace series â__ 60 degrees interface for adaptors, threaded, with lockring â__ Geometric configuration - Edition P1	2008	ASD-STAN	
737	PREN 4634	Aerospace series Screws, 100 ^o countersunk head, six lobe recess, short thread, in heat resisting steel FE-PA2601 (A286), passivated Classification: 900 MPa (at ambient temperature) / 650 ^o C - Edition P1	2008	ASD-STAN	
738	PREN 3155-033	Aerospace series Electrical contacts used in elements of connection Part 033: Contacts, electrical, coaxial, 50 ohms size 5, female, type D, crimp, class R Product standard - Edition P1	2008	ASD-STAN	
739	PREN 4645-003	Aerospace series Connectors, optical, circular, single and multipin, coupled by threaded ring, self-locking 1,25 mm diameter ferrule with removable alignment sleeve holder Part 003: Square flange receptacle Product standard - Edition P 1	2008	ASD-STAN	
740	PREN 3475-417	Aerospace series Cables, electrical, aircraft use Test methods Part 417: Fire resistance of cables confined inside a harness - Edition P 1	2008	ASD-STAN	
741	PREN 4635	Aerospace series Screws, 100 ^o countersunk head, six lobes recess, short thread, in heat resisting nickel base alloy NI-PH2601 (Inconel 718) Classification: 1 270 MPa (at ambient temperature) / 650 ^o C - Edition P 1	2008	ASD-STAN	
742	PREN 3660-020	Aerospace series Cable outlet accessories for circular and rectangular electrical and optical connectors Part 020: Cable outlet, style A, straight, unsealed, self-locking with clamp strain relief Product standard - Edition P 1	2008	ASD-STAN	
743	PREN 4645-004	Aerospace series Connectors, optical, circular, single and multipin, coupled by threaded ring, self-locking 1,25 mm diameter ferrule with removable alignment sleeve holder Part 004: Jam nut receptacle Product standard - Edition P 1	2008	ASD-STAN	
744	PREN 4619	Aerospace series Inserts, MJ threads, self-locking, with self-broaching keys Installation and removal procedure - Edition P 1	2008	ASD-STAN	
745	PREN 3660-025	Aerospace series Cable outlet accessories for circular and rectangular electrical and optical connectors Part 025: Cable outlet, style A, straight, unsealed, with cable tie strain relief for EN 3646 Product standard - Edition P 1	2008	ASD-STAN	
746	TR 4646	Aerospace series Termination procedure for EN 4531 optical contact - Edition 1	2008	ASD-STAN	
747	PREN 3475-407	Aerospace series Cables, electrical, aircraft use Test methods Part 407: Flammability - Edition P 4	2008	ASD-STAN	
748	PREN 3660-021	Aerospace series Cable outlet accessories for circular and rectangular electrical and optical connectors Part 021: Cable outlet, style A, 90 Degrees, unsealed, self-locking with clamp strain relief Product standard - Edition P 1	2008	ASD-STAN	
749	PREN 4636	Aerospace series Screws, 100 ^o countersunk head, six lobe recess, short thread, in titanium alloy TI-P64001, with aluminium pigmented coating Classification: 1 100 MPa (at ambient temperature) / 315 ^o C - Edition P 1	2008	ASD-STAN	
750	PREN 4620	Aerospace series Inserts, MJ threads, self-locking, with self-broaching keys Design standard - Edition P 1	2008	ASD-STAN	
751	PREN 3155-063	Aerospace series Electrical contacts used in elements of connection Part 063: Contacts, electrical, coaxial, 50 ohms size 1, male, type D, solder, class R Product standard - Edition P 1	2008	ASD-STAN	
752	PREN 3660-026	Aerospace series Cable outlet accessories for circular and rectangular electrical and optical connectors Part 026: Cable outlet, style A , 90 ^o , unsealed, with cable tie strain relief for EN 3646 Product standard - Edition P1	2008	ASD-STAN	
753	PREN 4604-002	Aerospace series Cable, electrical, for signal transmission Part 002: General - Edition P 3	2008	ASD-STAN	
754	TR 4647	Aerospace series Termination procedure for EN 4639 optical contact - Edition 1	2008	ASD-STAN	
755	PREN 3475-515	Aerospace series Cables, electrical, aircraft use Test methods Part 515: Crush resistance - Edition P 1	2008	ASD-STAN	
756	PREN 3660-037	Aerospace series Cable outlet accessories for circular and rectangular electrical and optical connectors Part 037: bushing strip, elastomer, for cable outlet, style Z Product standard - Edition P 1	2008	ASD-STAN	
757	PREN 4641-102	Aerospace series Cables, optical 125 ç_m diameter cladding Part 102: Semi-loose 62,5/125 ç_m GI fibre nominal 1,8 mm outside diameter Product standard - Edition P 1	2008	ASD-STAN	

758	PREN 4113	Aerospace series Clamps, loop ("P" type) in corrosion resisting steel, passivated, with rubber cushioning Dimensions, masses - Edition P 2; Incorporates CORR: 1-31-2009	2008	ASD-STAN	
759	TR 4541	Aerospace series Instruction for the installation by staking of aerospace bearings - Edition 1	2008	ASD-STAN	
760	PREN 4645-005	Aerospace series Connectors, optical, circular, single and multipin, coupled by threaded ring, self-locking 1,25 mm diameter ferrule with removable alignment sleeve holder Part 005: Plug Product standard - Edition P 1	2008	ASD-STAN	
761	PREN 4649	Aerospace series Handheld fire extinguishers with synthesis gases, for aircraft use Technical specification and qualification conditions - Edition P 1	2008	ASD-STAN	
762	PREN 3475-812	Aerospace series Cables, electrical, aircraft use Test methods Part 812: Return loss (VSWR) - Edition P 1	2008	ASD-STAN	
763	PREN 4621	Aerospace series Inserts, MJ threads, self-locking, with self-broaching keys Technical specification - Edition P 1	2008	ASD-STAN	
764	PREN 3155-064	Aerospace series Electrical contacts used in elements of connection Part 064: Contacts, electrical, coaxial, 50 ohms size 1, female, type D, solder, class R Product standard - Edition P1	2008	ASD-STAN	
765	PREN 3660-027	Aerospace series Cable outlet accessories for circular and rectangular electrical and optical connectors Part 027: Cable outlet, style A , 45 ^o , unsealed, with cable tie strain relief for EN 3646 Product standard - Edition P1	2008	ASD-STAN	
766	PREN 3730	Aerospace series Clamps, saddle fixed and sliding version in aluminium alloy with rubber cushioning Dimensions, masses - Edition P 2	2008	ASD-STAN	
767	PREN 3155-074	Aerospace series Electrical contacts used in elements of connection Part 074: Contacts, electrical, quadrax, size 8, male, type E, crimp, class R Product standard - Edition P1	2008	ASD-STAN	
768	PREN 4024	Aerospace series Pipe coupling 8 ^o 30 in titanium alloy â Elbows 45 ^o welded end with thrust wire nut - Edition P2	2008	ASD-STAN	
769	PREN 4622	Aerospace series Inserts, MJ threads, self-locking, with self-broaching keys, in heat resisting steel FE-PA2601 (A286), MoS2 coated - Edition P 1	2008	ASD-STAN	
770	PREN 4650	Aerospace series Wire and cable marking process, UV Laser - Edition P 1	2008	ASD-STAN	
771	PREN 6072	Aerospace series Metallic materials â Test methods Constant amplitude fatigue testing - Edition P 2	2008	ASD-STAN	
772	PREN 4115	Aerospace series Cushion, rubber for clamps Dimensions, masses - Edition P 2	2008	ASD-STAN	
773	PREN 4114	Aerospace series Clamps, loop (â __Pâ __ type) in aluminium alloy, with rubber cushioning Dimensions, masses - Edition P 2	2008	ASD-STAN	
774	PREN 4623	Aerospace series Inserts, MJ threads, self-locking, with self-broaching keys, in heat resisting nickel base alloy NI-PH2601 (Inconel 718), silver plated - Edition P 1	2008	ASD-STAN	
775	TR 9535	Aerospace series Substance declaration - Edition 1	2008	ASD-STAN	
776	PREN 3155-075	Aerospace series Electrical contacts used in elements of connection Part 075: Contacts, electrical, quadrax, size 8, female, type E, crimp, class R Product standard - Edition P1	2008	ASD-STAN	
777	PREN 6094	Aerospace series Washer, spring, countersunk - Edition P 2	2007	ASD-STAN	
778	PREN 4020	Aerospace series Pipe coupling 8 ^o 30 in titanium alloy â Elbows 90 ^o , welded end with thrust wire nut - Edition P 2	2007	ASD-STAN	
779	TR 6083	Aerospace Series Cut-outs for Installation of Electrical Components - Edition 4	2007	ASD-STAN	
780	PREN 3660-013	Aerospace series Cable outlet accessories for circular and rectangular electrical and optical connectors Part 013: Cable outlet, style A, straight, unsealed, with cable tie strain relief Product standard - Edition P 1	2007	ASD-STAN	
781	PREN 6092	Aerospace series Receptacle, floating, double lug - Edition P 2	2007	ASD-STAN	
782	PREN 9121	Aerospace series Quality management systems Assessment applicable to stockist distributors - Edition P 4	2007	ASD-STAN	
783	PREN 6054	Aerospace series Collars, swage locking, shear type, in aluminium alloy 6061, chemical film Inch series - Edition P 4	2007	ASD-STAN	
784	PREN 4642	Aerospace series Steel FE-PM 3504 (X4CrNiMo16-5-1) Air melted Hardened and tempered Sheet and plate 0,6 mm less than or equal to a less than or equal to 50 mm 900 MPa less than or equal to Rm less than or equal to 1 050 MPa - Edition P 1	2007	ASD-STAN	
785	PREN 4018	Aerospace series Pipe coupling 8 degree 30 in titanium alloy â Elbows 90 degree with thrust wire nut - Edition P2	2007	ASD-STAN	
786	PREN 4640-004	Aerospace series Connectors, optical, rectangular, rack and panel, multicontact, 1,25 diameter ferrule, with removable alignment sleeve holder Part 004: Receptacle optical connector Product standard - Edition P1	2007	ASD-STAN	

787	PREN 3745-603	Aerospace series Fibres and cables, optical aircraft use Test methods Part 603: Nuclear radiation - Edition P 1	2007	ASD-STAN	
788	PREN 3745-514	Aerospace series Fibres and cables, optical, aircraft use Test methods Part 514: Cable twist bend - Edition p1	2007	ASD-STAN	
789	PREN 2115	Aerospace series Aluminium alloy 2117-T42 Wire for solid rivets D less than or equal to 10 mm - Edition P1	2007	ASD-STAN	
790	PREN 4528	Aerospace Series Steel FE-PA3903 (X12CrNi18-10) Cold Rolled Strip for Springs a Less Than or Equal to 3 mm 1 250 MPa Less Than or Equal to Rm Less Than 1 640 MPa - Edition P1	2007	ASD-STAN	
791	PREN 3475-811	Aerospace series Cables, electrical, aircraft use â__ Test methods Part 811: Unbalance attenuation - Edition P 1	2007	ASD-STAN	
792	PREN 3745-100	Aerospace series Fibres and cables, optical aircraft use Test methods Part 100: General - Edition P 1	2007	ASD-STAN	
793	PREN 4640-003	Aerospace series Connectors, optical, rectangular, rack and panel, multicontact, 1,25 diameter ferrule, with removable alignment sleeve holder Part 003: Plug optical connector Product standard - Edition P1	2007	ASD-STAN	
794	TR 4633	Aerospace series Connectors, electrical Change in design qualification - Editon 1	2007	ASD-STAN	
795	PREN 4372	Aerospace Series Heat Resisting Alloy with Copper NI-PD9001 (NiCu31) Wire for Solid Rivets D Less Than or Equal to 10 mm - Edition P 2	2007	ASD-STAN	
796	PREN 4614	Aerospace series Spherical plain bearings in corrosion resisting steel with self-lubricating liner, wide series â__ Dimensions and loads â__ Inch series - Edition P 1	2007	ASD-STAN	
797	PREN 3660-024	Aerospace series Cable outlet accessories for circular and rectangular electrical and optical connectors Part 024: Grommet nut, style A, composite Product standard - Edition P 1	2007	ASD-STAN	
798	PREN 4640-002	Aerospace series Connectors, optical, rectangular, rack and panel, multicontact, 1,25 diameter ferrule, with removable alignment sleeve holder Part 002: List of product standards - Edition P1	2007	ASD-STAN	
799	PREN 3373-002	Aerospace series Terminal lugs and in-line splices for crimping on electric conductors Part 002: General and list of product standard - Edition P 1	2007	ASD-STAN	
800	PREN 3660-023	Aerospace series Cable outlet accessories for circular and rectangular electrical and optical connectors Part 023: Cable outlet, style A, 90 degree, composite, unsealed, with cable tie strain relief Product standard - Edition P 1	2007	ASD-STAN	
801	PREN 4640-001	Aerospace series Connectors, optical, rectangular, rack and panel, multicontact, 1,25 diameter ferrule, with removable alignment sleeve holder Part 001: Technical specification - Edition P1	2007	ASD-STAN	
802	PREN 6057	Aerospace series Rod-ends, with bearing per EN4265 in corrosion resisting steel, internal threaded shank â__ Dimensions and loads â__ Inch series - Edition P 1	2007	ASD-STAN	
803	PREN 3475-810	Aerospace series Cables, electrical, aircraft use Test methods Part 810: Structural return loss - Edition P 1	2007	ASD-STAN	
804	PREN 3660-022	Aerospace series Cable outlet accessories for circular and rectangular electrical and optical connectors Part 022: Cable outlet, style A, straight, composite, unsealed, with cable tie strain relief Product standard - Edition P 1	2007	ASD-STAN	
805	PREN 4632-002	Aerospace series Welded and brazed assemblies for aerospace constructions Weldability and brazeability of materials Part 002: Homogeneous assemblies aluminium and aluminium alloys - Edition P1	2007	ASD-STAN	
806	PREN 4199-005	Aerospace Series Bonding Straps for Aircraft Part 005: Flat Braid Conductors Copper, Tin Plated -65 Degrees Celsius up to 150 Degrees Celsius and Copper, Nickel Plated, -65 Degrees Celsius up to +260 Degrees Celsius Product Standard - Edition P 1	2007	ASD-STAN	
807	PREN 3115	Aerospace series Aluminium alloy 7050- T73 Wire for solid rivets D Less than or Equal to 10 mm - Edition P 2	2007	ASD-STAN	
808	PREN 3475-809	Aerospace series Cables, electrical, aircraft use Test methods Part 809: Resistance unbalance - Edition P 1	2007	ASD-STAN	
809	PREN 2117	Aerospace series Aluminium alloy AL-P5056A (5056A)-H32 Wire for solid rivets D â □ 10 mm - Edition p 1	2007	ASD-STAN	
810	PREN 3660-015	Aerospace series Cable outlet accessories for circular and rectangular electrical and optical connectors Part 015: Cable outlet, style A, 45 degrees, unsealed, with cable tie strain relief Product standard - Edition P 1	2007	ASD-STAN	
811	PREN 4632-001	Aerospace series Welded and brazed assemblies for aerospace constructions Weldability and brazeability of materials Part 001: General requirements - Edition P1	2007	ASD-STAN	

812	PREN 3475-802	Aerospace Series Cables, Electrical, Aircraft Use Test Methods Part 802: Capacitance Unbalance - Edition P 2	2007	ASD-STAN	
813	PREN 2950	Aerospace series Test method Wrought heat resisting alloys Semi-finished products and parts Conditions for macrographic and micrographic examination Atlas of structures and defects - Edition P1	2007	ASD-STAN	
814	PREN 3660-014	Aerospace series Cable outlet accessories for circular and rectangular electrical and optical connectors Part 014: Cable outlet, style A, 90 degrees, unsealed, with cable tie strain relief Product standard - Edition P 1	2007	ASD-STAN	
815	PREN 3987	Aerospace series Test methods for metallic materials â__ Constant amplitude force-controlled high cycle fatigue testing - Edition P 1	2007	ASD-STAN	
816	PREN 2116	Aerospace series Aluminium alloy 2017A T42 Wire for solid rivets D less than or equal to 10 mm - Edition P 1	2007	ASD-STAN	
817	PREN 4613	Spherical plain bearings in corrosion resisting steel with self-lubricating liner, narrow series â__ Dimensions and loads â__ Inch series - Edition 1	2007	ASD-STAN	
818	PREN 3373-014	Aerospace series Terminal lugs and in-line splices for crimping on electric conductors Part 014: In-line splices, insulated and sealed, for crimping on copper conductors, temperature up to 200 degrees C Product standard - Edition P 1	2007	ASD-STAN	
819	PREN 3745-203	Aerospace series Fibres and cables, optical, aircraft use Test methods Part 203: Cable dimensions - Edition P 1	2006	ASD-STAN	
820	PREN 9300-015	Aerospace series LOTAR LONG Term Archiving and Retrieval of digital technical product documentation such as 3D, CAD and PDM data Part 015: Reference process description Removal - Edition P 1	2006	ASD-STAN	
821	PREN 6095	Aerospace series Rotary fasteners Structural and non-structural applications Technical specification - Edition P 1	2006	ASD-STAN	
822	PREN 4604-004	Aerospace series Cable, electrical, for signal transmission Part 004: Cable, microcoaxial, high immunity, 50 Ohms, 200 Degrees C, type WS Product standard - Edition P 3	2006	ASD-STAN	
823	PREN 3373-001	Aerospace Series Terminal Lugs and In-Line Splices for Crimping on Electric Conductors Part 001: Technical Specification - Edition P 3	2006	ASD-STAN	
824	PREN 3155-069	Aerospace series Electrical contacts used in elements of connection Part 069: Contacts, electrical, coaxial, size 16, female, type D, solder, class P Product standard - Edition P 1	2006	ASD-STAN	
825	PREN 6051	Aerospace Series Collars, Swage Locking, Shear Type, in Aluminium Alloy 3003, Chemical Film Inch Series - Edition P 3	2006	ASD-STAN	
826	PREN 4639-005	Aerospace series Connectors, optical, rectangular, modular, multicontact, 1,25 diameter ferrule, with removable alignment sleeve holder Part 005: Removable alignment sleeve holder Product standard - Edition P 1	2006	ASD-STAN	
827	PREN 3660-006	Aerospace series Cable outlet accessories for circular and rectangular electrical and optical connectors Part 006: Cable outlet, style C, straight, shielded (cone rounding), unsealed with clamp strain relief Product standard - Edition P 1	2006	ASD-STAN	
828	PREN 4626-201	Aerospace series Connectors, optical, rectangular, multicontact, rack and panel, Quadrax cavity, 2,5 mm diameter ferrule Operating temperatures - 65 Degrees C to 125 Degrees C (cable dependent) Flush contacts Part 201: Optical contract (sub-assembly) for	2006	ASD-STAN	
829	PREN 3475-506	Aerospace Series Cables, Electrical, Aircraft Use Test Methods Part 506 - Plating Continuity - Edition P 2	2006	ASD-STAN	
830	PREN 2854-002	Aerospace series Cables, electrical for general purpose Cross sections equal to and greater than 9 mm2 Operating temperatures between - 55 °C and 260 °C Part 002: General - Edition P 2	2006	ASD-STAN	
831	PREN 3660-007	Aerospace series Cable outlet accessories for circular and rectangular electrical and optical connectors Part 007: Cable outlet, style C, 90°, shielded (cone grounding), unsealed with clamp strain relief Product standard - Edition P 1	2006	ASD-STAN	
832	PREN 3373-010	Aerospace series Terminal lugs and in-line splices for crimping on electric conductors Part 010: Terminal lugs, ring shaped, tin plated, for crimping on copper conductors, temperature up to 150 °C for metric and inch stud series Product standard - Editio	2006	ASD-STAN	
833	PREN 3298	Aerospace series Inserts, thin wall, self-locking Installation and removal procedure - Edition P 2	2006	ASD-STAN	
834	PREN 3825	Aerospace series Fluorosilicone rubber (FVMQ) Hardness 60 IRHD - Edition P 1	2006	ASD-STAN	
835	PREN 4626-202	Aerospace series Connectors, optical, rectangular, multicontact, rack and panel, Quadrax cavity, 2,5 mm diameter ferrule Operating temperatures - 65 Degrees C to 125 Degrees C (cable dependent) Flush contacts Part 202: Optical contract (sub-assembly) for	2006	ASD-STAN	
836	PREN 9300-014	Aerospace series LOTAR LONG Term Archiving and Retrieval of digital technical product documentation such as 3D, CAD and PDM data Part 014: Reference process description Retrieval - Edition P 1	2006	ASD-STAN	

837	PREN 9300-012	Aerospace series LOTAR Long Term Archiving and Retrieval of digital technical product documentation such as 3D, CAD and PDM data Part 012: Reference process description Ingest - Edition P 1	2006	ASD-STAN	
838	PREN 3373-011	Aerospace series Terminal lugs and in-line splices for crimping on electric conductors Part 011: Terminal lugs, ring shaped, nickel plated, for crimping on copper conductors, temperature up to 260 °C for metric and inch stud series Product standard - Edi	2006	ASD-STAN	
839	PREN 4639-101	Aerospace series Connectors, optical, rectangular, modular, multicontact, 1,25 diameter ferrule, with removable alignment sleeve holder Part 101 : Optical contact for cable EN 4641-100 Operating temperatures between 65 degrees C and 125 degrees C Product	2006	ASD-STAN	
840	PREN 3826	Aerospace series Fluorosilicone rubber (FVMQ) Hardness 70 IRHD - Edition P 1	2006	ASD-STAN	
841	PREN 3475-704	Aerospace series Cables, electrical, aircraft use Test methods Part 704: Flexibility - Edition P 2	2006	ASD-STAN	
842	PREN 6093	Aerospace series Receptacle, floating, single lug - Edition P 1	2006	ASD-STAN	
843	PREN 6131	Aerospace series Composite clip nut, self-locking - Edition P 3	2006	ASD-STAN	
844	PREN 2854-003	Aerospace series Cables, electrical for general purpose Cross sections equal to and greater than 9 mm ² Operating temperatures between - 55 °C and 260 °C Part 003: Product standard - Edition P 2	2006	ASD-STAN	
845	PREN 6100	Aerospace Series Pins, Close Tolerance, Swage Locking, 100 Degree Countersunk Head Shear Type, in Aluminium Alloy 7050, Chemical Film Inch Series - Edition P 2	2006	ASD-STAN	
846	PREN 3375-003	Aerospace series Cable, electrical, for digital data transmission Part 003: Single braid 77 Ohms Type KG Product standard - Edition P 1	2006	ASD-STAN	
847	PREN 3475-601	Aerospace Series Cables, Electrical, Aircraft Use Test Methods Part 601: Smoke Density - Edition P 2	2006	ASD-STAN	
848	PREN 3827	Aerospace series Fluorosilicone rubber (FVMQ) Hardness 80 IRHD - Edition P 1	2006	ASD-STAN	
849	PREN 4639-001	Aerospace series Connectors, optical, rectangular, modular, multicontact, 1,25 diameter ferrule, with removable alignment sleeve holder Part 001: Technical specification - Edition P 1	2006	ASD-STAN	
850	PREN 6105	Aerospace series Stud with shoulder - Edition P 1	2006	ASD-STAN	
851	PREN 3660-008	Aerospace series Cable outlet accessories for circular and rectangular electrical and optical connectors Part 008: Cable outlet, style C, 45°, shielded (cone grounding), unsealed with clamp strain relief Product standard - Edition P 1	2006	ASD-STAN	
852	PREN 3375-004	Aerospace series Cable, electrical, for digital data transmission Part 004: Double braid 77 Ohms Type WJ Product standard	2006	ASD-STAN	
853	PREN 3745-601	Aerospace series Fibres and cables, optical, aircraft use Test methods Part 601: Smoke density - Edition P 1	2006	ASD-STAN	
854	PREN 4170	Aerospace series Paints and varnishes Test method for measurement of resistance to cold crack temperature cycle - Edition P 1	2006	ASD-STAN	
855	PREN 6127	Aerospace series Blind bolt, 100 degrees reduced flush head high strength - Edition P2	2006	ASD-STAN	
856	PREN 3155-067	Aerospace series Electrical contacts used in elements of connection Part 067: Contacts, electrical, coaxial, size 08, male, type D, solder, class R Product standard - Edition P 1	2006	ASD-STAN	
857	PREN 3488	Aerospace series Steel FE-PA3601 (X6CrNiTi18-10) Air melted Softened Sheet and strip a Less than or Equal to 6 mm 500 MPa Less than or Equal to Rm Less than or Equal to 700 MPa - Issue P 2	2006	ASD-STAN	
858	PREN 9300-010	Aerospace series LOTAR Long Term Archiving and Retrieval of digital technical product documentation such as 3D, CAD and PDM data Part 010: Overview Data Flow - Edition P 1	2006	ASD-STAN	
859	PREN 4639-102	Aerospace series Connectors, optical, rectangular, modular, multicontact, 1,25 diameter ferrule, with removable alignment sleeve holder Part 102 : Optical contact for cable EN 4641-102 Operating temperatures between 55 degrees C and 100 degrees C Product	2006	ASD-STAN	
860	PREN 3475-602	Aerospace Series Cables, Electrical, Aircraft Use Test Methods Part 602: Toxicity - Edition P 2	2006	ASD-STAN	
861	PREN 3745-602	Aerospace series Fibres and cables, optical, aircraft use Test methods Part 602: Toxicity - Edition P 1	2006	ASD-STAN	

862	PREN 2467	Aerospace series Steel FE-PA3901 (X2CrNi18-9) Air melted Softened Plate, sheet and strip 0,4 mm Less than or Equal to a Less than or Equal to 20 mm 520 MPa Less than or Equal to Rm Less than or Equal to 670 MPa - Edition P 1	2006	ASD-STAN	
863	PREN 4626-001	Aerospace series Connectors, optical, rectangular, multicontact, rack and panel, Quadrax cavity, 2,5 mm diameter ferrule Operating temperatures - 65 Degrees C to 125 Degrees C (cable dependent) Flush contacts Part 001: Technical specification - Edition P	2006	ASD-STAN	
864	PREN 6117	Aerospace series Specification for lubrication of fasteners with cetyl alcohol - Edition P 1	2006	ASD-STAN	
865	PREN 6127	Aerospace series Blind bolt, 100 degrees reduced flush head, high strength - Edition P 2	2006	ASD-STAN	
866	PREN 3375-005	Aerospace series Cable, electrical, for digital data transmission Part 005: Double braid + metallic layer 77 Ohms Type WV Product standard - Edition P1	2006	ASD-STAN	
867	PREN 3487	Aerospace series Steel FE-PA3601 (X6CrNiTi18-10) Air melted Softened Bar for machining a or D less than or equal to 250 mm 500 MPa less than or equal to Rm less than or equal to 700 MPa - Issue P 2	2006	ASD-STAN	
868	PREN 6050	Aerospace Series Pins, Close Tolerance, Swage Locking, 100 Degree Countersunk Head Reduced, Shear Type, in Aluminium Alloy 7050, Chemical Film Inch Series - Edition P 3	2006	ASD-STAN	
869	PREN 3480	Aerospace series Steel FE-PA3601 (X6CrNiTi18-10) Air melted Softened Plate 6 mm Less than or Equal to a Less than or Equal to 50 mm 500 MPa Less than or Equal to Rm Less than or Equal to 700 MPa - Issue P 2	2006	ASD-STAN	
870	PREN 4626-101	Aerospace series Connectors, optical, rectangular, multicontact, rack and panel, Quadrax cavity, 2,5 mm diameter ferrule Operating temperatures - 65 Degrees C to 125 Degrees C (cable dependent) Flush contacts Part 101: Optical contract (sub-assembly) for	2006	ASD-STAN	
871	PREN 2997-013	Aerospace series Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures 65 °C to 175 °C continuous, 200 °C continuous, 260 °C peak Part 013: Oâ__ring seal for jam-nut receptacles Produc	2006	ASD-STAN	
872	PREN 6123	Aerospace series Fitting end, 24 ^l internal cone, external thread, flareless type Extra fine thread pitch Inch series Design standard - Edition P 2	2006	ASD-STAN	
873	PREN 4639-003	Aerospace series Connectors, optical, rectangular, modular, multicontact, 1,25 diameter ferrule, with removable alignment sleeve holder Part 003: Male optical module Product standard - Edition P 1	2006	ASD-STAN	
874	PREN 3545-001	Aerospace series Connectors, electrical, rectangular, with sealed and non-sealed rear, plastic housing, locking device, operating temperatures â 55 °C to 175 °C Part 001: Technical specification - Edition P 4	2006	ASD-STAN	
875	TR 7000-4	Aerospace series Non-metallic materials Rules for the drafting and presentation of material standards Part 4: Plastic transparencies - Edition 1	2006	ASD-STAN	
876	PREN 3745-705	Aerospace series Fibres and cables, optical, aircraft use Test methods Part 705: Contrast measurement - Edition P 1	2006	ASD-STAN	
877	PREN 3840	Aerospace Series Paints and Varnishes Technical Specification - Edition P 2	2006	ASD-STAN	
878	PREN 3475-507	Aerospace Series Cables, Electrical, Aircraft Use Test Methods Part 507 - Adherence of Plating - Edition P 2	2006	ASD-STAN	
879	PREN 6120	Aerospace series Pins, close tolerance, swage locking, protruding head, shear type, in aluminium alloy 7050, chemical film Inch series - Edition P 1	2006	ASD-STAN	
880	PREN 9300-013	Aerospace series LOTAR Long Term Archiving and Retrieval of digital technical product documentation such as 3D, CAD and PDM data Part 013: Reference process description Archival Storage - Edition P 1	2006	ASD-STAN	
881	PREN 6089	Aerospace series Washer, retaining, for usage with stud EN 6088 - Edition P 2	2006	ASD-STAN	
882	PREN 3545-002	Aerospace series Connectors, electrical, rectangular, with sealed and non-sealed rear, plastic housing, locking device, operating temperatures â 55 °C to 175 °C Part 002: Specification of performance and contact arrangements - Edition P 5	2006	ASD-STAN	
883	PREN 4626-002	Aerospace series Connectors, optical, rectangular, multicontact, rack and panel, Quadrax cavity, 2,5 mm diameter ferrule Operating temperatures - 65 Degrees C to 125 Degrees C (cable dependent) Flush contacts Part 002: Specification of performance and con	2006	ASD-STAN	
884	PREN 6128	Aerospace series Blind bolt, 100 ^l flush head, high strength - Edition P 2	2006	ASD-STAN	
885	PREN 6090	Aerospace series Washer, retaining - Edition P 1	2006	ASD-STAN	
886	PREN 4639-002	Aerospace series Connectors, optical, rectangular, modular, multicontact, 1,25 diameter ferrule, with removable alignment sleeve holder Part 002: List of product standards - Edition P 1	2006	ASD-STAN	

887	PREN 2424	Aerospace Series Marking of Aerospace Products - Edition P 1	2006	ASD-STAN	
888	TR 7000-5	Aerospace series Non-metallic materials Rules for the drafting and presentation of material standards Part 5: Glass transparencies - Edition 1	2006	ASD-STAN	
889	PREN 3155-068	Aerospace series Electrical contacts used in elements of connection Part 068: Contacts, electrical, coaxial, size 08, female, type D, solder, class R Product standard - Edition P 1	2006	ASD-STAN	
890	PREN 3475-508	Aerospace Series Cables, Electrical, Aircraft Use Test Methods Part 508: Plating Thickness - Edition P 2	2006	ASD-STAN	
891	PREN 4626-003	Aerospace series Connectors, optical, rectangular, multicontact, rack and panel, Quadrax cavity, 2,5 mm diameter ferrule Operating temperatures - 65 Degrees C to 125 Degrees C (cable dependent) Flush contacts Part 003: Adaptor for plug - Edition P 1	2006	ASD-STAN	
892	PREN 3745-303	Aerospace series Fibres and cables, optical, aircraft use Test methods Part 303: Bandwidth - Edition P 1	2006	ASD-STAN	
893	PREN 3545-009	Aerospace series Connectors, electrical, rectangular, with sealed and non-sealed rear, plastic housing, locking device, operating temperatures \hat{a} 55 $^{\circ}$ C to 175 $^{\circ}$ C Part 009: Protective cover for plug and receptacle Product standard - Edition P 1	2006	ASD-STAN	
894	PREN 2573	Aerospace series Steel FE-PA3601 (X6CrNiTi18-10) Softened Rm Less than or Equal to 780 MPa Wire 0,25 mm Less than or Equal to De Less than or Equal to 3 mm - Issue P 2	2006	ASD-STAN	
895	PREN 9300-011	Aerospace series LOTAR Long Term Archiving and Retrieval of digital technical product documentation such as 3D, CAD and PDM data Part 011: Reference process description "Data preparation" - Edition P 1	2006	ASD-STAN	
896	PREN 6091	Aerospace series Circlip - Edition P 1	2006	ASD-STAN	
897	PREN 4626-004	Aerospace series Connectors, optical, rectangular, multicontact, rack and panel, Quadrax cavity, 2,5 mm diameter ferrule Operating temperatures - 65 Degrees C to 125 Degrees C (cable dependent) Flush contacts Part 004: Adaptor for receptacle - Edition P 1	2006	ASD-STAN	
898	PREN 2997-012	Aerospace series Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures 65 $^{\circ}$ C to 175 $^{\circ}$ C continuous, 200 $^{\circ}$ C continuous, 260 $^{\circ}$ C peak Part 012: Jam-nut for jam-nut receptacles Product stan	2006	ASD-STAN	
899	PREN 4639-004	Aerospace series Connectors, optical, rectangular, modular, multicontact, 1,25 diameter ferrule, with removable alignment sleeve holder Part 004: Female optical module Product standard - Edition P 1	2006	ASD-STAN	
900	PREN 2996-001	Aerospace Series Circuit Breakers, Three-Pole, Temperature Compensated, Rated Current 1 A to 25 A Part 001: Technical Specification - Edition P 3	2005	ASD-STAN	
901	PREN 6049-005	Aerospace series Electrical cables, installation Protection sleeve in meta-aramid fibres Part 005: Sleeve flexible, post installation Product standard - Edition P 2	2005	ASD-STAN	
902	PREN 3372-008	Aeropsace Series Connectors, Electrical, Circular, Medium and High Contact Density, Scoop-Proof with Bayonet Coupling, Operating Temperatures - 65 Degrees C to 175 Degrees C or 200 Degrees C Continuous Part 008: Free Plug with Grounding Spring - Product S	2005	ASD-STAN	
903	PREN 3733-101	Aerospace series Connector, optical, circular, single channel, coupled by self-locking ring, operating temperature up to 150 $^{\circ}$ C continuous Part 101: Protective cover receptacle Product standard - Edition P 1	2005	ASD-STAN	
904	PREN 3372-003	Aerospace Series Connectors, Electrical, Circular, Medium and High Contact Density, Scoop-Proof with Bayonet Coupling, Operating Temperatures - 65 Degrees C to 175 Degrees C or 200 Degrees C Continuous Part 003: Square Flange Receptacle - Product Standard	2005	ASD-STAN	
905	PREN 2997-004	Aerospace Series Connectors, Electrical, Circular, Coupled by Threaded Ring, Fire-Resistant or Non Fire-Resistant, Operating Temperatures -65 Degrees C to 175 Degrees C Continuous, 200 Degrees C Continuous, 260 Degrees C Peak Part 004: Jam-Nut Mounted Rec	2005	ASD-STAN	
906	PREN 3155-034	Aerospace series Electrical contacts used in elements of connection Part 034: Contacts, electrical, triaxial, size 08, male, type D, crimp, class R Product standard - Edition P 1	2005	ASD-STAN	
907	PREN 3709	Aerospace Series Wrenches and Sockets Bi-Hexagonal Technical Specification - Edition P 2	2005	ASD-STAN	
908	PREN 3372-007	Aerospace Series Connectors, Electrical, Circular, Medium and High Contact Density, Scoop-Proof with Bayonet Coupling, Operating Temperatures - 65 Degrees C to 175 Degrees C or 200 Degrees C Continuous Part 007: Protective Cover for Plug - Product Standar	2005	ASD-STAN	

909	PREN 3155-030	Aerospace series Electrical Contacts used in Elements of Connection Part 030: Contacts, Electrical, Coaxial, Shielded, Size 12, Male, Type D, Crimp, Class R Product Standard - Edition P 1	2005	ASD-STAN	
910	PREN 6101	Aerospace series Rivet, 100 ^l ° medium flush head, close tolerance Inch series - Edition P 2; Corrigendum: 06/30/2006;;2001 Edition P 1	2005	ASD-STAN	
911	PREN 4608-005	Aerospace series Cable, electrical, fire resistant Single and twisted multicore assembly, screened (braided) and jacketed Operating temperatures between - 65 degrees C and 260 degrees C Part 005: DW family - lightweight two-core gauge 24 for data transmis	2005	ASD-STAN	
912	PREN 3733-106	Aerospace series Connector, optical, circular, single channel, coupled by self-locking ring, operating temperature up to 150 ^l °C continuous Part 106: Receptacle connector dummy jam nut Product standard - Edition P 1	2005	ASD-STAN	
913	PREN 4195	Aerospace series Paints and varnishes Test method for determination of chromate leaching - Edition P 1	2005	ASD-STAN	
914	PREN 4406	Aerospace Series Paints and Varnishes Two Component Cold Curing Polyurethane Coating Abrasion Resistant - Edition P 2	2005	ASD-STAN	
915	PREN 2346-002	Aerospace Series Cable, Electrical, Fire Resistant Operating Temperatures between -65 Degrees C and 260 Degrees C Part 002: General - Issue P 2	2005	ASD-STAN	
916	PREN 3155-016	Aerospace Series Electrical Contacts Used in Elements of Connection Part 016: Contacts, Electrical, Male, Type A, Crimp, Class S Product Standard - Edition P 2	2005	ASD-STAN	
917	PREN 4158	Aerospace series Paints and varnishes Test method for measurements of electrical surface resistance of conductive layers - Edition P 1	2005	ASD-STAN	
918	PREN 3733-108	Aerospace series Connector, optical, circular, single channel, coupled by self-locking ring, operating temperature up to 150 ^l °C continuous Part 108: Cable support boot Product standard - Edition P 1	2005	ASD-STAN	
919	PREN 4530-005	Aerospace Series Sealing Sleeves Used in Elements of Connection Part 005: Sealing Sleeves for External Diameter Cable 3 mm to 4,1 mm Product Standard - Edition P 1	2005	ASD-STAN	
920	PREN 3733-009	Aerospace Series Connector, Optical, Circular, Single Channel, Coupled by Self-Locking Ring, Operating Temperature up to 150 Degrees C Continuous Part 009: Receptacle Sub-Assembly for Cable to EN 4532 (200 um/280 um fibre) Product Standard - Edition P 1	2005	ASD-STAN	
921	PREN 3660-012	Aerospace series Cable outlet accessories for circular and rectangular electrical and optical connectors Part 012: Grommet nut, style A Product standard - Edition P 1	2005	ASD-STAN	
922	PREN 4171	Aerospace series Paints and varnishes Test method for determination of phosphoric acid index - Edition P 1	2005	ASD-STAN	
923	PREN 4530-006	Aerospace Series Sealing Sleeves Used in Elements of Connection Part 006: Sealing Sleeves for External Diameter Cable 4,68 mm to 5,05 mm Product Standard - Edition P 1	2005	ASD-STAN	
924	PREN 4416	Aerospace Series Non-Metallic Materials Textiles Wide Woven Fabrics Technical Specification - Edition P 1	2005	ASD-STAN	
925	PREN 3660-019	Aerospace series Cable outlet accessories for circular and rectangular electrical and optical connectors Part 019: Cable outlet, style A, 45 ^l °, unsealed, with cable tie strain relief Product standard - Edition P 1	2005	ASD-STAN	
926	PREN 6129	Aerospace series Blind bolt, Protruding head, high strength - Edition P 1	2005	ASD-STAN	
927	PREN 4159	Aerospace series Paints and varnishes Determination of resistance to microbial growth - Edition P 1	2005	ASD-STAN	
928	PREN 3155-024	Aerospace Series Electrical Contacts Used in Elements of Connection Part 024: Contacts, Electrical, Triaxial, Size 8, Male, Type D, Crimp, Class S Product Standard - Edition P1	2005	ASD-STAN	
929	PREN 2591-224	Aerospace series Elements of electrical and optical connection Test methods Part 224: RF leakage - Edition P 1	2005	ASD-STAN	
930	PREN 3545-008	Aerospace Series Connectors, electrical, rectangular, with sealed and non-sealed rear, plastic housing, locking device, operating temperatures - 55 degrees C to 175 degrees C Part 008: Tools for assembly/removal of coding and attachment system Product sta	2005	ASD-STAN	
931	PREN 3660-018	Aerospace series Cable outlet accessories for circular and rectangular electrical and optical connectors Part 018: Cable outlet, style A, 90 ^l °, unsealed, with cable tie strain relief Product standard - Edition P 1	2005	ASD-STAN	
932	PREN 4612-013	Aerospace series Cables, electrical, for general purpose, single and multicore assembly XLETFE Family jacketed or screened and jacketed Part 013: SX, TC and UC - Nickel plated copper Operating temperatures, between -65 Degrees C and 150 Degrees C Single e	2005	ASD-STAN	
933	PREN 4588	Aerospace Series Paints and Varnishes Two Component, Cold Curing Polyurethane Paint, Anti Slip - Edition P 1	2005	ASD-STAN	

934	PREN 9300-004	Aerospace series LOTAR Long Term Archiving and Retrieval of digital technical product documentation such as 3D, CAD and PDM data Part 004: Description Methods - Edition P 1	2005	ASD-STAN	
935	PREN 3372-002	Aerospace Series Connectors, Electrical, Circular, Medium and High Contact Density, Scoop-Proof with Bayonet Coupling, Operating Temperatures - 65 Degrees C to 175 Degrees C and 200 Degrees C Continuous Part 002: Specification of Performance and Contact A	2005	ASD-STAN	
936	PREN 2591-222	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part 222: Insertion Loss (I.L.) - Edition P 1	2005	ASD-STAN	
937	PREN 2591-420	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part 420: Mechanical Strength of Rear Accessories - Edition P 1	2005	ASD-STAN	
938	PREN 4008-017	Aerospace series Elements of electrical and optical connection Crimping tool and associated accessories Part 017: Head for crimping tool M22520/4-01 Product standard - Edition P 1	2005	ASD-STAN	
939	PREN 4530-001	Aerospace Series Sealing Sleeves Used in Elements of Connection Part 001: Technical Specification - Edition P1	2005	ASD-STAN	
940	PREN 3375-006	Aerospace series Cable, electrical, for digital data transmission Part 006: Single braid 78 Ohms Type XM Product standard - Edition P 1	2005	ASD-STAN	
941	PREN 2995-005	Aerospace Series Circuit Breakers, Single-Pole, Temperature Compensated, Rated Current 1 A to 25 A Part 005: With Polarized Signal Contact Product Standard - Edition P 3	2005	ASD-STAN	
942	PREN 2591-226	Aerospace series Elements of electrical and optical connection Test methods Part 226: Corona level - Edition P 1	2005	ASD-STAN	
943	PREN 3716-006	Aerospace Series Connectors, Single-Way, with Triaxial Interface, for Transmission of Digital Data Part 006: Crimp Plug Product Standard - Edition P 1	2005	ASD-STAN	
944	PREN 2997-008	Aerospace Series Connectors, Electrical, Circular, Coupled by Threaded Ring, Fire Resistant or Non Fire-Resistant, Operating Temperatures - 65 Degrees to 175 Degrees C Continuous, 200 Degrees C Continuous, 260 Degrees C Peak Part 008: Plug Product Standar	2005	ASD-STAN	
945	PREN 6122	Aerospace series Blind bolt, 130 degrees flush head, high strength, preferable in composite application - Edition P 1	2005	ASD-STAN	
946	PREN 3475-501	Aerospace Series Cable, Electrical, Aircraft Use Test Methods Part 501: Dynamic Cut-Through - Edition P 2	2005	ASD-STAN	
947	PREN 2996-005	Aerospace Series Circuit Breakers, Three-Pole, Temperature Compensated, Rated Current 1 A to 25 A Part 005: With Polarized Signal Contact Product Standard - Edition P 3	2005	ASD-STAN	
948	PREN 3661-001	Aerospace Series Circuit Breakers, Single-Pole, Temperature Compensated, Rated Current 20 A to 50 A Part 001: Technical Specification - Edition P 3	2005	ASD-STAN	
949	PREN 2435-05	Aerospace Series Paints and Varnishes Corrosion Resistant Chromated Two Component Cold Curing Epoxy Primer Part 05: High Corrosion Resistance for Military Application - Edition P 1	2005	ASD-STAN	
950	PREN 3662-006	Aerospace Series Circuit Breakers, Three-Pole, Temperature Compensated, Rated Current 20 A to 50 A Part 006: With Polarized Signal Contact Bus-Bar Version Product Standard - Edition P 3	2005	ASD-STAN	
951	PREN 3716-005	Aerospace Series Connectors, Single-Way, with Triaxial Interface, for Transmission of Digital Data Part 005: Crimp Receptacle Product Standard - Edition P 1	2005	ASD-STAN	
952	PREN 3372-006	Aerospace Series Connectors, Electrical, Circular, Medium and High Contact Density, Scoop-Proof with Bayonet Coupling, Operating Temperatures - 65 Degrees C to 175 Degrees C or 200 Degrees C Continuous Part 006: Protective Cover for Receptacle - Product S	2005	ASD-STAN	
953	PREN 4415	Aerospace Series Non-Metallic Materials Textiles Narrow Woven Fabrics Technical Specification - Edition P 1	2005	ASD-STAN	
954	PREN 2591-221	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part 221: Voltage Standing Wave Ratio (VSWR) - Edition P 1	2005	ASD-STAN	
955	PREN 2436-06	Aerospace series Paints and varnishes Corrosion resistant chromate-free two component cold curing epoxy primer Part 06: High corrosion resistance for military application - Edition P 1	2005	ASD-STAN	
956	PREN 9300-001	Aerospace series LOTAR Long Term Archiving and Retrieval of digital technical product documentation such as 3D, CAD and PDM data Part 001: Structure - Edition P 1	2005	ASD-STAN	

957	PREN 2591-225	Aerospace series Elements of electrical and optical connection Test methods Part 225: high potential withstanding voltage - Edition P 1	2005	ASD-STAN	
958	PREN 3662-005	Aerospace Series Circuit Breakers, Three-Pole, Temperature Compensated, Rated Current 20 A to 50 A Part 005: With Polarized Signal Contact Product Standard - Edition P 3	2005	ASD-STAN	
959	PREN 6081	Aerospace Series Rivet, Universal Head, close tolerance Inch series - Edition P 2;2001 Edition P 1	2005	ASD-STAN	
960	PREN 3733-105	Aerospace series Connector, optical, circular, single channel, coupled by self-locking ring, operating temperature up to 150 °C continuous Part 105: Receptacle connector dummy two holes fixing Product standard - Edition P 1	2005	ASD-STAN	
961	PREN 3660-009	Aerospace series Cable outlet accessories for circular and rectangular electrical and optical connectors Part 009: Cable outlet, style J, straight, sealed, for heat shrinkable boot Product standard - Edition P 1	2005	ASD-STAN	
962	PREN 3662-001	Aerospace Series Circuit Breakers, Three-Pole, Temperature Compensated, Rated Current 20 A to 50 A Part 001: Technical Specification - Edition P 3	2005	ASD-STAN	
963	PREN 3645-011	Aerospace series Connectors, electrical, circular, scoop-proof, triple start threaded coupling operating temperature 175 degrees C or 200 degrees C continuous Part 011: Lanyard release plug with grounding fingers Type 1 Product standard - Edition P 1	2005	ASD-STAN	
964	PREN 3372-001	Aerospace series Connectors, Electrical, Circular, Medium and High Contact Density, Scoop-proof with Bayonet Coupling, Operating Temperatures - 65 Degrees C to 175 Degrees C or 200 Degrees C Continuous Part 001: Technical Specification - Edition P 1	2005	ASD-STAN	
965	PREN 3661-006	Aerospace Series Circuit Breakers, Single-Pole, Temperature Compensated, Rated Current 20 A to 50 A Part 006: With Polarized Signal Contact Bus Bar Version Product Standard - Edition P 3	2005	ASD-STAN	
966	PREN 3155-025	Aerospace Series Electrical Contacts Used in Elements of Connection Part 025: Contacts, Electrical, Triaxial, Size 8, Female, Type D, Crimp, Class S Product Standard - Edition P1	2005	ASD-STAN	
967	PREN 3733-007	Aerospace Series Connector, Optical, Circular, Single Channel, Coupled by Self-Locking Ring, Operating Temperature up to 150 Degrees Celsius Continuous Part 007: Ferrule (Optical Contact) for EN 4532 (200/280um Fibre) - Product Standard - Edition P 1	2005	ASD-STAN	
968	PREN 2995-004	Aerospace Series Circuit Breakers, Single-Pole, Temperature Compensated, Rated Current 1 A to 25 A Part 004: With Signal Contact Product Standard - Edition P 3	2005	ASD-STAN	
969	PREN 3120	Aerospace series Titanium alloy TI-P64003 Cold worked and stress relieved Seamless tube for pressure systems 4 mm Less than or equal to D Less than or equal to 51 mm 690 MPa Less than or equal to Rm Less than or equal to 1 030 MPa - Edition P 3	2005	ASD-STAN	
970	PREN 4592	Aerospace series Paints and varnishes Test method for determination of infrared reflectance - Edition P 1	2005	ASD-STAN	
971	PREN 4008-015	Aerospace series Elements of electrical and optical connection Crimping tool and associated accessories Part 015: Positioner for crimping tool M22520/2-01 Product standard - Edition P 1	2005	ASD-STAN	
972	PREN 3733-104	Aerospace series Connector, optical, circular, single channel, coupled by self-locking ring, operating temperature up to 150 °C continuous Part 104: Receptacle connector dummy four holes fixing Product standard - Edition P 1	2005	ASD-STAN	
973	PREN 3372-011	Aerospace series Connectors, electrical, circular, medium and high contact density, scoop-proof with bayonet coupling, operating temperatures - 65 degrees C to 175 degrees C or 200 degrees C continous Part 011: Dummy receptacle Product standard - Edition	2005	ASD-STAN	
974	PREN 4111	Aerospace Series Wrenches, Splined, Sockets for Pipe Fittings Technical Specification - Edition P 2	2005	ASD-STAN	
975	PREN 3375-001	Aerospace series Cable, electrical, for digital data transmission Part 001: Technical specification - Edition P 1	2005	ASD-STAN	
976	PREN 3372-005	Aeropsace Series Connectors, Electrical, Circular, Medium and High Contact Density, Scoop-Proof with Bayonet Coupling, Operating Temperatures - 65 Degrees C to 175 Degrees C or 200 Degrees C Continuous Part 005: Receptacle, Hermetic, Round Flange, Solder	2005	ASD-STAN	
977	TR 9135	Aerospace series Quality systems Specific quality requirements for NATO suppliers - Edition 1	2005	ASD-STAN	
978	PREN 4532	Aerospace series Cables, optical, single core 200 μm/280 μm fibre, 2,5 mm outer jacket Technical specification - Edition P 1	2005	ASD-STAN	
979	PREN 2995-001	Aerospace Series Circuit Breakers, Single-Pole, Temperature Compensated, Rated Current 1 A to 25 A Part 001: Technical Specification - Edition P 3	2005	ASD-STAN	

980	PREN 3475-203	Aerospace Series Cables, Electrical, Aircraft Use Test Methods Part 203 - Dimensions - Edition P 3	2005	ASD-STAN	
981	PREN 3733-103	Aerospace series Connector, optical, circular, single channel, coupled by self-locking ring, operating temperature up to 150 °C continuous Part 103: Protective cover jam nut receptacle Product standard - Edition P 1	2005	ASD-STAN	
982	TR 7000-12	Aerospace series Non-metallic materials Rules for the drafting and presentation of material standards Part 12: Woven fabrics - Edition P 1	2005	ASD-STAN	
983	PREN 6080	Aerospace Series Rivet, 100 Degrees Normal Flush Head, Close Tolerance Inch Series - Edition P 3;:2001 Edition P 1	2005	ASD-STAN	
984	PREN 3372-009	Aerospace Series Connectors, Electrical, Circular, Medium and High Contact Density, Scoop-Proof with Bayonet Coupling, Operating Temperatures - 65 Degrees C to 175 Degrees C or 200 Degrees C Continuous Part 009: Receptacle, Jam Nut Mounting Product Standard	2005	ASD-STAN	
985	S2000M	International Specification for Materiel Management -Integrated data processing for military equipment - Version 4.0; Refer to www.s2000m.org to access document free of charge	2005	ASD-STAN	
986	PREN 4530-002	Aerospace Series Sealing Sleeves Used in Elements of Connection Part 002: List and Utilisation of Sealing Sleeves - Edition P 1	2005	ASD-STAN	
987	PREN 3661-005	Aerospace Series Circuit Breakers, Single-Pole, Temperature Compensated, Rated Current 20 A to 50 A Part 005: With Polarized Signal Contact Product Standard - Edition P 3	2005	ASD-STAN	
988	PREN 4604-007	Aerospace series Cable, electrical, for signal transmission Part 007: Cable, coaxial, 50 Ohms, 200 °C, type WN Product standard - Edition P 3	2005	ASD-STAN	
989	PREN 3155-031	Aerospace series Electrical Contacts used in Elements of Connection Part 031: Contacts, Electrical, Coaxial, Shielded, Size 12, Female, Type D, Crimp, Class R Product Standard - Edition P 1	2005	ASD-STAN	
990	PREN 3645-012	Aerospace series Connectors, electrical, circular, scoop-proof, triple start threaded coupling operating temperature 175 degrees C or 200 degrees C continuous Part 012: Lanyard release plug with grounding fingers Type 2 Product standard - Edition P1	2005	ASD-STAN	
991	PREN 4429	Aerospace series Non-metallic materials Textiles Testing of narrow woven fabrics Determination of warp bow - Edition P 1	2005	ASD-STAN	
992	PREN 2591-223	Aerospace series Elements of electrical and optical connection Test methods Part 223: Measurement of characteristic impedance of a coaxial connector or contact - Edition P 1	2005	ASD-STAN	
993	PREN 4608-002	Aerospace Series Cable, Electrical, Fire Resistant, Single and Twisted Multicore Assembly, Screened (Braided) and Jacketed Operating Temperatures between - 65 Degrees Celsius and 260 Degrees Celsius Part 002: General - Edition P 1	2005	ASD-STAN	
994	PREN 3733-008	Aerospace Series Connector, Optical, Circular, Single Channel, Coupled by Self-Locking Ring Operating Temperature up to 150 Degrees C Continuous Part 008: Plug Sub-Assembly for Cable to EN 4532 (200 um/280 um fibre) Product Standard - Edition P 1	2005	ASD-STAN	
995	PREN 2996-004	Aerospace Series Circuit Breakers, Three-Pole, Temperature Compensated, Rated Current 1 A to 25 A Part 004: With Signal Contact Product Standard - Edition P 3	2005	ASD-STAN	
996	PREN 3660-017	Aerospace series Cable outlet accessories for circular and rectangular electrical and optical connectors Part 017: Cable outlet, style A, straight, unsealed, with cable tie strain relief Product standard - Edition P 1	2005	ASD-STAN	
997	PREN 6126	Aerospace series Fitting end, 24 degrees internal cone, external thread, flareless type, size - 32 Tube diameter D = 2 inches (D = 50, 8mm) Extra fine thread pitch Inch series Design standard - Edition P 1	2005	ASD-STAN	
998	PREN 4611-009	Aerospace series Cables, electrical, for general purpose, single and multicore assembly XLETFE Family Part 009: BJ - Nickel plated copper Operating temperatures, between - 65 Degrees Celsius and 150 Degrees Celsius Single extruded wall for use as cable co	2004	ASD-STAN	
999	PREN 3475-706	Aerospace series Cables, electrical, aircraft use Test methods Part 706: Laser markability - Edition P 1	2004	ASD-STAN	
1000	PREN 4008-011	Aerospace series Elements of electrical and optical connection Crimping tools and associated accessories Part 011: Positioner for crimping tool M22520/2-01 Product standard - Edition P 1	2004	ASD-STAN	
1001	PREN 2002-1	Aerospace series Metallic materials Test methods Part 1: Tensile testing at ambient temperature - Edition P 3	2004	ASD-STAN	
1002	PREN 4049-002	Aerospace Series Thermocouple Extension Cable Operating Temperatures between -65 Degrees C and 260 Degrees C Part 002: General - Edition P 1	2004	ASD-STAN	

1003	PREN 4608-003	Aerospace series Cables, electrical, fire resistant Single and twisted multicore assembly, screened (braided) and jacketed Operating temperature between - 65 degrees celsius and 260 degrees celsius Part 003: DN family - lightweight - UV Laser printable Pr	2004	ASD-STAN	
1004	PREN 3155-019	Aerospace Series Electrical Contacts Used in Elements of Connection Part 019: Contacts, Electrical, Female, Type A, Crimp, Class S Product Standard - Edition P 3	2004	ASD-STAN	
1005	PREN 4617	Aerospace series Recommended practices for standardising company standards - Edition P 1	2004	ASD-STAN	
1006	PREN 3475-705	Aerospace Series Cables, Electrical, Aircraft Use Test Methods Part 705: Contrast Measurement - Edition P 2	2004	ASD-STAN	
1007	PREN 4616	Aerospace series Magnesium alloy MG-C18002 T4 Chill casting - Edition P 1	2004	ASD-STAN	
1008	PREN 4049-003	Aerospace Series Thermocouple Extension Cable Operating Temperatures between -65 Degrees C and 260 Degrees C Part 003: Single Core Nickel Chromium/Nickel Aluminium Product Standard - Edition P 1	2004	ASD-STAN	
1009	PREN 6086	Aerospace series Static seal elements square ring ethylene-propylene, moulded, phosphate ester resistant (-55 degrees C to 107 degrees C) Inch series - Edition P 1	2004	ASD-STAN	
1010	PREN 4615	Aerospace series Magnesium alloy MG-C18002 T4 Sand casting - Edition P 1	2004	ASD-STAN	
1011	PREN 9134	Aerospace series Quality systems supply chain risk management guideline - Edition P 1	2004	ASD-STAN	
1012	PREN 3545-003	Aerospace series Connectors, electrical, rectangular, with sealed and non-sealed rear, plastic housing, locking device, operating temperatures - 55 Degrees C to 175 Degrees C Part 003 : Connectors with female contacts Product standard - Edition P 3	2004	ASD-STAN	
1013	PREN 4049-004	Aerospace Series Thermocouple Extension Cable Operating Temperatures between -65 Degrees C and 260 Degrees C Part 004: Two Core Nickel Chromium/Nickel Aluminium Shielded and Jacketed Product Standard - Edition P 1	2004	ASD-STAN	
1014	PREN 4199-006	Aerospace Series Bonding Straps for Aircraft, Part 006: Round Braid Copper Conductors for Bonding straps, Tin Plated, up to 150 Degrees C or Nickel Plated up to 260 Degrees C Product Standard - Edition P 1	2004	ASD-STAN	
1015	PREN 4611-008	Aerospace series Cables, electrical, for general purpose, single and multicore assembly XLETFE Family Part 008: BP - Nickel plated cooper Operating temperatures, between - 65 Degrees Celsius and 150 Degrees Celsius Dual extruded wall for open applications	2004	ASD-STAN	
1016	PREN 2072	Aerospace series Aluminium AL-P1050A H14 Sheet and strip 0,4 mm Less than or equal to a Less than or equal to 6 mm - Edition P1	2004	ASD-STAN	
1017	PREN 3475-302	Aerospace Series Cables, Electrical, Aircraft Use Test Methods Part 302: Voltage Proof Test - Issue P 2	2004	ASD-STAN	
1018	PREN 3545-004	Aerospace Series Connectors, Electrical, Rectangular, with Sealed and Non-Sealed Rear, Plastic Housing, Locking Device, Operating Temperatures - 55 Degrees C to 175 Degrees C Part 004 : Connectors with Male Contacts - Product Standard - Edition P 3	2004	ASD-STAN	
1019	PREN 2434-05	Aerospace series Paints and varnishes Two component cold curing polyurethane finish Part 05: High flexibility and chemical agent resistance for military application - Edition P 1	2004	ASD-STAN	
1020	PREN 6111	Aerospace series Ethylene-propylene elastomer (EPM/EPDM) Hardness 80 IRHD for static seal elements in hydraulic systems for long-term application Material standard - Edition P 1	2004	ASD-STAN	
1021	PREN 4049-001	Aerospace Series Thermocouple Extension Cable Operating Temperatures between -65 Degrees C and 260 Degrees C Part 001: Technical Specification - Edition P 1	2004	ASD-STAN	
1022	PREN 9104	Aerospace series Quality management systems Requirements for Aerospace Quality Management System Certification/Registrations Programs - Edition P 1	2004	ASD-STAN	
1023	PREN 2087	Aerospace series Aluminium alloy AL-P2014A T6 or T62 Clad sheet and strip 0,4 mm Less Than or Equal to a Less Than or Equal to 6 mm - Edition P 2	2004	ASD-STAN	
1024	PREN 3155-018	Aerospace Series Electrical Contacts Used in Elements of Connection Part 018: Contacts, Electrical, Male, Type A, Crimp, Class S Product Standard - Edition P 3	2004	ASD-STAN	
1025	PREN 4508	Aerospace series Paints and Varnishes Test method for anti slip coatings Determination of the sliding friction behaviour - Edition P 1	2004	ASD-STAN	
1026	PREN 4008-012	Aerospace series Elements of electrical and optical connection Crimping tools and associated accessories Part 012: Positioner for crimping tool M22520/2-01 Product standard - Edition P 1	2004	ASD-STAN	

1027	PREN 4214	Aerospace Series Aluminium Alloy AL-P7010-T651 Plate 6 mm Less Than a Less Than or Equal to 20 mm - Edition P 2	2003	ASD-STAN	
1028	PREN 2702	Aerospace Series Aluminium Alloy AL-P6061-T6 or T62 Extruded Bar and Section a or D Less Than or Equal to 150 mm - Edition P 3	2003	ASD-STAN	
1029	TR 9109	Aerospace Series Guidelines for Software Quality Management - Edition 1	2003	ASD-STAN	
1030	PREN 3335	Aerospace Series Aluminium Alloy AL-P7475-O2 Sheet for Superplastic Forming (SPF) 0,8 mm Less Than or Equal to a Less Than or Equal to 6 mm - Edition P 3	2003	ASD-STAN	
1031	PREN 2696	Aerospace Series Aluminium Alloy AL-P7075-T6 or T62 Sheet and Strip 0,4 mm Less Than or Equal to a Less Than or Equal to 6 mm - Edition P 1	2003	ASD-STAN	
1032	PREN 4165-012	Aerospace series Connectors, electrical, rectangular, modular Operating temperature 175 Degrees C continuous Part 012: Flange mounting receptacle 2 and 4 modules, series Product standard - Edition P 1	2003	ASD-STAN	
1033	PREN 4165-017	Aerospace series Connectors, electrical, rectangular, modular Operating temperature 175 Degrees C continuous Part 017: Blank chimney for accessory (1 per module cavity) Product standard - Edition P 1	2003	ASD-STAN	
1034	PREN 3155-045	Aerospace Series Electrical Contacts Used in Elements of Connection Part 045: Contacts, Electrical, Female Type A, Double Crimping, Class T Product Standard - Edition P 2	2003	ASD-STAN	
1035	PREN 4235-3	Aerospace Series Steel Wrought Products Technical Specification Part 3: Bar and Section - Edition P 2	2003	ASD-STAN	
1036	PREN 4247	Aerospace Series Aluminium Alloy AL-P2024-T42 Plate 6mm less than a Less Than or Equal to 140 mm - Edition P 2	2003	ASD-STAN	
1037	PREN 2511	Aerospace Series Aluminium Alloy AL-P7075-T7351 Plate 6 mm Less Than a Less Than or Equal to 100 mm - Edition P 2	2003	ASD-STAN	
1038	PREN 3841-510	Aerospace Series Circuit Breakers Test Methods Part 510: Strength of Signal Contact Terminals - Edition P 3	2003	ASD-STAN	
1039	PREN 4209	Aerospace Series Aluminium Alloy AL-P2219-T851 Plate 6 mm less than a Less Than or Equal to 50 mm - Edition P 2	2003	ASD-STAN	
1040	PREN 3347	Aerospace Series Aluminium Alloy AL-P2024-T8511 Extruded Bar and Section a or D Less Than or Equal to 150 mm with Peripheral Coarse Grain Control - Edition P 3	2003	ASD-STAN	
1041	PREN 3841-503	Aerospace Series Circuit Breakers Test Methods Part 503: Strength of Actuating Components - Edition P 3	2003	ASD-STAN	
1042	PREN 3841-508	Aerospace Series Circuit Breakers Test Methods Part 508: Centrifugal Acceleration - Edition P 3	2003	ASD-STAN	
1043	PREN 3235-2	Aerospace Series Heat Resisting Alloys Wrought Products Technical Specification Part 2 - Plate, Sheet and Strip - Edition P 2	2003	ASD-STAN	
1044	PREN 3552	Aerospace Series Aluminium Alloy AL-P2618A T6 or T62 Clad sheet and strip 0,4 Less Than or Equal to a Less Than or Equal to 6 mm - Issue P 2	2003	ASD-STAN	
1045	PREN 4165-016	Aerospace series Connectors, electrical, rectangular, modular Operating temperature 175 Degrees C continuous Part 016: Double oval chimney for accessory (1 per 2 modules) Product standard - Edition P 1	2003	ASD-STAN	
1046	PREN 3373-012	Aerospace Series Terminal Lugs and In-line Splices for Crimping on Electric Conductors Part 012: In-line Splices, Insulated and Sealed, for Crimping on Copper Conductors, Temperature up to 150 Degrees C Product Standard - Edition P 1	2003	ASD-STAN	
1047	PREN 4165-013	Aerospace series Connectors, electrical, rectangular, modular Operating temperature 175 Degrees C continuous Part 013: Cable clamp 2 and 4 modules for connectors, series 2 and series 3 Product standard - Edition P 2	2003	ASD-STAN	
1048	PREN 2632	Aerospace Series Aluminium Alloy AL-P7075-T73511 - Extruded Bar and Section a or D Less Than or Equal to 150 mm with Peripheral Coarse Grain Control - Edition P1	2003	ASD-STAN	
1049	PREN 4099	Aerospace Series Aluminium Alloy AL-P2219-T6 or T62 Clad Sheet and Strip 0,5 mm Less Than or Equal to a Less Than or Equal to 6 mm - Edition P 2	2003	ASD-STAN	
1050	PREN 2422	Aerospace Series Aluminium Alloy AL-P2124-T351 Plate 25 mm Less Than a Less Than or Equal to 120 mm - Edition P 1	2003	ASD-STAN	
1051	PREN 4165-008	Aerospace series Connectors, electrical, rectangular, modular Operating temperature 175 Degrees C continuous Part 008: Rack and panel plug for 2 and 4 modules, series 2 Product standard - Edition P 1	2003	ASD-STAN	
1052	PREN 3841-403	Aerospace Series Circuit Breakers Test Methods Part 403: Humidity - Edition P 3	2003	ASD-STAN	
1053	PREN 4235-2	Aerospace Series Steel Wrought Products Technical Specification Part 2: Plate, Sheet and Strip - Edition P 2	2003	ASD-STAN	

1054	PREN 4204	Aerospace Series Aluminium Alloy AL-P8090-T841 Sheet 0,6mm Less Than or Equal to a Less Than or Equal to 6mm - Edition P 2	2003	ASD-STAN	
1055	PREN 4165-011	Aerospace series Connectors, electrical, rectangular, modular Operating temperature 175 Degrees C continuous Part 011: Flange mounting receptacle 2 and 4 modules, series 2 Product standard - Edition P 1	2003	ASD-STAN	
1056	PREN 3333	Aerospace Series Aluminium Alloy AL-P7475-T762 Sheet and Strip 0,6 mm Less Than or Equal to a Less Than or Equal to 6 mm - Edition P 3	2003	ASD-STAN	
1057	PREN 4292	Aerospace Series Aluminium Alloy AL-R39002 Forging Stock - Edition P 1	2003	ASD-STAN	
1058	PREN 3841-404	Aerospace Series Circuit Breakers Test Methods Part 404: Explosion Proofness - Edition P 3	2003	ASD-STAN	
1059	PREN 2089	Aerospace Series Aluminium Alloy AL-P2014A T6 or T62 Sheet and Strip 0,4 mm Less Than or Equal to a Less Than or Equal to 6 mm - Edition P 1	2003	ASD-STAN	
1060	PREN 3841-407	Aerospace Series Circuit Breakers Test Methods Part 407: Temperature variation - Edition P 1	2003	ASD-STAN	
1061	PREN 2695	Aerospace Series Aluminium Alloy AL-P6081-T6 Sheet and Strip 0,3 mm Less Than or Equal to a Less Than or Equal to 6 mm - Edition P 1	2003	ASD-STAN	
1062	PREN 4007	Aerospace Series Aluminium Alloy AL-P6082-T6 or T62 Sheet and Strip 0,4 mm Less Than or Equal to a Less Than or Equal to 6 mm - Edition P 2	2003	ASD-STAN	
1063	PREN 3235-1	Aerospace Series Heat Resisting Alloys Wrought Products Technical Specification Part 1 - General Requirements - Edition P 2	2003	ASD-STAN	
1064	PREN 4291	Aerospace Series Aluminium Alloy AL-P8090- Forging Stock - Edition P 1	2003	ASD-STAN	
1065	PREN 4400-6	Aerospace Series Aluminium and Aluminum - and Magnesium - Alloys Technical Specification Part 6: Aluminum Alloy Forging Stock - Edition P 1	2003	ASD-STAN	
1066	PREN 4450	Aerospace Series Aluminium Alloy AL-P7050-T762 Sheet 0,8 mm Less Than or Equal to a Less Than or Equal to 6 mm - Edition P 2	2003	ASD-STAN	
1067	PREN 4286	Aerospace Series Aluminium Alloy AL-P8090-T89 Die Forgings a Less Than or Equal to 125 mm - Edition P 1	2003	ASD-STAN	
1068	PREN 4203	Aerospace Series Aluminium Alloy AL-P8090-T89 Sheet 0,6 mm Less Than or Equal to a Less Than or Equal to 6 mm - Edition P 1	2003	ASD-STAN	
1069	PREN 4434	Aerospace Series Copper or Copper Alloy Lightweight Conductors for Electrical Cables Product Standard (Normal and tight tolerances) - Edition P 2	2003	ASD-STAN	
1070	PREN 2002-2	Aerospace Series Metallic Materials Test Methods Part 2: Tensile Testing at Elevated Temperature - Edition P 3	2003	ASD-STAN	
1071	PREN 4449	Aerospace Series Aluminium Alloy AL-P7050-T76 Sheet 0,8 mm Less Than or Equal to a Less Than or Equal to 6 mm - Edition P 2	2003	ASD-STAN	
1072	PREN 4202	Aerospace Series Aluminium Alloy AL-P6082-T651 Plate 6 mm Less Than a Less Than or Equal to 25 mm - Edition P 2	2003	ASD-STAN	
1073	PREN 2395	Aerospace Series Aluminium Alloy AL-P2014A T4 or T42 Sheet and Strip 0,4 mm Less Than or Equal to a Less Than or Equal to 6 mm - Edition P 1	2003	ASD-STAN	
1074	PREN 3841-507	Aerospace Series Circuit Breakers Test Methods Part 507: Mechanical Shocks - Edition P 3	2003	ASD-STAN	
1075	PREN 4165-006	Aerospace Series Connectors, Electrical, Rectangular, Modular Operating Temperature 175 Degrees C Continuous Part 006: Plug for 2 and 4 Modules Series 2 Product Standard - Edition P 1	2003	ASD-STAN	
1076	PREN 4165-010	Aerospace Series Connectors, Electrical, Rectangular, Modular Operating Temperature 175 Degrees C Continuous Part 010: Rack and Panel Rear Mounted Plug 2 and 4 Modules, Series 2 Product Standard - Edition P 1	2003	ASD-STAN	
1077	PREN 3474	Aerospace Series Aluminium Alloy AL-P2024-T81 Sheet and Strip 0,25 mm Less Than or Equal to a Less Than or equal to 6 mm - Issue P 3	2003	ASD-STAN	
1078	PREN 3074	Aerospace Series Drawing Annotation for Composite Laminate Structure - Edition P 2; Replaced by PREN 4408-2	2003	ASD-STAN	
1079	PREN 3979	Aerospace Series Aluminium Alloy AL-P8090-O2 Sheet for Superplastic Forming (SPF) 0,8 mm Less Than or Equal to a Less Than or Equal to 6 mm - Edition P 1	2003	ASD-STAN	

1080	PREN 2803	Aerospace Series Aluminium Alloy AL-P7475-T761 Clad Sheet and Strip 1,0 mm Less Than or Equal to a Less Than or Equal to 6 mm - Edition P 3	2003	ASD-STAN	
1081	PREN 3332	Aerospace Series Aluminium Alloy AL-P7475-T762 Clad Sheet and Strip 1,0 mm Less Than or Equal to a Less Than or Equal to 6 mm - Edition P 3	2003	ASD-STAN	
1082	PREN 3841-402	Aerospace Series Circuit Breakers Test Methods Part 402: Corrosion - Edition P 3	2003	ASD-STAN	
1083	PREN 4283	Aerospace Series Aluminium Alloy AL-P2219-T87 Plate 6 mm Less Than a Less Than or Equal to 40 mm - Edition P 2	2003	ASD-STAN	
1084	PREN 4165-014	Aerospace series Connectors, electrical, rectangular, modular Operating temperature 175 Degrees C continuous Part 014: Shielded accessory body, 2 and 4 modules for connectors, series 2 and series 3 Product standard - Edition P 1	2003	ASD-STAN	
1085	PREN 3841-406	Aerospace Series Circuit Breakers Test Methods Part 406: Flammability - Edition P 3	2003	ASD-STAN	
1086	PREN 2694	Aerospace Series Aluminium Alloy AL-P6061-T6 or T62 Sheet and Strip 0,4 Less Than or Equal to a Less Than or Equal to 6 mm - Edition P 1	2003	ASD-STAN	
1087	PREN 3841-401	Aerospace Series Circuit Breakers Test Methods Part 401: Sand and Dust - Edition P 3	2003	ASD-STAN	
1088	PREN 2000	Aerospace Series Quality Assurance EN Aerospace Products Approval of the Quality Systems of Manufacturers - Edition 4	2003	ASD-STAN	
1089	PREN 3373-013	Aerospace Series Terminal Lugs and in-line Splices for Crimping on Electric Conductors Part 013: In-line Splices, Insulated and Moisture Resistant, for Crimping on Copper Conductors, temperature up to 260 degrees C Product Standard - Edition P 1	2003	ASD-STAN	
1090	PREN 3235-4	Aerospace Series Heat Resisting Alloys Wrought Products Technical Specification Part 4 - Seamless Tube - Edition P 2	2003	ASD-STAN	
1091	PREN 2802	Aerospace Series Aluminium Alloy AL-P7475-T761 Sheet and Strip 0,6 mm Less Than or Equal to a Less Than or Equal to 6 mm - Edition P 3	2003	ASD-STAN	
1092	PREN 2635	Aerospace Series Aluminium Alloy AL-P2014A T6511 Extruded Bars and Section a or D Less Than or Equal to 200 mm with Peripheral Coarse Grain Control - Edition P 2	2003	ASD-STAN	
1093	PREN 3342	Aerospace Series Aluminium Alloy AL-P6061-T4 or T42 Drawn or Extruded Bar and Section a or D Less Than or Equal to 150 mm - Edition P 3	2003	ASD-STAN	
1094	PREN 4215	Aerospace Series ALuminium Alloy AL-P7175-T651 Plate 6 mm less than a Less Than or Equal to 80 mm - Edition P 2	2003	ASD-STAN	
1095	PREN 3841-505	Aerospace Series Circuit Breakers Test Methods Part 505: Strength of Main Terminals - Edition P 3	2003	ASD-STAN	
1096	PREN 3841-306	Aerospace Series Circuit Breakers Test Methods Part 306: Service Life - Edition P 3	2003	ASD-STAN	
1097	PREN 3341	Aerospace Series Aluminium Alloy AL-P6061-T4 or T42 Sheet and Strip 0,4 mm Less Than or Equal to a Less Than or Equal to 6 mm - Edition P 3	2003	ASD-STAN	
1098	PREN 4610	Aerospace Series Pipe coupling 80 degrees 30 inches in titanium alloy Elbows 45 degrees, with thrust wire nut - Edition P 1	2003	ASD-STAN	
1099	PREN 4211	Aerospace Series Aluminium Alloy AL-P2024-T42 Clad Plate 6 mm less than a Less Than or Equal to 25 mm - Edition P 2	2003	ASD-STAN	
1100	PREN 4213	Aerospace Series Aluminium Alloy AL-P6061-T651 Plate 6 mm Less Than a Less Than or Equal to 80 mm - Edition P 2	2003	ASD-STAN	
1101	PREN 3841-504	Aerospace Series Circuit Breakers Test Methods Part 504: Strength of Mounting Elements - Edition P 3	2003	ASD-STAN	
1102	PREN 2092	Aerospace Series Aluminium Alloy AL-P7075-T6 or T62 Clad Sheet and Strip 0,4 mm Less Than or Equal to a Less Than or Equal to 6 mm - Edition P 2	2003	ASD-STAN	
1103	PREN 3475-408	Aerospace Series Cables Electrical Aircraft Use Test Methods Part 408: Fire Resistance - Edition P 1	2003	ASD-STAN	
1104	PREN 4165-021	Aerospace series Connectors, electrical, rectangular, modular Operating temperature 175 Degrees C continuous Part 021: Coupling system keyway for plug Product standard - Edition P 1	2003	ASD-STAN	
1105	PREN 4165-007	Aerospace series Connectors, electrical, rectangular, modular Operating temperature 175 Degrees C continuous Part 007: Plug for 2 and 4 modules, series 3 Products standard - Edition P 1	2003	ASD-STAN	

1106	PREN 2703	Aerospace Series Aluminium Alloy AL-P2024-T4 or T42 Clad Sheet and Strip 0,3 mm Less Than or Equal to a Less Than or Equal to 6 mm - Edition P 1	2003	ASD-STAN	
1107	PREN 2693	Aerospace Series Aluminium Alloy AL-P5086-H111 Sheet and Strip 0,3 mm less Than or Equal to a less Than or Equal to 6 mm - Edition P 1	2003	ASD-STAN	
1108	PREN 3872	Aerospace Series Aluminium Alloy AL-R39002 H112 Die Forgings a Less Than or Equal to 200 mm - Edition P 2	2003	ASD-STAN	
1109	PREN 2732	Aerospace Series Magnesium Alloy MG-C46001 T6 Chill Castings - Issue P 2	2003	ASD-STAN	
1110	PREN 3841-405	Aerospace Series Circuit Breakers Test Methods Part 405: Fluid Resistance - Edition P 3	2003	ASD-STAN	
1111	PREN 4101	Aerospace Series Aluminium Alloy AL-P2024-T4 Sheet and Strip with Improved Stretch Forming Capability 0,4 mm Less Than or Equal to a Less Than or Equal to 6 mm - Edition P 2	2003	ASD-STAN	
1112	PREN 4100	Aerospace Series Aluminium Alloy AL-P2219-T6 or T62 Sheet and Strip 0,5 mm Less Than or Equal to a Less Than or Equal to 6 mm - Edition P 2	2003	ASD-STAN	
1113	PREN 9111	Aerospace series Quality management systems Assessment applicable to maintenance organizations - Edition P 2; Based on ISO 9001:2000	2003	ASD-STAN	
1114	PREN 3344	Aerospace Series Aluminium Alloy AL-P7050-T76511 Extruded Bars and Section a or D Less Than or Equal to 150 mm with Peripheral Coarse Grain Control - Edition P 3	2003	ASD-STAN	
1115	PREN 4165-020	Aerospace series Connectors, electrical, rectangular, modular Operating temperature 175 Degrees C continuous Part 020: Coupling system keyway for receptacle Product standard - Edition P 1	2003	ASD-STAN	
1116	PREN 2731	Aerospace Series Magnesium Alloy MG-C46001 T6 Sand Castings - Issue P 2	2003	ASD-STAN	
1117	PREN 3841-511	Aerospace Series Circuit Breakers Test Methods Part 511: Combined Test: Temperature, Altitude and Vibration - Edition P 3	2003	ASD-STAN	
1118	PREN 2090	Aerospace Series Aluminium Alloy AL-P2024-T3 Clad Sheet and Strip 0,3 mm Less Than or Equal to a Less Than or Equal to 6 mm - Edition P 2	2003	ASD-STAN	
1119	PREN 2088	Aerospace Series Aluminium Alloy AL-P2014A T4 or T42 Clad Sheet and Strip 0,4 mm Less Than or Equal to a Less Than or Equal to 6 mm - Edition P 1	2003	ASD-STAN	
1120	PREN 4212	Aerospace Series Aluminium Alloy AL-P5086-H111 Plate 6 mm Less Than a Less Than or Equal to 80 mm - Edition P 2	2003	ASD-STAN	
1121	PREN 3155-047	Aerospace Series Electrical Contacts Used in Elements of Connection Part 047: Contacts, Electrical, Female, Type A, Double Crimping, Class S Product Standard - Edition P 3	2003	ASD-STAN	
1122	PREN 3235-5	Aerospace Series Heat Resisting Alloys Wrought Products Technical Specification Part 5 - Wire - Edition P 2	2003	ASD-STAN	
1123	PREN 4313	Aerospace Series Aluminium Alloy AL-P6013-T6 Sheet and Strip 0,5 mm Less Than or Equal to a Less Than or Equal to 6 mm - Edition P 2	2003	ASD-STAN	
1124	PREN 4102	Aerospace Series Aluminium Alloy AL-P2219-T81 Clad Sheet and Strip 0,5 mm Less Than or Equal to a Less Than or Equal to 6 mm - Edition P 2	2003	ASD-STAN	
1125	PREN 3338	Aerospace Series Aluminium Alloy AL-P7050-T74511 Extruded Bar and Section a or D Less Than or Equal to 150 mm with Peripheral Coarse Grain Control - Edition P 3	2003	ASD-STAN	
1126	PREN 4235-5	Aerospace Series Steel Wrought Products Technical Specification Part 5: Wire - Edition P 2	2003	ASD-STAN	
1127	PREN 3841-506	Aerospace Series Circuit Breakers Test Methods Part 506: Vibration Performance - Edition P 3	2003	ASD-STAN	
1128	PREN 4165-009	Aerospace series Connectors, electrical, rectangular, modular Operating temperature 175 Degrees C continuous Part 009: Rack and Panel plug for 2 and 4 modules, series 3 Product standard - Edition P 1	2003	ASD-STAN	
1129	PREN 4165-023	Aerospace series Connectors, electrical, rectangular, modular Operating temperature 175 Degrees C continuous Part 023: Tooling for assembly of receptacle coding component Product standard - Edition P 1	2003	ASD-STAN	
1130	PREN 3879	Aerospace Series Metallic Materials Filler Metal for Welding Technical Specification - Edition P2	2002	ASD-STAN	
1131	PREN 3733-002	Aerospace Series Connector, Optical, Circular, Single Channel, Coupled by Self-Locking Ring, Operating Temperature up to 150 Degrees Celsius Continuous Part 002: List of Product Standards - Edition P 1	2002	ASD-STAN	
1132	PREN 4800-4	Aerospace Series Titanium and Titanium Alloys Technical Specification Part 4: Wire - Edition P1	2002	ASD-STAN	

1133	PREN 4057-407	Aerospace Series Cable Ties for Harnesses Test Methods Part 407: Verification of Application Tool Settings - Edition P 1	2002	ASD-STAN	
1134	PREN 4604-006	Aerospace Series Cable, Electrical, for Signal Transmission Part 006: Cable, Coaxial, 50 Ohms, 200 Degrees C, Type WM Product Standard - Edition P 2	2002	ASD-STAN	
1135	PREN 4800-2	Aerospace Series Titanium and Titanium Alloys Technical Specification Part 2: Bar and Section - Edition P1	2002	ASD-STAN	
1136	PREN 3733-003	Aerospace Series Connector, Optical, Circular, Single Channel, Coupled by Self-Locking Ring, Operating Temperature up to 150 Degrees Celsius Continuous Part 003: Plug Connector for Cable to EN 4532 Product Standard - Edition P 1	2002	ASD-STAN	
1137	PREN 3475-416	Aerospace Series Cables, Electrical, Aircraft Use Test Methods Part 416: Thermal Stability - Edition P 2	2002	ASD-STAN	
1138	PREN 4800-8	Aerospace series Titanium and titanium alloys Technical specification Part 8: Pre-prodcution and production castings - Edition P 1	2002	ASD-STAN	
1139	PREN 4005	Aerospace Series Aluminium Alloy AL-P5052-O Sheet and Strip 0,3 mm Less Than or Equal to a Less Than or Equal to 6 mm - Edition P 2	2002	ASD-STAN	
1140	TR 7000-3	Aerospace Series Non-Metallic Materials Rules for the Drafting and Presentation of Material Standards Part 3: Sealants - Edition 1	2002	ASD-STAN	
1141	PREN 2546	Aerospace Series Washers, Lock with Radial Serrations in Corrosion Resisting Steel Passivated for Flight Control Rods Dimensions - Edition P 1	2002	ASD-STAN	
1142	PREN 4800-3	Aerospace Series Titanium and Titanium Alloys Technical Specification Part 3: Tube - Edition P1	2002	ASD-STAN	
1143	PREN 2327	Aerospace Series Washers, Lock, with Radial Serrations in Alloy Steel, Cadmium Plated for Flight Control Rods Dimensions - Edition P 1	2002	ASD-STAN	
1144	PREN 2596	Aerospace Series Washers, Lock, with Radial Serrations in Corrosion Resisting Steel, Cadmium Plated for Flight Control Rods Dimensions - Edition P 1	2002	ASD-STAN	
1145	PREN 3733-004	Aerospace Series Connector, Optical, Circular, Single Channel, Coupled by Self-Locking Ring, Operating Temperature up to 150 Degrees Celsius Continuous Part 004: Receptacle, Connector, Four Hole Fixing for Cable to EN 4532 Product Standard - Edition P 1	2002	ASD-STAN	
1146	PREN 4408-1	Aerospace Series Technical Drawings Representation of Parts Made of Composite Materials Part 1: General Rules - Edition P 1	2002	ASD-STAN	
1147	PREN 4006	Aerospace Series Aluminium Alloy AL-P6082-T4 or T42 Sheet and Strip 0,4 mm Less Than or Equal to a Less Than or Equal to 6 mm - Edition P 2	2002	ASD-STAN	
1148	PREN 4800-6	Aerospace series Titanium and titanium alloys Technical specification Part 6: Pre-production and production forgings - Edition P 1	2002	ASD-STAN	
1149	PREN 3475-415	Aerospace Series Cables, Electrical, Aircraft Use Test Methods Part 415: Rapid Change of Temperature - Edition P 2	2002	ASD-STAN	
1150	PREN 3875	Aerospace Series Metallic Materials Filler Metal for Brazing Technical Specification - Edition P2	2002	ASD-STAN	
1151	TR 7000-6	Aerospace Series Non-Metallic Materials Rules for the Drafting and Presentation of Material Standards Part 6: Structural Adhesive Systems - Edition 1	2002	ASD-STAN	
1152	PREN 4800-5	Aerospace series Titanium and titanium alloys Technical specification Part 5: Forging stock - Edition P1	2002	ASD-STAN	
1153	PREN 3998	Aerospace Series Aluminium Alloy AL-P2024-T4 or T42 Sheet and Strip 0,4 mm Less Than or Equal to a Less Than or Equal to 6 mm - Edition P 2	2002	ASD-STAN	
1154	PREN 3733-005	Aerospace Series Connector, Optical, Circular, Single Channel, Coupled by Self-Locking Ring, Operating Temperature up to 150 Degrees Celsius Continuous Part 005: Receptacle, Connector, Two Hole Fixing for Cable to EN 4532 Product Standard - Edition P 1	2002	ASD-STAN	
1155	TR 7000-9	Aerospace Series Non-Metallic Materials Rules for the Drafting and Presentation of Material Standards Part 9: Paints and Varnishes - Edition 1; Supersedes prEN 7000-9 Edition P1 September 1998	2002	ASD-STAN	
1156	PREN 2591-515	Aerospace series Elements of electrical and optical connection Test methods Part 515: Hydrolytic stability - Edition P 1	2002	ASD-STAN	

1157	PREN 3733-006	Aerospace Series Connector, Optical, Circular, Single Channel, Coupled by Self-Locking Ring, Operating Temperature up to 150 Degrees Celsius Continuous Part 006: Receptacle, Connector, Jam Nut Fixing for Cable to EN 4532 Product Standard - Edition P 1	2002	ASD-STAN	
1158	TR 7000-10	Aerospace Series Non-Metallic Materials Rules for the Drafting and Presentation of Material Standards Part 10: Reinforcement Fibres - Edition 1	2002	ASD-STAN	
1159	PREN 4408-2	Aerospace Series Technical Drawings Representation of Parts Made of Composite Materials Part 2: Laminated Parts - Edition P 1	2002	ASD-STAN	
1160	PREN 4408-3	Aerospace Series Technical Drawings Representation of Parts Made of Composite Materials Part 3: Parts Including Core Materials - Edition P 1	2002	ASD-STAN	
1161	PREN 4160	Aerospace Series Non-Metallic Materials Paints and Varnishes Test Methods Determination of the Effect of Thermal Exposure - Edition P 1	2002	ASD-STAN	
1162	TR 7000-7	Aerospace Series Non-Metallic Materials Rules for the Drafting and Presentation of Material Standards Part 7: Anaerobic Polymerisable Compounds - Edition 1	2002	ASD-STAN	
1163	PREN 3999	Aerospace Series Aluminium Alloy AL-P2024-T351 Sheet and Strip with Improved Chemical Milling Capability 1,6 mm Less Than or Equal to a Less Than or Equal to 6 mm - Edition P 2	2002	ASD-STAN	
1164	PREN 4001	Aerospace Series Aluminium Alloy AL-P2024-T351 Clad Sheet and Strip with Improved Chemical Milling Capability 1,6 mm Less Than or Equal to a Less Than or Equal 6 mm - Edition P 2	2002	ASD-STAN	
1165	PREN 4408-6	Aerospace Series Technical Drawings Representation of Parts Made of Composite Materials Part 6: Preforms - Edition P 1	2002	ASD-STAN	
1166	PREN 2286	Aerospace Series Bushes, Flanged Aluminium Alloy with Self-Lubricating Liner Dimensions and Loads - Edition P 1	2002	ASD-STAN	
1167	PREN 2287	Aerospace Series Bushes, Plain Corrosion Resisting Steel with Self-Lubricating Liner Dimensions and Loads - Edition P 1	2002	ASD-STAN	
1168	PREN 4004	Aerospace Series Aluminium Alloy AL-P3103-H16 Sheet and Strip 0,4 mm Less Than or Equal to a Less Than or Equal to 6 mm - Edition P 2	2002	ASD-STAN	
1169	PREN 3733-001	Aerospace Series Connector, Optical, Circular, Single Channel, Coupled by Self-Locking Ring, Operating Temperature up to 150 Degrees Celsius Continuous Part 001: Technical Specification - Edition P 1	2002	ASD-STAN	
1170	PREN 4199-002	Aerospace Series Bonding Straps for Aircraft Part 002: Index of Product Standard - Edition P 1	2002	ASD-STAN	
1171	TR 7000-2	Aerospace Series Non-Metallic Materials Rules for the Drafting and Presentation of Material Standards Part 2: Rubbers - Edition 1	2002	ASD-STAN	
1172	PREN 3003	Aerospace series Non-Metallic materials Structural adhesives Determination of mass per unit area of film adhesives Test method - Edition P 1	2002	ASD-STAN	
1173	PREN 4408-4	Aerospace Series Technical Drawings Representation of Parts Made of Composite Materials Part 4: Items Obtained by Winding - Edition P 1	2002	ASD-STAN	
1174	PREN 4056-005	Aerospace Series Cable Ties for Harnesses Part 005: Plastic Cable Ties, with Metallic Locking Devices, Operating Temperatures - 65 Degrees C to 105 Degrees C and - 65 Degrees C to 150 Degrees C Product Standard - Edition P 1	2002	ASD-STAN	
1175	PREN 4593	Aerospace Series Non-Metallic Materials Paints and Varnishes Test Method Determination of Solar Absorptance - Edition P 1	2002	ASD-STAN	
1176	PREN 2288	Aerospace Series Bushes, Flanged Corrosion Resisting Steel with Self-Lubricating Liner Dimensions and Loads - Edition P 1	2002	ASD-STAN	
1177	PREN 4008-005	Aerospace Series Elements of Electrical and Optical Connection Crimping Tools and Associated Accessories Part 005: Positioner for Crimping Tool M22520/2-01 Product Standard - Edition P1	2002	ASD-STAN	
1178	PREN 2328	Aerospace Series Washers, Tab in Corrosion Resisting Steel Cadmium Plated for Flight Control Rods Dimensions - Edition P 1	2002	ASD-STAN	
1179	PREN 4057-301	Aerospace Series Cable Ties for Harnesses Test Methods Part 301: Salt Mist Test - Edition P 1	2002	ASD-STAN	
1180	PREN 2285	Aerospace Series Bushes Plain Aluminium Alloy with Self-Lubricating Liner Dimensions and Loads - Edition P 1	2002	ASD-STAN	
1181	PREN 4800-1	Aerospace series Titanium and titanium alloys Technical specification Part 1: Plate, sheet and strip - Edition P 1	2002	ASD-STAN	
1182	PREN 4002	Aerospace Series Aluminium Alloy AL-P2219-T81 Sheet and Strip 0,5 mm Less Than or Equal to a Less Than or Equal to 6 mm - Edition P 2	2002	ASD-STAN	

1183	PREN 4800-7	Aerospace series Titanium and titanium alloys Technical Specification Part 7: Remelting stock - Edition P 1	2002	ASD-STAN	
1184	PREN 4408-5	Aerospace Series Technical Drawings Representation of Parts Made of Composite Materials Part 5: Seams - Edition P 1	2002	ASD-STAN	
1185	PREN 4594	Aerospace Series Paints and Varnishes Two Component Cold Curing Polyurethane Finish Supersonic Erosion Resistance - Edition P 1	2002	ASD-STAN	
1186	PREN 4595	Aerospace Series Paints and Varnishes Two Component Cold Curing Polyurethane Finish Subsonic Erosion Resistance - Edition P 1	2002	ASD-STAN	
1187	PREN 2282	Aerospace Series Characteristics of Aircraft Electrical Supplies - Edition P 1	2002	ASD-STAN	
1188	PREN 4057-405	Aerospace Series Cable Ties for Harnesses Test Methods Part 405: Compass Safe Distances - Edition P 1	2002	ASD-STAN	
1189	PREN 4003	Aerospace Series Aluminium Alloy Al-P2219-T87 Sheet and Strip 0,5 mm Less Than or Equal to a Less Than or Equal to 6 mm - Edition P 2	2002	ASD-STAN	
1190	PREN 4700-4	Aerospace Series Steel and Heat Resisting Alloys Wrought Products Technical Specification Part 4: Wire - Edition P1	2002	ASD-STAN	
1191	PREN 4008-013	Aerospace Series Elements of Electrical and Optical Connection Crimping Tools and Associated Accessories Part 013: Positioner for Crimping Tool m22520/2-01 Product Standard - Edition P1	2002	ASD-STAN	
1192	TR 7000-1	Aerospace Series Non-Metallic Materials Rules for the Drafting and Presentation of Material Standards Part 1: General Rules - Edition 1; Supersedes prEN 7000-1 Edition P1 September 1998	2002	ASD-STAN	
1193	PREN 4008-014	Aerospace Series Elements of Electrical and Optical Connection Crimping Tools and Associated Accessories Part 014: Turret for Crimping Tool M22520/31-01 Product Standard - Edition P1	2002	ASD-STAN	
1194	PREN 4057-406	Aerospace Series Cable Ties for Harnesses Test Methods Part 406: Locking Device Retention - Edition P 1	2002	ASD-STAN	
1195	PREN 2047	Aerospace Series Beaded L-Section Extruded, in Aluminium Alloys Dimensions - Editon P 2; Supersedes Edition P 1: August 2000; Replaced by EN 2047	2001	ASD-STAN	
1196	PREN 2591-423	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part 423: Connector Rear Accessories Thread Strength - Edition P 1	2001	ASD-STAN	
1197	PREN 6047-002	Aerospace Series Connectors, Electrical, Circular, Coupled by Threaded Ring, for High Current Operating Temperature + 200 Degrees Celsius Continuous, and Fire Resistant Part 002: Specification of Performance and Contact Arrangements - Edition P 2	2001	ASD-STAN	
1198	PREN 3894	Aerospace Series Heat Resisting Alloy NI-WD3201 Filler Metal for Welding - Edition P 2	2001	ASD-STAN	
1199	PREN 3155-060	Aerospace Series Electrical Contacts Used in Elements of Connection Part 060: Contacts, Electrical, Coaxial, Size 12, Male, Type D, Solder, Class R Product Standard - Edition P 1	2001	ASD-STAN	
1200	PREN 4085	Aerospace Series Nickel Base Alloy NI-B40002 Filler Metal for Brazing Amorphous Foil - Edition P 2; Supersedes Edition P 1: January 1994	2001	ASD-STAN	
1201	PREN 3124	Aerospace Series Aluminium Alloy AL-C42201 T6 High Strength Castings a Less Than or Equal to 20 mm - Issue P 2	2001	ASD-STAN	
1202	PREN 3920	Aerospace Series Nickel Base Alloy NI-B41202 Filler Metal for Brazing Powder or Paste - Edition P 2	2001	ASD-STAN	
1203	PREN 4057-404	Aerospace Series Cable Ties for Harnesses Test Methods Part 404: Low Temperature Installation - Edition P 1	2001	ASD-STAN	
1204	PREN 3932	Aerospace Series Nickel Base Alloy NI-B13001 Filler Metal for Brazing Amorphous Foil - Edition P 2; Supersedes Edition P 1: January 1994; Replaced by EN 3932	2001	ASD-STAN	
1205	PREN 3958	Aerospace Series Silver Base Alloy AG-B14001 Filler Metal for Brazing Rolled Foil - Edition P 3; Supersedes Edition P 2: May 1995; Replaced by EN 3958	2001	ASD-STAN	
1206	PREN 3941	Aerospace Series Nickel Base Alloy NI-B41204 Filler Metal for Brazing Amorphous Foil - Edition P 2; Supersedes Edition P 1: January 1994; Replaced by EN 3941	2001	ASD-STAN	
1207	PREN 2243-4	Aerospace Series Non-Metallic Materials Structural Adhesives Test Method Part 4: Metal-Honeycomb Core Flatwise Tensile Test - Edition P 1	2001	ASD-STAN	
1208	PREN 4329	Aerospace Series Heat Resisting Alloy NI-WH0001 (NiCr20) Filler Metal for Welding Wire and Rod - Edition P 2; Supersedes Edition P 1: March 1997; Replaced by EN 4329	2001	ASD-STAN	
1209	PREN 3942	Aerospace Series Nickel Base Alloy NI-B41204 Filler Metal for Brazing Borided Foil - Edition P 2	2001	ASD-STAN	

1210	PREN 3962	Aerospace Series Gold Base Alloy AU-B40001 Filler Metal for Brazing Wire - Edition P 2	2001	ASD-STAN	
1211	PREN 4538-2	Aerospace Series Bearings, Spherical Plain, in Corrosion Resisting Steel with Self-Lubricating Liner Elevated Load under Low Oscillations Narrow Series Dimensions and Loads Inch Series - Edition P 1	2001	ASD-STAN	
1212	PREN 3964	Aerospace Series Copper CU-BU9001 Filler Metal for Brazing Wire - Edition P 2	2001	ASD-STAN	
1213	PREN 2436-04	Aerospace Series Paints and Varnishes Corrosion Resistant Chromate-Free Two Component Cold Curing Primer Part 04: High Corrosion and Fluid Resistance with Surface Preparation Tolerance - Edition P 1	2001	ASD-STAN	
1214	PREN 2833-5	Aerospace series Glass Fibre Thermosetting Preimpregnates Technical Specification Part 5: Glass Fabric/Phenolic Resin Preimpregnate - Edition P 1	2001	ASD-STAN	
1215	PREN 3727	Aerospace Series Bearings, Airframe Rolling Rigid with Flanged Alignment Housing Dimensions and Loads - Edition P 2	2001	ASD-STAN	
1216	PREN 8.6013	Aerospace Series Qualification Procedure for Aerospace Products - Edition P1	2001	ASD-STAN	
1217	PREN 3476-002	Aerospace Series Connectors, Electrical, Circular, Bayonet Coupling, Operating Temperature 175 Degrees C or 200 Degrees C Continuous Part 002: Specification of Performance and Contact Arrangements - Edition P 1	2001	ASD-STAN	
1218	PREN 2435-02	Aerospace Series Paints and Varnishes Corrosion Resistant Chromated Two Component Cold Curing Primer Part 02: High Corrosion Resistance - Edition P 1	2001	ASD-STAN	
1219	PREN 2243-3	Aerospace Series Non-Metallic Materials Structural Adhesives Test Method Part 3: Peeling Test Metal-Honeycomb Core - Edition P 1	2001	ASD-STAN	
1220	PREN 2728	Aerospace Series Aluminium Alloy AL-C42101 T6 Sand Casting a Less Than or Equal to 20 mm - Issue P 2	2001	ASD-STAN	
1221	PREN 4800-5	Aerospace Series Titanium and Titanium Alloys Technical Specification Part 5: Forging Stock - Edition P1	2001	ASD-STAN	
1222	PREN 3476-010	Aerospace Series Connectors, Electrical, Circular, Bayonet Coupling, Operating Temperature 175 Degrees C or 200 Degrees C Continuous Part 010: Protective Cover for Plug Product Standard - Edition P 1	2001	ASD-STAN	
1223	PREN 2434-04	Aerospace Series Paints and Varnishes Two Component Cold Curing Polyurethane Finish Part 04: High Flexibility - Edition P 1	2001	ASD-STAN	
1224	PREN 3956	Aerospace Series Silver Base Alloy AG-B14001 Filler Metal for Brazing Wire - Edition P 3	2001	ASD-STAN	
1225	PREN 2049	Aerospace Series Extruded Channel Section, in Aluminium Alloys Dimensions - Edition P 2	2001	ASD-STAN	
1226	PREN 3139	Aerospace Series Rivets, Solid, 100 Degree Countersunk Normal Head, in Corrosion Resisting Steel FE-PA11, Passivated Inch Based Series - Edition P 2	2001	ASD-STAN	
1227	PREN 2337	Aerospace Series Spherical Plain Bearings Technical Specification - Edition P 2; Will supersede EN 2337:1996	2001	ASD-STAN	
1228	PREN 4364	Aerospace Series Cast Acrylic Properties - Edition P 1	2001	ASD-STAN	
1229	PREN 3155-057	Aerospace Series Electrical Contacts Used in Elements of Connection Part 057: Contacts, Electrical, Female, Termocouple NiCr, Type C, Crimp, Class T Product Standard - Edition P 1	2001	ASD-STAN	
1230	PREN 4492	Aerospace Series Non-Metallic Materials Anaerobic Polymerisable Compounds Threadlocking Torque Strength 19 Nm - Edition P 1	2001	ASD-STAN	
1231	PREN 2810	Aerospace Series Nuts, Hexagon, Slotted/Castellated, Reduced Height, Normal Across Flats, in Heat Resisting Steel, Passivated Classification: 900 MPa (at Ambient Temperature)/650 Degrees Celsius - Edition P 3; Supersedes Edition P 2: September 1996	2001	ASD-STAN	
1232	PREN 2809	Aerospace Series Nuts, Hexagon, Slotted/Castellated, Reduced Height, Normal Across Flats, in Heat Resisting Steel, Silver Plated Classification:900 MPa (at Ambient Temperature)/650 Degrees Celsius - Edition P 3; Supersedes Edition P 2: September 1996;	2001	ASD-STAN	
1233	PREN 3646-011	Aerospace Series Connectors, Electrical, Circular, Bayonet Coupling, Operating Temperature 175 Degrees Celsius or 200 Degrees Celsius Continuous Part 011: Dummy Receptacle Product Standard - Edition: P 1	2001	ASD-STAN	
1234	PREN 3155-029	Aerospace Series Electrical Contacts Used in Elements of Connection Part 029: Contacts, Electrical, Coaxial, Shielded, Size 16, Female, Type D, Crimp, Class R Product Standard - Edition P 1	2001	ASD-STAN	
1235	PREN 2243-2	Aerospace Series Non-Metallic Materials Structural Adhesives Test Method Part 2: Peel Metal-Metal - Edition P 1	2001	ASD-STAN	
1236	PREN 3155-039	Aerospace Series Electrical Contacts Used in Elements of Connection Part 039: Contacts, Electrical, Coaxial, Size 16, Female, Type D, Solder, Class R Product Standard - Edition P 1	2001	ASD-STAN	
1237	PREN 4327	Aerospace Series Heat Resisting Alloy CO-WH1401 (CoCr26Ni11W8) Filler Metal for Welding Wire and Rod - Edition P 2; Supersedes Edition P 1: March 1997; Replaced by EN 4327	2001	ASD-STAN	

1238	PREN 3936	Aerospace Series Nickel Base Alloy NI-B21001 Filler Metal for Brazing Powder or Paste - Edition P 2; Supersedes Edition P 1: January 1994; Replaced by EN 3936	2001	ASD-STAN	
1239	PREN 3937	Aerospace Series Nickel Base Alloy NI-B44101 Filler Metal for Brazing Powder or Paste - Edition P 2; Supersedes Edition P 1: January 1994; Replaced by EN 3937	2001	ASD-STAN	
1240	PREN 3960	Aerospace Series Gold Base Alloy AU-B40001 Filler Metal for Brazing Powder or Paste - Edition P 2; Supersedes Edition P 1: January 1994; Replaced by EN 3960	2001	ASD-STAN	
1241	PREN 3965	Aerospace Series Titanium Alloy TI-B17001 Filler Metal for Brazing Rolled Foil - Edition P 3	2001	ASD-STAN	
1242	PREN 3866	Aerospace Series Non-Metallic Materials Glass Transparencies Test Methods Determination of Ream and Surface Ripple - Edition P 1	2001	ASD-STAN	
1243	PREN 4491	Aerospace Series Non-Metallic Materials Anaerobic Polymerisable Compounds Threadlocking Torque Strength 16 Nm - Edition P1	2001	ASD-STAN	
1244	PREN 6104	Aerospace Series Rivets, Solid, in Aluminium or Aluminium Alloy Inch Series Technical Specification - Edition P 1	2001	ASD-STAN	
1245	PREN 3155-059	Aerospace Series Electrical Contacts Used in Elements of Connection Part 059: Contacts, Electrical, Coaxial, Size 16, Female, Type D, Solder, Class R Product Standard - Edition P 1	2001	ASD-STAN	
1246	PREN 3945	Aerospace Series Nickel Base Alloy NI-B48801 Filler Metal for Brazing Powder or Paste - Edition P 3; Supersedes Edition P 2: May 1995;	2001	ASD-STAN	
1247	PREN 2050	Aerospace Series Extruded T-Section, in Aluminium Alloys Dimensions - Edition P 2; Supersedes Edition P 1: August 2000	2001	ASD-STAN	
1248	PREN 2434-03	Aerospace Series Paints and Varnishes Two Component Cold Curing Polyurethane Finish Part 03: Flexible and High Fluid Resistance for Interior - Edition P 1	2001	ASD-STAN	
1249	PREN 3230	Aerospace Series Nuts, Hexagon, Slotted / Castellated, Reduced Height, Normal Across Flats, in Steel, Cadmium Plated Classification : 900 MPa (at Ambient Temperature) / 235 Degrees Celsius - Edition P 3; Supersedes Edition P 2: February 1996; Replaced by	2001	ASD-STAN	
1250	PREN 4344	Aerospace Series Steel FE-WM1002 (X13Cr13) Filler Metal for Welding Wire and Rod - Edition P 2; Supersedes Edition P 1: March 1997; Replaced by EN 4344	2001	ASD-STAN	
1251	PREN 3935	Aerospace Series Nickel Base Alloy NI-B21001 Filler Metal for Brazing Borided Foil - Edition P 2; Supersedes Edition P 1 : January 1994; Replaced by EN 3935	2001	ASD-STAN	
1252	PREN 4800-4	Aerospace Series Titanium and Titanium Alloys Technical Specification Part 4: Wire - Edition P1	2001	ASD-STAN	
1253	PREN 4103	Aerospace Series Nickel Base Alloy NI-B40002 Filler Metal for Brazing Borided Foil - Edition P2; Supersedes Edition P 1: January 1994	2001	ASD-STAN	
1254	PREN 3887	Aerospace Series Heat Resisting Alloy CO-WH4101 Filler Metal for Welding - Edition P 2; Supersedes Edition P 1: January 1995;	2001	ASD-STAN	
1255	PREN 3155-028	Aerospace Series Electrical Contacts Used in Elements of Connection Part 028: Contacts, Electrical, Coaxial, Shielded, Size 16, Male, Type D, Crimp, Class R Product Standard - Edition P 1	2001	ASD-STAN	
1256	PREN 2436-02	Aerospace Series Paints and Varnishes Corrosion Resistant Chromate-Free Two Component Cold Curing Primer Part 02: High Corrosion Resistance - Edition P 1	2001	ASD-STAN	
1257	PREN 3943	Aerospace Series Nickel Base Alloy NI-B41204 Filler Metal for Brazing Powder or Paste - Edition P 2; Supersedes Edition P 1: January 1994;	2001	ASD-STAN	
1258	PREN 3926	Aerospace Series Nickel Base Alloy NI-B40001 Filler Metal for Brazing Borided Foil - Edition P 2; Supersedes Edition P 1: January 1994;	2001	ASD-STAN	
1259	PREN 3476-009	Aerospace Series Connectors, Electrical, Circular, Bayonet Coupling, Operating Temperature 175 Degrees C or 200 Degrees C Continuous Part 009: Protective Cover for Receptacle Product Standard - Edition P 1	2001	ASD-STAN	
1260	PREN 3476-008	Aerospace Series Connectors, Electrical, Circular, Bayonet Coupling, Operating Temperature 175 Degrees C or 200 Degrees C Continuous Part 008: Plug Product Standard - Edition P 1	2001	ASD-STAN	
1261	PREN 4339	Aerospace Series Heat Resisting Alloy CO-WH4001 (CoCr29W9) Filler Metal for Welding Wire and Rod - Edition P 2; Supersedes Edition P 1: March 1997;	2001	ASD-STAN	
1262	PREN 4326	Aerospace Series Heat Resisting Alloy CO-WH4102 (CoCr28W20Ni5V1) Filler Metal for Welding Wire And Rod - Edition P 2; Supersedes Edition P 1: March 1997;	2001	ASD-STAN	

1263	PREN 3656	Aerospace Series Polycarbonate, Self-Extinguishing, Low Smoke Emission Characteristics - Edition P 1	2001	ASD-STAN	
1264	PREN 4490	Aerospace Series Non-Metallic Materials Anaerobic Polymerisable Compounds Threadlocking Torque Strength 10 Nm - Edition P 1	2001	ASD-STAN	
1265	PREN 3927	Aerospace Series Nickel Base Alloy NI-B40001 Filler Metal for Brazing Powder or Paste - Edition P 2; Supersedes Edition P 1: January 1994;	2001	ASD-STAN	
1266	PREN 3862	Aerospace Series Non-Metallic Materials Glass Transparencies Material Standard Chemically Tempered Soda Lime Float Glass - Edition P 1	2001	ASD-STAN	
1267	PREN 3884	Aerospace Series Heat Resisting Alloy NI-WH2601 Filler Metal for Welding - Edition P 2; Supersedes Edition P 1: December 1994;	2001	ASD-STAN	
1268	PREN 4057-303	Aerospace Series Cable Ties for Harnesses Test Methods Part 303: Resistance to Fluids - Edition P 1	2001	ASD-STAN	
1269	PREN 4507	Aerospace Series Non-Metallic Materials Textiles Test Method Determination of Water Extractable Matter - Edition P 1	2001	ASD-STAN	
1270	PREN 4057-100	Aerospace Series Cable Ties for Harnesses Test Methods Part 100: General - Edition P 1	2001	ASD-STAN	
1271	PREN 3957	Aerospace Series Silver Base Alloy AG-B14001 Filler Metal for Brazing Powder or Paste - Edition P 3; Supersedes Edition P 2: May 1995	2001	ASD-STAN	
1272	PREN 3060	Aerospace Series Bearings, Airframe Rolling Rigid Single Row Ball Bearings in Steel, Cadmium Plated, with Flanged Alignment Housing, Cadmium Plated Dimensions and Loads - Edition P 2	2001	ASD-STAN	
1273	PREN 3892	Aerospace Series Titanium Alloy TI-W64001 Filler Metal for Welding - Edition P 2; Supersedes Edition P 1: January 1995;	2001	ASD-STAN	
1274	PREN 4367	Aerospace Series Cast Acrylic Sheets Dimensions - Edition P 1	2001	ASD-STAN	
1275	PREN 4057-401	Aerospace Series Cable Ties for Harnesses Test Methods Part 401: Loop Tensile Strength - Edition P 1	2001	ASD-STAN	
1276	PREN 4800-3	Aerospace Series Titanium and Titanium Alloys Technical Specification Part 3: Tube - Edition P1	2001	ASD-STAN	
1277	PREN 9200	Aerospace Series Programme Management Guidelines for Project Management Specification - Edition P 1	2001	ASD-STAN	
1278	PREN 4529-003	Aerospace Series Elements of Electrical and Optical Connection Sealing Plugs Part 003: Class T - Product Standard - Edition P 1	2001	ASD-STAN	
1279	PREN 2436-01	Aerospace Series Paints and Varnishes Corrosion Resistant Chromate-Free Two Component Cold Curing Primer Part 01: Basic Requirements - Edition P 1	2001	ASD-STAN	
1280	PREN 3921	Aerospace Series Nickel Base Alloy NI-B41203 Filler Metal for Brazing Amorphous Foil - Edition P 2; Supersedes Edition P 1; January 1994;	2001	ASD-STAN	
1281	PREN 2726	Aerospace Series Aluminium Alloy AL-C42201 T6 Sand Casting a Less Than or Equal to 20 mm - Issue P 2	2001	ASD-STAN	
1282	PREN 3476-007	Aerospace Series Connectors, Electrical, Circular, Bayonet Coupling, Operating Temperature 175 Degrees C or 200 Degrees C Continuous Part 007: Receptacle, Hermetic, Round Flange, Welding or Brazing Mounting Product Standard - Edition P 1	2001	ASD-STAN	
1283	PREN 2434-02	Aerospace Series Paints and Varnishes Two Component Cold Curing Polyurethane Finish Part 02: High Chemical Resistance - Edition P 1	2001	ASD-STAN	
1284	PREN 3952	Aerospace Series Silver Base Alloy AG-B10001 Filler Metal for Brazing Wire - Edition P 2; Supersedes Edition P 1: January 1994; Replaced by EN 3952	2001	ASD-STAN	
1285	PREN 3955	Aerospace Series Silver Base Alloy AG-B12401 Filler Metal for Brazing Rolled Foil - Edition P 3; Supersedes Edition P 2: May 1995;	2001	ASD-STAN	
1286	PREN 3864	Aerospace Series Non-Metallic Materials Glass Transparencies Test Methods Determination of Modulus of Rupture - Edition P 1	2001	ASD-STAN	
1287	PREN 4800-8	Aerospace Series Titanium and Titanium Alloys Technical Specification Part 8: Pre-Production and Production Castings - Edition P1	2001	ASD-STAN	
1288	PREN 4165-005	Aerospace Series Connectors, Electrical, Rectangular, Modular Operating Temperature 175 Degrees C Continuous Part 005: Stackable Mounting Receptacle 2 and 4 Modules Series 3 - Edition P 1	2001	ASD-STAN	

1289	PREN 3882	Aerospace Series Heat Resisting Alloy NI-WH1801 Filler Metal for Welding - Edition P 2; Supersedes Edition P 1: December 1994	2001	ASD-STAN	
1290	PREN 3155-056	Aerospace Series Electrical Contacts Used in Elements of Connection Part 056: Contacts, Electrical, Male, Thermocouple NiCr, Type C, Crimp, Class T Product Standard - Edition P 1	2001	ASD-STAN	
1291	PREN 3946	Aerospace Series Nickel Base Alloy NI-B15701 Filler Metal for Brazing Powder or Paste - Edition P 2; Supersedes Edition P 1: January 1994; Replaced by EN 3946	2001	ASD-STAN	
1292	PREN 3886	Aerospace Series Heat Resisting Alloy NI-WH1303 Filler Metal for Welding - Edition P 2; Supersedes Edition P 1: January 1995; Replaced by EN 3886	2001	ASD-STAN	
1293	TR 4386	Aerospace Series Non-Metallic Materials Rules for the Drafting and Presentation of Test Method Standards - Edition P 1	2001	ASD-STAN	
1294	PREN 4800-7	Aerospace Series Titanium and Titanium Alloys Technical Specification Part 7: Remelting Stock - Edition P1	2001	ASD-STAN	
1295	PREN 3959	Aerospace Series Cobalt Base Alloy CO-B41601 Filler Metal for Brazing Powder or Paste - Edition P 2	2001	ASD-STAN	
1296	PREN 4057-305	Aerospace Series Cable Ties for Harnesses Test Methods Part 305: Colour Fastness - Edition P 1	2001	ASD-STAN	
1297	PREN 3895	Aerospace Series Heat Resisting Alloy NI-WH3901 Filler Metal for Welding - Edition P 2	2001	ASD-STAN	
1298	PREN 3934	Aerospace Series Nickel Base Alloy NI-B21001 Filler Metal for Brazing Amorphous Foil - Edition P 2	2001	ASD-STAN	
1299	PREN 4325	Aerospace Series Heat Resisting Alloy NI-WH1302 (NiCr20Co13Mo4Ti3Al) Filler Metal for Welding Wire and Rod - Edition P 2	2001	ASD-STAN	
1300	PREN 6047-003	Aerospace Series Connectors, Electrical, Circular, Coupled by Threaded Ring, for High Current Operating Temperature + 200 Degrees Celsius Continuous, and Fire Resistant Part 003: Square Flange Receptacle Product Standard - Edition P 2	2001	ASD-STAN	
1301	PREN 4057-307	Aerospace Series Cable Ties for Harnesses Test Methods Part 307: Resistance to Ultra Violet Radiation - Edition P 1	2001	ASD-STAN	
1302	PREN 4250	Aerospace Series Nickel Base Alloy NI-B41001 Filler Metal for Brazing Amorphous Foil - Edition P 2	2001	ASD-STAN	
1303	PREN 2588	Aerospace Series Bearings, Spherical Plain in Corrosion Resisting Steel with Assembly Slots Dimensions and Loads - Edition P 1	2001	ASD-STAN	
1304	PREN 3155-055	Aerospace Series Electrical Contacts Used in Elements of Connection Part 055: Contacts, Electrical, Female, Thermocouple NiAl, Type C, Crimp, Class T Product Standard - Edition P 1	2001	ASD-STAN	
1305	PREN 3155-058	Aerospace Series Electrical Contacts Used in Elements of Connection Part 058: Contacts, Electrical, Coaxial, Size 16, Male, Type D, Solder, Class R Product Standard - Edition P 1	2001	ASD-STAN	
1306	PREN 4800-2	Aerospace Series Titanium and Titanium Alloys Technical Specification Part 2: Bar and Section - Edition P1	2001	ASD-STAN	
1307	PREN 4504	Aerospace Series Non-Metallic Materials Textiles Test Method Determination of Flexibility of Narrow Fabrics - Edition P 1	2001	ASD-STAN	
1308	PREN 2336	Aerospace Series Bearings, Spherical Plain in Steel with Assembly Slot Dimensions and Loads - Edition P 1	2001	ASD-STAN	
1309	PREN 4057-302	Aerospace Series Cable Ties for Harnesses Test Methods Part 302: Flammability - Edition P 1	2001	ASD-STAN	
1310	PREN 4529-001	Aerospace Series Elements of Electrical and Optical Connection Sealing Plugs Part 001: Technical Specification - Edition P 1	2001	ASD-STAN	
1311	PREN 4338	Aerospace Series Heat Resisting Alloy NI-WH3902 (NiCr25Mo10C) Filler Metal for Welding Wire and Rod - Edition P 2; Supersedes Edition P 1: March 1997; Replaced by EN 4338	2001	ASD-STAN	
1312	PREN 2048	Aerospace Series Extruded L-Section, in Aluminium Alloys Dimensions - Edition P 2; Supersedes Edition P 1: August 2000	2001	ASD-STAN	
1313	PREN 3138	Aerospace Series Rivets, Solid, 100 Degree Countersunk Normal Head with Dome, in Corrosion Resisting Steel FE-PA92HT, Passivated, Inch Based Series - Edition P 2	2001	ASD-STAN	
1314	PREN 3155-054	Aerospace Series Electrical Contacts Used in Elements of Connection Part 054: Cintacts, Electrical Male, Thermocouple NiAl, Type C, Crimp, Class T Product Standard - Edition P 1	2001	ASD-STAN	
1315	PREN 3155-040	Aerospace Series Electrical Contacts Used in Elements of Connection Part 040: Contacts, Electrical, Coaxial, Size 12, Male, Type D, Solder, Class R Product Standard - Edition P 1	2001	ASD-STAN	

1316	PREN 4057-201	Aerospace Series Cable Ties for Harnesses Test Methods Part 201: Visual Examination - Edition P 1	2001	ASD-STAN	
1317	PREN 4337	Aerospace Series Heat Resisting Alloy NI-WH8901 (NiCr16Ti3Mn2) Filler Metal for Welding Wire and Rod - Edition P 2; Supersedes Edition P 1: March 1997;	2001	ASD-STAN	
1318	PREN 2435-04	Aerospace Series Paints and Varnishes Corrosion Resistant Chromated Two Component Cold Curing Primer Part 04: High Corrosion and Fluid Resistance with Surface Preparation Tolerance - Edition P 1	2001	ASD-STAN	
1319	PREN 3476-005	Aerospace Series Connectors, Electrical, Circular, Bayonet Coupling, Operating Temperature 175 Degrees C or 200 Degrees C Continuous Part 005: Receptacle, Hermetic, Square Flange Mounting Product Standard - Edition P 1	2001	ASD-STAN	
1320	PREN 3140	Aerospace Series Rivets, Solid, 100 Degree Normal Head, in Corrosion Resisting Steel FE-PA92HT, Passivated, Inch Based Series - Edition P 2; Supersedes Edition P 1: February 1995; Replaced by EN 3140	2001	ASD-STAN	
1321	PREN 2335	Aerospace Series Bearings, Spherical Plain in Corrosion Resisting Steel without Assembly Slot Dimensions and Loads - Edition P 1	2001	ASD-STAN	
1322	PREN 3954	Aerospace Series Silver Base Alloy AG-B12401 Filler Metal for Brazing Powder or Paste - Edition P 2; Supersedes Edition P 1: January 1994; Replaced by EN 3954	2001	ASD-STAN	
1323	PREN 4057-202	Aerospace Series Cable Ties for Harnesses Test Methods Part 202: Examination of Mass and Dimensions - Edition P 1	2001	ASD-STAN	
1324	PREN 3125	Aerospace Series Aluminium Alloy AL-C42201 T6 Investment Casting a Less Than or Equal to 20 mm - Issue P 2	2001	ASD-STAN	
1325	PREN 3646-008	Aerospace Series Connectors, Electrical, Circular, Bayonet Coupling - Operating Temperature 175 Degrees Celsius or 200 Degrees Celsius Continuous Part 008: Plug Product Standard - Edition: P 1	2001	ASD-STAN	
1326	PREN 3933	Aerospace Series Nickel Base Alloy NI-B13001 Filler Metal for Brazing Powder or Paste - Edition P 2; Supersedes Edition P 1: January 1994; Replaced by EN 3933	2001	ASD-STAN	
1327	PREN 4365	Aerospace Series Heat and Craze Resistant Cast Acrylic, Crosslinked, and Low Moisture Absorption Properties - Edition P 1	2001	ASD-STAN	
1328	PREN 4400-3	Aerospace Series Aluminium and Aluminium Alloy Wrought Products Technical Specification Part 3: Bar and Section - Edition P 1	2001	ASD-STAN	
1329	TR 4475	Aerospace Series Bearings and Mechanical Transmissions for Airframe Applications Vocabulary - Edition 1	2001	ASD-STAN	
1330	PREN 4385	Aerospace Series Non-Metallic Materials General Organisation of Standardisation Links between Types of Standards - Edition P 2	2001	ASD-STAN	
1331	PREN 3779	Aerospace Series Polycarbonate Sheet Dimensions - Edition P 1	2001	ASD-STAN	
1332	PREN 3475-513	Aerospace Series Cables, Electrical, Aircraft Use Test Methods Part 513: Deformation Resistance (Installation with Plastic Cable Ties) - Edition P 1	2001	ASD-STAN	
1333	PREN 3155-061	Aerospace Series Electrical Contacts Used in Elements of Connection Part 061: Contacts, Electrical, Coaxial, Size 12, Female, Type D, Solder, Class R Product Standard - Edition P 1	2001	ASD-STAN	
1334	PREN 3963	Aerospace Series Copper CU-BU9001 Filler Metal for Brazing Rolled Foil - Edition P 2; Supersedes Edition P 1: January 1994	2001	ASD-STAN	
1335	PREN 3925	Aerospace Series Nickel Base Alloy NI-B40001 Filler Metal for Brazing Amorphous Foil - Edition P 2	2001	ASD-STAN	
1336	TR 2678	Aerospace Series Design and Construction of Pipelines for Fluids in Liquid or Gaseous Condition Design of Rigid Lines - Edition 1	2001	ASD-STAN	
1337	PREN 4539-2	Aerospace Series Bearings, Spherical Plain, in Corrosion Resisting Steel with Self-Lubricating Liner Elevated Load under Low Oscillations Wide Series Dimensions and Loads Inch Series - Edition P 1	2001	ASD-STAN	
1338	PREN 4503	Aerospace Series Non-Metallic Materials Textiles Test Method Determination of Water Soluble Chloride and Sulfate of Aqueous Extracts - Edition P 1	2001	ASD-STAN	
1339	PREN 3938	Aerospace Series Nickel Base Alloy NI-B46001 Filler Metal for Brazing Amorphous Foil - Edition P 2	2001	ASD-STAN	
1340	PREN 2243-6	Aerospace Series Non-Metallic Materials Structural Adhesives Test Method Part 6: Determination of Shear Stress and Shear Strain - Edition P 2	2001	ASD-STAN	
1341	PREN 3476-004	Aerospace Series Connectors, Electrical, Circular, Bayonet Coupling, Operating Temperature 175 Degrees C or 200 Degrees C Continuous Part 004: Receptacle, Jam-Nut Mounting Product Standard - Edition P 1	2001	ASD-STAN	

1342	PREN 3646-007	Aerospace Series Connectors, Electrical, Circular, Bayonet Coupling - Operating Temperature 175 Degrees Celsius or 200 Degrees Celsius Continuous Part 007: Receptacle, Hermetic, Round Flange, Welding or Brazing Mounting Product Standard - Edition P 2	2001	ASD-STAN	
1343	PREN 2346-004	Aerospace Series Cable, Electrical, Fire Resistant Operating Temperatures between -65 Degrees C and 260 Degrees C Part 004: DN Family, Single UV Laser Printable and Multicore Assembly Light Weight Product Standard - Issue P 1	2001	ASD-STAN	
1344	PREN 4067-009	Aerospace Series Connectors, Electrical, Circular, Scoop-Proof, Coupled by Threaded Ring, Fire-Resistant, Operating Temperature 260 Degrees C Peak Part 009: Protective Cover for Plug Product Standard - Edition P 1	2001	ASD-STAN	
1345	PREN 4426	Aerospace Series Non-Metallic Materials Textiles Test Method Determination of Conductivity and pH of Aqueous Extracts - Edition P 1	2001	ASD-STAN	
1346	PREN 3888	Aerospace Series Heat Resisting Alloy CO-WH1402 Filler Metal for Welding - Edition P 2; Supersedes Edition P 1: January 1995;	2001	ASD-STAN	
1347	PREN 9103	Aerospace Series Quality Management Systems Variation Management Of Key Characteristics - Edition P 2	2001	ASD-STAN	
1348	PREN 2436-05	Aerospace Series Paints and Varnishes Corrosion Resistant Chromate-Free Two Component Cold Curing Primer Part 05: for Exterior Use with Surface Preparation Tolerance - Edition P 1	2001	ASD-STAN	
1349	PREN 4057-304	Aerospace Series Cable Ties for Harnesses Test Methods Part 304: Loop Tensile Strength at Maximum Working Temperature - Edition P 1	2001	ASD-STAN	
1350	PREN 4800-6	Aerospace Series Titanium and Titanium Alloys Technical Specification Part 6: Pre-Production and Production Forgings - Edition P1	2001	ASD-STAN	
1351	PREN 4106	Aerospace Series Non-Metallic Materials Structural Adhesive Systems Paste Adhesive Technical Specification - Edition P 1	2001	ASD-STAN	
1352	PREN 3646-002	Aerospace Series Connectors, Electrical, Circular, Bayonet Coupling - Operating Temperature 175 Degrees Celsius or 200 Degrees Celsius Continuous Part 002 - Specification of Performance and Contact Arrangements - Edition P 1	2001	ASD-STAN	
1353	PREN 2243-5	Aerospace Series Non-Metallic Materials Structural Adhesives Test Method Part 5: Ageing Tests - Edition P 1	2001	ASD-STAN	
1354	PREN 2435-03	Aerospace Series Paints and Varnishes Corrosion Resistant Chromated Two Component Cold Curing Primer Part 03: High Corrosion and Fluid Resistance - Edition P 1	2001	ASD-STAN	
1355	PREN 2346-003	Aerospace Series Cable, Electrical, Fire Resistant Operating Temperatures between -65 Degrees C and 260 Degrees C Part 003: DL Family, Single Core Product Standard - Issue P 1	2001	ASD-STAN	
1356	PREN 3476-003	Aerospace Series Connectors, Electrical, Circular, Bayonet Coupling, Operating Temperature 175 Degrees C or 200 Degrees C Continuous Part 003: Receptacle, Square Flange Mounting Product Standard - Edition P 1	2001	ASD-STAN	
1357	PREN 4341	Aerospace Series Aluminium Alloy AL-W46431 Filler Metal for Welding Wire and Rod - Edition P 2; Supersedes Edition P 1: March 1997;	2001	ASD-STAN	
1358	PREN 3475-306	Aerospace Series Cables, Electrical, Aircraft Use Test Methods Part 306: Continuity of Conductors - Edition P 1	2001	ASD-STAN	
1359	PREN 3883	Aerospace Series Heat Resisting Alloy NI-WH2301 Filler Metal for Welding - Edition P 2; Supersedes Edition P 1: December 1994;	2001	ASD-STAN	
1360	PREN 3939	Aerospace Series Nickel Base Alloy NI-B46001 Filler Metal for Brazing Powder or Paste - Edition P 3; Supersedes Edition P 2: May 1995; Replaced by EN 3939	2001	ASD-STAN	
1361	PREN 3953	Aerospace Series Silver Base Alloy AG-B12401 Filler Metal for Brazing Wire - Edition P 2; Supersedes Edition P 1: January 1994	2001	ASD-STAN	
1362	PREN 3923	Aerospace Series Nickel Base Alloy NI-B41203 Filler Metal for Brazing Powder or Paste - Edition P 2; Supersedes Edition P 1: January 1994;	2001	ASD-STAN	
1363	PREN 3861	Aerospace Series Non-Metallic Materials Glass Transparencies Material Standard Thermally Tempered Soda Lime Float Glass - Edition P 1	2001	ASD-STAN	
1364	PREN 4243	Aerospace Series Cast Acrylic Sheets Technical Specification - Edition P 1	2001	ASD-STAN	
1365	PREN 4366	Aerospace Series Heat and Crazing Resistant Cast Acrylic, Crosslinked, Multi-Axially Stretched, and Low Moisture Absorption Properties - Edition P 1	2001	ASD-STAN	
1366	PREN 3930	Aerospace Series Nickel Base Alloy NI-B31001 Filler Metal for Brazing Powder or Paste - Edition P 3; Supersedes Edition P 2: May 1995; Replaces EN 3930	2001	ASD-STAN	

1367	PREN 3059	Aerospace Series Bearings, Airframe Rolling Rigid Single Row Ball Bearings in Steel, with Flanged Alignment Housing, Cadmium Plated Dimensions and Loads - Edition P 2	2001	ASD-STAN	
1368	PREN 2434-01	Aerospace Series Paints and Varnishes Two Component Cold Curing Polyurethane Finish Part 01: Basic Requirements - Edition P 1	2001	ASD-STAN	
1369	PREN 3155-041	Aerospace Series Electrical Contacts Used in Elements of Connection Part 041: Contacts, Electrical, Coaxial, Size 12, Female, Type D, Solder, Class R Product Standard - Edition P 1	2001	ASD-STAN	
1370	PREN 3961	Aerospace Series Gold Base Alloy AU-B40001 Filler Metal for Brazing Rolled Foil - Edition P 2	2001	ASD-STAN	
1371	PREN 4489	Aerospace Series Non-Metallic Materials Anaerobic Polymerisable Compounds Threadlocking Torque Strength 5 Nm - Edition P 1	2001	ASD-STAN	
1372	PREN 4505	Aerospace Series Textiles Test Method Determination of Dimensional Stability - Edition P 1	2001	ASD-STAN	
1373	PREN 4059	Aerospace Series Filler Rods and Filler Wires for Welding in Steel Diameter 0,5 mm Less Than or Equal to D Less Than or Equal to 5,0 mm Dimensions - Edition P 2; Supersedes Edition P 1: November 1997;	2001	ASD-STAN	
1374	PREN 2719	Aerospace Series Polycarbonate Sheet Technical Specification - Edition P 1	2001	ASD-STAN	
1375	PREN 3476-006	Aerospace Series Connectors, Electrical, Circular, Bayonet Coupling, Operating Temperature 175 Degrees C or 200 Degrees C Continuous Part 006: Receptacle, Hermetic, Jam-Nut Mounting Product Standard - Edition P 1	2001	ASD-STAN	
1376	PREN 4057-306	Aerospace Series Cable Ties for Harnesses Test Methods Part 306: Heat Ageing Test - Edition P 1	2001	ASD-STAN	
1377	PREN 4165-004	Aerospace Series Connectors, Electrical, Rectangular, Modular Operating Temperature 175 Degrees C Continuous Part 004: Stackable Mounting Receptacle 2 and 4 Modules Series 2 - Edition P 1	2001	ASD-STAN	
1378	PREN 3885	Aerospace Series Heat Resisting Alloy NI-WH3601 Filler Metal for Welding - Edition P 2	2001	ASD-STAN	
1379	PREN 4488	Aerospace Series Non-Metallic Materials Anaerobic Polymerisable Compounds Threadlocking Torque Strength 2 Nm - Edition P 1	2001	ASD-STAN	
1380	PREN 3863	Aerospace Series Non-Metallic Materials Glass Transparencies Test Methods Determination of Flatness - Edition P 1	2001	ASD-STAN	
1381	PREN 2436-03	Aerospace Series Paints and Varnishes Corrosion Resistant Chromate-Free Two Component Cold Curing Primer Part 03: High Corrosion and Fluid Resistance - Edition P 1	2001	ASD-STAN	
1382	PREN 4342	Aerospace Series Titanium TI-W99001 Filler Metal for Welding Wire and Rod - Edition P 2	2001	ASD-STAN	
1383	PREN 2815	Aerospace Series Steel FE-PM1802 (X5CrNiCu15-5) Consumable Electrode Remelted Solution Treated and Precipitation Treated Bar for Machining a or D Less Than or Equal to 200 mm Rm Greater Than or Equal to 965 MPa - Edition P 3	2000	ASD-STAN	
1384	PREN 2349-409	Aerospace Series Requirements and Test Procedures for Relays and Contactors Part 409: Ozone Resistance - Edition P 1	2000	ASD-STAN	
1385	PREN 4556	Aerospace Series Pipe Coupling, 37 Degree, in Heat Resisting Steel Cap Assemblies Inch Series - Edition P 1	2000	ASD-STAN	
1386	PREN 2349-317	Aerospace Series Requirements and Test Procedures for Relays and Contactors Part 317: Service Life of Coil Switching Device - Edition P 1	2000	ASD-STAN	
1387	PREN 2349-304	Aerospace Series Requirements and Test Procedures for Relays and Contactors Part 304: Operate and Release Time - Edition P 1	2000	ASD-STAN	
1388	PREN 2349-410	Aerospace Series Requirements and Test Procedures for Relays and Contactors Part 410: Mould - Edition P 1	2000	ASD-STAN	
1389	PREN 2240-002	Aerospace Series Lamps, Incandescent Part 002: Main Characteristics - Edition P 2	2000	ASD-STAN	
1390	PREN 3982	Aerospace Series Aluminium Alloy AL-P7050-T7451 Plate 6 mm < a is Greater Than or Equal to 160 mm - Edition P 2; Supersedes Edition P 1: June 1995	2000	ASD-STAN	
1391	PREN 4550-3	Aerospace Series Pipe Coupling, 37 Degree, Design Configuration Inch Series Part 3: Port Connections - Edition P 1	2000	ASD-STAN	
1392	PREN 2349-307	Aerospace Series Requirements and Test Procedures for Relays and Contactors Part 307: Contact Voltage Drop - Edition P 1	2000	ASD-STAN	
1393	PREN 3682-001	Aerospace Series Connectors, Plug and Receptacle, Electrical, Rectangular, Interchangeable Insert Type, Rack to Panel, Operating Temperature 150 Degrees C Continuous Part 001: Technical Specification - Edition P 1	2000	ASD-STAN	

1394	PREN 2349-302	Aerospace Series Requirements and Test Procedures for Relays and Contactors Part 302: Insulation Resistance - Edition P 1	2000	ASD-STAN	
1395	PREN 2021	Aerospace Series Metallic Materials Test Methods Shear Testing for Thinflat Product - Edition P1	2000	ASD-STAN	
1396	PREN 4446	Aerospace Series Nuts, Elliptical Clinch, Self-Locking Installation and Removal Procedure - Edition P 1	2000	ASD-STAN	
1397	PREN 4400-2	Aerospace Series Aluminium and Aluminium Alloy Wrought Products Technical Specification Part 2: Sheet and Strip - Edition P 1; Will Supersede EN 2070-1: 1989 + //en 2070-1/A1: 1993 and EN 2070-2: 1989	2000	ASD-STAN	
1398	PREN 2349-201	Aerospace Series Requirements and Test Procedures for Relays and Contactors Part 201: Visual Inspection - Edition P 1	2000	ASD-STAN	
1399	PREN 2003-2	Aerospace Series Steels Test Methods Part 2:Izod Impact Test - Edition P 1	2000	ASD-STAN	
1400	PREN 2349-601	Aerospace Series Requirements and Test Procedures for Relays and Contactors Part 601: Compass Safety Distance - Edition P 1	2000	ASD-STAN	
1401	PREN 4585	Aerospace Series Clips, Spring Tension Technical Specification - Edition P 1	2000	ASD-STAN	
1402	PREN 2816	Aerospace Series Steel FE-PM1802 (X5CrNiCu15-5) Consumable Electrode Remelted Solution Treated and Precipitation Treated Forgings a or D Less Than or Equal to 200 mm Rm Greater Than or Equal to 965 MPa - Edition P 3	2000	ASD-STAN	
1403	PREN 6067	Aerospace Series Pin, Quick Release, Self-Retaining, Positive Locking, Double Acting Button Handle - Edition P 2	2000	ASD-STAN	
1404	PREN 2044	Aerospace Series Round Bars, Drawn, in Aluminium and Aluminium Alloys Tolerance Class H 11 Diameter 4 mm Less Than or Equal to D Less Than or Equal to 63 mm Dimensions - Edition P 1; Supersedes Edition 1: December 1976	2000	ASD-STAN	
1405	PREN 2349-318	Aerospace Series Requirements and Test Procedures for Relays and Contactors Part 318: Pick-Up Voltage at High Temperature and Drop-Out Voltage at Low Temperature - Edition P 1	2000	ASD-STAN	
1406	PREN 2134	Aerospace Series Round bars, Extruded, in Aluminium Alloys Diameter 10 mm Less Than or Equal to D Less Than or Equal to 220 mm Dimensions - Edition P 1; Supersedes Edition 1: December 1976	2000	ASD-STAN	
1407	PREN 4557	Aerospace Series Pipe Coupling, 37 Degree, Spherical, in Heat Resisting Steel Tees Nipples, Welded Inch Series - Edition P 1	2000	ASD-STAN	
1408	PREN 4590	Aerospace Series Retainers, Spring, Sheet Metal, for Self-Locking Barrel Nuts, in Corrosion Resisting Steel, Passivated - Editino P 1	2000	ASD-STAN	
1409	PREN 4502	Aerospace Series Washers, Flat, for Riveting, in Heat Resisting Steel FE-PA4901 (Multimet), Inch Based Series - Edition P 1	2000	ASD-STAN	
1410	PREN 3155-046	Aerospace Series Electrical Contacts Used in Elements of Connection Part 046: Contacts, Electrical, Male, Type A, Double Crimping, Class S Product Standard - Edition P 2	2000	ASD-STAN	
1411	PREN 4358	Aerospace Series Six Lobe Recess Drivers, Double Ended, 90 Degrees - Edition P 1	2000	ASD-STAN	
1412	PREN 3899	Aerospace Series Inserts, Thickwall, Self-Locking, MJ Threads, in Heat Resisting Steel FE-PM3801 (17-4PH) Technical Specification - Edition P 1	2000	ASD-STAN	
1413	PREN 4067-007	Aerospace Series Connectors, Electrical, Circular, Scoop-Proof, Coupled by Threaded Ring, Fire-Resistant, Operating Temperature 260 Degrees C Peak Part 007: Hermetic Receptacle with Round Flange Attached by Soldering or Brazing Product Standard - Edition	2000	ASD-STAN	
1414	PREN 2349-415	Aerospace Series Requirements and Test Procedures for Relays and Contactors Part 415: Acceleration - Edition P 1	2000	ASD-STAN	
1415	PREN 2713-002	Aerospace Series Cables, Electrical, Single and Multicore for General Purpose Operating Temperatures Between -55 Degrees C and 200 Degrees C Part 002: Screened and Jacketed General - Edition P 3	2000	ASD-STAN	
1416	PREN 3155-022	Aerospace Series Electrical Contacts Used in Elements of Connection Part 022: Contacts, Electrical Rectangular, Male, Type A, Crimp, Class R Product Standard - Edition P 2	2000	ASD-STAN	
1417	PREN 2155-22	Aerospace Series Test Methods for Transparent Materials for Aircraft Glazing Part 22: Determination of Thermal Relaxation of Stretched Acrylic Sheet - Edition P 1	2000	ASD-STAN	
1418	PREN 2349-411	Aerospace Series Requirements and Test Procedures for Relays and Contactors Part 411: Temperature Change - Edition P 1	2000	ASD-STAN	
1419	PREN 3745-703	Aerospace Series Fibres and Cables, Optical, Aircraft Use Test Methods Part 703: Durability of Manufacturers Marking - Edition P 1	2000	ASD-STAN	

1420	PREN 2713-011	Aerospace Series Cables, Electrical, Single and Multicore for General Purpose Operating Temperatures Between -55 Degrees C and 200 Degrees C Part 011: Silver Plated Copper Screened (Spiral) and Jacketed, UV Laser Printable Product Standard - Edition P 1	2000	ASD-STAN	
1421	PREN 4359	Aerospace Series Six Lobe Recess Drivers, Technical Specification - Edition P 1	2000	ASD-STAN	
1422	PREN 4067-008	Aerospace Series Connectors, Electrical, Circular, Scoop-Proof, Coupled by Threaded Ring, Fire-Resistant, Operating Temperature 260 Degrees C Peak Part 008: Plug Product Standard - Edition P 1	2000	ASD-STAN	
1423	PREN 4347	Aerospace Series Steel FE-PM1506 (X3CrNiMoAl13-8-2) Vacuum Induction Melted and Consumable Electrode Remelted Softened Forging Stock a or D Less Than or Equal to 300mm - Edition P 1	2000	ASD-STAN	
1424	PREN 4067-004	Aerospace Series Connectors, Electrical, Circular, Scoop-Proof, Coupled by Threaded Ring, Fire-Resistant, Operating Temperature 260 Degrees C Peak Part 004: Jam-Nut Mounted Receptacle Product Standard - Edition P 1	2000	ASD-STAN	
1425	PREN 4545	Aerospace Series Steel FE-PL1505 (15CrMoV6) Air Melted Hardened and Tempered Plate 20 mm Less Than or Equal to a Less Than or Equal to 50 mm 1 080 MPa Less Than or Equal to Rm Less Than or Equal to 1 280 MPa - Edition P 1	2000	ASD-STAN	
1426	PREN 3745-512	Aerospace Series Fibres and Cables, Optical, Aircraft Use Test Methods Part 512: Flexure Endurance - Edition P 1	2000	ASD-STAN	
1427	PREN 3080	Aerospace Series Pipe Coupling 8 Degrees 30 in Titanium Alloy Tees, Reduced Branch with Thrust Wire Nut - Edition P 1	2000	ASD-STAN	
1428	PREN 4014	Aerospace Series Inserts, Thickwall, Self-Locking Design Standard - Edition P 1	2000	ASD-STAN	
1429	PREN 2349-319	Aerospace Series Requirements and Test Procedures for Relays and Contactors Part 319: Miss Test - Edition P 1	2000	ASD-STAN	
1430	PREN 4447	Aerospace Series Nuts, Elliptical Clinch, Self-Locking, UNJ Threads, in Heat Resisting Steel FE-PA2601 (A286), MoS2 Coated Classification: 900 MPa (at Ambient Temperature) / 425 Degrees C - Edition P 1	2000	ASD-STAN	
1431	PREN 2002-6	Aerospace Series Metallic Materials Test Methods Part 6: Bend Testing - Edition P 2	2000	ASD-STAN	
1432	PREN 4591	Aerospace Series Nuts, Barrel, Self-Locking, Floating, Self-Aligning, in Heat Resisting Nickel Base Alloy, MoS2 Lubricated Classification: 1 550 MPa (at Ambient Temperature)/315 Degrees C - Edition P 1	2000	ASD-STAN	
1433	PREN 4526	Aerospace Series Metallic Materials Test Methods Sharp Edge-Notch Tensile Testing for Sheet and Strip - Edition P 1	2000	ASD-STAN	
1434	TR 4271	Aerospace Series O-Rings Grooves Design Criteria for O-Ring Grooves Basic Calculations - Edition 1	2000	ASD-STAN	
1435	PREN 4561	Aerospace Series Pipe Coupling, Welded, in Heat Resisting Steel Elbow 90 Degree Inch Series - Edition P 1	2000	ASD-STAN	
1436	PREN 3361	Aerospace Series Steel FE-PM1802 (X5CrNiCu15-5) Consumable Electrode Remelted Solution Treated and Precipitation Treated Sheet and Strip a Less Than or Equal to 6 mm 1 070 MPa Less Than or Equal to Rm Less Than or Equal to 1 220 MPa - Edition P 3	2000	ASD-STAN	
1437	PREN 2818	Aerospace Series Steel FE-PM1802 (X5CrNiCu15-5) Consumable Electrode Remelted Solution Treated and Precipitation Treated Forgings a or D Less Than or Equal to 200 mm Rm Greater Than or Equal to 1 070 MPa - Edition P 3	2000	ASD-STAN	
1438	PREN 2155-4	Aerospace Series Test Methods for Transparent Materials for Aircraft Glazing Part 4 - Determination of Ultraviolet Light Transmission over Wavelength Range 280 nm to 360 nm - Edition P 1	2000	ASD-STAN	
1439	TR 4586	Aerospace Series Clips, Spring Tension Design Recommendations - Edition 1	2000	ASD-STAN	
1440	PREN 2349-303	Aerospace Series Requirements and Test Procedures for Relays and Contactors Part 303: Dielectric Strength - Edition P 1	2000	ASD-STAN	
1441	PREN 4458	Aerospace Series Studs, MJ Threads in Titanium Alloy TI-P64001, MoS2 Coated, with Serrated Locking Ring in Corrosion Resisting Steel Strength Class: 1 100 MPa (at Ambient Temperature) Technical Specification - Edition P 1	2000	ASD-STAN	
1442	PREN 2155-6	Aerospace Series Test Methods for Transparent Materials for Aircraft Glazing Part 6 - Determination of Optical Defects - Edition P 1	2000	ASD-STAN	
1443	PREN 4259	Aerospace Series Metallic Materials Definition of General Terms - Edition P 1	2000	ASD-STAN	
1444	PREN 4015	Aerospace Series Inserts, Thickwall, Self-Locking Installation and Removal Procedure - Edition P 1	2000	ASD-STAN	
1445	PREN 4067-003	Aerospace Series Connectors, Electrical, Circular, Scoop-Proof, Coupled by Threaded Ring, Fire-Resistant, Operating Temperature 260 Degrees C Peak Part 003: Square Flange Receptacle Product Standard - Edition P 1	2000	ASD-STAN	
1446	TR 4587	Aerospace Series Clips, Spring Tension Assembly Recommendations - Edition 1	2000	ASD-STAN	
1447	PREN 6068	Aerospace Series Pin, Quick Release, Self-Retaining Positive Locking, Single Acting, Button Handle - Edition P 2	2000	ASD-STAN	

1448	PREN 2591-212	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part 212: Surface Transfer Impedance - Edition P 1	2000	ASD-STAN	
1449	PREN 2002-16	Aerospace Series Metallic Materials Test Methods Part 16: Non-Destructive Testing Penetrant Testing - Edition P 1	2000	ASD-STAN	
1450	PREN 9000-2	Aerospace Series Aeroapace Industry Quality System Part 2: Requirements Applicable to Maintenance Organizations - Edition P2	2000	ASD-STAN	
1451	PREN 2349-305	Aerospace Series Requirements and Test Procedures for Relays and Contactors Part 305: Bounce Time - Edition P 1	2000	ASD-STAN	
1452	PREN 4562	Aerospace Series Pipe Coupling, Welded, in Heat Resisting Steel Reductors Inch Series - Edition P 1	2000	ASD-STAN	
1453	PREN 3364	Aerospace Series Steel FE-PM1802 (X5CrNiCu15-5) Consumable Electrode Remelted Softened Forging Stock a or D Less Than or Equal to 300 mm - Edition P 3	2000	ASD-STAN	
1454	PREN 2349-310	Aerospace Series Requirements and Test Procedures for Relays and Contactors Part 310: Rupture - Edition P 1	2000	ASD-STAN	
1455	PREN 2349-402	Aerospace Series Requirements and Test Procedures for Relays and Contactors Part 402: Corrosion, Salt Spray - Edition P 1	2000	ASD-STAN	
1456	PREN 4563	Aerospace Series Pipe Coupling, Welded, in Heat Resisting Steel Tees Inch Series - Edition P 1	2000	ASD-STAN	
1457	PREN 2349-316	Aerospace Series Requirements and Test Procedures for Relays and Contactors Part 316: Mechanical Life (Endurance at Reduced Load) - Edition P 1	2000	ASD-STAN	
1458	PREN 4444	Aerospace Series Nuts, Elliptical Clinch, Self-Locking, in Heat Resisting Steel FE-PA2601 (A286), MoS2 Coated Classification: 900 MPa (at Ambient Temperature) / 425 Degrees C Technical Specification - Edition P 1	2000	ASD-STAN	
1459	PREN 2349-407	Aerospace Series Requirements and Test Procedures for Relays and Contactors Part 407: Cold/Low Pressure and Moist Heat - Edition P 1	2000	ASD-STAN	
1460	PREN 2349-309	Aerospace Series Requirements and Test Procedures for Relays and Contactors Part 309: Exported Spikes - Edition P 1	2000	ASD-STAN	
1461	PREN 3155-013	Aerospace Series Electrical Contacts Used in Elements of Connection Part 013: Contacts, Electrical, Triaxial, Size 8, Female, Type D, Solder, Class R Product Standard - Edition P 2	2000	ASD-STAN	
1462	PREN 4346	Aerospace Series Steel FE-PM1505 (X1CrNiMoAlTi12-9-2) Vacuum Induction Melted and Consumable Electrode Remelted Softened Forging Stock a or D Less Than or Equal to 300mm - Edition P 1	2000	ASD-STAN	
1463	PREN 3155-017	Aerospace Series Electrical Contacts Used in Elements of Connection Part 017: Contacts, Electrical, Relay Base, Female, Type A, Crimp, Class P Product Standard - Edition P 1	2000	ASD-STAN	
1464	PREN 4493	Aerospace Series Inserts, Screw Thread, Helical Coil, Self-Locking, in Heat Resisting Nickel Base Alloy NI-PH1801 (NI-P96HT, Nimonic 90), Silver Plated - Edition P 1	2000	ASD-STAN	
1465	PREN 4445	Aerospace Series Nuts, Elliptical Clinch, Self-Locking Design Standard - Edition P 1	2000	ASD-STAN	
1466	PREN 4550-2	Aerospace Series Pipe Coupling, 37 Degree, Design Configuration Inch Series Part 2: Port Ends - Edition P 1	2000	ASD-STAN	
1467	PREN 4555	Aerospace Series Pipe Coupling, 37 Degree, in Heat Resisting Steel Ferrules, Welded Inch Series - Edition P 1	2000	ASD-STAN	
1468	PREN 2349-414	Aerospace Series Requirements and Test Procedures for Relays and Contactors Part 414: Mechanical Shock - Edition P 1	2000	ASD-STAN	
1469	PREN 4460	Aerospace Series Studs, in Titanium Alloy TI-P64001, with Serrated Locking Ring in Corrosion Resisting Steel Installation and Removal Procedure - Edition P 1	2000	ASD-STAN	
1470	PREN 3983	Aerospace Series Alumunium Aloy AL-P7050-T7651 Plate 6mm < a Greater Than or Equal to 160 mm - Edition P 2; Supersedes Edition P 1: June 1995	2000	ASD-STAN	
1471	PREN 3831	Aerospace Series Inserts, Thick Wall, Self-Locking, in Heat Resisting Steel FE-PM3801 (17-4PH), MoS2 Coated - Edition P 2	2000	ASD-STAN	
1472	PREN 3155-012	Aerospace Series Electrical Contacts Used in Elements of Connection Part 012: Contacts, Electrical, Triaxial, Size 8, Male, Type D, Solder, Class R Product Standard - Edition P 2	2000	ASD-STAN	
1473	PREN 3155-023	Aerospace Series Electrical Contacts Used in Elements of Connection Part 023: Contacts, Electrical Rectangular, Female, Type A, Crimp, Class R Product Standard - Edition P 2	2000	ASD-STAN	

1474	PREN 2155-20	Aerospace Series Test Methods for Transparent Materials for Aircraft Glazing Part 20: Determination of Retention of Strength After Crazing for as-Cast Acrylics - Edition P 1	2000	ASD-STAN	
1475	PREN 2349-202	Aerospace Series Requirements and Test Procedures for Relays and Contactors Part 202: Examination of Dimensions and Mass - Edition P 1	2000	ASD-STAN	
1476	PREN 2266-007	Aerospace Series Cables, Electrical, for General Purpose Operating Temperatures Between -55 Degrees C and 200 Degrees C Part 007: UV Laser Printable Multicore Jacketed Cable Product Standard - Edition P 1	2000	ASD-STAN	
1477	PREN 4354	Aerospace Series Six Lobe Recess Drivers, Relieved - Edition P 1	2000	ASD-STAN	
1478	PREN 2591-220	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part 220: Contact/Conductor joint Ageing by Current and Temperature Cycling - Edition P 1	2000	ASD-STAN	
1479	PREN 2349-306	Aerospace Series Requirements and Test Procedures for Relays and Contactors Part 306: Overload D.C. and A.C. - Edition P 1	2000	ASD-STAN	
1480	PREN 2240-001	Aerospace Series Lamps, Incandescent Part 001: Technical Specification - Edition P 2	2000	ASD-STAN	
1481	PREN 2083	Aerospace Series Copper or Copper Alloy Conductors for Electrical Cables Product Standard - Edition P 3; Supersedes Edition 2: January 1999; Replaced by EN 2083	2000	ASD-STAN	
1482	PREN 2349-412	Aerospace Series Requirements and Test Procedures for Relays and Contactors Part 412: Seal - Edition P 1	2000	ASD-STAN	
1483	PREN 4356	Aerospace Series Six Lobe Recess Drivers, Short - Edition P 1	2000	ASD-STAN	
1484	PREN 4459	Aerospace Series Studs, in Titanium Alloy TI-P64001, with Serrated Locking Ring in Corrosion Resisting Steel Design Standard - Edition P 1	2000	ASD-STAN	
1485	PREN 2349-312	Aerospace Series Requirements and Test Procedures for Relays and Contactors Part 312: Electrical Service Life - Mixed Load - Edition P 1	2000	ASD-STAN	
1486	PREN 2266-002	Aerospace Series Cables, Electrical, for General Purpose Operating Temperatures between - 55 Degrees C and 200 Degrees C Part 002: General - Edition P 2	2000	ASD-STAN	
1487	TR 4597	Aerospace Series Nuts, Bihexagonal, Self-Locking Torque for Technical Specifications Basic Calculations - Edition 1	2000	ASD-STAN	
1488	PREN 2349-405	Aerospace Series Requirements and Test Procedures for Relays and Contactors Part 405: Fluid Resistance - Edition P 1	2000	ASD-STAN	
1489	PREN 4317	Aerospace Series Heat Resisting Alloy FE-PA2601 (X6NiCrTiMoV26-15) Non Heat Treated Forging Stock a or D Less Than or Equal to 200mm - Edition P 1	2000	ASD-STAN	
1490	PREN 4553	Aerospace Series Pipe Coupling, 37 Degree, Spherical, in Heat Resisting Steel Elbow 90 Degree Nipples, Welded Inch Series - Edition P 1	2000	ASD-STAN	
1491	PREN 4421	Aerospace Series Studs, in Titanium Alloy TI-P64001, MoS2 Coated, with Serrated Locking Ring in Corrosion Resisting Steel Strength Class: 1 100 MPa (at Ambient Temperature) - Edition P 1	2000	ASD-STAN	
1492	PREN 3479	Aerospace Series Steel FE-PM1802 (X5CrNiCu15-5) Consumable Electrode Remelted Solution Treated and Precipitation Treated Plate 6 mm Less Than or Equal to a Less Than or Equal to 20 mm 1 070 MPa Less Than or Equal to Rm Less Than or Equal to 1 220 MPa - Ed	2000	ASD-STAN	
1493	PREN 4067-005	Aerospace Series Connectors, Electrical, Circular, Scoop-Proof, Coupled by Threaded Ring, Fire-Resistant, Operating Temperature 260 Degrees C Peak Part 005: Hermetic Square Receptacle Product Standard - Edition P 1	2000	ASD-STAN	
1494	PREN 6110	Aerospace Series Bolts, Blind 100 Degree Flush Head Stainless Steel - Edition P 1	2000	ASD-STAN	
1495	PREN 2349-308	Aerospace Series Requirements and Test Procedures for Relays and Contactors Part 308: Coil Current - Edition P 1	2000	ASD-STAN	
1496	PREN 3469	Aerospace Series Steel FE-PM1802 (X5CrNiCu15-5) Consumable Electrode Remelted Solution Treated and Precipitation Treated Forgings a or D Less than or Equal to 200 mm Rm Greater than or Equal to 1 310 MPa - Edition P 3	2000	ASD-STAN	
1497	PREN 4355	Aerospace Series Six Lobe Recess Drivers, Socket - Edition P 1	2000	ASD-STAN	
1498	PREN 3745-503	Aerospace Series Fibres and Cables, Optical, Aircraft Use Test Methods Part 503: Scrape Abrasion - Edition P 1	2000	ASD-STAN	
1499	PREN 2349-301	Aerospace Series Requirements and Test Procedures for Relays and Contactors Part 301: Pick-Up and Drop-Out Voltage - Edition P 1	2000	ASD-STAN	

1500	PREN 2002-21	Aerospace Series Metallic Materials Test Methods Part 21: Radiographic Testing of Castings - Edition P 2	2000	ASD-STAN	
1501	PREN 2817	Aerospace Series Steel FE-PM1802 (X5CrNiCu15-5) Consumable Electrode Remelted Solution Treated and Precipitation Treated Bar for Machining a or D Less Than or Equal to 200 mm Rm Greater Than or Equal to 1 070 MPa - Edition P 3	2000	ASD-STAN	
1502	PREN 4067-006	Aerospace Series Connectors, Electrical, Circular, Scoop-Proof, Coupled by Threaded Ring, Fire-Resistant, Operating Temperature 260 Degrees C Peak Part 006: Hermetic Jam-Nut Mounted Receptacle Product Standard - Edition P 1	2000	ASD-STAN	
1503	PREN 2821	Aerospace Series Steel FE-PM1802 (X5CrNiCu15-5) Consumable Electrode Remelted Solution Treated and Precipitation Treated Bar for Machining a or D Less Than or Equal to 200 mm Rm Greater Than or Equal to 1 310 MPa - Edition P 3	2000	ASD-STAN	
1504	PREN 4443	Aerospace Series Nuts, Elliptical Clinch, Self-Locking, MJ Threads, in Heat Resisting Steel FE-PA2601 (A286), MoS2 Coated Classification: 900 MPa (at Ambient Temperature) / 425 Degrees C - Edition P 1	2000	ASD-STAN	
1505	PREN 4554	Aerospace Series Pipe Coupling, 37 Degree, Spherical, in Heat Resisting Steel Straight Unions, Threaded Inch Series - Edition P 1	2000	ASD-STAN	
1506	PREN 3682-002	Aerospace Series Connectors, Plug and Receptacle, Electrical, Rectangular, Interchangeable Insert Type, Rack to Panel, Operating Temperature 150 Degrees C Continuous Part 002: Specification of Performance and Contact Arrangements - Edition P 1	2000	ASD-STAN	
1507	PREN 3102	Aerospace Series Sealants Test Methods Determination of Low-Temperature Flexibility - Edition P 1	2000	ASD-STAN	
1508	PREN 2349-413	Aerospace Series Requirements and Test Procedures for Relays and Contactors Part 413: Vibration, Sinusoidal and Random - Edition P 1	2000	ASD-STAN	
1509	PREN 4357	Aerospace Series Six Lobe Recess Drivers, Handle - Edition P 1	2000	ASD-STAN	
1510	PREN 3748	Aerospace Series O-Ring Grooves Dimensions - Edition P 1	2000	ASD-STAN	
1511	PREN 3475-401	Aerospace Series Cables, Electrical, Aircraft Use Test Methods Part 401 - Accelerated Ageing - Edition P 2	1999	ASD-STAN	
1512	PREN 3475-414	Aerospace Series Cables, Electrical, Aircraft Use Test Methods Part 414: Differential Scanning Calorimeter (DSC Test) - Edition P 1	1999	ASD-STAN	
1513	PREN 2813	Aerospace Series Aluminium Alloy AL-P6061-T6 Drawn Tube for Pressure Applications 0,6mm Less Than or Equal to a Less Than or Equal to 12,5mm - Edition P 2	1999	ASD-STAN	
1514	PREN 3113	Aerospace Series Screws, Hexagonal Normal Head, Fully Threaded, in Titanium Alloy Anodized Classification: 900 MPa/315 Degrees C - Edition P 2; Withdrawn - Not Replaced	1999	ASD-STAN	
1515	PREN 2714-011	Aerospace Series Cables, Electrical, Single and Multicore for General Purpose Operating Temperatures between - 55 Degrees Celsius and 260 Degrees Celsius Part 011: DM Family, Screened (Spiral) and Jacketed, UV Laser Printable Product Standard - Edition P	1999	ASD-STAN	
1516	PREN 4464	Aerospace Series Steel FE-PM1506 (X5CrNiMoAl13-8-2) Vacuum Induction Melted and Consumable Electrode Remelted Solution Treated and Precipitation Treated Forgings a or D Less Than or Equal to 150 mm Rm Greater Than or Equal to 1 200 MPa - Edition P 1	1999	ASD-STAN	
1517	PREN 2805	Aerospace Series Aluminium Alloy AL-P7475-T7651 Plate 6mm Less Than a Less Than or Equal to 40mm - Edition P 3	1999	ASD-STAN	
1518	PREN 3728	Aerospace Series Shaft-Nuts, Self-Locking, Left-Hand Thread, in Heat Resisting Steel FE-PA92HT (A286), Silver Plated - Edition P 1	1999	ASD-STAN	
1519	PREN 3777	Aerospace Series Pins, Quick Release, Single and Double Acting Technical Specification - Edition P 1	1999	ASD-STAN	
1520	PREN 3976	Aerospace Series Titanium and Titanium Alloys Test Method Chemical Analysis for the Determination of Hydrogen Content - Edition P 1	1999	ASD-STAN	
1521	PREN 7000-12	Aerospace Series Non-Metallic Materials Rules for the Drafting and Presentation of Material Standards Part 12: Woven Fabrics	1999	ASD-STAN	
1522	PREN 9000-1	Aerospace Series Aerospace Industry Quality System Part 1: Requirements Applicable to Suppliers - Edition P 3	1999	ASD-STAN	
1523	PREN 3678	Aerospace Series Steel FE-PM3801 (X5CrNiCu17-4) Air Melted Solution Treated and Precipitation Treated Forgings a or D Less Than or Equal to 200 mm Rm Greater Than or Equal to 930 MPa - Edition P 1	1999	ASD-STAN	
1524	PREN 4127	Aerospace Series Bolts, Normal Hexagonal Head, Coarse Tolerance Normal Shank, Short Thread, in Titanium Alloy, Aluminium IVD Coated Classification : 1 100 MPa (at Ambient Temperature)/425 Degrees C - Edition P 2	1999	ASD-STAN	
1525	PREN 3745-406	Aerospace Series Fibres and Cables, Optical, Aircraft Use Test Methods Part 406: Cold Bend Test - Edition P 1	1999	ASD-STAN	

1526	PREN 4494	Aerospace Series Rings, Split, in Steel - Edition P 1	1999	ASD-STAN	
1527	PREN 4400-1	Aerospace Series Aluminium and Aluminium Alloy Wrought Products Technical Specification Part 1: Plate - Edition P 1	1999	ASD-STAN	
1528	TR 3791	Aerospace Series Materials for Self-Locking Nuts, Threaded Inserts and Screw Thread Inserts of Temperature Classes Less Than or Equal to 425 Degrees Celsius - Edition 3	1999	ASD-STAN	
1529	PREN 3677	Aerospace Series Steel FE-PM3801 (X5CrNiCu17-4) Air Melted Solution Treated and Precipitation Treated Forgings a or D Less Than or Equal to 200 mm Rm Greater Than or Equal to 1 310 MPa - Edition P 1	1999	ASD-STAN	
1530	PREN 2549	Aerospace Series Bolts, Normal Hexagonal Head, Close Tolerance Normal Shank, Short Thread, in Titanium Alloy, Anodized, MoS2 Lubricated Classification: 1 100 MPa (at Ambient Temperature)/315 Degrees C - Edition 1	1999	ASD-STAN	
1531	PREN 3163	Aerospace Series Steel FE-PM3801 (X5CrNiCu17-4) Air Melted Forging Stock a or D Less Than or Equal to 300 mm - Edition P 1	1999	ASD-STAN	
1532	PREN 4307	Aerospace Series Sleeves, Tubular, for Shear Screws with Flush Head, in Corrosion Resisting Steel, Passivated, (0,50 mm Wall Thickness) - Edition P 1	1999	ASD-STAN	
1533	PREN 2608	Aerospace Series Installation and Removal Requirements for 8 Degree 30 Adaptors, Threaded with Lockring - Edition P 1	1999	ASD-STAN	
1534	PREN 2123	Aerospace Series Aluminium Alloy AL-P2618A T851 Plate 6 mm Less Than a Less Than or Equal to 140mm - Edition P 2	1999	ASD-STAN	
1535	PREN 4396	Aerospace Series Shaft-Nuts, Self-Locking, in Heat Resisting Steel FE-PA92HT (A286), Silver Plated - Edition P 1	1999	ASD-STAN	
1536	PREN 3511	Aerospace Series Steel FE-PL1801 (100Cr6) Vacuum Induction Melted and Consumable Electrode Remelted Softened Bar for the Manufacture of Machined Bearings a or D Less Than or Equal to 130 mm - Edition P 2	1999	ASD-STAN	
1537	PREN 3295	Aerospace Series Shaft-Nuts, Self-Locking, in FE-PA92HT (A286), Silver Plated - Edition P 3;	1999	ASD-STAN	
1538	PREN 2591-609	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part 609: Optical Elements Effectiveness of Cable Attachment Cable Cyclic Flexing - Edition P 2	1999	ASD-STAN	
1539	PREN 4463	Aerospace Series Steel FE-PM1506 (X5CrNiMoA113-8-2) Vacuum Induction Melted and Consumable Electrode Remelted Solution Treated and Precipitation Treated Bar a or D Less Than or Equal to 150 mm Rm Greater Than or Equal to 1 400 MPa - Edition P 1	1999	ASD-STAN	
1540	PREN 3745-306	Aerospace Series Fibres and Cables, Optical, Aircraft Use Test Methods Part 306: Variation of Attenuation During Temperature Cycling - Edition P 2	1999	ASD-STAN	
1541	PREN 4420	Aerospace Series Clips, Spring Tension, in Alloy Steel FE-PA3903 - Edition P 1	1999	ASD-STAN	
1542	PREN 3526	Aerospace Series Steel FE-PL1505 (15CrMoV6) Air Melted Hardened and Tempered Sheet and Strip 0,5 mm Less Than or Equal to a Less Than or Equal to 6 mm 980 MPa Less Than Rm Less Than or Equal to 1 180 MPa - Edition P 2	1999	ASD-STAN	
1543	PREN 2804	Aerospace Series Aluminium Alloy AL-P7075-T7651 Plate 6mm Less Than a Less Than or Equal to 25mm - Edition P 3	1999	ASD-STAN	
1544	PREN 4405-006	Aerospace Series Paints and Varnishes Corrosion Resistant Chromate Free Two Component Cold Curing Primer Part 6: High Corrosion Resistance for Military Application	1999	ASD-STAN	
1545	PREN 4569	Aerospace Series Heat Resisting Alloy CO-PH4101 (CoCr20W15Ni) Vacuum Melted Solution Treated Wire D Less Than or Equal to 4 mm - Edition P1	1999	ASD-STAN	
1546	PREN 4306	Aerospace Series Sleeves, Tubular, for Tension Screws with Flush Head, in Corrosion Resisting Steel, Passivated, (0,50 mm Wall Thickness) - Edition P 1	1999	ASD-STAN	
1547	PREN 4497	Aerospace Series Screws, Pan Head, Offset Cruciform Recess, Close Tolerance Normal Shank, Short Thread, in Titanium Alloy, Anodized, with Aluminium Pigmented Coating Classification: 1 100 MPa (at Ambient Temperature)/ 315 C Degrees - Edition P 1	1999	ASD-STAN	
1548	PREN 4568	Aerospace Series Heat Resisting Alloy CO-PH4101 (CoCr20W15Ni) Vacuum Melted Solution Treated Sheet and Strip a Less Than or Equal to 6 mm - Edition P1	1999	ASD-STAN	
1549	PREN 4312	Aerospace Series Studs, Coarse Tolerance Reduced Shank, Medium Length Thread, in Heat and Corrosion Resisting Steel, with Aluminium Pigmented Coating Classification: 1 100 MPa (at Ambient Temperature)/315 Degrees C - Edition P 1	1999	ASD-STAN	
1550	PREN 4496	Aerospace Series Screws, 100 Degree Countersunk Normal Head, Offset Cruciform Recess, Close Tolerance Normal Shank, Short Thread, in Titanium Alloy, Anodized, with Aluminium Pigmented Coating Classification: 1 100 MPa (at Ambient Temperature)/ 315 C Degre	1999	ASD-STAN	
1551	PREN 4571	Aerospace Series Heat Resisting Alloy FE-PA4901 (X12CrNiCoMoW21-20) Solution Treated Bar and Section De Less Than or Equal to 100 mm - Edition P1	1999	ASD-STAN	

1552	PREN 4471	Aerospace Series Steel FE-PM1505 (X1CrNiMoAlTi12-9-2) Vacuum Induction Melted and Consumable Electrode Remelted Solution Treated and Precipitation Treated Forgings a or D Less Than or Equal to 150 mm Rm Greater Than or Equal to 1 300 MPa - Edition P 1	1999	ASD-STAN	
1553	PREN 4575	Aerospace Series Heat Resisting Alloy FE-PA4901 (X12CrNiCoMoW21-20) Solution Treated and Descaled Sheet and Plate 3 mm Less Than a Less Than or Equal to 50 mm - Edition P1	1999	ASD-STAN	
1554	PREN 3525	Aerospace Series Steel FE-PL1505 (15CrMoV6) Air Melted Hardened and Tempered Plate 6 mm Less Than or Equal to a Less Than or Equal to 20 mm 1 080 MPa Less Than Rm Less Than or Equal to 1 280 MPa - Edition P 2	1999	ASD-STAN	
1555	PREN 4352	Aerospace Series Bolts, Double Hexagon Head with Lockwire Holes, Relieved Shank, Long Thread, in Heat Resisting Nickel Base Alloy NI-PH2601 (Inconel 718), MoS2 Coated Classification: 1 550 MPa (at Ambient Temperature) / 425 Degrees C - Edition P 1	1999	ASD-STAN	
1556	PREN 4207	Aerospace Series Aluminium Alloy AL-P8090-T89 Extruded Bar and Section a or D Less Than or Equal to 15mm with Peripheral Coarse Grain Control - Edition P 1	1999	ASD-STAN	
1557	PREN 2267-008	Aerospace Series Cables, Electrical, for General Purpose Operating Temperatures between -55 Degrees Celsius and 260 Degrees Celsius Part 008: DM Family, Single UV Printable and Multicore Assembly Product Standard - Edition P1	1999	ASD-STAN	
1558	PREN 4304	Aerospace Series Sleeves, Tubular, for Shear Screws with Flush Head, in Corrosion Resisting Steel, Passivated, (0,25 mm Wall Thickness) - Edition P 1	1999	ASD-STAN	
1559	PREN 7000-11	Aerospace Series Non-Metallic Materials Rules for the Drafting and Presentation of Material Standards Part 11: Preimpregnates - Edition P 1	1999	ASD-STAN	
1560	PREN 4071	Aerospace Series Bolts, Normal Hexagonal Head, Close Tolerance Normal Shank, Short Thread, in Titanium Alloy, Aluminium IVD Coated Classification : 1 100 MPa (at Ambient Temperature)/425 Degrees C - Edition P 2	1999	ASD-STAN	
1561	PREN 4470	Aerospace Series Steel FE-PM1505 (X1CrNiMoAlTi12-9-2) Vacuum Induction Melted and Consumable Electrode Remelted Solution Treated and Precipitation Treated Forgings a or D Less Than or Equal to 150 mm Rm Greater Than or Equal to 1 200 MPa - Edition P 1	1999	ASD-STAN	
1562	PREN 4462	Aerospace Series Steel FE-PM1506 (X5CrNiMoAl13-8-2) Vacuum Induction Melted and Consumable Electrode Remelted Solution Treated and Precipitation Treated Bar a or D Less Than or Equal to 150 mm Rm Greater Than or Equal to 1 300 MPa - Edition P 1	1999	ASD-STAN	
1563	PREN 4572	Aerospace Series Heat Resisting Alloy FE-PA4901 (X12CrNiCoMoW21-20) Solution Treated Sheet and Strip a Less Than or Equal to 3 mm - Edition P1	1999	ASD-STAN	
1564	PREN 3908	Aerospace Series Nipples, Lubricating, Axial Type, in Corrosion Resisting Steel, Passivated - Edition P 2	1999	ASD-STAN	
1565	PREN 3745-401	Aerospace Series Fibres and Cables, Optical, Aircraft Use Test Methods Part 401: Accelerated Ageing - Edition P 1	1999	ASD-STAN	
1566	PREN 7000-8	Aerospace Series Non-Metallic Materials Rules for the Drafting and Presentation of Material Standards Part 8: Lightweight Cores - Edition P 1	1999	ASD-STAN	
1567	PREN 3843	Aerospace Series Nuts, Bihexagonal, Self-Locking, with Counterbore, in Heat Resisting Steel, Passivated Classification: 1 100 MPa (at Ambient Temperature)/650 Degrees C - Edition P 2	1999	ASD-STAN	
1568	PREN 4303	Aerospace Series Sleeves, Tubular, for Tension Screws with Flush Head, in Corrosion Resisting Steel, Passivated, (0,25 mm Wall Thickness) - Edition P 1	1999	ASD-STAN	
1569	PREN 2267-007	Aerospace Series Cables, Electrical, for General Purpose Operating Temperatures between -55 Degrees Celsius and 260 Degrees Celsius Part 007: DMA Family, Single Ink-Jet Printable and Multicore Assembly Product Standard - Edition P1	1999	ASD-STAN	
1570	PREN 4321	Aerospace Series Bolts, Double Hexagon Head with Lockwire Holes, Relieved Shank, Long Thread, in Heat Resisting Nickel Base Alloy NI-PH2601 (Inconel 718), Silver Plated Classification: 1 550 MPa (at Ambient Temperature) / 650 Degrees C - Edition P 1	1999	ASD-STAN	
1571	TR 4070	Aerospace Series Molybdenum Disulphide Coatings List of Commercial Products - Edition 1	1999	ASD-STAN	
1572	PREN 2349-314	Aerospace Series Requirements and Test Procedures for Relays and Contactors Part 314: Electrical Service Life - Inductive Load - Edition 3E	1999	ASD-STAN	
1573	PREN 4487	Aerospace Series Carbon Filament Yarn 5500 MPa Nominal Strength 300 GPa Nominal Modulus	1999	ASD-STAN	
1574	PREN 3162	Aerospace Series Steel FE-PM3801 (X5CrNiCu17-4) Air Melted Solution Treated and Precipitation Treated Sheet and Strip a Less Than or Equal to 6 mm Rm Greater Than or Equal to 930 MPa - Edition P 1	1999	ASD-STAN	

1575	TR 3775	Aerospace Series Bolts and Pins Materials - Edition 4	1999	ASD-STAN	
1576	PREN 4603	Aerospace Series Molybdenum Disulphide Coatings of Fasteners Technical Specification - Edition P 1	1999	ASD-STAN	
1577	PREN 4495	Aerospace Series Bolts, Normal Hexagonal Head, Close Tolerance Normal Shank, Short Thread, in Titanium Alloy, Anodized, with Aluminium Pigmented Coating Classification: 1 100 MPa (at Ambient Temperature)/ 315 C Degrees - Edition P 1	1999	ASD-STAN	
1578	PREN 4176	Aerospace Series Lockbolts, 100 Degree Countersunk Normal Head or Protruding Head, Tension-/ Sheartype, Close Tolerance, in Titanium Alloy TI-P64001, Anodized or with Aluminium Pigmented Coating Collars in Titanium TI-P99002 or Aluminium Alloy 2024 Metric	1999	ASD-STAN	
1579	PREN 4457	Aerospace Series Aluminium Alloy AL-P7475-T7351 Plate 6 mm Less Than a Less than or Equal to 100 mm - Edition P 1	1999	ASD-STAN	
1580	PREN 4461	Aerospace Series Steel FE-PM1506 (X5CrNiMoAl13-8-2) Vacuum Induction Melted and Consumable Electrode Remelted Solution Treated and Precipitation Treated Bar a or D Less Than or Equal to 150 mm Rm Greater Than or Equal to 1 200 MPa - Edition P 1	1999	ASD-STAN	
1581	PREN 4469	Aerospace Series Steel FE-PM1505 (X1CrNiMoAlTi12-9-2) Vacuum Induction Melted and Consumable Electrode Remelted Solution Treated and Precipitation Treated Bar a or D Less Than or Equal to 150 mm Rm Greater Than or Equal to 1 400 MPa - Edition P 1	1999	ASD-STAN	
1582	PREN 4506	Aerospace Series Determination of Coefficients of Friction of Bolts and Nuts under Specified Conditions - Edition P 1	1999	ASD-STAN	
1583	PREN 4509	Aerospace Series, Screws, 100 Degree Countersunk Normal Head, Offset Cruciform Recess, Threaded to Head, in Titanium Alloy, Anodized, with Aluminium Pigmented Coating Classification: 1 100 MPa (at Ambient Temperature)/ 315 Degrees - Edition P 1	1999	ASD-STAN	
1584	PREN 6085	Aerospace Series Non-Metallic Materials Epoxy Surfacing Films - Edition P1	1999	ASD-STAN	
1585	PREN 4175	Aerospace Series Collars, Flanged Swage Locking, Sheartype, in Titanium TI-P99002, Metric Series - Edition P 1	1999	ASD-STAN	
1586	PREN 4402	Aerospace Series Lockbolts, 100 Degree Countersunk Normal Head, Sheartype, Close Tolerance, in Titanium Alloy TI-P64001. with Aluminium Pigmented Coating, Metric Series Classification: 1 100 MPa (at Ambient Temperature)/ 315 Degrees Celsius - Edition P 1	1999	ASD-STAN	
1587	PREN 3161	Aerospace Series Steel FE-PM3801 (X5CrNiCu17-4) Air Melted Solution Treated and Precipitation Treated Bar a or D Less Than or Equal to 200 mm Rm Greater Than or Equal to 930 MPa - Edition P 1	1999	ASD-STAN	
1588	PREN 3916	Aerospace Series Insert, Thin Wall, Salvage Procedure for Components - Edition P 1	1999	ASD-STAN	
1589	PREN 4173	Aerospace Series Lockbolts, 100 Degree Countersunk Normal Head, Sheartype, Close Tolerance, in Titanium Alloy TI-P64001, Anodized, Metric Series Classification: 1 100 MPa (at Ambient Temperature)/ 315 Degrees Celsius - Edition P 1	1999	ASD-STAN	
1590	PREN 3524	Aerospace Series Steel FE-PL1505 (15CrMoV6) Air Melted Hardened and Tempered Sheet and Strip 2 mm Less Than or Equal to a Less Than or Equal to 6 mm 1 080 MPa Less Than or Equal to Rm Less Than or Equal to 1 280 MPa - Edition P 2	1999	ASD-STAN	
1591	PREN 4573	Aerospace Series Heat Resisting Alloy FE-PA4901 (X12CrNiCoMoW21-20) Solution Treated and Precipitation Treated Bar and Section De Less Than or Equal to 100 mm - Edition P1	1999	ASD-STAN	
1592	PREN 3915	Aerospace Series Insert, Thin Wall, Self-Locking, Mj Threads, in Heat Resisting Nickel Base Alloy NI-PH2601 (Ni-P100HT, Inconel 718), for Salvage of Components Classification: 1 275 MPa (at Ambient Temperature)/ 550 C Degrees Technical Specification - Edi	1999	ASD-STAN	
1593	PREN 4574	Aerospace Series Heat Resisting Alloy FE-PA4901 (X12CrNiCoMoW21-20) Solution Treated and Precipitation Treated Forgings De Less Than or Equal to 100 mm - Edition P1	1999	ASD-STAN	
1594	PREN 4467	Aerospace Series Steel FE-PM1505 (X1CrNiMoAlTi12-9-2) Vacuum Induction Melted and Consumable Electrode Remelted Solution Treated and Precipitation Treated Bar a or D Less Than or Equal to 150 mm Rm Greater Than or Equal to 1 200 MPa - Edition P 1	1999	ASD-STAN	
1595	PREN 3336	Aerospace Series Aluminium Alloy AL-P7150-T651 Plate 6mm Less Than a Less Than or Equal to 40mm - Edition P 3	1999	ASD-STAN	
1596	PREN 2889	Aerospace Series Bolts, Normal Hexagonal Head, Coarse Tolerance Normal Shank, Short Thread, in Alloy Steel, Cadmium Plated Classification: 900 MPa (at Ambient Temperature) / 235 Degrees C - Edition 1	1999	ASD-STAN	
1597	PREN 3160	Aerospace Series Steel FE-PM3801 (X5CrNiCu17-4) Air Melted Solution Treated and Precipitation Treated Bar a or D Less Than or Equal to 200 mm Rm Greater Than or Equal to 1 310 MPa - Edition P 1	1999	ASD-STAN	
1598	PREN 3432	Aerospace Series Lockwashers, Steel, Cadmium Plated - Edition P 2; Withdrawn - Not Replaced	1999	ASD-STAN	

1599	PREN 4172	Aerospace Series Lockbolts, Protruding Head, Sheartype, Close Tolerance, in Titanium Alloy TI-P64001, Anodized, Metric Series Classification: 1 100 MPa (at Ambient Temperature)/ 315 Degrees Clesius - Edition P 1	1999	ASD-STAN	
1600	PREN 4511	Aerospace Series Heat Resisting Alloy NI-PH2301 (NiCr22FeMo) Solution Treated and Cold Worked Wire for Rivets 1,6 mm Less Than or Equal to D Less Than or Equal to 10 mm - Edition P1	1999	ASD-STAN	
1601	PREN 4501	Aerospace Series Bolts, Shouldered, Thin Hexigonal Head, Close Tolerance Shank, Short Thread, in Titanium Alloy, Anodized, with Aluminium Pigmented Coating Classification: 1 100 MPa (at Ambient Temperature)/ 315 C Degrees - Edition P 1	1999	ASD-STAN	
1602	PREN 4401	Aerospace Series Lockbolts, Protruding Head, Sheartype, Close Tolerance, in Titanium Alloy TI-P64001, with Aluminium Pigmented Coating, Metric Series Classification: 1 100 MPa (at Ambient Temperature)/ 315 Degrees Celsius - Edition P 1	1999	ASD-STAN	
1603	PREN 2349-313	Aerospace Series Requirements and Test Procedures for Relays and Contactors Part 313: Electrical Service Life - Resistive Load - Edition 3E	1999	ASD-STAN	
1604	PREN 3531	Aerospace Series Steel FE-PM2701 (X2NiCoMo18-8-5) Vacuum Induction Melted and Vacuum Arc Remelted Solution Treated and Precipitation Treated Sheet and Strip a Less Than or Equal to 6 mm 1 750 MPa Less Than or Equal to Rm Less Than or Equal to 2 000 MPa -	1999	ASD-STAN	
1605	PREN 4466	Aerospace Series Steel FE-PM1506 (X5CrNiMoA113-8-2) Vacuum Induction Melted and Consumable Electrode Remelted Solution Treated and Precipitation Treated Forgings a or D Less Than or Equal to 150 mm Rm Greater Than or Equal to 1 400 MPa - Edition P 1	1999	ASD-STAN	
1606	PREN 3296	Aerospace Series Rings, Threaded, Self-Locking, in FE-PA92HT (A286), Silver Plated - Edition P 3; Replaced by PREN 4399	1999	ASD-STAN	
1607	PREN 3745-412	Aerospace Series Fibres and Cables, Optical, Aircraft Use Test Methods Part 412: Humidity Resistance - Edition P 1	1999	ASD-STAN	
1608	PREN 3553	Aerospace Series Aluminium Alloy AL-P2618A T6511 Extruded Bar and Section a or D Less Than or Equal to 160mm - Edition P 2	1999	ASD-STAN	
1609	PREN 4499	Aerospace Series Screws, 100 Degree Countersunk Reduced Head, Offset Cruciform Recess, Close Tolerance Normal Shank, Short Thread, in Titanium Alloy, Anodized, with Aluminium Pigmented Coating Classification: 1 100 MPa (at Ambient Temperature)/ 315 C Degr	1999	ASD-STAN	
1610	PREN 2687	Aerospace Series Aluminium Alloy AL-P7010-T73651 Plate 6 mm Less Than a Less Than or Equal to 160 mm - Edition P 1	1999	ASD-STAN	
1611	PREN 2888	Aerospace Series Bolts, Normal Hexagonal Head, Coarse Tolerance Normal Shank, Short Thread, in Corrosion Resisting Steel, Passivated Classification: 600 MPa (at Ambient Temperature) / 425 Degrees C - Edition 1	1999	ASD-STAN	
1612	PREN 4399	Aerospace Series Rings, Threaded, Self-Locking, in Heat Resisting Steel FE-PA92HT (A286), Silver Plated - Edition P 1	1999	ASD-STAN	
1613	PREN 3523	Aerospace Series Steel FE-PL1505 (15CrMoV6) Air Melted Hardened and Tempered Bar for Machining De Less Than or Equal to 100 mm 1 080 MPa Less Than or Equal to Rm Less Than or Equal to 1 280 MPa - Edition P 2	1999	ASD-STAN	
1614	PREN 2959	Aerospace Series Heat Resisting Alloy NI-PH1302 (NiCr20Co13Mo4Ti3Al) Solution Treated and Cold Worked Bar for Forged Fasteners 3 mm Less Than or Equal to D Less Than or Equal to 30 mm - Edition P2	1999	ASD-STAN	
1615	PREN 2124	Aerospace Series Aluminium Alloy AL-P2214-T651 Plate 6mm Less Than a Less Than or Equal to 140mm - Edition P 2	1999	ASD-STAN	
1616	PREN 2177	Aerospace Series Heat Resisting Alloy FE-PA2501 (X4iCrMoTi43-13) Solution Treated and Precipitation Treated Forgings De Less Than or Equal to 100 mm - Edition P1	1999	ASD-STAN	
1617	PREN 4570	Aerospace Series Heat Resisting Alloy FE-PA4901 (X12CrNiCoMoW21-20) Solution Treated Forgings De Less Than or Equal to 100 mm - Edition P1	1999	ASD-STAN	
1618	PREN 4465	Aerospace Series Steel FE-PM1506 (X5CrNiMoA113-8-2) Vacuum Induction Melted and Consumable Electrode Remelted Solution Treated and Precipitation Treated Forgings a or D Less Than or Equal to 150 mm Rm Greater Than or Equal to 1 300 MPa - Edition P 1	1999	ASD-STAN	
1619	PREN 2684	Aerospace Series Aluminium Alloy AL-P7010-T7651 Plate 6 mm Less Than a Less Than or Equal to 140 mm - Edition P 1	1999	ASD-STAN	
1620	PREN 3914	Aerospace Series Insert, Thin Wall, Self-Locking, Long, in Heat Resisting Nickel Base Alloy NI-PH2601 (Ni-P100HT, Inconel 718), Silver Plated on Internal Thread, for Salvage of Components - Edition P 1	1999	ASD-STAN	
1621	PREN 4566	Aerospace Series Heat Resisting Alloy CO-PH4101 (CoCr20W15Ni) Vacuum Melted Solution Treated Forgings De Less Than or Equal to 100 mm - Edition P1	1999	ASD-STAN	

1622	PREN 2178	Aerospace Series Heat Resisting Alloy FE-PA2501 (X4NiCrMoTi43-13) Solution Treated and Precipitation Treated Bar and Section De Less Than or Equal to 200 mm - Edition P1	1999	ASD-STAN	
1623	PREN 3729	Aerospace Series Rings, Threaded, Self-Locking, Left-Hand Thread, in Heat Resisting Steel FE-PA92HT (A286), Silver Plated - Edition P 1	1999	ASD-STAN	
1624	PREN 4472	Aerospace Series Steel FE-PM1505 (X1CrNiMoAlTi12-9-2) Vacuum Induction Melted and Consumable Electrode Remelted Solution Treated and Precipitation Treated Forgings a or D Less Than or Equal to 150 mm Rm Greater Than or Equal to 1 400 MPa - Edition P 1	1999	ASD-STAN	
1625	PREN 3079	Aerospace Series Pipe Coupling 8 Degree 30 Up to 28 000 kPa Adaptors Metric Series Technical Specification - Edition P 1	1999	ASD-STAN	
1626	PREN 4567	Aerospace Series Heat Resisting Alloy CO-PH4101 (CoCr20W15Ni) Vacuum Melted solution Treated Bar and Section a or D Less Than or Equal to 100 mm - Edition P1	1999	ASD-STAN	
1627	PREN 2859	Aerospace Series Bolts, Normal Hexagonal Head, Close Tolerance Normal Shank, Short Thread, in Alloy Steel, Cadmium Plated Classification: 1 100 MPa (at Ambient Temperature) / 235 Degrees C - Edition 1	1999	ASD-STAN	
1628	PREN 4498	Aerospace Series Bolts, Large Bihexagonal Head, Close Tolerance Normal Shank, Medium Length Thread, in Heat Resisting Nickel Base Alloy, Passivated, with Aluminium Pigmented Coating Classification: 1 550 MPa (at Ambient Temperature)/ 315 C Degrees - Editi	1999	ASD-STAN	
1629	PREN 2714-012	Aerospace Series Cables, Electrical, Single and Multicore for General Purpose Operating Temperatures between - 55 Degrees Celsius and 260 Degrees Celsius Part 012: DM Family, Screened (Braided) and Jacketed, UV Laser Printable Product Standard - Edition P	1999	ASD-STAN	
1630	PREN 3913	Aerospace Series insert, Thin Wall, Self-Locking, Short, in Heat Resisting Nickel Base Alloy NI-PH2601 (Ni-P100HT, Inconel 718), Silver Plated on Internal Thread, for Salvage of Components - Edition P 1	1999	ASD-STAN	
1631	PREN 3529	Aerospace Series Steel FE-PM2701 (X2NiCoMo18-8-5) Vacuum Induction Melted and Vacuum Arc Remelted Solution Treated and Precipitation Treated Forgings a or D Less Than or Equal to 150 mm 1 750 MPa Less Than or Equal to Rm Less Than or Equal to 2 000 MPa -	1999	ASD-STAN	
1632	PREN 3745-407	Aerospace Series Fibres and Cables, Optical, Aircraft Use Test Methods Part 407: Flammability - Edition P 1	1999	ASD-STAN	
1633	PREN 3512	Aerospace Series Steel FE-PL1801 (100Cr6) Vacuum Induction Melted and Consumable Electrode Remelted Hardened and Tempered Hollow Bars for the Manufacture of Bearings 3,5 mm Less Than or Equal to a Less Than or Equal to 55 mm - Edition P 2	1999	ASD-STAN	
1634	PREN 2349-315	Aerospace Series Requirements and Test Procedures for Relays and Contactors Part 315: Electrical Service Life - Lamp Load - Edition 3E	1999	ASD-STAN	
1635	PREN 4468	Aerospace Series Steel FE-PM1505 (X1CrNiMoAlTi12-9-2) Vacuum Induction Melted and Consumable Electrode Remelted Solution Treated and Precipitation Treated Bar a or D Less Than or Equal to 150 mm Rm Greater Than or Equal to 1 300 MPa - Edition P 1	1999	ASD-STAN	
1636	PREN 4387	Aerospace Series Non-Metallic Materials Rules for Drafting and Presentationof Technical Specifications - Edition P 1	1999	ASD-STAN	
1637	PREN 3433	Aerospace Series Lockwashers, Heat Resisting Steel, Passivated - Edition P 2; Withdrawn - Not Replaced	1999	ASD-STAN	
1638	PREN 6084	Aerospace Series Non-Metallic Materials Surfacing Films Technical Specification General Requirements - Edition P1	1999	ASD-STAN	
1639	PREN 4174	Aerospace Series Collars, Swage Locking, Sheartype, in Aluminium Alloy 2024, Anodized or Chromated, Metric Series - Edition P 1	1999	ASD-STAN	
1640	PREN 3052	Aerospace Series Bolts, Hexagonal Normal Head, Close Tolerance Normal Shank, Short Thread, in Heat and Corrosion Resisting Steel, Passivated Classification: 1100 MPa (at Ambient Temperature) / 425 Degrees C - Edition 1	1999	ASD-STAN	
1641	PREN 3532	Aerospace Series Steel FE-PM2701 (X2NiCoMo18-8-5) Vacuum Induction Melted and Vacuum Arc Remelted Solution Treated and Precipitation Treated Plate 6 mm Less Than or Equal to a Less Than or Equal to 40 mm 1 750 MPa Less Than or Equal to Rm Less Than or Equ	1999	ASD-STAN	
1642	PREN 3745-513	Aerospace Series Fibres and Cables, Optical, Aircraft Use Test Methods Part 513: Crush Resistance - Edition P 1	1999	ASD-STAN	
1643	PREN 2161	Aerospace Series Heat Resisting Alloy CO-CH1401 (CoCr26i11W) Not Heat Treated Precision Casting - Edition P1	1999	ASD-STAN	
1644	PREN 4285	Aerospace Series Aluminium Alloy AL-P2219-T851 Forgings a Less Than or Equal to 400 mm - Edition P 1	1998	ASD-STAN	

1645	PREN 3757	Aerospace Series Nuts, Anchor, Self-Locking, Floating, Self-Aligning, Two Lug, in Heat Resisting Steel, MoS2 Lubricated Classification : 900 MPa (at Ambient Temperature) / 315 Degr C - Edition P 2	1998	ASD-STAN	
1646	PREN 7001	Aerospace Series Process Standards Rules for the Drafting and Presentation of Surface Treatment Standards - Edition P 1	1998	ASD-STAN	
1647	PREN 6071	Aerospace Series Aluminium and Aluminium Alloy Wrought Products Technical Specification Plate - Edition P 1	1998	ASD-STAN	
1648	PREN 2386	Aluminium Alloy 7075-T7352 Hand Forgings a Less Than or Equal to 150 mm Aerospace Series - Edition 2	1998	ASD-STAN	
1649	PREN 2763	Aerospace Series Steel FE-PL1504 (33CrMoV12) Air Melted Hardened and Tempered Bar for Machining De Less Than or Equal to 80 mm 1 200 MPa Less Than or Equal to Rm Less Than or Equal to 1 350 MPa - Edition P 3	1998	ASD-STAN	
1650	PREN 2240-101	Aerospace Series Lamps, Incandescent Part 101: Lamp, Code 404-02 Product Standard - Edition P 1	1998	ASD-STAN	
1651	PREN 3841-307	Aerospace Series Circuit Breakers Test Methods Part 307 : Performance with a Locked Tripping System - Edition P 2	1998	ASD-STAN	
1652	PREN 4054	Aerospace Series Pipe Couplings, Loose Flanges and Seals Seals in Fluorocarbon Rubber and Armature in Aluminium Alloy Technical Specification - Edition P1	1998	ASD-STAN	
1653	PREN 2485	Aluminium Alloy 2214-F Cast or Extruded Forging Stocks Aerospace Series - Edition 2	1998	ASD-STAN	
1654	PREN 2403	Aerospace Series Heat Resisting Alloy NI-CH2601 (NiCr19Fe19Nb5Mo3) Vacuum Melted Solution Treated and Precipitation Treated Precision Casting a or D Less Than or Equal to 50 mm - Edition P 1	1998	ASD-STAN	
1655	PREN 3507	Aerospace Series Steel FE-PL1501 (30CrMo12) Air Melted Hardened and Tempered Forgings De Less Than or Equal to 100 mm 930 MPa Less Than or Equal to Rm Less Than or Equal to 1 080 MPa - Edition P2	1998	ASD-STAN	
1656	PREN 2853	Aerospace Series Current Ratings for Electrical Cables with Conductor EN 2083 - Edition P 1	1998	ASD-STAN	
1657	PREN 3562	Aerospace Series Pipe Couplings, 37 Degree, Spherical, in Heat Resisting Steel Elbows 90 Degree, Welded Inch Series	1998	ASD-STAN	
1658	PREN 4289	Aerospace Series Aluminium Alloy AL-P7175- Forging Stock - Edition P 1	1998	ASD-STAN	
1659	PREN 3358	Aerospace Series Steel FE-PM1503 (X3CrNiMoAl 13-8-2) Vacuum Induction Melted and Consumable Electrode Remelted Solution Treated and Precipitation Treated Bar for Machining a or D Less Than or Equal to 150 mm Rm Greater Than or Equal to 1 400 MPa - Edition	1998	ASD-STAN	
1660	PREN 2002-10	Aerospace Series Metallic Materials Test Methods Part 10: Tube Flattening Test - Edition P 2	1998	ASD-STAN	
1661	PREN 4290	Aerospace Series Aluminium Alloy AL-P2219-Forging Stock - Edition P1	1998	ASD-STAN	
1662	PREN 3745-201	Aerospace Series Fibres and Cables, Optical, Aircraft Use Test Methods Part 201: Visual Examination - Edition P 1	1998	ASD-STAN	
1663	PREN 2119	Aerospace Series Heat Resisting Alloy FE-PA2601 (X6NiCrTiMoV26-15) Solution Treated and Precipitation Treated Wires for Rivets 2 mm Less Than or Equal to D Less Than or Equal to 10 mm Rm Greater Than or Equal to 960 MPa - Edition P 1	1998	ASD-STAN	
1664	PREN 4300	Aerospace Series Identification Marking of Engine Items Design Standard - Edition P 1	1998	ASD-STAN	
1665	PREN 3716-003	Aerospace Series Connectors, Single-Way, with Triaxial Interface, for Transmission of Digital Data Part 003: Solder Receptacle Product Standard - Edition P 1	1998	ASD-STAN	
1666	PREN 2686	Aluminium Alloy 7010-T73651 Hand Forgings 50 Less Than or Equal to a Less Than or Equal to 150 mm Aerospace Series - Edition 2	1998	ASD-STAN	
1667	PREN 3357	Aerospace Series Steel FE-PM1503 (X3CrNiMoAl 13-8-2) Vacuum Induction Melted and Consumable Electrode Remelted Solution Treated and Precipitation Treated Bar for Machining a or D Less Than or Equal to 150 mm 1 200 MPa Less Than or Equal to Rm Less Than or	1998	ASD-STAN	
1668	PREN 4008-002	Aerospace Series Elements of Electrical and Optical Connection Crimping Tools and Associated Accessories Part 002: List of Product Standards - Edition P 1	1998	ASD-STAN	
1669	PREN 3508	Aerospace Series Steel FE-PL1501 (30CrMo12) Air Melted Hardened and Tempered Bar De Less Than or Equal to 100 mm 930 MPa Less Than or Equal to Rm Less Than or Equal to 1 080 MPa - Edition P2	1998	ASD-STAN	
1670	PREN 2437	Aerospace Series Chromate Conversion Coatings (Yellow) for Aluminium and Aluminium Alloys - Edition 1	1998	ASD-STAN	
1671	PREN 2683	Aerospace Series Aluminium Alloy 7010-T7651 Hand Forgings 80 Less Than or Equal to a Less Than or Equal to 160 mm - Edition 2	1998	ASD-STAN	

1672	PREN 2174	Aerospace Series Heat Resisting Alloy FE-PA2602 (X6NiCrTiMoV26-15) Solution Treated and Precipitation Treated Forgings De Less Than or Equal to 100 mm Rm Greater Than or Equal to 850 MPa - Edition P 1	1998	ASD-STAN	
1673	PREN 2823	Aerospace Series Fibre Reinforced Plastics Determination of the Effect of Exposure to Humid Atmosphere on Physical and Mechanical Characteristics - Issue P 2	1998	ASD-STAN	
1674	PREN 2591-211	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part 211: Capacitance - Edition P 1	1998	ASD-STAN	
1675	PREN 2764	Aerospace Series Steel FE-PL1504 (33CrMoV12) Air Melted Hardened and Tempered Forgings De Less Than or Equal to 80 mm 1 200 MPa Less Than or Equal to Rm Less Than or Equal to 1 400 MPa - Edition P 3	1998	ASD-STAN	
1676	PREN 3359	Aerospace Series Steel FE-PM1503 (X3CrNiMoAl13-8-2) Vacuum Induction Melted and Consumable Electrode Remelted Softened Forging Stock a or D Less Than or Equal to 300 mm - Edition P2	1998	ASD-STAN	
1677	PREN 3086	Aerospace Series Hose Assemblies Designation Limited to 15 Digits - Edition P 1	1998	ASD-STAN	
1678	PREN 2688	Aluminium Alloy 7050-T736 Die Forgings a Less Than or Equal to 150 mm Aerospace Series - Edition 2	1998	ASD-STAN	
1679	PREN 3874	Aerospace Series Test Methods for Metallic Materials Constant Amplitude Force-Controlled Low Cycle Fatigue Testing - Edition P 1	1998	ASD-STAN	
1680	PREN 3716-002	Aerospace Series Connectors, Single-Way, with Triaxial Interface, for Transmission of Digital Data Part 002: Conditions of Use and List of Product Standards - Edition P 1	1998	ASD-STAN	
1681	PREN 2199	Aerospace Series Heat Resisting Alloy NI-PH1303 (NiCo20Cr20Mo5Ti2Al) Solution Treated and Precipitation Treated Bar and Section De Less Than or Equal to 200 mm - Edition P 1	1998	ASD-STAN	
1682	PREN 4093	Aerospace Series Heat Resisting Alloy NI-PH3901 (NiCr25Mo 10) Air Melted and Vacuum Refined Annealed Sheet, Strip and Plate a Greater Than 3 mm - Edition P 1	1998	ASD-STAN	
1683	PREN 3841-301	Aerospace Series Circuit Breakers Test Methods Part 301 : Voltage Drop - Edition P 2	1998	ASD-STAN	
1684	PREN 3988	Aerospace Series Test Methods for Metallic Materials Constant Amplitude Strain-Controlled Low Cycle Fatigue Testing - Edition P 1	1998	ASD-STAN	
1685	PREN 4409	Aerospace Series Square Bars, Extruded in Aluminium and Aluminium Alloys Thickness 6 mm Less Than or Equal to a Less Than or Equal to 200 mm Dimensions - Edition P 1	1998	ASD-STAN	
1686	PREN 4448	Aerospace Series Aluminium Alloy AL-P7050-T7452 Die Forgings a Less Than or Equal to 150 mm - Edition P 1	1998	ASD-STAN	
1687	PREN 7000-2	Aerospace Series Non-Metallic Materials Rules for the Drafting and Presentation of Material Standards Part 2 : Rubbers	1998	ASD-STAN	
1688	PREN 3509	Aerospace Series Steel FE-PL1501 (30CrMo12) Air Melted Hardened and Tempered Bar De Less Than or Equal to 40 mm 1 050 MPa Less Than or Equal to Rm Less Than or Equal to 1 250 MPa - Edition P2	1998	ASD-STAN	
1689	PREN 4322	Aerospace Series Bolts, Double Hexagon Head with Lockwire Holes, Relieved Shank, Long Thread, in Titanium Alloy TI-P63, Anodized, MoS2 Coated Strength Class: 1 100 MPa (at Ambient Temperature) - Edition P1	1998	ASD-STAN	
1690	PREN 4424	Aerospace Series Rod-Ends, Adjustable, Single Fork and Threaded Shank with Engagement: 1,5 x Thread Diameter in Titanium Alloys Dimensions and Loads - Edition P 1	1998	ASD-STAN	
1691	PREN 6073	Aerospace Series Metallic Materials Aluminium and Aluminium Alloys Test Methods Drop Test - Edition P 1	1998	ASD-STAN	
1692	PREN 4276	Aerospace Series Aluminium Alloy AL-P7175-T7351 Hand Forgings a Less Than or Equal to 150mm - Edition P 1	1998	ASD-STAN	
1693	PREN 2240-100	Aerospace Series Lamps, Incandescent Part 100: Lamp, Code 2078 Product Standard - Edition P 1	1998	ASD-STAN	
1694	PREN 4284	Aerospace Series Aluminium Alloy AL-P2219-T852 Forgings a Less Than or Equal to 400 mm - Edition P 1	1998	ASD-STAN	
1695	PREN 3365	Aerospace Series Steel FE-PM3901 (X15CrNi17-3) Air Melted Softened Forging Stock a or D Less Than or Equal to 300 mm - Edition P2	1998	ASD-STAN	
1696	PREN 2202	Aerospace Series Heat Resisting Alloy NI-PH1303 (NiCo20Cr20Mo5Ti2Al) Solution Treated Seamless Tube De Less Than or Equal to 50 mm, a Less Than or Equal to 3 mm - Edition P 1	1998	ASD-STAN	
1697	PREN 6074	Aerospace Series Metallic Materials Test Methods Statistical Data for Material Qualification - Edition P 1	1998	ASD-STAN	
1698	PREN 4410	Aerospace Series Rectangular Bars, Extruded in Aluminium and Aluminium Alloys Thickness 6 mm Less Than or Equal to a Less Than or Equal to 160 mm Dimensions - Edition P 1	1998	ASD-STAN	

1699	PREN 2475	Aerospace Series Steel FE-PL2106 (30CrNiMo8) Air Melted Hardened and Tempered Bar for Machining De Less Than or Equal to 100 mm 1 100 MPa Less Than or Equal to Rm Less Than or Equal to 1 300 MPa - Edition P 1	1998	ASD-STAN	
1700	PREN 3615	Aerospace Series Fibre Reinforced Plastics Determination of the Conditions of Exposure to Humid Atmosphere and of Moisture Absorption - Edition P 2	1998	ASD-STAN	
1701	PREN 2204	Aerospace Series Heat Resisting Alloy NI-CH1303 (NiCo20Cr20Mo5Ti2Al) Vacuum Melted Solution Treated and Precipitation Treated Precision Casting De Less Than or Equal to 50 mm - Edition P 1	1998	ASD-STAN	
1702	PREN 4411	Aerospace Series Sheets, Cold Rolled in Steel Thickness 0,5 mm Less Than or Equal to a Less Than or Equal to 3,0 mm Dimensions - Edition P 1	1998	ASD-STAN	
1703	PREN 3515	Aerospace Series Steel FE-PL8201 (41NiCrMo2) Air Melted Hardened and Tempered Forgings De Less Than or Equal to 25 mm 1 100 MPa Less Than or Equal to Rm Less Than or Equal to 1 300 MPa - Edition P2	1998	ASD-STAN	
1704	PREN 3077	Aerospace Series Clamps Worm Drive Technical Specification - Edition P 1	1998	ASD-STAN	
1705	PREN 3470	Aerospace Series Steel FE-PM1503 (X3CrNiMoAl13-8-2) Vacuum Induction Melted and Consumable Electrode Remelted Solution Treated and Precipitation Treated Forgings a or D Less Than or Equal to 150 mm 1 200 MPa Less Than or Equal to Rm Less Than or Equal to	1998	ASD-STAN	
1706	PREN 4425	Aerospace Series Washers, Tab in Corrosion Resisting Steel for Flight Control Rods Dimensions - Edition P 1	1998	ASD-STAN	
1707	PREN 4287	Aerospace Series Aluminium Alloy AL-P7010- Forging Stock - Edition P 1	1998	ASD-STAN	
1708	PREN 4222	Aerospace Series Heat Resisting Alloy NI-PH1305 (NiCr22Co13Mo9Al1) Air Melted and Vacuum Refined Annealed Sheet and Strip 0,25 mm Less Than or Equal to a Less Than or Equal to 3 mm - Edition P 1	1998	ASD-STAN	
1709	PREN 4323	Aerospace Series Screws, 100 Degree Countersunk Head, Six Lobe Recess, Threaded to Head, in Titanium Alloy TI-P63, Anodized, MoS2 Coated Classification: 900 MPa (at Ambient Temperature)/ 350 Degrees C - Edition P1	1998	ASD-STAN	
1710	PREN 2664	Aerospace Series Heat Resisting Nickel Base Alloy Ni-C99HT Not Heat Treated Precision Castings - Edition P 2	1998	ASD-STAN	
1711	PREN 2203	Aerospace Series Heat Resisting Alloy NI-PH1303 (NiCo20Cr20Mo5Ti2Al) Solution Treated Sheet, Strip and Plate 0,2 mm Less Than or Equal to a Less Than or Equal to 10 mm - Edition P 1	1998	ASD-STAN	
1712	PREN 2033	Aerospace Series Strips, Cold Rolled in Steel Thickness 0,1 mm Less Than or Equal to a Less Than or Equal to 2,5 mm Dimensions - Edition 2	1998	ASD-STAN	
1713	PREN 2086	Aerospace Series Aluminium Alloy AL-P2618A T851 Hand Forgings a Less Than or Equal to 150 mm - Edition P 1	1998	ASD-STAN	
1714	PREN 4238	Aerospace Series Fibre Reinforced Plastics Determination of the Effect of Dry Heat on Physical and Mechanical Characteristics - Edition P 1	1998	ASD-STAN	
1715	PREN 4522	Aerospace Series Metallic Materials Test Methods Pin-Type Bearing Test of Yield Strength - Edition P1	1998	ASD-STAN	
1716	PREN 4092	Aerospace Series Heat Resisting Alloy NI-PH3901 (NiCr25Mo 10) Air Melted and Vacuum Refined Annealed Sheet and Strip 0,25 mm Less Than or Equal to a Less Than or Equal to 3 mm - Edition P 1	1998	ASD-STAN	
1717	PREN 4098	Aerospace Series Steel FE-PL1507 (40CrMoV12) Remelted Hardened and Tempered Forgings De Less Than or Equal to 50 mm 1 250 MPa Less Than or Equal to Rm Less Than or Equal to 1 400 MPa - Edition P 1	1998	ASD-STAN	
1718	PREN 4294	Aerospace Series Aluminium Alloy AL-P7175-T7354 Die Forgings a Less Than or Equal to 150 mm - Edition P 1	1998	ASD-STAN	
1719	PREN 3745-205	Aerospace Series Fibres and Cables, Optical Aircraft Use Test Methods Part 205: Cable Longitudinal Dimensional Stability - Edition P 2	1998	ASD-STAN	
1720	PREN 3841-304	Aerospace Series Circuit Breakers Test Methods Part 304 : Tripping Points - Edition P 2	1998	ASD-STAN	
1721	PREN 4047	Aerospace Series Nuts, Self-Locking, MJ Threads, in Heat Resisting Nickel Base Alloy NI-PH2601 (Inconel 718), Silver Plated Classification: 1 550 MPa (at Ambient Temperature) / 600 Degrees C Technical Specification - Edition P1	1998	ASD-STAN	
1722	PREN 3490	Aerospace Series Steel FE-PL3901 (X15CrNi17-3) Air Melted Hardened and Tempered Bar for Machining De Less Than or Equal to 200 mm 900 MPa Less Than or Equal to Rm Less Than or Equal to 1 100 MPa - Edition P2	1998	ASD-STAN	
1723	PREN 2681	Aerospace Series Aluminium Alloy 7010-T736 Die Forgings a Less Than or Equal to 150 mm - Edition 2	1998	ASD-STAN	
1724	PREN 2879	Aerospace Series Nuts, Anchor, Self-Locking, Fuel Resistant, Sealing, Floating, Two Lug, With Counterbore, in Corrosion Resisting Steel, Passivated, MoS2 Lubricated Classification: 900 MPa (At Ambient Temperature) / 235 Degrees C - Edition P 1	1998	ASD-STAN	
1725	PREN 3563	Aerospace Series Pipe Couplings, 37 Degree, Spherical, in Heat Resisting Steel Reductors, Welded Inch Series	1998	ASD-STAN	

1726	PREN 3841-305	Aerospace Series Circuit Breakers Test Methods Part 305 : Short-Circuit Performance - Edition P 2	1998	ASD-STAN	
1727	PREN 4527	Aerospace Series Aluminium and Aluminium Alloy Products Test Methods Determining Susceptibility to Stress-Corrosion Cracking - Edition P1	1998	ASD-STAN	
1728	PREN 4048	Aerospace Series Nuts, Self-Locking, MJ Threads, in Heat Resisting Nickel Base Alloy NI-PH2601 (Inconel 718), MoS2 Coated Classification: 1 550 MPa (at Ambient Temperature) / 425 Degrees C Technical Specification - Edition P1	1998	ASD-STAN	
1729	PREN 3491	Aerospace Series Steel FE-PL3901 (X15CrNi17-3) Air Melted Hardened and Tempered Forgings De Less Than or Equal to 100 mm 900 MPa Less Than or Equal to Rm Less Than or Equal to 1 100 Mpa - Edition P2	1998	ASD-STAN	
1730	PREN 2878	Aerospace Series Nuts, Anchor, Self-Locking, Air Resistant, Sealing, Floating, Two Lug, With Counterbore, in Alloy Steel, Cadmium Plated, MoS2 Lubricated Classification: 900 MPa (At Ambient Temperature) / 235 Degrees C - Edition P 1	1998	ASD-STAN	
1731	PREN 3078	Aerospace Series P, Q and Saddle Clamps with Rubber Cushion Technical Specification - Edition P 1	1998	ASD-STAN	
1732	PREN 4198	Aerospace Series Rod-Ends, Adjustable Self-Aligning Plain Bearing with Self-Lubricating Liner and Thread Shank in Corrosion Resisting Steel Dimensions and Loads - Edition P 1	1998	ASD-STAN	
1733	PREN 2256	Aerospace Series Aluminium Alloy AL-P2618A T852 Hand Forgings a Less Than or Equal to 150 mm - Edition P 1	1998	ASD-STAN	
1734	PREN 2486	Aluminium Alloy 2618 A-F Cast or Extruded Forging Stocks Aerospace Series - Edition 2	1998	ASD-STAN	
1735	PREN 4288	Aerospace Series Aluminium Alloy AL-P7050- Forging Stock - Edition P 1	1998	ASD-STAN	
1736	PREN 3974	Aerospace Series Heat Resisting Alloy NI-PH8001 (NiCr20Ti) Annealed Seamless Drawn Capillary Tube 0,6 mm Less Than or Equal to D Less Than or Equal to 2,0 mm - Edition P 1	1998	ASD-STAN	
1737	PREN 3339	Aerospace Series Aluminium Alloy AL-P7010-T76 Die Forgings a Less Than or Equal to 200 mm - Edition P 2	1998	ASD-STAN	
1738	PREN 2002-7	Aerospace Series Metallic Materials Test Methods Part 7: Hardness Test - Edition P 2	1998	ASD-STAN	
1739	PREN 4301	Aerospace Series Identification Marking Methods for Engine Items Engineering Requirements - Edition P 1	1998	ASD-STAN	
1740	PREN 2184	Aerospace Series Heat Resisting Alloy NI-PH2301 (NiCr21Fe18Mo9) Solution Treated Bar and Section De Less Than or Equal to 200 mm - Edition P 1	1998	ASD-STAN	
1741	PREN 6000	Aerospace Series Aluminium Alloy AL-P2024-T351 Plate 6,0 mm Less Than a Less Than or Equal to 55 mm Close-Tolerance Flatness - Edition P 1	1998	ASD-STAN	
1742	PREN 2591-325	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part 325: Ice Resistance - Edition P 1	1998	ASD-STAN	
1743	PREN 2008	Precision Ball Bearings for Instruments and Equipment Type BC- Without Flange Dimensions Aerospace Series - Edition 2	1998	ASD-STAN	
1744	PREN 3516	Aerospace Series Steel FE-PL8201 (41NiCrMo2) Air Melted Softened Forging Stock a or D Less Than or Equal to 300 mm - Edition P2	1998	ASD-STAN	
1745	PREN 4008-001	Aerospace Series Elements of Electrical and Optical Connection Crimping Tools and Associated Accessories Part 001: Technical Specification - Edition P 1	1998	ASD-STAN	
1746	PREN 2682	Aerospace Series Aluminium Alloy 7010-T73652 Forgings 50 Less Than or Equal to a Less Than or Equal to 150 mm - Edition 2	1998	ASD-STAN	
1747	TR 3823	Aerospace Series Materials for Plain, Slotted and Self-Locking by Plastic Ring Hexagonal Nuts - Edition 2	1998	ASD-STAN	
1748	PREN 2591-507	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part 507: Plating Porosity - Edition P 1	1998	ASD-STAN	
1749	PREN 2290	Aerospace Series Rod Bodies Flight Control in Aluminium Alloys for Adjustable End Fittings Dimensions - Edition 2	1998	ASD-STAN	
1750	PREN 3095	Aerospace Series Sealants Test Method Determination of Extended Assembly Time - Edition P 1	1998	ASD-STAN	
1751	PREN 4067-002	Aerospace Series Connectors, Electrical, Circular, Scoop-Proof, Coupled by Threaded Ring, Fire-Resistant, Operating Temperature 260 Degrees C Peak Part 002: Specification of Performance and Contact Arrangements - Edition P 2	1998	ASD-STAN	
1752	PREN 3841-509	Aerospace Series Circuit Breakers Test Methods Part 509 : Insertion and Extraction Forces of Signal Contact Terminals - Edition P 2	1998	ASD-STAN	
1753	PREN 2469	Aerospace Series Steel FE-PA3901 (X1CrNi18-10) Air Melted Softened Wires 0,4 Less Than or Equal to D Less Than or Equal to 12,5 mm 450 MPa Less Than or Equal to Rm Less Than or Equal to 650 MPa - Edition P 1	1998	ASD-STAN	

1754	PREN 2690	Aerospace Series Aluminium Alloy AL-P7050-T7452 Hand Forgings a Less Than or Equal to 200 mm - Edition P 1	1998	ASD-STAN	
1755	PREN 2002-9	Aerospace Series Metallic Materials Test Methods Part 9: Tube Drift Expanding Test - Edition P 2	1998	ASD-STAN	
1756	PREN 3745-501	Aerospace Series Fibres and Cables, Optical, Aircraft Use Test Methods Part 501: Optical Fibre Proof Test - Edition P 1	1998	ASD-STAN	
1757	PREN 4278	Aerospace Series Aluminium Alloy AL-P7175-T7352 Hand and Die Forgings a Less Than or Equal to 150 mm - Edition P 1	1998	ASD-STAN	
1758	PREN 4523	Aerospace Series Metallic Materials Test Methods Compression Testing - Edition P1	1998	ASD-STAN	
1759	PREN 3521	Aerospace Series Steel FE-PL2106 (30CrNiMo8) Air Melted Hardened and Tempered Bar for Machining De Less Than or Equal to 150 mm 900 MPa Less Than or Equal to Rm Less Than or Equal to 1 100 MPa - Edition P2	1998	ASD-STAN	
1760	PREN 4524	Aerospace Series Metallic Materials Test Methods Measurement of Fatigue Crack Growth Rates - Edition P1	1998	ASD-STAN	
1761	PREN 3841-100	Aerospace Series Circuit Breakers Test Methods Part 100 : General - Edition P 2	1998	ASD-STAN	
1762	PREN 3476	Aerospace Series Steel FE-PL1501 (30CRMO12) Air Melted Softened Forging Stock a or D Less Than or Equal to 300 mm - Edition P2	1998	ASD-STAN	
1763	PREN 2947	Aerospace Series Steel FE-PA3004 (X10CrNi18-09) Air Melted Non Heat Treated Cold Drawn Wire a or D Less than or Equal to 2,3 mm - Edition P 2	1998	ASD-STAN	
1764	PREN 2185	Aerospace Series Heat Resisting Alloy NI-PH2301 (NiCr21Fe18Mo9) Solution Treated Sheet, Strip and Plate 0,2 mm Less Than or Equal to a Less Than or Equal to 10 mm - Edition P 1	1998	ASD-STAN	
1765	PREN 4282	Aerospace Series Aluminium Alloy AL-P2219-T37 Plate 6 mm Less Than a Less Than or Equal to 40 mm - Edition P 1	1998	ASD-STAN	
1766	PREN 4277	Aerospace Series Aluminium Alloy AL-P7175-T73 Hand and Die Forgings a Less Than or Equal to 125 mm - Edition P 1	1998	ASD-STAN	
1767	PREN 4087	Aerospace Series Heat Resisting Alloy NI-PD2101 (NiCo14Nb5Ti2) Solution Treated and Precipitation Treated Forgings De Less Than or Equal to 75 mm Rm Greater Than or Equal to 1 210 MPa - Edition P 1	1998	ASD-STAN	
1768	PREN 3564	Aerospace Series Pipe Couplings, 37 Degree, Spherical, in Heat Resisting Steel Tees, Welded Inch Series	1998	ASD-STAN	
1769	PREN 3745-502	Aerospace Series Fibres and Cables, Optical, Aircraft Use Test Methods Part 502: Tensile Strength for Short Length of Optical Fibres - Edition P 1	1998	ASD-STAN	
1770	PREN 6025	Aerospace Series Plates Aluminium Alloy 2024 Close-Tolerance Flatness Thickness 6 mm Less than a Less than or Equal to 55 mm Dimensions - Edition P 3	1998	ASD-STAN	
1771	PREN 2002-13	Aerospace Series Metallic Materials Test Methods Part 13: Reverse Torsion Testing of Wire - Edition P 1	1998	ASD-STAN	
1772	PREN 2881	Aerospace Series Nuts, Anchor, Self-Locking, Fuel Resistant, Sealing, Floating, Two Lug, With Counterbore, in Corrosion Resisting Steel, Passivated, MoS2 Lubricated Classification: 900 MPa (At Ambient Temperature) / 120 Degrees C - Edition P 1	1998	ASD-STAN	
1773	PREN 2680	Aerospace Series Nuts, Anchor, Self Locking, Floating, Self- Aligning, Two Lug, in Alloy Steel, Cadmium Plated, MoS2 Lubricated Classification: 900 MPa (at Ambient Temperature) / 235 Degrees Celsius - Edition P 3	1998	ASD-STAN	
1774	PREN 3745-504	Aerospace Series Fibres and Cables, Optical, Aircraft Use Test Methods Part 504: Micro Bending Test - Edition P 1	1998	ASD-STAN	
1775	PREN 2304	Aerospace Series Heat Resisting Alloy FE-PA2601 (X6NiCrTiMoV26-15) Solution Treated and Precipitation Treated Forgings De Less Than or Equal to 100 mm Rm Greater Than or Equal to 960 MPa - Edition P 1	1998	ASD-STAN	
1776	PREN 7000-7	Aerospace Series Non-Metallic Materials Rules for the Drafting and Presentation of Material Standards Part 7: Anaerobic Polymerisable Compounds	1998	ASD-STAN	
1777	PREN 4525	Aerospace Series Aluminium and Aluminium Alloys Test Methods Shear Testing - Edition P1	1998	ASD-STAN	
1778	PREN 3527	Aerospace Series Steel FE-PL1504 (33CrMoV12) Air Melted Softened Forging Stock a or D Less Than or Equal to 300 mm - Edition P2	1998	ASD-STAN	
1779	PREN 3841-302	Aerospace Series Circuit Breakers Test Methods Part 302 : Insulation Resistance - Edition P 2	1998	ASD-STAN	
1780	PREN 2382	Aluminium Alloy 2214-T6 Forgings a Less Than or Equal to 100 mm Aerospace Series - Edition 2	1998	ASD-STAN	
1781	PREN 2383	Aluminium Alloy 2214-T4 Forgings a Less Than or Equal to 100 mm Aerospace Series - Edition 2	1998	ASD-STAN	

1782	PREN 2880	Aerospace Series Nuts, Anchor, Self-Locking, Fuel Resistant, Sealing, Floating, Two Lug, With Counterbore, in Alloy Steel, Cadmium Plated, MoS2 Lubricated Classification: 900 MPa (At Ambient Temperature) / 120 Degrees C - Edition P 1	1998	ASD-STAN	
1783	PREN 2714-011	Aerospace Series Cables, Electrical, Single and Multicore for General Purpose Operating Temperatures between -55 Degrees Celsius and 260 Degrees Celsius Part 011 :DM Family, Screened (Spiral) and Jacketed, UV Laser Printable Product Standard	1998	ASD-STAN	
1784	PREN 2003-3	Aerospace Series Steel Test Methods Part 3: Calibration of Pendulum Impact Machines - Edition P 1	1998	ASD-STAN	
1785	PREN 6070	Aerospace Series Aluminium and Aluminium Alloy Wrought Products Technical Specification General Requirements - Edition P 1	1998	ASD-STAN	
1786	PREN 3841-303	Aerospace Series Circuit Breakers Test Methods Part 303 : Dielectric Strength - Edition P 2	1998	ASD-STAN	
1787	PREN 4253	Aerospace Series Nuts, Anchor, Self-Locking, Fixed, Closed Corner, Reduced Series with Counterbore, in Heat Resisting Steel, Silver Plated Classification : 1 100 MPa (at Ambient Temperature) / 425 Degrees C - Edition P 1	1997	ASD-STAN	
1788	PREN 3745-305	Aerospace Series Fibres and Cables, Optical, Aircraft Use Test Methods Part 305: Immunity to Ambient Light Coupling - Edition P 1	1997	ASD-STAN	
1789	PREN 2138	Aerospace Series Washers, Flat, in Steel, Cadmium Plated - Edition 2	1997	ASD-STAN	
1790	PREN 3475-509	Aerospace Series Cables, Electrical, Aircraft Use Test Methods Part 509: Solderability - Edition P 1	1997	ASD-STAN	
1791	PREN 4324	Aerospace Series Aluminium Alloy AL-W42201 Filler Metal for Welding Rod - Edition P 1	1997	ASD-STAN	
1792	PREN 4340	Aerospace Series Magnesium Alloy MG-W68001 Filler Metal for Welding Wire and Rod - Edition P 1	1997	ASD-STAN	
1793	PREN 2647	Aerospace Series Nuts, Hexagonal, Self-Locking, Ball Seat, in Alloy Steel, Cadmium Plated, MoS2 Lubricated Classification: 900 MPa(at Ambient Temperature)/235 Degrees Celsius - Edition 1	1997	ASD-STAN	
1794	PREN 3095	Aerospace Series Test Method for Sealants Determination of Extended Assembly Time	1997	ASD-STAN	
1795	PREN 4088	Aerospace Series Steel FE-PL5101 (13MoCrNiV4-4-3-1) Vacuum Induction Melted and Vacuum Arc Remelted Carburized, Hardened, Sub-Zero Treated and Tempered Bar for Machining De Less Than or Equal to 30 mm 1 315 MPa Less Than or Equal to Rm Less Than or Equal	1997	ASD-STAN	
1796	PREN 2591-501	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part 501: Soft Solderability - Edition P 1	1997	ASD-STAN	
1797	PREN 4108	Aerospace Series Wrenches, Crow Foot, Attachment Socket, Socket Drive - Edition P 1	1997	ASD-STAN	
1798	PREN 2007	Aerospace Series Test Methods for Aluminium and Aluminium Alloy Products Metallographic Determination of Cladding Thickness and Copper Diffusion in the Cladding for Rolled Products - Edition P 1	1997	ASD-STAN	
1799	PREN 4251	Aerospace Series Nuts, Anchor, Self-Locking, Fixed, 90 Degree Corner, with Counterbore, in Heat Resisting Steel, Silver Plated Classification : 1 100 MPa (at Ambient Temperature) / 425 Degrees C - Edition P 1	1997	ASD-STAN	
1800	PREN 2833-3	Aerospace Series Glass Fibre Thermosetting Preimpregnates Techical Specification Part 3: Glass Fabric/Epoxy Resin Preimpregnate Curing at up to 180 Degrees C for Continuous Use up to 120 Degrees C - Edition P 1	1997	ASD-STAN	
1801	PREN 4336	Aerospace Series Steel FE-WA3801 (X4CrNiMn20-10-2) Filler Metal for Welding Wire and Rod - Edition P 1	1997	ASD-STAN	
1802	PREN 3475-510	Aerospace Series Cables, Electrical, Aircraft Use Test Methods Part 510: Tensile Strength and Elongation of Extruded Insulation, Sheath and Jacket Material - Edition P 1	1997	ASD-STAN	
1803	PREN 3758	Aerospace Series Simplex High Speed Data Transmission System - Edition P 1	1997	ASD-STAN	
1804	PREN 3971	Aerospace Series Steel FE-PL1507 (40CrMoV12) Consumable Electrode Remelted Annealed Forging Stock a or D Less Than or Equal to 350 mm - Edition P 1	1997	ASD-STAN	
1805	PREN 4376	Aerospace Series Heat Resisting Alloy NI-PH2601 (NiCr19Fe19Nb5Mo3) Solution Treated and Precipitation Treated Bar and Section De Less Than or Equal to 200 mm - Edition P 1	1997	ASD-STAN	
1806	TR 2674	Aerospace Series Design and Construction of Pipelines for Fluids in Liquid or Gaseous Condition Rigid Lines, Installation - Edition 1	1997	ASD-STAN	
1807	PREN 4216	Aerospace Series Steel FE-CM3801 (GX5CrNiCuNb16-4) Homogenized, Solution Treated and Precipitation Hardened Investment Casting De Less Than or Equal to 50 mm Rm Greater Than or Equal to 900 MPa - Edition P 1	1997	ASD-STAN	

1808	PREN 4335	Aerospace Series Steel FE-WA2602 (X4NiCrTiMoV26-15) Filler Metal for Welding Wire and Rod - Edition P 1	1997	ASD-STAN	
1809	PREN 6059-403	Aerospace Series Electrical Cables, Installation Protection Sleeves Test Methods Part 403: Scrape Abrasion - Edition P 1	1997	ASD-STAN	
1810	PREN 2850	Aerospace Series Carbon Fibre Thermosetting Resin Unidirectional Laminates Compression Test Parallel to Fibre Direction - Edition P 2	1997	ASD-STAN	
1811	PREN 3877	Aerospace Series Metallic Materials Test Method Determination of Solidus and Liquidus Temperatures by Differential Thermal Analysis of Braze Alloys - Edition P 1	1997	ASD-STAN	
1812	PREN 3081	Aerospace Series Pipe Coupling 8 Degrees 30 in Titanium Alloy Ferrules, Welded, with Dynamic Beam Seal End, for Repair - Edition P 1	1997	ASD-STAN	
1813	PREN 3083	Aerospace Series Pipe Coupling 8 Degrees 30 in Titanium Alloy Unions, Bulkhead, Long, Welded, for Repair - Edition P 1	1997	ASD-STAN	
1814	PREN 4438	Aerospace Series Metallic Materials Test Methods Linear Thermal Expansion of Solid Materials with a Vitreous Silica Dilatometer - Edition P 1	1997	ASD-STAN	
1815	PREN 3114-3	Aerospace Series Test Method Microstructure of (a + b) Titanium Alloy Wrought Products Part 3: Microstructure of Plate - Edition P 1	1997	ASD-STAN	
1816	PREN 3071	Aerospace Series Straight Bending of Sheets and Strips in Aluminium and Aluminium Alloys Dimensioning Methods and Calculations of Developed Lengths - Edition 1	1997	ASD-STAN	
1817	PREN 4269	Aerospace Series Nuts, Anchor, Self-Locking, Floating, Two Lug, Reduced Series, with Counterbore, in Steel, Cadmium Plated, MoS2 Lubricated Classification: 1 100 MPa (at Ambient Temperature)/235 Degrees C - Edition P 1	1997	ASD-STAN	
1818	PREN 3475-801	Aerospace Series Cables, Electrical, Aircraft Use Test Methods Part 801: Capacitance Per Unit Length - Edition P 1	1997	ASD-STAN	
1819	PREN 3346	Aerospace Series Aluminium Alloy AL-P2014A-T3 Drawn Tube for Structural Applications 0,6 mm Less Than or Equal to a Less Than or Equal to 12,5 mm - Edition P 2	1997	ASD-STAN	
1820	PREN 3101	Aerospace Series Non-Metallic Materials Sealants Test Method Determination of Resistance to Thermal Rupture - Edition P 1	1997	ASD-STAN	
1821	PREN 4000	Aerospace Series Metallic Materials Rules for the Drafting and Presentation of Dimensional Standards for Metallic Semi-Finished Products - Edition P 2	1997	ASD-STAN	
1822	PREN 6059-404	Aerospace Series Electrical Cables, Installation Protection Sleeves Test Methods Part 404: Tensile Strength - Edition P 1	1997	ASD-STAN	
1823	PREN 4252	Aerospace Series Nuts, Anchor, Self-Locking, Fixed, 90 Degree Corner, Reduced Series with Counterbore, in Heat Resisting Steel, Silver Plated Classification : 1 100 MPa (at Ambient Temperature) /425 Degree C - Edition P 1	1997	ASD-STAN	
1824	PREN 4390	Aerospace Series Nuts, Anchor, Self-Locking, Floating, Self-Aligning, Two Lug, in Heat Resisting Steel, Silver Plated, Classification : 900 MPa (at Ambient Temperature) / 425 Degrees Celsius - Edition P 1	1997	ASD-STAN	
1825	PREN 4109	Aerospace Series Wrenches, Face Spanner - Edition P 1	1997	ASD-STAN	
1826	PREN 4379	Aerospace Series Heat Resisting Alloy NI-PH3601 (NiCr22Mo9Nb) Solution Treated Forging De Less Than or Equal to 200 mm - Edition P 1	1997	ASD-STAN	
1827	PREN 4381	Aerospace Series Heat Resisting Alloy NI-PH3601 (NiCr22Mo9Nb) Solution Treated Seamless Tubes for Structural Application D Less Than or Equal to 50 mm, a Less Than or Equal to 3 mm - Edition P 1	1997	ASD-STAN	
1828	PREN 3725	Aerospace Series Bolts, Pan Head, Six Lobe Recess, Normal Shank, Long Thread, in Titanium Alloy TI-P63, MoS2 Coated Classification: 1 100 MPa (at Ambient Temperature) - Edition P 1	1997	ASD-STAN	
1829	PREN 3114-2	Aerospace Series Test Method Microstructure (a + b) Titanium Alloy Wrought Products Part 2: Microstructure of Bars, Sections, Forging Stock and Forgings - Edition P 1	1997	ASD-STAN	
1830	PREN 3638	Aerospace Series Heat Resisting Alloy FE-PA2601 (X6NiCrTiMoV26-15) Solution and Precipitation Treated Sheet, Strip and Plate 0,5 mm Less Than or Equal to a Less Than or Equal to 10 mm - Edition P 1	1997	ASD-STAN	
1831	PREN 4094	Aerospace Series Heat Resisting Alloy NI-CH1305 (NiCr16Co10Mo8Al4Ti4) Vacuum Melted Non Heat Treated Remelting Stock - Edition P 1	1997	ASD-STAN	
1832	PREN 2662	Aerospace Series Heat Resisting Alloy Ni-PH3601 (NiCr22Mo9Nb) Annealed Sheet, Strip and Plate 0,2 mm Less Than or Equal to a Less Than or Equal to 10 mm - Edition P 2	1997	ASD-STAN	

1833	PREN 3972	Aerospace Series Steel FE-PL1507 (40CrMoV12) Consumable Electrode Remelted Hardened and Tempered Bar for Machining De Less Than or Equal to 50 mm 1 250 MPa Less Than or Equal to Rm Less Than or Equal to 1 400 MPa - Edition P 1	1997	ASD-STAN	
1834	PREN 3763	Aerospace Series Nuts, Hexagonal, Self-Locking, Ball Seat, in Heat Resisting Steel, MoS2 Lubricated Classification : 900 MPa (at Ambient Temperature) / 315 Degrees C - Edition P2	1997	ASD-STAN	
1835	PREN 3796	Aerospace Series Anaerobic Polymerisable Compounds Test Method Determination of Ability of Anaerobic Polymerisable Compounds to Set on Metal Surfaces - Edition P1	1997	ASD-STAN	
1836	PREN 4041	Aerospace Series Bearings, Airframe Rolling Rigid Single Row Ball Bearings in Corrosion Resisting Steel, with Extended Inner Ring and Flanged Alignment Bush Dimensions and Loads - Edition P 1	1997	ASD-STAN	
1837	PREN 3994	Aerospace Series Steel FE-CM1501 (X13CrNiMoCo12-3-2-2) Non Heat Treated Remelting Stock - Edition P 1	1997	ASD-STAN	
1838	PREN 3993	Aerospace Series Steel FE-CM1501 (X13CrNiMoCo12-3-2-2) Hardened and Tempered Precision and Sand Castings De Less Than or Equal to 150 mm Rm Greater Than or Equal to 925 MPa - Edition P 1	1997	ASD-STAN	
1839	PREN 6059-302	Aerospace Series Electrical Cables, Installation Protection Sleeves Test Methods Part 302: High Temperature Exposure - Edition P 1	1997	ASD-STAN	
1840	PREN 4332	Aerospace Series Steel FE-WL1805 (8CrMnMo12-4-9) Filler Metal for Welding Wire and Rod - Edition P 1	1997	ASD-STAN	
1841	PREN 3912	Aerospace Series Bolts, Pan Head, Six Lobe Recess, Relieved Shank, Long Thread, in Heat Resisting Steel FE-PA92HT (A286), Silver Plated Classification: 1 100 MPa (at Ambient Temperature)/650 Degrees C - Edition P 1	1997	ASD-STAN	
1842	PREN 3475-807	Aerospace Series Cables, Electrical, Aircraft Use Test Methods Part 807: Transfer Impedance - Edition P 1	1997	ASD-STAN	
1843	PREN 3876	Aerospace Series Test Method for Metallic Materials Braze Alloys Fusion Test - Edition P 1	1997	ASD-STAN	
1844	PREN 3475-511	Aerospace Series Cables, Electrical, Aircraft Use Test Methods Part 511: Cable-to-Cable Abrasion - Edition P 1	1997	ASD-STAN	
1845	PREN 3745-402	Aerospace Series Fibres and Cables, Optical, Aircraft Use Test Methods Part 402: Temperature Cycling - Edition P 1	1997	ASD-STAN	
1846	PREN 2591-6321	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part 6321: Optical Elements Damp Heat, Cyclic Test - Edition P 1	1997	ASD-STAN	
1847	PREN 3475-412	Aerospace Series Cables, Electrical, Aircraft Use Test Methods Part 412: Humidity Resistance - Edition P 1	1997	ASD-STAN	
1848	PREN 3679	Aerospace Series Steel FE-PM3902 (X7CrNiAl17-7) Air Melted Solution Treated and Precipitation Hardened Plate 6mm Less Than a Less Than or Equal to 15 mm 1 240 MPa Less Than or Equal to Rm Less Than or Equal to 1 450 MPa - Edition P 1	1997	ASD-STAN	
1849	PREN 4331	Aerospace Series Steel FE-WL1804 (25CrMnMo4-2-2) Filler Metal for Welding Wire and Rod - Edition P 1	1997	ASD-STAN	
1850	PREN 4096	Aerospace Series Heat Resisting Alloy NI-CD1401 (NiCo10W10Cr9Al6Ta3) Vacuum Melted Non Heat Treated Remelting Stock - Edition P 1	1997	ASD-STAN	
1851	PREN 3992	Aerospace Series Steel FE-PA2801 (X60NiMnCr13-5-3) Softened Forgings De Less Than or Equal to 150 mm 620 MPa Less Than or Equal to Rm Less Than or Equal to 900 MPa - Edition P 1	1997	ASD-STAN	
1852	PREN 2368	Aerospace Series Round Bars, Heat Resisting Alloys Machined Diameter 10 mm Less than or Equal to D Less than or Equal to 180 mm Dimensions - Edition 3; PREN 2344	1997	ASD-STAN	
1853	PREN 3082	Aerospace Series Pipe Coupling 8 Degrees 30 in Titanium Alloy Unions, Bulkhead, with Weld End, for Repair - Edition P 1	1997	ASD-STAN	
1854	PREN 3475-806	Aerospace Series Cables, Electrical, Aircraft Use Test Methods Part 806: Attenuation - Edition P 1	1997	ASD-STAN	
1855	PREN 4110	Aerospace Series Wrenches, Open End, Box - Edition P 1	1997	ASD-STAN	
1856	PREN 6059-301	Aerospace Series Electrical Cables, Installation Protection Sleeves Test Methods Part 301: Sun Light Exposure - Edition P 1	1997	ASD-STAN	
1857	PREN 3765	Aerospace Series Electrolytic Silver Plating for General Use Steels, Heat Resisting Alloys, Copper and Copper Alloys - Edition P1	1997	ASD-STAN	

1858	PREN 3484	Aerospace Series Steel FE-CM3801 (X5CrNiCu16-4) as Cast Homogenized, Solution Treated and Precipitation Hardened Remelting Stock - Edition P2	1997	ASD-STAN	
1859	PREN 4374	Aerospace Series Heat Resisting Alloy NI-PH1301 (NiCr19Co18Mo4Ti3Al3) Solution Treated and Precipitation Treated Bar and Section De Less Than or Equal to 200 mm - Edition P 1	1997	ASD-STAN	
1860	PREN 4067-001	Aerospace Series Connectors, Electrical, Circular, Scoop-Proof, Coupled by Threaded Ring, Fire-Resistant, Operating Temperature 260 Degrees C Peak Part 001: Technical Specification - Edition P 1	1997	ASD-STAN	
1861	PREN 4436	Aerospace Series Steel Test Methods Determination of d Ferrite Content - Edition P 1; SAE AMS 2315D	1997	ASD-STAN	
1862	PREN 4343	Aerospace Series Steel FE-WM1001 (X13Cr12) Filler Metal for Welding Wire and Rod - Edition P 1	1997	ASD-STAN	
1863	PREN 6059-401	Aerospace Series Electrical Cables, Installation Protection Sleeves Test Methods Part 401: Expansion Range - Edition P 1	1997	ASD-STAN	
1864	PREN 4384	Aerospace Series Heat Resisting Alloy NI-CH1303 (NiCo20Cr20Mo5Ti2Al) Non Heat Treated Remelting Stock - Edition P 1	1997	ASD-STAN	
1865	PREN 4373	Aerospace Series Heat Resisting Alloy NI-PD9001 (NiCu31) Annealed Seamless Tube D Less Than or Equal to 75 mm, a Less Than or Equal to 3 mm - Edition P 1	1997	ASD-STAN	
1866	PREN 4380	Aerospace Series Heat Resisting Alloy NI-PH3601 (NiCr22Mo9Nb) Solution Treated Bar and Section De Less Than or Equal to 200 mm - Edition P 1	1997	ASD-STAN	
1867	PREN 4437	Aerospace Series Metallic Materials Test Methods Salt Spray Testing - Edition P 1	1997	ASD-STAN	
1868	PREN 3668	Aerospace Series Heat Resisting Alloy NI-PH2301 (NiCr21Fe18Mo9) Non Heat Treated Forging Stock a or D Less Than or Equal to 250 mm - Edition P 1	1997	ASD-STAN	
1869	PREN 4330	Aerospace Series Steel FE-WA4802 (X8CrNiMn27-22-2) Filler Metal for Welding Wire and Rod - Edition P 1	1997	ASD-STAN	
1870	PREN 3794	Aerospace Series Anaerobic Polymerisable Compounds Test Method Determination of Torque Strength on Threaded Fasteners - Edition P1	1997	ASD-STAN	
1871	PREN 4089	Aerospace Series Steel FE-PL5101 (13MoCrNiV4-4-3-1) Vacuum Induction Melted and Vacuum Arc Remelted Softened Forging Stock a or D Less Than or Equal to 150 mm - Edition P 1	1997	ASD-STAN	
1872	PREN 4255	Aerospace Series Nuts, Anchor,Self-Locking, Fixed, Two Lug, with Counterbore, in Heat Resisting Steel, Silver Plated Classification: 1 100 MPa (at Ambient Temperature) / 425 Degrees C - Edition P 1	1997	ASD-STAN	
1873	PREN 3475-808	Aerospace Series Cables, Electrical, Aircraft Use Test Methods Part 808: Cross-Talk - Edition P 1	1997	ASD-STAN	
1874	PREN 4371	Aerospace Series Heat Resisting Alloy NI-PD9001 (NiCu31) Non Heat Treated Bar Rivets D Less Than or Equal to 10 mm - Edition P 1	1997	ASD-STAN	
1875	PREN 4333	Aerospace Series Steel FE-WA4902 (X5CrNiCoMoWMn21-20-20-3-3-2) Filler Metal for Welding Wire and Rod - Edition P 1	1997	ASD-STAN	
1876	PREN 3475-804	Aerospace Series Cables, Electrical, Aircraft Use Test Methods Part 804: Velocity of Propagation - Edition P 1	1997	ASD-STAN	
1877	PREN 2570	Aerospace Series Nickel-Cadmium Batteries Technical Specification	1997	ASD-STAN	
1878	PREN 4275	Aerospace Series Aluminium Alloy AL-P7075-T76511 Extruded Bar and Section a or D Less than or Equal to 100 mm with Peripheral Coarse Grain Control - Edition P 1	1997	ASD-STAN	
1879	PREN 2591-617	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part 617: Optical Elements Temperature Cycling - Edition P 1	1997	ASD-STAN	
1880	PREN 3483	Aerospace Series Steel FE-CM3801 (X5CrNiCu16-4) Homogenized, Solution Treated, Precipitation Hardened and Sub Zero Sand or Investment Casting Rm Greater Than or Equal to 1 240 MPa - Edition P2	1997	ASD-STAN	
1881	PREN 2781	Aerospace Series Non-Metallic Materials Structural Adhesives Test Methods Determination of the Primer Thickness	1997	ASD-STAN	
1882	PREN 4274	Aerospace Series Aluminium Alloy AL-P6082-T6511 Extruded Bar and Section a or D Less Than or Equal to 200 mm with Peripheral Coarse Grain Control - Edition P 1	1997	ASD-STAN	
1883	PREN 3847	Aerospace Series Paints and Varnishes Determination of the Sedimentation Rating - Edition P 2	1997	ASD-STAN	
1884	PREN 2591-509	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part 509: Adhesion of Coating on Contacts - Edition P 1	1997	ASD-STAN	

1885	PREN 6059-306	Aerospace Series Electrical Cables, Installation Protection Sleeves Test Methods Part 306: Mould Growth - Edition P 1	1997	ASD-STAN	
1886	PREN 3084	Aerospace Series Pipe Coupling 8 Degrees 30 in Titanium Alloy Unions, Long, Welded, for Repair - Edition P 1	1997	ASD-STAN	
1887	PREN 3018	Aerospace Series Heat Resisting Alloy NI-PH2801 (NiCr16Fe7Ti3Nb1Al1) Consumable Electrode Remelted Cold Drawn Wire for the Manufacture of Thread Inserts D Less than or Equal to 3 mm - Edition P 1	1997	ASD-STAN	
1888	PREN 2002-8	Aerospace Series Metallic Materials Test Methods Part 8 - Micrographic Determination of Grain Size - Edition P 2; ASTM E112:1996	1997	ASD-STAN	
1889	PREN 4273	Aerospace Series Aluminium Alloy AL-P6082-T6511 Extruded Bar and Section a or D Less than or Equal to 200 mm - Edition P 1	1997	ASD-STAN	
1890	PREN 4097	Aerospace Series Heat Resisting Alloy NI-CD1401 (NiCo10W10Cr9Al6Ta3) Vacuum Melted Precipitation Treated Precision Castings - Edition P 1	1997	ASD-STAN	
1891	PREN 3795	Aerospace Series Anaerobic Polymerisable Compounds Test Method Determination of Freedom from Excessive Cure Rate - Edition P1	1997	ASD-STAN	
1892	PREN 4090	Aerospace Series Steel FE-PL5101 (13MoCrNiV4-4-3-1) Vacuum Induction Melted and Vacuum Arc Remelted Carburized, Hardened, Sub-Zero Treated and Tempered Forgings De Less Than or Equal to 30 mm 1 315 MPa Less Than or Equal to Rm Less Than or Equal to 1 650	1997	ASD-STAN	
1893	PREN 4314	Aerospace Series Heat Resisting Alloy FE-PA2602 (X4NiCrTiMoV26-15) Non Heat Treated Forging Stock a or D Less Than or Equal to 250 mm - Edition P 1	1997	ASD-STAN	
1894	PREN 6059-405	Aerospace Series Electrical Cables, Installation Protection Sleeves Test Methods Part 405: Dynamic Cut-Through - Edition P 1	1997	ASD-STAN	
1895	PREN 4334	Aerospace Series Steel FE-WL1806 (15CrMnMoV5-4-9-3) Filler Metal for Welding Wire and Rod - Edition P 1	1997	ASD-STAN	
1896	PREN 3114-1	Aerospace Series Test Method Microstructure of (a + b) Titanium Alloy Wrought Products Part 1: General Requirements - Edition P 1	1997	ASD-STAN	
1897	PREN 4370	Aerospace Series Heat Resisting Alloy NI-PH1701 (NiCr15Co14Al5Ti4Mo4) Non Heat Treated Forging Stock a or D Less Than or Equal to 100 mm - Edition P 1	1997	ASD-STAN	
1898	PREN 3745-511	Aerospace Series Fibres and Cables, Optical, Aircraft Use Test Methods Part 511: Cable to Cable Abrasion - Edition P 1	1997	ASD-STAN	
1899	PREN 4315	Aerospace Series Heat Resisting Alloy FE-PA2601 (X6NiCrTiMoV26-15) Solution Treated and Precipitation Treated Bar and Section a or D Less Than or Equal to 100 mm Rm Greater Than or Equal to 900 MPa - Edition P 1	1997	ASD-STAN	
1900	PREN 3475-803	Aerospace Series Cables, Electrical, Aircraft Use Test Methods Part 803: Capacitance Variation - Edition P 1	1997	ASD-STAN	
1901	PREN 4256	Aerospace Series Nuts, Anchor, Self-Locking, Fixed, Two Lug, Reduced Series with Counterbore, in Heat Resisting Steel, Silver Plated Classification : 1 100 MPa (at Ambient Temperature) /425 Degrees C - Edition P 1	1997	ASD-STAN	
1902	PREN 3969	Aerospace Series Steel FE-PL1507 (40CrMoV12) Air Melted Annealed Forging Stock a or D Less Than or Equal to 350 mm - Edition P 1	1997	ASD-STAN	
1903	PREN 2591-607	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part 607: Optical Elements Immunity to Ambient Light Coupling - Edition P 1	1997	ASD-STAN	
1904	PREN 4318	Aerospace Series Heat Resisting Alloy FE-PA2601 (X6NiCrTiMoV26-15) Solution Treated and Precipitation Treated Bar and Section De Less Than or Equal to 100 mm Rm Greater Than or Equal to 960 MPa - Edition P 1	1997	ASD-STAN	
1905	PREN 3475-805	Aerospace Series Cables, Electrical, Aircraft Use Test Methods Part 805: Characteristic Impedance - Edition P 1	1997	ASD-STAN	
1906	PREN 2078	Aerospace Series Metallic Materials Manufacturing Schedule, Inspection Schedule, Inspection and Test Report Definition, General Principles, Preparation and Approval - Edition 2	1997	ASD-STAN	
1907	PREN 4375	Aerospace Series Heat Resisting Alloy NI-PH1301 (NiCr19Co18Mo4Ti3Al3) Non Heat Treated Forging Stock a or D Less Than or Equal to 250 mm - Edition P 1	1997	ASD-STAN	
1908	PREN 4058	Aerospace Series Filler Rods and Filler Wires for Welding in Titanium and Titanium Alloys Diameter 0,5 mm Less Than or Equal to D Less Than or Equal to 5,0 mm Dimensions - Edition P 1	1997	ASD-STAN	

1909	PREN 3510	Aerospace Series Heat Resisting Steel FE-PA2602 (X4NiCrTiMoV26-15) Solution Treated and Precipitation Treated Bar and Section De Less Than or Equal to 100 mm - Edition P 2	1997	ASD-STAN	
1910	PREN 3671	Aerospace Series Heat Resisting Alloy NI-PH3601 (NiCr22Mo9Nb) Non Heat Treated Forging Stock a or D Less Than or Equal to 250 mm - Edition P 1	1997	ASD-STAN	
1911	PREN 3989	Aerospace Series Steel FE-PA2801 (X60NiMnCr13-5-3) Cold Workde and Stress Relieved Bar for Machining De Less Than or Equal to 30 mm Rm Greater Than or Equal to 850 MPa - Edition P 1	1997	ASD-STAN	
1912	PREN 3475-512	Aerospace Series, Cables, Electrical, Aircraft Use Test Methods Part 512: Flexure Endurance - Edition P 1	1997	ASD-STAN	
1913	PREN 3878	Aerospace Series Test Method for Metallic Materials Braze Alloys Flexibility Test - Edition P 1	1997	ASD-STAN	
1914	PREN 2663	Aerospace Series Heat Resisting Alloy Ni-PH3601 (NiCr22Mo9Nb) Solution Treated Sheet, Strip and Plate 0,2 mm Less Than or Equal to a Less Than or Equal to 10 mm - Edition P 2	1997	ASD-STAN	
1915	PREN 2591-508	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part 508: Measurement of Thickness of Coating on Contacts - Edition P 1	1997	ASD-STAN	
1916	PREN 4328	Aerospace Series Steel FE-WM1601 (X18CrWNi13-3-2) Filler Metal for Welding Wire and Rod - Edition P 1	1997	ASD-STAN	
1917	PREN 4382	Aerospace Series Heat Resisting Alloy NI-PH3601 (NiCr22Mo9Nb) Solution Treated Seamless Tubes for Hydraulic Application D Less Than or Equal to 50 mm, a Less Than or Equal to 3 mm - Edition P 1	1997	ASD-STAN	
1918	PREN 4272	Aerospace Series Aluminium Alloy AL-P2219-T854 Die Forgings a Less than or Equal to 200 mm - Edition P 1	1997	ASD-STAN	
1919	PREN 2340	Round Bars Titanium and Titanium Alloys Diameter 12 mm Less than or Equal to D Less than or Equal to 80 mm Dimensions Aerospace Series - Edition 2; PREN 4267	1997	ASD-STAN	
1920	PREN 3793	Aerospace Series Anaerobic Polymerisable Compounds Test Method Determination of Static Shear Strength - Edition P1	1997	ASD-STAN	
1921	PREN 4302	Aerospace Series Open Ring Insert Tool, Square Drive - Edition P 1	1997	ASD-STAN	
1922	PREN 2913	Aerospace Series Washers, Flat, Large Diameter, in Alloy Steel, Cadmium Plated - Edition P 2	1997	ASD-STAN	
1923	PREN 4377	Aerospace Series Heat Resisting Alloy NI-PH2601 (NiCr19Fe19Nb5Mo3) Non Heat Treated Forging Stock a or D Less Than or Equal to 300 mm - Edition p 1	1997	ASD-STAN	
1924	PREN 6059-201	Aerospace Series Electrical Cables, Installation Protection Sleeves Test Methods Part 201: Visual Inspection - Edition P 1	1997	ASD-STAN	
1925	PREN 2591-513	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part 513: Magnetic Permeability - Edition P 1	1997	ASD-STAN	
1926	PREN 3991	Aerospace Series Steel FE-PA2801 (X60NiMnCr13-5-3) Non Heat Treated Forging Stock a or D Less Than or Equal to 350 mm - Edition P 1	1997	ASD-STAN	
1927	PREN 4086	Aerospace Series Heat Resisting Alloy Ni-PD2101 (NiCo14Nb5Ti2) Non Heat Treated Forging Stock a or D Less Than or Equal to 360 mm - Edition P 1	1997	ASD-STAN	
1928	PREN 4383	Aerospace Series Heat Resisting Alloy NI-CH2601 (NiCr19Fe19Nb5Mo3) Non Heat Treated Remelting Stock - Edition P 1	1997	ASD-STAN	
1929	PREN 2003-7	Aerospace Series Steel Test Methods Part 7: Macrographic Test - Edition P1	1997	ASD-STAN	
1930	PREN 4419	Aerospace Series Washers, Chamfered, with Counterbore, in Alloy Steel, Cadmium Plated - Edition P 1	1997	ASD-STAN	
1931	PREN 2003-10	Aerospace Series Titanium and Titanium Alloys Test Methods Part 10: Sampling for Determination of Hydrogen Content - Edition P 1	1997	ASD-STAN	
1932	PREN 4407	Aerospace Series Bolts, Normal Hexagonal Head, Threaded to Head, in Titanium Alloy, Aluminium IVD Coated Classification: 1 100 MPa (at Ambient Temperature)/425 Degrees C - Edition P 1	1997	ASD-STAN	
1933	PREN 4369	Aerospace Series Heat Resisting Alloy NI-PH1701 (NiCr15Co14Al5Ti4Mo4) Solution Treated and Precipitation Treated Bar and Section De Less Than or Equal to 100 mm - Edition P 1	1997	ASD-STAN	
1934	PREN 2833-1	Aerospace Series Glass Fibre Thermosetting Preimpregnates Technical Specification Part 1 : General Requirements - Edition P 2	1997	ASD-STAN	
1935	PREN 4368	Aerospace Series Heat Resisting Alloy NI-CD1701 (NiCo15Cr10Al6Ti5Mo3) Non Heat Treated Remelting Stock - Edition P 1	1997	ASD-STAN	

1936	PREN 2591-512	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part 512: Effectiveness of Non-Removable Fixing of Hermetically Sealed Connector Shell - Edition P 1	1997	ASD-STAN	
1937	PREN 4008-006	Aerospace Series Elements of Electrical and Optical Connection Crimping Tools and Associated Accessories Part 006: Positioner for Crimping Tool M22520/7 Product Standard - Edition P 1	1997	ASD-STAN	
1938	PREN 3745-508	Aerospace Series Fibres and Cables, Optical, Aircraft Use Test Methods Part 508 : Torsion - Edition P 2	1997	ASD-STAN	
1939	PREN 3716-001	Aerospace Series Connector, Single-Way, with Triaxial Interface, for Transmission of Digital Data Part 001: Technical Specification - Edition P 1	1997	ASD-STAN	
1940	PREN 3745-701	Aerospace Series Fibres and Cables, Optical, Aircraft Use Test Methods Part 701: Strippability - Edition P 1	1997	ASD-STAN	
1941	PREN 6049-004	Aerospace Series Electrical Cables, Installation Protection Sleeve in Meta-Aramid Fibres Part 004: Braided, Tubular, High Expandable Product Standard - Edition P 1	1997	ASD-STAN	
1942	PREN 3973	Aerospace Series Steel FE-CM3801 (X5CrNiCuNb16-4) Homogenized, Solution Treated and Precipitation Hardened Investment Casting De Less Than or Equal to 50 mm Rm Greater Than or Equal to 1 030 MPa - Edition P 1	1997	ASD-STAN	
1943	PREN 3680	Aerospace Series Steel FE-PA3601 (X6CrNiTi18-10) Air Melted Solution Treated Seamless Tube for Pressure Applications D Less Than or Equal to 50 mm; 0,5 mm Less Than or Equal to a Less Than or Equal to 5 mm 500 MPa Less Than or Equal to Rm Less Than or Equ	1997	ASD-STAN	
1944	PREN 3114-4	Aerospace Series Test Method Microstructure of (a + b) Titanium Alloy Wrought Products Part 4: Microstructure of Sheet for Superplastic Forming - Edition P 1	1997	ASD-STAN	
1945	PREN 3061	Aerospace Series Bearings, Airframe Rolling Rigid Single Row Ball Bearings in Corrosion Resisting Steel, with Flanged Alignment Bush Dimensions and Loads - Edition P 1	1997	ASD-STAN	
1946	PREN 4068-001	Aerospace Series Transformer Rectifier Units for Aircraft Part 001: Technical Specification - Edition P 1	1997	ASD-STAN	
1947	PREN 3557	Aerspace Series Aluminium Alloy AL-P6061-T4 Drawn Tube for Pressure Applications 0,6 mm Less Than or Equal to a Less Than or Equal to 3 mm - Edition p 1	1997	ASD-STAN	
1948	PREN 3816	Aerospace Series Steel FE-PA3601 (X6CrNiTi18-10) Air Melted Softened and Cold Rolled Sheet and Strip a Less Than or Equal to 3 mm Rm Greater Than or Equal to 800 MPa - Edition P 1	1997	ASD-STAN	
1949	PREN 4254	Aerospace Series Nuts, Anchor, Self-Locking, Fixed, 60 Degree Corner, with Counterbore, in Heat Resisting Steel, Silver Plated Classification : 1 100 MPa (at Ambient Temperature) / 425 Degrees C - Edition P 1	1997	ASD-STAN	
1950	PREN 4060	Aerospace Series Filler Rods and Filler Wires for Welding in Heat Resisting Alloys Diameter 0,5 mm Less Than or Equal to D Less Than or Equal to 5,0 mm Dimensions - Edition P 1	1997	ASD-STAN	
1951	PREN 2540	Aerospace Series Steel FE-PM3902 (X7CrNiAl17-7) Air Melted Solution Treated and Precipitation Hardened Sheet and Strip a Less Than or Equal to 6 mm l 240 MPa Less Than or Equal to Rm Less Than or Equal to 1 450 MPa - Edition P 1	1997	ASD-STAN	
1952	PREN 3905	Aerospace Series Six Lobe Recesses for Bolts Technical Specification - Edition P 1	1997	ASD-STAN	
1953	PREN 3638	Aerospace Series Heat Resisting Alloy FE-PA2601 (X6NiCrTiMoV26-15) Consumable Electrode Remelted Solution and Precipitation Treated Sheet, Strip and Plate 0,5 mm Less than or Equal to a Less than or Equal to 10 mm - Edition P 1	1997	ASD-STAN	
1954	PREN 6059-203	Aerospace Series Electrical Cables, Installation Protection Sleeves Test Methods Part 203: Coverage - Edition P 1	1997	ASD-STAN	
1955	PREN 3990	Aerospace Series Steel FE-PA2801 (X60NiMnCr13-5-3) Softened Bar for Machining De Less Than or Equal to 150 mm 620 MPa Less Than or Equal to Rm Less Than or Equal to 900 MPa - Edition P 1	1997	ASD-STAN	
1956	PREN 4378	Aerospace Series Heat Resisting Alloy NI-PH2601 (NiCr19Fe19Nb5Mo3) Solution Treated and Precipitation Treated Wire for Rivets D Less Than or Equal to 1,6 mm - Edition P 1	1997	ASD-STAN	
1957	PREN 4095	Aerospace Series Heat Resisting Alloy NI-CH1305 (NiCr16Co10Mo8Al4Ti4) Vacuum Melted Non Heat Treated Precision Castings - Edition P 1	1997	ASD-STAN	
1958	PREN 2240-040	Aerospace Series Lamps, Incandescent Part 040 : Lamp, Code 680 Product Standard - Edition P 1	1996	ASD-STAN	
1959	PREN 2642	Aerospace Series Structural Adhesive Systems Adhesive Film Technical Specification Edition P1 - Edition P 1	1996	ASD-STAN	

1960	PREN 3475-413	Aerospace Series Cables Electrical Aircraft Use Test Methods Part 413 - Wrap Back Test	1996	ASD-STAN	
1961	PREN 4267	Aerospace Series Round Bar in Titanium and Titanium Alloys Diameter 6 mm Less Than or Equal to D Less Than or Equal to 160 mm Dimensions - Edition P 1	1996	ASD-STAN	
1962	PREN 2240-055	Aerospace Series Lamps, Incandescent Part 055 : Lamp, Code 1495 Product Standard - Edition P 1	1996	ASD-STAN	
1963	PREN 2240-033	Aerospace Series Lamps, Incandescent Part 033 : Lamp, Code 377 Product Standard - Edition P 1	1996	ASD-STAN	
1964	PREN 3824	Aerospace Series Clinch-Nuts, Blind, Self-Locking, with Counterbore, in Corrosion Resisting Steel, MoS2 Lubricated Classification: 600 MPa (at Ambient Temperature) /315 Degrees C - Edition P1	1996	ASD-STAN	
1965	PREN 3708-005	Aerospace Series Modular Interconnection Systems Terminal Junction Systems Part 005 : Frames with Accessories for Feedback Modules Version, Sealed and Unsealed Product Standard - Edition P 2	1996	ASD-STAN	
1966	PREN 2240-086	Aerospace Series Lamps, Incandescent Part 086: Lamp, Code 7333 Product Standard - Edition P 1	1996	ASD-STAN	
1967	PREN 4219	Aerospace Series Nuts, Hexagon, Self-Locking by Domed Plastic Cap, Normal Height, Normal Across Flats, in Corrosion Resisting Steel, Passivated Classification : 900 MPa (at Ambient Temperature) / 120 Degrees Celsius - Edition P 1	1996	ASD-STAN	
1968	PREN 2240-081	Aerospace Series Lamps, Incandescent Part 081: Lamp, Code 7070 Product Standard - Edition P 1	1996	ASD-STAN	
1969	PREN 2240-098	Aerospace Series Lamps, Incandescent Part 098: Lamp, Code 416650 Product Standard - Edition P 1	1996	ASD-STAN	
1970	PREN 2240-005	Aerospace Series Lamps, Incandescent Part 005 : Lamp, Code 73 Product Standard - Edition P 1	1996	ASD-STAN	
1971	PREN 4481	Aerospace Sealing Compounds, Two-Component Polysulphide-Polymer Base Suitable for Blow Gun or Spatula Application for emperatures -55 Degrees Celsius to 135 Degrees Celsius Properties - PREN P 9505	1996	ASD-STAN	
1972	PREN 3708-002	Aerospace Series Modular Interconnection Systems Terminal Junction Systems Part 002 : Perfomance Specification - Edition P 2	1996	ASD-STAN	
1973	PREN 4264	Aerospace Series Heat Resisting Alloy FE-PA2501 (X4NiCrMoTi43-13) as Forged Forging Stock a or D Less Than or Equal to 200 mm - Edition P 1	1996	ASD-STAN	
1974	PREN 2240-018	Aerospace Series Lamps, Incandescent Part 018 : Lamp, Code 307 Product Standard - Edition P 1	1996	ASD-STAN	
1975	PREN 3769	Aerospace Series Electrolytic Polishing of Corrosion Resistant Steels and Heat Resisting Alloys - Edition 1	1996	ASD-STAN	
1976	PREN 2715	Aerospace Series Macrographic Examination of Aluminium and Aluminium Alloy Wrought Products, Forging Stock and Forgings - Edition P 2	1996	ASD-STAN	
1977	PREN 4260	Aerospace Series Metallic Materials Rules for Drafting and Presentation of Technical Specifications - Edition P 1	1996	ASD-STAN	
1978	PREN 2240-020	Aerospace Series Lamps, Incandescent Part 020 : Lamp, Code 311 Product Standard - Edition P 1	1996	ASD-STAN	
1979	PREN 4040	Aerospace Series Bearings, Spherical Plain in Corrosion Resisting Steel with Self-Lubricating Liner with Wide Inner Ring Elevated Loads at Ambient Temperature Dimensions and Loads - Edition P 1	1996	ASD-STAN	
1980	PREN 4033	Aerospace Series Bearings, Airframe Rolling Rigid Single Row Ball Bearings in Corrosion Resisting Steel Diameter Series 8 and 9, Reduced Internal Radial Clearance Dimensions and Loads - Edition P 1	1996	ASD-STAN	
1981	PREN 4050-2	Aerospace Series Test Method for Metallic Materials Ultrasonic Inspection of Bars, Plates, Forging Stock and Forgings Part 2: Performance of Test - Edition P 1	1996	ASD-STAN	
1982	PREN 2622	Aerospace Series Circular Tube for Fluids in Heat Resisting Alloys Diameter 3,2 mm Less Than or Equal to D Less Than or Equal to 100 mm Thickness 0,32 mm Less Than or Equal to a Less Than or Equal to 2,5 mm Dimensions - Edition P 1	1996	ASD-STAN	
1983	PREN 2240-037	Aerospace Series Lamps, Incandescent Part 037 : Lamp, Code 394 Product Standard - Edition P 1	1996	ASD-STAN	
1984	PREN 4061	Aerospace Series Amorphous Foil in Filler Metal for Brazing Thickness 25 Micrometer Less Than or Equal to a Less Than or Equal to 64 Micrometer Dimensions - Edition P2	1996	ASD-STAN	

1985	PREN 2240-090	Aerospace Series Lamps, Incandescent Part 090: Lamp, Code 7683 Product Standard - Edition P 1	1996	ASD-STAN	
1986	PREN 3684	Aerospace Series Test Methods Titanium Alloy Wrought Products Determination of Beta Ray Transus Temperature Metallographic Method - Edition P 1	1996	ASD-STAN	
1987	PREN 2240-024	Aerospace Series Lamps, Incandescent Part 024 : Lamp, Code 327 Product Standard - Edition P 1	1996	ASD-STAN	
1988	PREN 2240-030	Aerospace Series Lamps, Incandescent Part 030 : Lamp, Code 345 Product Standard - Edition P 1	1996	ASD-STAN	
1989	PREN 4050-3	Aerospace Series Test Method for Metallic Materials Ultrasonic Inspection of Bars, Plates, Forging Stock and Forgings Part 3: Reference Blocks - Edition P 1	1996	ASD-STAN	
1990	PREN 2716	Aerospace Series Test Method Determination of Susceptibility to Intergranular Corrosion Wrought Aluminium Alloy Products AL-P2XXX- Series, AL-P7XXX- Series and Aluminium-Lithium Alloys - Edition P 2	1996	ASD-STAN	
1991	PREN 4249	Aerospace Series Nuts, Anchor, Self-Locking, Fixed, Single Lug, Reduced Series, with Counterbore, in Heat Resisting Steel, Silver Plated Classification : 1 100 MPa (at Ambient Temperature) / 425 Degrees Celsius - Edition P 1	1996	ASD-STAN	
1992	PREN 4485	Aerospace Sealing Compounds, Two-Component Polysulphide Polymer Base Suitable for Blow Gun Spatula or Roll Application for Temperatures from -55 Degrees Celsius to 95 Degrees Celsius Corrosion Inhibiting Properties - P 9563	1996	ASD-STAN	
1993	PREN 2002-20	Aerospace Series Test Methods for Metallic Materials Part 20 : Eddy Current Testing of Circular Cross-Section Tubes - Edition P 1	1996	ASD-STAN	
1994	PREN 3459	Aerospace Series Titanium Alloy TI-P63001 Solution Treated and Aged Plate 6 mm Less Than a Less Than or Equal to 50 mm Edition P 2 - Edition P 2	1996	ASD-STAN	
1995	PREN 2240-069	Aerospace Series Lamps, Incandescent Part 069 : Lamp, Code 1978 Product Standard - Edition P 1	1996	ASD-STAN	
1996	PREN 4479	Aerospace Sealing Compounds, Two-Component Polysulphide Polymer Base Suitable for Blow Gun, Spatula or Roll Application for Temperatures from -55 Degrees Celsius to 120 Degrees Celsius Properties - P 9503	1996	ASD-STAN	
1997	PREN 4016	Aerospace Series Oversized Bolts - Edition P 1	1996	ASD-STAN	
1998	PREN 3841-201	Aerospace Series Circuit Breakers Test Methods Part 201 : Visual Inspection - Edition P 1	1996	ASD-STAN	
1999	PREN 2240-071	Aerospace Series Lamps, Incandescent Part 071: Lamp, Code 3011 Product Standard - Edition P 1	1996	ASD-STAN	
2000	PREN 2240-091	Aerospace Series Lamps, Incandescent Part 091: Lamp, Code 7714 Product Standard - Edition P 1	1996	ASD-STAN	
2001	PREN 2808	Aerospace Series Anodizing of Titanium and Titanium Alloys - Edition 1	1996	ASD-STAN	
2002	PREN 2667-2	Aerospace Series Non-Metallic Materials Foaming Structural Adhesives Test Methods Part 2: Compressive Tube Shear - Edition P 1	1996	ASD-STAN	
2003	PREN 4064	Aerospace Series Tape in Filler Metal for Brazing Thickness 0,075 mm Less Than or Equal to a Less Than or Equal to 1,5 mm Dimensions - Edition P2	1996	ASD-STAN	
2004	PREN 4050-1	Aerospace Series Test Method for Metallic Materials Ultrasonic Inspection of Bars, Plates, Forging Stock and Forgings Part 1: General Requirements - Edition P 1	1996	ASD-STAN	
2005	PREN 2240-022	Aerospace Series Lamps, Incandescent Part 022 : Lamp, Code 315 Product Standard - Edition P 1	1996	ASD-STAN	
2006	PREN 2240-065	Aerospace Series Lamps, Incandescent Part 065 : Lamp, Code 1820 Product Standard - Edition P 1	1996	ASD-STAN	
2007	PREN 2240-044	Aerospace Series Lamps, Incandescent Part 044 : Lamp, Code 713 Product Standard - Edition P 1	1996	ASD-STAN	
2008	PREN 4262	Aerospace Series Heat Resisting Alloy FE-PA4901 (X12CrNiCoMoW21-20) as Forged Forging Stock a or D Less Than or Equal to 200 mm 690 MPa Less Than or Equal to Rm Less Than or Equal to 880 MPa - Edition P 1	1996	ASD-STAN	
2009	PREN 4311	Aerospace Series Studs, Coarse Tolerance Reduced Shank, Medium Length Threads, in Heat and Corrosion Resisting Steel, MoS2 Lubricated Classification : 1 100 MPa (at Ambient Temperature) / 315 Degrees Celsius - Edition P 1	1996	ASD-STAN	

2010	PREN 4484	Aerospace Sealing Compounds, Two-Component Polysulphide Polymer Base Suitable for Blow Gun or Spatula Application for Temperatures from -55 Degrees Celsius to 95 Degrees Celsius Corrosion Inhibiting Properties - P 9562	1996	ASD-STAN	
2011	PREN 2240-038	Aerospace Series Lamps, Incandescent Part 038 : Lamp, Code 401 Product Standard - Edition P 1	1996	ASD-STAN	
2012	PREN 2240-036	Aerospace Series Lamps, Incandescent Part 036 : Lamp, Code 388 Product Standard - Edition P 1	1996	ASD-STAN	
2013	PREN 3321	Aerospace Series Titanium Alloy TI-P65001 as Forged Grade 1 Forging Stock, for Solution Treated and Aged Forgings a or D Less Than or Equal to 360 mm - Edition P 2	1996	ASD-STAN	
2014	PREN 2240-067	Aerospace Series Lamps, Incandescent Part 067 : Lamp, Code 1843 Product Standard - Edition P 1	1996	ASD-STAN	
2015	PREN 3155-044	Aerospace Series Electrical Contacts Used in Elements of Connection Part 044: Contacts, Electrical, Male 044, Type A, Double Crimping, Class T Product Standard - Edition P 1	1996	ASD-STAN	
2016	PREN 2240-051	Aerospace Series Lamps, Incandescent Part 051 : Lamp, Code 1163 Product Standard - Edition P 1	1996	ASD-STAN	
2017	PREN 3626	Aerospace Series Nuts, Hexagon, Self-Locking in Steel, Cadmium Plated, MoS2 Lubricated Classification: 1 100 MPa (at Ambient Temperature)/235 Degrees C - Edition P 2	1996	ASD-STAN	
2018	PREN 3352	Aerospace Series Titanium Alloy TI-C64001 Investment Casting Hot Isostatic Pressed a Less Than or Equal to 30 mm Rm Greater Than or Equal to 880 MPa - Edition P 2	1996	ASD-STAN	
2019	PREN 4248	Aerospace Series Nuts, Anchor, Self-Locking, Fixed, Single Lug, with Counterbore, in Heat Resisting Steel, Silver Plated Classification : 1 100 MPa (at Ambient Temperature) / 425 Degrees Celcius - Edition P 1	1996	ASD-STAN	
2020	PREN 2240-062	Aerospace Series Lamps, Incandescent Part 062 : Lamp, Code 1810 Product Standard - Edition P 1	1996	ASD-STAN	
2021	PREN 2004-7	Aerospace Series Test Methods for Aluminium and Aluminium Alloy Products Part 7 : Reference Blocks for the Calibration of Measuring Equipment Used in the Determination of Electrical Conductivity of Wrought Aluminium and Aluminium Alloys - Edition P 1	1996	ASD-STAN	
2022	PREN 2240-089	Aerospace Series Lamps, Incandescent Part 089: Lamp, Code A7512-24 Product Standard - Edition P 1	1996	ASD-STAN	
2023	PREN 4500-6	Aerospace Series Metallic Materials Rules for Drafting and Presentation of Material Standards Part 6 : Specific Rules for Filler Metals For Brazing - Edition P 1	1996	ASD-STAN	
2024	PREN 2667-4	Aerospace Series Non-Metallic Materials Foaming Structural Adhesive Films Test Methods Part 4: Vertical Slump - Edition P 1	1996	ASD-STAN	
2025	PREN 2240-049	Aerospace Series Lamps, Incandescent Part 049 : Lamp, Code 757 Product Standard - Edition P 1	1996	ASD-STAN	
2026	PREN 4297	Aerospace Series Nuts, Hexagon, Self-Locking by Plastic Ring, Normal Height, Normal Across Flats, in Corrosion Resisting Steel, Passivated Classification: 900 MPa (at Ambient Temperature) /120 Degrees C - Edition P 1	1996	ASD-STAN	
2027	PREN 2240-066	Aerospace Series Lamps, Incandescent Part 066 : Lamp, Code 1829 Product Standard - Edition P 1	1996	ASD-STAN	
2028	PREN 2240-097	Aerospace Series Lamps, Incandescent Part 097: Lamp, Code 72601-12 Product Standard - Edition P 1	1996	ASD-STAN	
2029	PREN 2240-096	Aerospace Series Lamps, Incandescent Part 096: Lamp, Code 72601-6 Product Standard - Edition P 1	1996	ASD-STAN	
2030	PREN 2043	Aerospace Series Metallic Materials General Requirements for Semi-Finished Product Qualification (Excluding Forgings and Castings) - Edition P 1	1996	ASD-STAN	
2031	PREN 2240-059	Aerospace Series Lamps, Incandescent Part 059 : Lamp, Code 1591 Product Standard - Edition P 1	1996	ASD-STAN	
2032	PREN 3910	Aerospace Series High Speed Data Transmission Under STANAG 3838 or Fibre Optic Equivalent Control Edition P 2	1996	ASD-STAN	
2033	PREN 2345	Aerospace Series Aluminium and Aluminium Alloy Rivets Technical Specification - Edition 2	1996	ASD-STAN	

2034	PREN 2240-035	Aerospace Series Lamps, Incandescent Part 035 : Lamp, Code 387 Product Standard - Edition P 1	1996	ASD-STAN	
2035	PREN 2347	Aerospace Series Flexible Hose Assemblies in Polytetrafluoroethylene (PTFE) - Type 4 - Technical Specification - Edition P 1; Corrigendum 2: 07/02/1998	1996	ASD-STAN	
2036	PREN 2240-047	Aerospace Series Lamps, Incandescent Part 047 : Lamp, Code 718 Product Standard - Edition P 1	1996	ASD-STAN	
2037	PREN 2240-016	Aerospace Series Lamps, Incandescent Part 016 : Lamp, Code 305 Product Standard - Edition P 1	1996	ASD-STAN	
2038	PREN 3718	Aerospace Series Test Method for Metallic Materials Ultrasonic Inspection of Tubes - Edition P 1	1996	ASD-STAN	
2039	PREN 2240-014	Aerospace Series Lamps, Incandescent Part 014 : Lamp, Code 303 Product Standard - Edition P 1	1996	ASD-STAN	
2040	PREN 2240-079	Aerospace Series Lamps, Incandescent Part 079: Lamp, Code 6839 Product Standard - Edition P 1	1996	ASD-STAN	
2041	PREN 2240-028	Aerospace Series Lamps, Incandescent Part 028 : Lamp, Code 337 Product Standard - Edition P 1	1996	ASD-STAN	
2042	PREN 2240-008	Aerospace Series Lamps, Incandescent Part 008 : Lamp, Code 75 Product Standard - Edition P 1	1996	ASD-STAN	
2043	PREN 2240-006	Aerospace Series Lamps, Incandescent Part 006 : Lamp, Code 73E Product Standard - Edition P 1	1996	ASD-STAN	
2044	PREN 2240-054	Aerospace Series Lamps, Incandescent Part 054 : Lamp, Code 1317 Product Standard - Edition P 1	1996	ASD-STAN	
2045	TR 2410	Aerospace Series Metallic Materials Relationship Between Dimensional Standards and Material Standards - Edition 2	1996	ASD-STAN	
2046	PREN 2240-004	Aerospace Series Lamps, Incandescent Part 004: Lamp, Code 47 Product Standard - Edition P 1	1996	ASD-STAN	
2047	PREN 3378	Aerospace Series Titanium TI-P99002 Annealed Wire for Rivet 1,6 mm Less Than or Equal to D Less Than or Equal to 10 mm - Edition P 2	1996	ASD-STAN	
2048	PREN 4036	Aerospace Series Rod Ends, Adjustable with Self-Aligning Double Row Ball Bearing and Threaded Shank in Corrosion Resisting Steel, Reduced Internal Radial Clearance Dimensions and Loads - Edition P 1	1996	ASD-STAN	
2049	PREN 2240-019	Aerospace Series Lamps, Incandescent Part 019 : Lamp, Code 308 Product Standard - Edition P 1	1996	ASD-STAN	
2050	PREN 4037	Aerospace Series Bearings, Spherical Plain in Corrosion Resisting Steel with Self-Lubricating Liner Reduced Starting Torque Light Series Dimensions and Loads - Edition P 1	1996	ASD-STAN	
2051	PREN 2240-068	Aerospace Series Lamps, Incandescent Part 068 : Lamp, Code 1864 Product Standard - Edition P 1	1996	ASD-STAN	
2052	PREN 3848	Aerospace Series Semi-Finished Metallic Products Methods of Measuring from Deviations - Edition P2	1996	ASD-STAN	
2053	PREN 2240-070	Aerospace Series Lamps, Incandescent Part 070 : Lamp, Code 2232 Product Standard - Edition P 1	1996	ASD-STAN	
2054	PREN 2591-422	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part 422: Locking Wire Hole Strength - Edition P 1	1996	ASD-STAN	
2055	PREN 3467	Aerospace Series Titanium Alloy TI-C64001 not Heat Treated Remelting Stock De Less Than or Equal to 300 mm - Edition P 2	1996	ASD-STAN	
2056	PREN 2240-009	Aerospace Series Lamps, Incandescent Part 009 : Lamp, Code 83 Product Standard - Edition P 1	1996	ASD-STAN	
2057	PREN 3624	Aerospace Series Polysulphide Sealants, Two-Component Technical Specification - Edition P 1	1996	ASD-STAN	
2058	PREN 2240-031	Aerospace Series Lamps, Incandescent Part 031 : Lamp, Code 356 Product Standard - Edition P 1	1996	ASD-STAN	
2059	PREN 3708-004	Aerospace Series Modular Interconnection Systems Terminal Junction Systems Part 004 : Removable Feedback Modules Version, Unsealed Product Standard - Edition P 2	1996	ASD-STAN	

2060	PREN 2240-029	Aerospace Series Lamps, Incandescent Part 029 : Lamp, Code 338 Product Standard - Edition P 1	1996	ASD-STAN	
2061	PREN 4482	Aerospace Sealing Compounds, Two-Component Polysulphide Polymer Base Suitable for Blow Gun, Spatula or Roll Application for Temperature from -55 Degrees Celsius to 135 Degrees Celsius Properties - P 9506	1996	ASD-STAN	
2062	PREN 2240-082	Aerospace Series Lamps, Incandescent Part 082: Lamp, Code 7079 Product Standard - Edition P 1	1996	ASD-STAN	
2063	PREN 3745-302	Aerospace Series Fibres and Cables, Optical, Aircraft Use Test Methods Part 302 : Numerical Aperture - Edition P 1	1996	ASD-STAN	
2064	PREN 2003-9	Aerospace Series Test Methods Titanium and Titanium Alloys Part 9 : Determination of Surface Contamination - Edition P 1	1996	ASD-STAN	
2065	PREN 2240-034	Aerospace Series Lamps, Incandescent Part 034 : Lamp, Code 382 Product Standard - Edition P 1	1996	ASD-STAN	
2066	PREN 4034	Aerospace Series Bearings, Airframe Rolling Double Row Self- Aligning Ball Bearings with Flanged Outer Ring in Corrosion Resisting Steel, Reduced Internal Radial Clearance Dimensions and Loads - Edition P 1	1996	ASD-STAN	
2067	PREN 2240-058	Aerospace Series Lamps, Incandescent Part 058 : Lamp, Code 1524 Product Standard - Edition P 1	1996	ASD-STAN	
2068	PREN 2667-5	Aerospace Series Non-Metallic Materials Foaming Structural Adhesive Films Test Methods Part 5: Exothermicity - Edition P 1	1996	ASD-STAN	
2069	PREN 3842	Aerospace Series Circular Tube for Fluids in Corrosion Resistant Steel Diameter 3,2 mm Less Than or Equal to D Less Than or Equal to 100 mm Thickness 0,32 mm Less Than or Equal to a Less Than or Equal to 2,5 mm Dimensions - Edition P 1	1996	ASD-STAN	
2070	PREN 2240-092	Aerospace Series Lamps, Incandescent Part 092: Lamp, Code 7715 Product Standard - Edition P 1	1996	ASD-STAN	
2071	PREN 4039	Aerospace Series Bearings, Spherical Plain in Corrosion Resisting Steel with Self-Lubricating Liner Reduced Starting Torque Normal Wide Series Dimensions and Loads - Edition P 1	1996	ASD-STAN	
2072	PREN 2924	Aerospace Series Nuts, Hexagon, Plain, Reduced Height, Reduced Across Flats, in Heat Resisting Steel, Silver Plated, Left Hand Thread Classification : 600 MPa (at Ambient Temperature) / 425 Degrees C - Edition P 2	1996	ASD-STAN	
2073	PREN 2240-048	Aerospace Series Lamps, Incandescent Part 048 : Lamp, Code 718 NPC Product Standard - Edition P 1	1996	ASD-STAN	
2074	PREN 2923	Aerospace Series Nuts, Hexagon, Plain, Reduced Height, Reduced Across Flats, in Heat Resisting Steel, Silver Plated Classification : 600 MPa (at Ambient Temperature) / 425 Degrees C - Edition P 2	1996	ASD-STAN	
2075	PREN 2344	Aerospace Series Round Bars, Machined in Heat Resisting Alloys Diameter 10 mm Less Than or Equal to D Less Than or Equal to 180 mm Dimensions - Edition P 1	1996	ASD-STAN	
2076	PREN 4066	Aerospace Series Borided Foil in Filler Metal for Brazing Thickness 25 Micrometers Less Than or Equal to a Less Than or Equal to 100 Micrometer Dimensions - Edition P 2	1996	ASD-STAN	
2077	PREN 2240-012	Aerospace Series Lamps, Incandescent Part 012 : Lamp, Code 95 Product Standard - Edition P 1	1996	ASD-STAN	
2078	PREN 4261	Aerospace Series Metallic Materials Rules for Drafting and Presentation of Test Method Standards - Edition P 1	1996	ASD-STAN	
2079	PREN 2240-057	Aerospace Series Lamps, Incandescent Part 057 : Lamp, Code 1512 Product Standard - Edition P 1	1996	ASD-STAN	
2080	PREN 4483	Aerospace Sealing Compounds, Two-Component Polysulphide-Polymer Base Suitable for Brush Application for Temperatures from -55 Degrees Celsius to 95 Degrees Celsius Corrosion Inhibiting Properties - P 9561	1996	ASD-STAN	
2081	PREN 2240-013	Aerospace Series Lamps, Incandescent Part 013 : Lamp, Code 301 Product Standard - Edition P 1	1996	ASD-STAN	
2082	PREN 2240-084	Aerospace Series Lamps, Incandescent Part 084: Lamp, Code 7153 Product Standard - Edition P 1	1996	ASD-STAN	
2083	PREN 4157	Aerospace Series Rod Ends, with Self-Aligning Double Row Ball Bearings and Threaded Shank in Steel Dimensions and Loads Inch Series - Edition P 1	1996	ASD-STAN	

2084	PREN 2240-043	Aerospace Series Lamps, Incandescent Part 034 : Lamp, Code 685 Product Standard - Edition P 1	1996	ASD-STAN	
2085	PREN 4011	Aerospace Series Nuts, Bihexagonal, Self- Locking, in Heat Resisting Nickel Base Alloy NI-P100HT (Inconel 718), Silver Plated Classification: 1 550 MPa (at Ambient Temperature) / 600 Degrees C - Edition P1	1996	ASD-STAN	
2086	PREN 2240-025	Aerospace Series Lamps, Incandescent Part 025 : Lamp, Code 328 Product Standard - Edition P 1	1996	ASD-STAN	
2087	PREN 2240-032	Aerospace Series Lamps, Incandescent Part 032 : Lamp, Code 376 Product Standard - Edition P 1	1996	ASD-STAN	
2088	PREN 2240-075	Aerospace Series Lamps, Incandescent Part 075: Lamp, Code 5448 Product Standard - Edition P 1	1996	ASD-STAN	
2089	PREN 3322	Aerospace Series Titanium Alloy TI-P65001 Solution Treated and Aged Grade 1 - Forgings De Less Than or Equal to 75 mm - Edition P 2	1996	ASD-STAN	
2090	PREN 2591-421	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part 421: Free Fall - Edition P 1	1996	ASD-STAN	
2091	PREN 2240-083	Aerospace Series Lamps, Incandescent Part 083: Lamp, Code 7152 Product Standard - Edition P 1	1996	ASD-STAN	
2092	PREN 2240-074	Aerospace Series Lamps, Incandescent Part 074: Lamp, Code 5086 Product Standard - Edition P 1	1996	ASD-STAN	
2093	PREN 2240-021	Aerospace Series Lamps, Incandescent Part 021 : Lamp, Code 313 Product Standard - Edition P 1	1996	ASD-STAN	
2094	PREN 2240-053	Aerospace Series Lamps, Incandescent Part 053 : Lamp, Code 1308 Product Standard - Edition P 1	1996	ASD-STAN	
2095	PREN 2240-080	Aerospace Series Lamps, Incandescent Part 080: Lamp, Code 7007-704 Product Standard - Edition P 1	1996	ASD-STAN	
2096	PREN 3460	Aerospace Series Titanium TI-P99002 Annealed Bar for Machining a or D Less Than or Equal to 150 mm Rm Greater Than or Equal to 390 MPa - Edition P 2	1996	ASD-STAN	
2097	PREN 2240-095	Aerospace Series Lamps, Incandescent Part 095: Lamp, Code 8552 Product Standard - Edition P 1	1996	ASD-STAN	
2098	PREN 2240-039	Aerospace Series Lamps, Incandescent Part 039 : Lamp, Code 600 Product Standard - Edition P 1	1996	ASD-STAN	
2099	PREN 2240-041	Aerospace Series Lamps, Incandescent Part 041 : Lamp, Code 682 Product Standard - Edition P 1	1996	ASD-STAN	
2100	PREN 4063	Aerospace Series Wire in Filler Metal for Brazing Diameter 0,6 mm Less Than or Equal to D Less Than or Equal to 4 mm Dimensions - Edition P2	1996	ASD-STAN	
2101	PREN 2240-010	Aerospace Series Lamps, Incandescent Part 010 : Lamp, Code 84 Product Standard - Edition P 1	1996	ASD-STAN	
2102	PREN 3841-308	Aerospace Series Circuit Breakers Test Methods Part 308: Lightning - Edition P 1	1996	ASD-STAN	
2103	PREN 3708-001	Aerospace Series Modular Interconnection Systems Terminal Junction Systems Part 001 : Technical Specification - Edition P 2	1996	ASD-STAN	
2104	PREN 2240-015	Aerospace Series Lamps, Incandescent Part 015 : Lamp, Code 304 Product Standard - Edition P 1	1996	ASD-STAN	
2105	PREN 2240-061	Aerospace Series Lamps, Incandescent Part 061 : Lamp, Code 1683 Product Standard - Edition P 1	1996	ASD-STAN	
2106	PREN 3910-001	Aerospace Series High Speed Data Transmission Under STANAG 3838 or Fibre Optic Equivalent Control - Edition P 1	1996	ASD-STAN	
2107	PREN 3444	Aerospace Series Bolts, Large Bihexagonal Head, Close Tolerance Normal Shank, Medium Length Thread, in Heat Resisting Nickel Base Alloy, Passivated Classification: 1 250 MPa (at Ambient Temperature) / 650 Degrees C - Edition P 1	1996	ASD-STAN	

2108	PREN 2667-1	Aerospace Series Non-Metallic Materials Foaming Structural Adhesives Test Methods Part 1: Tensile Single-Lap Shear - Edition P 1	1996	ASD-STAN	
2109	PREN 3841-202	Aerospace Series Circuit Breakers Test Methods Part 202 : Dimensions and Masses - Edition P 1	1996	ASD-STAN	
2110	PREN 2667-3	Aerospace Series Non-Metallic Materials Foaming Structural Adhesive Films Test Methods Part 3: Expansion Ratio and Volatile Content - Edition P 1	1996	ASD-STAN	
2111	PREN 3207	Aerospace Series Rubber Compounds Technical Specification - Edition 1	1996	ASD-STAN	
2112	PREN 2240-060	Aerospace Series Lamps, Incandescent Part 060 : Lamp, Code 1619 Product Standard - Edition P 1	1996	ASD-STAN	
2113	PREN 4500-2	Aerospace Series Metallic Materials Rules for Drafting and Presentation of Material Standards Part 2 : Specific Rules for Aluminium, Aluminium Alloys and Magnesium Alloys - Edition P 1	1996	ASD-STAN	
2114	PREN 2240-093	Aerospace Series Lamps, Incandescent Part 093: Lamp, Code 7839 Product Standard - Edition P 1	1996	ASD-STAN	
2115	PREN 4035	Aerospace Series Rod Ends, Adjustable with Self-Aligning Double Row Ball Bearing in Corrosion Resisting Steel, Reduced Internal Radial Clearance and Threaded Shank in Titanium Alloy Dimension and Loads - Edition P 1	1996	ASD-STAN	
2116	PREN 3708-003	Aerospace Series Modular Interconnection Systems Terminal Junction Systems Part 003 : Removable Feedback Modules Version, Sealed Product Standard - Edition P 2	1996	ASD-STAN	
2117	PREN 2255	Aerospace Series Flexible Hose Assemblies in Polytetrafluoroethylene (PTFE) - Type 3 - Technical Specification - Edition P 1; Corrigendum 2/28/97; Corrigendum 2 7/2/98	1996	ASD-STAN	
2118	PREN 2240-085	Aerospace Series Lamps, Incandescent Part 085: Lamp, Code 7265 Product Standard - Edition P 1	1996	ASD-STAN	
2119	PREN 2240-063	Aerospace Series Lamps, Incandescent Part 063 : Lamp, Code 1815 Product Standard - Edition P 1	1996	ASD-STAN	
2120	PREN 3683	Aerospace Series Test Methods Titanium Alloy Wrought Products Determination of Primary Alpha Particle Content Point Count Method and Line Intercept Method - Edition P 1	1996	ASD-STAN	
2121	PREN 4480	Aerospace Sealing Compounds, Two-Component Polysulphide Polymer Base Suitable for Brush Application for Temperatures from -55 Degrees Celsius to 135 Degrees Celsius Properties - P 9504	1996	ASD-STAN	
2122	PREN 2240-046	Aerospace Series Lamps, Incandescent Part 046 : Lamp, Code 715 Product Standard - Edition P 1	1996	ASD-STAN	
2123	PREN 2240-078	Aerospace Series Lamps, Incandescent Part 078: Lamp, Code 6838 Product Standard - Edition P 1	1996	ASD-STAN	
2124	PREN 2240-087	Aerospace Lamps, Incandescent Part 087: Lamp, Code 7341 Product Standard - Edition P 1	1996	ASD-STAN	
2125	PREN 2240-027	Aerospace Series Lamps, Incandescent Part 027 : Lamp, Code 334 Product Standard - Edition P 1	1996	ASD-STAN	
2126	PREN 4263	Aerospace Series Heat Resisting Alloy FE-PA4901 (X12CrNiCoMoW21-20) as Forged Forging Stock a or D Less Than or Equal to 200 mm 690 MPa Less Than or Equal to Rm Less Than or Equal to 960 MPa - Edition P 1	1996	ASD-STAN	
2127	TR 3970	Aerospace Series Designation Codes for Semi-Finished Metallic Products - Edition 1	1996	ASD-STAN	
2128	PREN 2516	Aerospace Series Passivation of Corrosion Resistant Steels and Decontamination of Nickel Base Alloys - Edition 1	1996	ASD-STAN	
2129	PREN 2240-094	Aerospace Series Lamps, Incandescent Part 094: Lamp, Code 8022 Product Standard - Edition P 1	1996	ASD-STAN	
2130	PREN 2091	Aerospace Series Aluminium Alloy AL-P2024-T4 Clad Sheet and Strip for Stretch Forming 0,3 mm Less Than or Equal to a Less Than or Equal to 6 mm - Edition EN	1996	ASD-STAN	
2131	PREN 2240-050	Aerospace Series Lamps, Incandescent Part 050 : Lamp, Code 1064 Product Standard - Edition P 1	1996	ASD-STAN	
2132	PREN 2240-088	Aerospace Series Lamps, Incandescent Part 088: Lamp, Code A7512-12 Product Standard - Edition P 1	1996	ASD-STAN	

2133	PREN 3536	Aerospace Series Nuts, Hexagon, Self-Locking, in Heat Resisting Steel, MoS2 Lubricated Classification: 1 100 MPa (at Ambient Temperature) / 315 Degrees Celsius - Edition P 2	1996	ASD-STAN	
2134	PREN 2240-052	Aerospace Series Lamps, Incandescent Part 052 : Lamp, Code 1222 Product Standard - Edition P 1	1996	ASD-STAN	
2135	PREN 3745-507	Aerospace Series Fibres and Cables, Optical, Aircraft Use Test Methods Part 507 : Cut-Through - Edition P 1	1996	ASD-STAN	
2136	PREN 2240-076	Aerospace Series Lamps, Incandescent Part 076: Lamp, Code 5678 Product Standard - Edition P 1	1996	ASD-STAN	
2137	PREN 3315	Aerospace Series Titanium Alloy TI-P64001 Solution Treated and Aged Forgings De Less Than or Equal to 75 mm - Issue P 2	1996	ASD-STAN	
2138	PREN 2240-007	Aerospace Series Lamps, Incandescent Part 007 : Lamp, Code 74 Product Standard - Edition P 1	1996	ASD-STAN	
2139	PREN 3841-502	Aerospace Series Circuit Breakers Test Methods Part 502 : Operating Forces - Edition P 1	1996	ASD-STAN	
2140	PREN 2240-073	Aerospace Series Lamps, Incandescent Part 073: Lamp, Code 4174 Product Standard - Edition P 1	1996	ASD-STAN	
2141	PREN 4038	Aerospace Series Bearings, Spherical Plain in Corrosion Resisting Steel with Self-Lubricating Liner Reduced Starting Torque Normal Narrow Series Dimensions and Loads - Edition P 1	1996	ASD-STAN	
2142	PREN 4050-4	Aerospace Series Test Method for Metallic Materials Ultrasonic Inspection of Bars, Plates, Forging Stock and Forgings Part 4: Acceptance Criteria - Edition P 1	1996	ASD-STAN	
2143	PREN 4309	Aerospace Series Nuts, Hexagon, Self-Locking by Plastic Ring, Normal Height, Normal Across Flats, in Alloy Steel, Cadmium Plated Classification : 900 MPa (at Ambient Temperature) / 120 Degrees Celsius - Edition P 1	1996	ASD-STAN	
2144	PREN 2240-072	Aerospace Series Lamps, Incandescent Part 072: Lamp, Code 3912 Product Standard - Edition P 1	1996	ASD-STAN	
2145	PREN 2240-011	Aerospace Series Lamps, Incandescent Part 011 : Lamp, Code 85 Product Standard - Edition P 1	1996	ASD-STAN	
2146	PREN 2240-099	Aerospace Series Lamps, Incandescent Part 099: Lamp, Code 416700 Product Standard - Edition P 1	1996	ASD-STAN	
2147	PREN 2240-023	Aerospace Series Lamps, Incandescent Part 023 : Lamp, Code 316 Product Standard - Edition P 1	1996	ASD-STAN	
2148	PREN 3841-501	Aerospace Series Circuit Breakers Test Methods Part 501 : Actuator Button Travel - Edition P 1	1996	ASD-STAN	
2149	PREN 3745-509	Aerospace Series Fibres and Cables, Optical, Aircraft Use Test Methods Part 509 : Kink Test - Edition P 1	1996	ASD-STAN	
2150	PREN 2240-045	Aerospace Series Lamps, Incandescent Part 045 : Lamp, Code 714 Product Standard - Edition P 1	1996	ASD-STAN	
2151	PREN 2240-042	Aerospace Series Lamps, Incandescent Part 042 : Lamp, Code 683 Product Standard - Edition P 1	1996	ASD-STAN	
2152	PREN 4062	Aerospace Series Rolled Foil in Filler Metal for Brazing Thickness a Less Than or Equal to 1 mm Dimensions - Edition P2	1996	ASD-STAN	
2153	PREN 2240-026	Aerospace Series Lamps, Incandescent Part 026 : Lamp, Code 330 Product Standard - Edition P 1	1996	ASD-STAN	
2154	PREN 2240-017	Aerospace Series Lamps, Incandescent Part 017 : Lamp, Code 306 Product Standard - Edition P 1	1996	ASD-STAN	
2155	PREN 2240-064	Aerospace Series Lamps, Incandescent Part 064 : Lamp, Code 1819 Product Standard - Edition P 1	1996	ASD-STAN	
2156	PREN 3506	Aerospace Series Hot Rolled Sheets and Plates in Heat Resisting Alloys Thickness 2,0 mm Less Than or Equal to a Less Than or Equal to 100 mm Dimensions - Edition P 1	1996	ASD-STAN	

2157	PREN 2240-077	Aerospace Series Lamps, Incandescent Part 077: Lamp Code 6832 Product Standard - Edition P 1	1996	ASD-STAN	
2158	PREN 2240-056	Aerospace Series Lamps, Incandescent Part 056 : Lamp, Code 1506 Product Standard - Edition P 1	1996	ASD-STAN	
2159	PREN 2265-004	Aerospace Series Cables, Electrical, for General Purpose Operating Temperatures Between - 55 Degrees Celsius and 150 Degrees Celsius Part 004: CO2 Laser Printable Product Standard - Edition P 1	1995	ASD-STAN	
2160	PREN 6034	Aerospace Series Carbon Fibre Reinforced Plastics Test Method Determination of Interlaminar Fracture Toughness Energy Mode II - GIIC - Edition P1	1995	ASD-STAN	
2161	PREN 3666	Aerospace Series Heat Resisting Alloy NI-PH2601 Solution Treated and Cold Worked Bar for Forged Fasteners D Less Than or Equal to 50 mm 1550 MPa Less Than or Equal to Rm Less Than or Equal to 1830 MPa - Edition P 2	1995	ASD-STAN	
2162	PREN 2591-217	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part 217: Voltage Drop Under Specified Current for Terminal Lugs and In-Line Splices - Edition P 1	1995	ASD-STAN	
2163	PREN 2876	Aerospace Series Nuts, Hexagon, Plain, Reduced Height, Normal Across Flats, in Aluminium Alloy, Anodized Classification : 450 MPa (at Ambient Temperature)/ 120 Degrees C	1995	ASD-STAN	
2164	PREN 3890	Aerospace Series Steel FE-WM1502 Filler Metal for Welding - Edition P1	1995	ASD-STAN	
2165	PREN 2824	Aerospace Series Burning Behaviour of Non Metallic Materials Under the Influence of Radiating Heat and Flames Determination of Smoke Density and Gas Components in the Smoke of Materials Test Equipment, Apparatus and Media - Edition P 1	1995	ASD-STAN	
2166	PREN 2500-6	Aerospace Series Instructions for the Drafting and Use of Metallic Material Standards Part 6: Specific Requirements for Filler Metals for Brazing - Edition P 1	1995	ASD-STAN	
2167	PREN 2591-218	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part 218: Ageing of Terminal Lugs and In-Line Splices by Temperature and Current Cycling - Edition P 1	1995	ASD-STAN	
2168	PREN 2266-003	Aerospace Series Cables, Electrical, for General Purpose Operating Temperatures between - 55 Degrees C and 200 Degrees C Part 003: Ink Jet Printable Products Standard - Edition P 1	1995	ASD-STAN	
2169	PREN 6032	Aerospace Series Fibre Reinforced Plastics Test Method Determination of the Glass Transition Temperatures - Edition P1	1995	ASD-STAN	
2170	PREN 3805	Aerospace Series Anaerobic Polymerisable Compounds Torque Strength 10 Nm Thixotropic Index 8 - Edition P 1	1995	ASD-STAN	
2171	TR 4257	Aerospace Series Elements of Electrical and Optical Connection Relationship between the Numbering Systems for Parts of EN 2591 - Edition 1	1995	ASD-STAN	
2172	PREN 3465	Aerospace Series Titanium Alloy TI-P63001 not Heat Treated Grade 2 Forging Stock, for Solution Treated and Aged Forgings a or D Less Than or Equal to 360 mm - Edition P 2	1995	ASD-STAN	
2173	PREN 2713-006	Aerospace Series Cables, Electrical, Single and Multicore for General Purpose Operating Temperatures between - 55 Degrees C and 200 Degrees C Part 006 : Screened (Braided) and Jacketed, CO2 Laser Printable Product Standard - Edition P 1	1995	ASD-STAN	
2174	PREN 3218-009	Aerospace Series Connectors, Rectangular, with Metallic Shells and Screw-Locking Part 009: Protective Covers for EN 3218-005 and EN 3218-007 Connectors Product Standard - Edition P 1	1995	ASD-STAN	
2175	PREN 6066	Aerospace Series Fibre Reinforced Plastics Test Method Determination of Tensile Strength of a Tapered and Stepped Joints - Edition P1	1995	ASD-STAN	
2176	PREN 3889	Aerospace Series Steel FE-WM3801 Filler Metal for Welding - Edition P1	1995	ASD-STAN	
2177	PREN 3799	Aerospace series - Anaerobic polymerisable compounds - Torque strength 5 Nm Viscosity 125 mm 2s-1 - Edition P 1	1995	ASD-STAN	
2178	PREN 6036	Aerospace Series Fibre Reinforced Plastics Test Method Determination of Notched, Unnotched and Filled Hole Compression Strength - Edition P1	1995	ASD-STAN	
2179	PREN 3854	Aerospace Series Pipe Couplings, 60 Degrees, Spherical, in Titanium Alloy TI-P64001 Ferrules, Welded - Edition P1	1995	ASD-STAN	
2180	PREN 2952	Aerospace Series Heat Resisting Alloy NI-PH2601 Solution Treated and Cold Worked Bar for Forged Fasteners D Less Than or Equal to 50 mm 1270 MPa Less Than or Equal to Rm Less Than or Equal to 1550 MPa - Edition P 3	1995	ASD-STAN	
2181	PREN 2130	Aerospace Series Corrosion Resisting Steel Precision Ball Bearings for Instruments and Equipment Technical Specification - Editio P 1	1995	ASD-STAN	
2182	PREN 2032	Conventional Designation for Metallic Materials Aerospace Series - Edition 2	1995	ASD-STAN	

2183	PREN 3736	Aerospace Series Titanium Alloy TI-P65002 Grade 2 Solution Treated and Aged Forgings De Less Than or Equal to 75 mm - Edition P 1	1995	ASD-STAN	
2184	PREN 3808	Aerospace Series Anaerobic Polymerisable Compounds Torque Strength 16 Nm Thixotropic Index 8 - Edition P 1	1995	ASD-STAN	
2185	PREN 2591-614	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part 614: Optical Elements Connector Radial Compression - Edition P 1	1995	ASD-STAN	
2186	PREN 6047-004	Aerospace Series Connectors, Electrical, Circular, Coupled by Threaded Ring, for High Current Operating Temperature + 200 Degrees Celsius Continuous, and Fire Resistant Part 004 - Plug Product Standard - Edition P1	1995	ASD-STAN	
2187	PREN 3902	Aerospace Series Washers for Rivet Assemblies, in Aluminium Alloy, Anodized, Metric Series - Edition P1	1995	ASD-STAN	
2188	PREN 3266	Aerospace Series Pipe Coupling in Titanium Alloy Bulkhead Nuts - Edition P 2	1995	ASD-STAN	
2189	PREN 6044-1	Aerospace Series Carbon Fibre Reinforced Epoxy Prepreg Technical Specification Part 1: General Requirements - Edition P1	1995	ASD-STAN	
2190	PREN 2060	Aerospace Series Folded Profiles Bowler Hat Section in Aluminium and Aluminium Alloys Dimensions - Edition 2	1995	ASD-STAN	
2191	PREN 2756	Aerospace Series Lamps, Incandescent Tests - Edition P 1	1995	ASD-STAN	
2192	PREN 3737	Aerospace Series Titanium Alloy TI-P65002 Not Heat Treated Grade 2 Forging Stock, for Solution Treated and Aged Forgings a or D Less Than or Equal to 360 mm - Edition P 1	1995	ASD-STAN	
2193	PREN 3318	Aerospace Series Titanium Alloy TI-P64002 not Heat Treated Grade 2 Forging Stock, for Annealed Forgings a or D Less Than or Equal to 360 mm - Edition P 2	1995	ASD-STAN	
2194	PREN 2591-219	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part 219: Voltage Strength for Insulated Terminal Lugs and In-Line Splices - Edition P 1	1995	ASD-STAN	
2195	PREN 3313	Aerospace Series Titanium Alloy TI-P64001 not Heat Treated Grade 2 Forging Stock, for Solution Treated and Aged Forgings a or D Less Than or Equal to 360 mm - Edition P 2	1995	ASD-STAN	
2196	PREN 3800	Aerospace Series Anaerobic Polymerisable Compounds Torque Strength 5 Nm Viscosity 500 mm Squared Per Second - Edition P 1	1995	ASD-STAN	
2197	PREN 3804	Aerospace Series Anaerobic Polymerisable Compounds Torque Strength 10 Nm Thixotropic Index 3,5 - Edition P 1	1995	ASD-STAN	
2198	PREN 3454	Aerospace Series Titanium Alloy TI-P19001 not Heat Treated Grade 2 Forging Stock, for Annealed Forgings a or D Less Than or Equal to 300 mm - Edition P2	1995	ASD-STAN	
2199	PREN 3918	Aerospace Series Nickel Base Alloy NI-B41201 Filler Metal for Brazing Tape - Edition P2	1995	ASD-STAN	
2200	PREN 2591-613	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part 613: Optical Elements Impact Test - Edition P 1	1995	ASD-STAN	
2201	PREN 2658	Aerospace Series Heat Resisting Alloy CO-PH1402 Consumable Electrode Remelted as Forged Forging Stock De Less Than or Equal to 360 mm - Edition P 2	1995	ASD-STAN	
2202	PREN 3431	Aerospace Series Nuts, Hexagonal, Self-Locking, with Counterbore and Captive Washer, in Heat Resisting Steel, Silver Plated Classification: 1 100 MPa (at Ambient Temperature)/425 Degrees Celsius - Edition P 1	1995	ASD-STAN	
2203	PREN 3801	Anaerobic Polymerisable Compounds Torque Strength 5 Nm Thixotropic Index 8 - Edition P 1	1995	ASD-STAN	
2204	PREN 6060	Aerospace Series Fibre Reinforced Plastics Test Method Determination of the Tensile Single Lap Shear Strength - Edition P1	1995	ASD-STAN	
2205	PREN 2500-1	Aerospace Series Instructions for the Drafting and Use of Metallic Material Standards Part 1 : General Requirements - Edition P 3	1995	ASD-STAN	
2206	PREN 2713-009	Aerospace Series Cables, Electrical, Single and Multicore for General Purpose Operating Temperatures Between - 55 Degrees Celsius and 200 Degrees Celsius Part 009: Screened (Spiral) and Jacketed, YAG X3 Laser Printable Product Standard - Edition P 1	1995	ASD-STAN	
2207	PREN 3452	Aerospace Series Titanium TI-P99002 Grade 2 Annealed Forgings De Less Than or Equal to 150 mm - Edition P 2	1995	ASD-STAN	
2208	PREN 2264	Aerospace Series Nuts, Anchor, Self-Locking, Floating, Two Lug, Incremental Counterbore, in Alloy Steel, Cadmium Plated, MoS2 Lubricated Classification: 900 MPa (at Ambient Temperature)/235 Degrees Celsius - Edition 2	1995	ASD-STAN	
2209	PREN 2712-009	Aerospace Series Cables, Electrical, Single and Multicore for General Purpose Operating Temperatures Between - 55 Degrees C aand 150 Degrees C Part 009: Screened (Spiral) and Jacketed, YAG X3 Laser Printable Product Standard - Edition P 1	1995	ASD-STAN	

2210	PREN 3316	Aerospace Series Titanium Alloy TI-P64 Annealed Rm Greater Than or Equal to 1070 MPa Sheet and Strip a Less Than or Equal to 6 mm - Edition P 2; WITHDRAWN	1995	ASD-STAN	
2211	PREN 2591-6323	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part 6323 : Optical Elements Thermal Shock (Hermetically Sealed Devices) - Edition P 1	1995	ASD-STAN	
2212	PREN 3317	Aerospace Series Titanium Alloy TI-P64 Annealed Rm Greater Than or Equal to 1000 MPa Plate 6 Less Than a Less Than or Equal to 100 mm - Edition P 2; WITHDRAWN	1995	ASD-STAN	
2213	PREN 2825	Aerospace Series Burning Behavior of Non Metallic Materials Under the Influence of Radiating Heat and Flames Determination of Smoke Density - Edition P 1	1995	ASD-STAN	
2214	PREN 3218-005	Aerospace Series Connector, Rectangular, with Metallic Shells and Screw-Locking Part 005: Plug for Non-Removable Size 22 Solder Contacts Product Standard - Edition P1	1995	ASD-STAN	
2215	PREN 2054	Aerospace Series Folded Profiles U-Section with Externally Lipped Flanges in Aluminium and Aluminium Alloys Dimensions - Edition 2	1995	ASD-STAN	
2216	PREN 3145	Aerospace Series Round Bars with Normal Tolerances Hot Formed, in Steel Diameter 6 mm Less Than or Equal to D Less Than or Equal to 250 mm Dimensions - Edition P 1	1995	ASD-STAN	
2217	PREN 2712-004	Aerospace Series Cables, Electrical, Single and Multicore for General Purpose Operating Temperatures between - 55 Degrees C and 150 Degrees C Part 004: Screened (Braided) and Jacketed, Ink Jet Printable Product Standard - Edition P 1	1995	ASD-STAN	
2218	PREN 2714-009	Aerospace Series Cables, Electrical, Single and Multicore for General Purpose Operating Temperatures Between - 55 Degrees C and 260 Degrees C Part 009 : Screened (Spiral) and Jacketed, YAG-X3 Laser Printable Product Standard - Edition P 1	1995	ASD-STAN	
2219	PREN 6033	Aerospace Series Carbon Fibre Reinforced Plastics Test Method Determination of Interlaminar Fracture Toughness Energy Mode I - GIc - Edition P1	1995	ASD-STAN	
2220	PREN 2267-006	Aerospace Series Cables, Electrical, for General Purpose Operating Temperatures between -55 Degrees Celsius and 260 Degrees Celsius Part 006 : YAG X3 Laser Printable Product Standard - Edition P1	1995	ASD-STAN	
2221	PREN 2713-003	Aerospace Series Cables, Electrical, Single and Multicore for General Purpose Operating Temperatures between - 55 Degrees C and 200 Degrees C Part 003 : Screened (Spiral) and Jacketed, Ink Jet Printable Product Standard - Edition P 1	1995	ASD-STAN	
2222	PREN 4245	Aerospace Series Heat Resisting Alloy FE-PM1708 Vacuum Arc Remelted As Forged Forging Stock De is Less Than or Equal to 300 mm - Edition P 1	1995	ASD-STAN	
2223	PREN 4083	Aerospace Series Nuts, Bihexagonal, Self-Locking, Reduced Height, with Counterbore, in Heat Resisting Steel, MoS2 Lubricated Classification : 1 100 MPa (at Ambient Temperature) / 315 Degrees Celsius - Edition P 1	1995	ASD-STAN	
2224	PREN 2714-010	Aerospace Series Cables, Electrical, Single and Multicore for General Purpose Operating Temperatures Between - 55 Degrees Celsius and 260 Degrees Celsius Part 010: Screened (Braided) and Jacketed, YAG X3 Laser Printable Product Standard - Edition P 1	1995	ASD-STAN	
2225	PREN 3146	Aerospace Series Round Bars with Close Tolerances Hot Formed in Steel 6 mm & D Less Than or Equal to 250 mm Dimensions - Edition P 1	1995	ASD-STAN	
2226	PREN 4078	Aerospace Series Inserts, Threaded, Thin Wall, Locked and Self-Locking, in Heat Resisting Steel, MoS2 Lubricated Classification : 1 100 MPa (at Ambient Temperature) / 315 Degrees Celsius - Edition P 1	1995	ASD-STAN	
2227	PREN 2266-006	Aerospace Series Cables, Electrical, for General Purpose Operating Temperatures between - 55 Degrees C and 200 Degrees C Part 006: YAG X3 Laser Printable Product Standard - Edition P 1	1995	ASD-STAN	
2228	PREN 2003-8	Aerospace Series Test Methods for Metallic Materials Ultrasonic Inspection of Billets, Bars, Plates and Forgings Part 8 : Acceptance Criteria - Edition P1	1995	ASD-STAN	
2229	TR 4169	Aerospace Series Clips, Spring Tension, Three Parts Assembly Recommendations - Edition 1	1995	ASD-STAN	
2230	PREN 3893	Aerospace Series Titanium Alloy TI-W19001 Filler Metal for Welding - Edition P1	1995	ASD-STAN	
2231	PREN 3853	Aerospace Series Pipe Couplings, 60 Degree, Spherical, in Titanium Alloy TI-P64001 Straight Unions, Threaded - Edition P 1	1995	ASD-STAN	
2232	PREN 6031	Aerospace Series Fibre Reinforced Plastics Test Method Determination of in-Plane Shear Properties (+/- 45 Degree Tensile Test) - Edition P1	1995	ASD-STAN	

2233	PREN 2714-006	Aerospace Series Cables, Electrical, Single and Multicore for General Purpose Operating Temperatures between - 55 Degrees C and 260 Degrees C Part 006 : Screened (Braided) and Jacketed, CO2 Laser Printable Product Standard - Edition P 1	1995	ASD-STAN	
2234	PREN 3455	Aerospace Series Titanium Alloy TI-P19001 not Heat Treated Grade 2 Forging Stock, for Solution Treated and Aged Forgings a or D Less Than or Equal to 300 mm - Edition P 2	1995	ASD-STAN	
2235	PREN 2712-007	Aerospace Series Cables, Electrical, Single and Multicore for General Purpose Operating Temperatures Between - 55 Degrees C and 150 Degrees C Part 007: Screened (Spiral) and Jacketed, UV Laser Printable Product Standard - Edition P 1	1995	ASD-STAN	
2236	PREN 3244	Aerospace Series Pipe Coupling 8 Degrees 30 in Titanium Alloy Unions, Double Ended - Edition P 2	1995	ASD-STAN	
2237	PREN 2591-606	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part 606: Optical Elements Crosstalk - Edition P 1	1995	ASD-STAN	
2238	PREN 2657	Aerospace Series Heat Resisting Alloy CO-PH1402 Consumable Electrode Remelted Solution Treated Bar a or D Less Than or Equal to 150 mm Rm Greater Than or Equal to 860 MPa - Edition P 2	1995	ASD-STAN	
2239	PREN 3155-052	Aerospace Series Electrical Contacts Used in Elements of Connection Part 052 : Contacts, Electrical, Male 052, Type A, Crimp, Class S Product Standard - Edition P 1	1995	ASD-STAN	
2240	PREN 3218-006	Aerospace Series Connector, Rectangular, with Metallic Shells and Screw-Locking Part 006: Receptacle with Non-Removable Size 22 Solder Contacts Product Standard - Edition P1	1995	ASD-STAN	
2241	PREN 6061	Aerospace Series Fibre Reinforced Plastics Test Method Determination of Sandwich Flexural Strength 4 Point Bending - Edition P1	1995	ASD-STAN	
2242	PREN 2058	Aerospace Series Folded Profiles Z-Section with Lipped Flanges in Aluminium and Aluminium Alloys Dimensions - Edition 2	1995	ASD-STAN	
2243	PREN 6062	Aerospace Series Fibre Reinforced Plastics Test Method Flatwise Tensile Test of Composite Sandwich Panel - Edition P1	1995	ASD-STAN	
2244	PREN 2714-007	Aerospace Series Cables, Electrical, Single and Multicore for General Purpose Operating Temperatures between - 55 Degrees C and 260 Degrees C Part 007 : Screened (Spiral) and Jacketed, UV Laser Printable Product Standard - Edition P 1	1995	ASD-STAN	
2245	PREN 2334	Aerospace Series Chromic-Sulphuric Acid Pickle of Aluminium and Aluminium Alloys - Edition 1	1995	ASD-STAN	
2246	PREN 2617	Aerospace Series Plate in Titanium and Titanium Alloys Thickness 6 mm Less Than a Less Than or Equal to 100 mm Dimensions - Edition P 2	1995	ASD-STAN	
2247	PREN 2240-003	Aerospace Series Lamps, Incandescent Part 003: Lamp, Code 44 Product Standard - Edition P 1	1995	ASD-STAN	
2248	PREN 3496	Aerospace Series Titanium TI-P99003 Grade 2 Annealed Forgings De Less Than or Equal to 150 mm - Edition P 2	1995	ASD-STAN	
2249	PREN 3665	Aerospace Series Test Methods for Paints and Varnishes Filiform Corrosion Resistance Test on Aluminium Alloys - Edition 1	1995	ASD-STAN	
2250	PREN 2266-005	Aerospace Series Cables, Electrical, for General Purpose Operating Temperatures between - 55 Degrees C and 200 Degrees C Part 005: UV Laser Printable Product Standard - Edition P 1	1995	ASD-STAN	
2251	PREN 2660	Aerospace Series Heat Resisting Alloy CO-CH1401 as Cast Remelting Stock - Edition P 1	1995	ASD-STAN	
2252	PREN 3858	Aerospace Series Pipe Couplings, 60 Degrees, Spherical, in Titanium Alloy TI-P64001 Thrust Wires in Steel FE-PA13 - Edition P1	1995	ASD-STAN	
2253	PREN 3218-002	Aerospace Series Connector, Rectangular, with Metallic Shells, and Screw-Locking Part 002: Specification of Performance and Contact Arrangements - Edition P1	1995	ASD-STAN	
2254	PREN 4051	Aerospace Series Pipe Couplings, 60 Degrees, Spherical, in Titanium Alloy Port Connection - Edition P 1	1995	ASD-STAN	
2255	PREN 6039	Aerospace Series Fibre Reinforced Plastics Test Method Determination of the Exothermic Reaction During Curing of Prepreg Material - Edition P1	1995	ASD-STAN	
2256	PREN 3453	Aerospace Series Titanium TI-P99003 not Heat Treated Grade 2 Forging Stock, for Annealed Forgings a or D Less Than or Equal to 300 mm - Edition P 2	1995	ASD-STAN	
2257	PREN 3545-006	Aerospace Series Connectors, Electrical, Rectangular, with Sealed and Non-Sealed Rear, Plastic Housing, Locking Device, Operating Temperatures - 55 Degrees C to 175 Degrees C Part 006: Male Coding and Attachment System for Mounting on Fixed Housing (Recep	1995	ASD-STAN	
2258	PREN 6042	Aerospace Series Organic Compounds Test Method Analysis by Infrared Spectroscopy - Edition P1	1995	ASD-STAN	

2259	PREN 2713-007	Aerospace Series Cables, Electrical, Single and Multicore for General Purpose Operating Temperatures Between - 55 Degrees Celsius and 200 Degrees Celsius Part 007: Screened (Spiral) and Jacketed, UV Laser Printable Product Standard - Edition P 1	1995	ASD-STAN	
2260	PREN 3245	Aerospace Series Pipe Coupling 8 Degrees 30 in Titanium Alloy Unions, Reducer - Edition P 2	1995	ASD-STAN	
2261	PREN 3851	Aerospace Series Pipe Couplings, 60 Degrees, Spherical, in Titanium Alloy TI-P64001 Swivel Nuts, Straight - Edition P1	1995	ASD-STAN	
2262	PREN 3806	Aerospace Series Anaerobic Polymerisable Compounds Torque Strength 16 Nm Viscosity is Less Than 50 mm ² s ⁻¹ - Edition P 1	1995	ASD-STAN	
2263	PREN 2713-004	Aerospace Series Cables, Electrical, Single and Multicore for General Purpose Operating Temperatures between - 55 Degrees C and 200 Degrees C Part 004 : Screened (Braided) and Jacketed, Ink Jet Printable Product Standard - Edition P 1	1995	ASD-STAN	
2264	PREN 3897	Aerospace Series Steel FE-WA4801 Filler Metal for Welding - Edition P1	1995	ASD-STAN	
2265	PREN 3096	Aerospace Series Sealants Test Method Determination of Tack-Free Time - Edition P 1	1995	ASD-STAN	
2266	PREN 2104	Aerospace Series Acrylonitrile-Butadiene Rubber (NBR) Hardness 40 IRHD - Edition 2	1995	ASD-STAN	
2267	PREN 3830	Aerospace Series Electrical System Load Analysis - Edition P 1	1995	ASD-STAN	
2268	PREN 3798	Anaerobic Polymerisable Compounds Torque Strength 2 Nm Viscosity 500 mm Squared Per Second - Edition P 1	1995	ASD-STAN	
2269	PREN 2591-428	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part 428: Sinusoidal Vibrations with Passage of Current for Crimped Terminal Lugs - Edition P 1	1995	ASD-STAN	
2270	PREN 3246	Aerospace Series Pipe Coupling 8 Degrees 30 in Titanium Alloy Unions, Bulkhead - Edition P 2	1995	ASD-STAN	
2271	PREN 3494	Aerospace Series Titanium Alloy TI-P19001 Grade 2 Solution Treated and Aged Forgings De Less Than or Equal to 75 mm - Edition P 2	1995	ASD-STAN	
2272	PREN 3811	Aerospace Series Anaerobic Polymerisable Compounds Torque Strength 19 Nm Viscosity 500 mm ² s ⁻¹ - Edition P 1	1995	ASD-STAN	
2273	PREN 2661	Aerospace Series Heat Resisting Alloy CO-PH1402 Consumable Electrode Remelted Solution Treated Sheet and Strip a Less Than or Equal to 3 mm Rm Greater Than or Equal to 860 MPa - Edition P 2	1995	ASD-STAN	
2274	PREN 6035	Aerospace Series Fibre Reinforced Plastics Test Method Determination of Notched and Unnotched Tensile Strength - Edition P1	1995	ASD-STAN	
2275	PREN 3809	Aerospace Series Anaerobic Polymerisable Compounds Torque Strength 19 Nm Viscosity is Less Than 50 mm ² s ⁻¹ - Edition P 1	1995	ASD-STAN	
2276	PREN 2713-010	Aerospace Series Cables, Electrical, Single and Multicore for General Purpose Operating Temperatures between - 55 Degrees C and 200 Degrees C Part 010 : Screened (Braided) and Jacketed, YAG-X3 Laser Printable Product Standard - Edition P 1	1995	ASD-STAN	
2277	PREN 4258	Aerospace Series Metallic Materials General Organization of Standardization Links Between Types of EN Standards and Their Use - Edition P 1	1995	ASD-STAN	
2278	PREN 2713-005	Aerospace Series Cables, Electrical, Single and Multicore for General Purpose Operating Temperatures between - 55 Degrees C and 200 Degrees C Part 005 : Screened (Spiral) and Jacketed, CO2 Laser Printable Product Standard - Edition P 1	1995	ASD-STAN	
2279	PREN 6063	Aerospace Series Fibre Reinforced Plastics Test Method Determination of Material Degradation Due to Chemical Products - Edition P1	1995	ASD-STAN	
2280	PREN 4244	Aerospace Series Heat Resisting Alloy FE-PM1708 Vacuum Arc Remelted Hardened and Tempered Bar a or D is Less Than or Equal to 200 mm 1000 MPa is Less Than or Equal to Rm is Less Than or Equal to 1140 MPa - Edition P 1	1995	ASD-STAN	
2281	PREN 2349	Aerospace Series Requirements and Test Procedures for Switching Devices - Edition P 1	1995	ASD-STAN	
2282	PREN 3303	Aerospace Series Screws, Cap Head, Hexagon Socket, Coarse Tolerance Normal Shank, Medium Length Thread, in Alloy Steel, Cadmium Plated Classification : 1 100 MPa (at Ambient Temperature)/235 Degrees C - Edition P 2	1995	ASD-STAN	
2283	PREN 2714-003	Aerospace Series Cables, Electrical, Single and Multicore for General Purpose Operating Temperatures between - 55 Degrees C and 260 Degrees C Part 003 : Screened (Spiral) and Jacketed, Ink Jet Printable Product Standard - Edition P 1	1995	ASD-STAN	
2284	PREN 2712-002	Aerospace Series Cables, Electrical, Single and Multicore for General Purpose Operating Temperatures between - 55 Degrees C and 150 Degrees C Part 002: Screened and Jacketed General - Edition P 1	1995	ASD-STAN	
2285	PREN 2500-4	Aerospace Series Instructions for the Drafting and Use of Metallic Material Standards Part 4 - Specific Requirements for Titanium and Titanium Alloys - Edition P 2	1995	ASD-STAN	

2286	PREN 2266-004	Aerospace Series Cables, Electrical, for General Purpose Operating Temperatures between - 55 Degrees C and 200 Degrees C Part 004: CO2 Laser Printable Product Standard - Edition P 1	1995	ASD-STAN	
2287	PREN 2265-005	Aerospace Series Cables, Electrical, for General Purpose Operating Temperatures Between -55 Degrees Celsius and 150 Degrees Celsius Part 005: UV Laser Printable Product Standard - Edition P 1	1995	ASD-STAN	
2288	PREN 2267-005	Aerospace Series Cables, Electrical, for General Purpose Operating Temperatures between - 55 Degrees C and 260 Degrees C Part 005: UV Laser Printable Product Standard - Edition P 1	1995	ASD-STAN	
2289	PREN 3929	Aerospace Series Nickel Base Alloy NI-B31001 Filler Metal for Brazing Amorphous Foil - Edition P 2	1995	ASD-STAN	
2290	PREN 3803	Aerospace Series Anaerobic Polymerisable Compounds Torque Strength 10 Nm Viscosity 500 mm ² s ⁻¹ - Edition P 1	1995	ASD-STAN	
2291	PREN 6047-001	Aerospace Series Connectors, Electrical, Circular, Coupled by Threaded Ring, for High Current Operating Temperature + 200 Degrees Celsius Continuous, and Fire Resistant Part 001 - Technical Specification - Edition P1	1995	ASD-STAN	
2292	PREN 3094	Aerospace Series Sealants Test Method Determination of Application Time - Edition P 1	1995	ASD-STAN	
2293	PREN 3834	Aerospace Series Nuts, Anchor, Self-Locking, Floating, Two Lug, Incremental Counterbore, in Corrosion Resisting Steel, MoS2 Lubricated Classification: 900 MPa (at Ambient Temperature) /315 Degrees C - Edition P2	1995	ASD-STAN	
2294	PREN 2265-006	Aerospace Series Cables, Electrical, for General Purpose Operating Temperatures Between -55 Degrees Celsius and 150 Degrees Celsius Part 006: YAG X3 Laser Printable Product Standard - Edition P 1	1995	ASD-STAN	
2295	PREN 2591-605	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part 605: Optical Elements Return Loss - Edition P 1	1995	ASD-STAN	
2296	PREN 2065	Aerospace Series Folded Profiles in Aluminium and Aluminium Alloys General Tolerances - Edition 2	1995	ASD-STAN	
2297	PREN 6040	Aerospace Series Non-Metallic Materials Test Method Analysis of Thermoset Systems by High Performance Liquid Chromatography (HPLC) - Edition P1	1995	ASD-STAN	
2298	PREN 3797	Aerospace Series Anaerobic Polymerisable Compounds Torque Strength 2 Nm Viscosity 125 mm Squared Per Second - Edition P 1	1995	ASD-STAN	
2299	PREN 2056	Aerospace Series Folded Profiles Z-Section in Aluminium and Aluminium Alloys Dimensions - Edition 2	1995	ASD-STAN	
2300	PREN 2714-008	Aerospace Series Cables, Electrical, Single and Multicore for General Purpose Operating Temperatures between - 55 Degrees C and 260 Degrees C Part 008 : Screened (Braided) and Jacketed, UV Laser Printable Product Standard - Edition P 1	1995	ASD-STAN	
2301	PREN 3247	Aerospace Series Pipe Coupling 8 Degrees 30 in Titanium Alloy Unions, Bulkhead, Welded - Edition P 2	1995	ASD-STAN	
2302	PREN 3807	Aerospace Series Anaerobic Polymerisable Compounds Torque Strength 16 Nm Viscosity 500 mm ² s ⁻¹ - Edition P 1	1995	ASD-STAN	
2303	PREN 2002-5	Aerospace Series Test Methods for Metallic Materials Part 5: Uninterrupted Creep and Stress-Rupture Testing Edition P2	1995	ASD-STAN	
2304	PREN 6038	Aerospace Series Fibre Reinforced Plastics Test Method Determination of the Compression Strength After Impact - Edition P1	1995	ASD-STAN	
2305	PREN 3703	Aerospace Series Heat Release Rate for Materials and Products under the Influence of Radiating Heat and Flames Test Method - Edition P 1	1995	ASD-STAN	
2306	PREN 2712-006	Aerospace Series Cables, Electrical, Single and Multicore for General Purpose Operating Temperatures between - 55 Degrees C and 150 Degrees C Part 006: Screened (Braided) and Jacketed, CO2 Laser Printable Product Standard - Edition P 1	1995	ASD-STAN	
2307	PREN 3218-008	Aerospace Series: Connectors, Rectangular, with Metallic Shells and Screw-Locking Part 008: Receptacle with Rear-Removable Size 20 Crimp Contacts Product Standard - Edition P1	1995	ASD-STAN	
2308	PREN 3802	Aerospace Series Anaerobic Polymerisable Compounds Torque Strength 10 Nm Viscosity 125 mm ² s ⁻¹ - Edition P 1	1995	ASD-STAN	
2309	PREN 2712-005	Aerospace Series Cables, Electrical, Single and Multicore for General Purpose Operating Temperatures between - 55 Degrees C and 150 Degrees C Part 005: Screened (Spiral) and Jacketed, CO2 Laser Printable Product Standard - Edition P 1	1995	ASD-STAN	
2310	PREN 2659	Aerospace Series Heat Resisting Alloy CO-PH1402 Consumable Electrode Remelted Solution Treated Forgings De Less Than or Equal to 100 mm Rm Greater Than or Equal to 860 MPa - Edition P 2	1995	ASD-STAN	
2311	PREN 2713-008	Aerospace Series Cables, Electrical, Single and Multicore for General Purpose Operating Temperatures between - 55 Degrees C and 200 Degrees C Part 008 : Screened (Braided) and Jacketed, UV Laser Printable Product Standard - Edition P 1	1995	ASD-STAN	

2312	PREN 3931	Aerospace Series Nickel Base Alloy NI-B31001 Filler Metal for Brazing Tape - Edition P 2	1995	ASD-STAN	
2313	PREN 3810	Aerospace Series Anaerobic Polymerisable Compounds Torque Strength 19 Nm Viscosity 125 mm2s-1 - Edition P 1	1995	ASD-STAN	
2314	PREN 2057	Aerospace Series Folded Profiles Z-Section with One Lipped Flange in Aluminium and Aluminium Alloys Dimensions - Edition 2	1995	ASD-STAN	
2315	PREN 3218-001	Aerospace Series Connector, Rectangular, with Metallic Shells and Screw-Locking Part 001 : Technical Specification - Edition P 1	1995	ASD-STAN	
2316	PREN 3903	Aerospace Series Washers, Laminated, in Corrosion Resisting Steel - Edition P1	1995	ASD-STAN	
2317	PREN 3852	Aerospace Series Pipe Couplings, 60 Degrees, Spherical, in Titanium Alloy TI-P64001 Straight Unions, Welded, Threaded - Edition P1	1995	ASD-STAN	
2318	PREN 3218-010	Aerospace Series Connectors, Rectangular, with Metallic Shells and Screw-Locking Part 010: Protective Covers for EN 3218-006 and EN 3218-008 Connectors Product Standard - Edition P 1	1995	ASD-STAN	
2319	PREN 3269	Aerospace Series Pipe Coupling 8 Degrees 30 in Titanium Alloy Blind Ferrule with Dynamic Beam Seal End - Edition P 2	1995	ASD-STAN	
2320	PREN 3495	Aerospace Series Titanium Alloy TI-P19001 Grade 2 Annealed Forgings De Less Than or Equal to 150 mm - Edition P 2	1995	ASD-STAN	
2321	PREN 2712-010	Aerospace Series Cables, Electrical, Single and Multicore for General Purpose Operating Temperatures Between - 55 Degrees C and 150 Degrees C Part 010: Screened (Braided) and Jacketed, YAG X3 Laser Printable Product Standard - Edition P 1	1995	ASD-STAN	
2322	PREN 2714-005	Aerospace Series Cables, Electrical, Single and Multicore for General Purpose Operating Temperatures between - 55 Degrees C and 260 Degrees C Part 005 : Screened (Spiral) and Jacketed, CO2 Laser Printable Product Standard - Editon P 1	1995	ASD-STAN	
2323	PREN 2267-003	Aerospace Series Cables, Electrical, for General Purpose Operating Temperatures between - 55 Degrees C and 260 Degrees C Part 003: Ink Jet Printable Product Standard - Edition P 1	1995	ASD-STAN	
2324	PREN 3857	Aerospace Series Pipe Couplings, 60 Degrees, Spherical, in Titanium Alloy TI-P64001 Elbows 90 Degrees, Welded - Edition P1	1995	ASD-STAN	
2325	PREN 2061	Aerospace Series Folded Profiles Top Hat-Section with Lipped Flanges in Aluminium and Aluminium Alloys Dimensions - Edition 2	1995	ASD-STAN	
2326	PREN 4246	Aerospace Series Heat Resisting Alloy CO-PH4101 Vacuum Melted as Forged Forging Stock De is Less Than or Equal to 360 mm - Edition P 1	1995	ASD-STAN	
2327	PREN 2265-002	Aerospace Series Cables, Electrical, for General Purpose Operating Temperatures Between -55 Degrees Celsius and +150 Degrees Celsius Part 002: General - Edition P 1	1995	ASD-STAN	
2328	PREN 6064	Aerospace Series Non-Metallic Materials Analysis of Non-Metallic Materials (Cured) for the Determination of the Extent of Cure by Differential Scanning Calorimetry (DSC) - Edition P1	1995	ASD-STAN	
2329	PREN 3855	Aerospace Series Pipe Couplings, 60 Degrees, Spherical in Titanium Alloy TI-P64001 Caps - Edition P1	1995	ASD-STAN	
2330	PREN 6024	Aerospace Series Screws, 100 Degrees Countersunk Reduced Head Offset Cruciform Recess, Close Tolerance Shank, Short Thread in Titanium Alloy, Anodized, MoS2 Lubricated Classification : 1 100 MPa (at Ambient Temperature)/315 Degrees C Inch Series - Edition	1995	ASD-STAN	
2331	PREN 3218-007	Aerospace Series Connectors, Rectangular, with Metallic Shells and Screw-Locking Part 007: Plug with Rear-Removable Size 20 Crimp Contracts Product Standard - Edition P1	1995	ASD-STAN	
2332	PREN 3917	Aerospace Series Nickel Base Alloy NI-B41201 Filler Metal for Brazing Powder or Paste - Edition P2	1995	ASD-STAN	
2333	TR 4239	Aerospace Series Shaft Nuts and Rings Threaded, Self-Locking, in FE-PA92HT (A286), Silver Plated Assembly Recommendations	1995	ASD-STAN	
2334	PREN 2500-3	Aerospace Series Instructions for the Drafting and Use of Metallic Material Standards Part 3 : Specific Requirements for Heat Resisting Alloys - Edition P 2	1995	ASD-STAN	
2335	PREN 2500-5	Aerospace Series Instructions for the Drafting and Use of Metallic Material Standards Part 5 : Specific Requirements for Steel - Edition P 2	1995	ASD-STAN	
2336	PREN 6044-2	Aerospace Series Carbon Fibre Reinforced Epoxy Prepreg Technical Specification Part 2 : Qualification Programm/Batch Release Testing Unidirectional Tape 180 Degrees Celsius Curing Class - Edition P1	1995	ASD-STAN	
2337	PREN 2055	Aerospace Series Folded Profiles U-Section with Internally Lipped Flanges in Aluminium and Aluminium Alloys Dimensions - Edition 2	1995	ASD-STAN	

2338	PREN 2003-15	Aerospace Series Test Methods for Metallic Materials Ultrasonic Testing Part 15 : Reference Blocks - Edition P1	1995	ASD-STAN	
2339	PREN 3218-011	Aerospace Series Connectors, Rectangular, with Metallic Shells and Screw-Locking Part 011: Tool, Insert Extraction for EN 3218-005 to EN 3218-008 Connectors Product Standard - Edition P 1	1995	ASD-STAN	
2340	PREN 2500-2	Aerospace Series Instructions for the Drafting and Use of Metallic Material Standards Part 2 : Specific Requirements for Aluminium, Aluminium Alloys and Magnesium Alloys - Edition P 2	1995	ASD-STAN	
2341	PREN 2712-003	Aerospace Series Cables, Electrical, Single and Multicore for General Purpose Operating Temperatures between - 55 Degrees C and 150 Degrees C Part 003: Screened (Spiral) and Jacketed, Ink Jet Printable Product Standard - Edition P 1	1995	ASD-STAN	
2342	PREN 2714-004	Aerospace Series Cables, Electrical, Single and Multicore for General Purpose Operating Temperatures Between - 55 Degrees C and 260 Degrees C Part 004 : Screened (Braided) and Jacketed, Ink Jet Printable Product Standard - Edition P 1	1995	ASD-STAN	
2343	PREN 2826	Aerospace Series Burning Behaviour of Non Metallic Materials Under the Influence of Radiating Heat and Flames Determination of Gas Components in the Smoke - Edition P 1	1995	ASD-STAN	
2344	PREN 3896	Aerospace Series Steel FE-WM1501 Filler Metal for Welding - Edition P1	1995	ASD-STAN	
2345	PREN 3856	Aerospace Series Pipe Couplings, 60 Degrees, Spherical, in Titanium Alloy TI-P64001 Swivel Nuts for Thrust Wire - Edition P1	1995	ASD-STAN	
2346	PREN 6037	Aerospace Series Fibre Reinforced Plastics Test Method Determination of Bearing Strength - Edition P1	1995	ASD-STAN	
2347	PREN 3812	Aerospace Series Anaerobic Polymerisable Compounds Torque Strength 19 Nm Thixotropic Index 8 - Edition P 1	1995	ASD-STAN	
2348	TR 4052	Aerospace Series Pipe Couplings, 60 Degrees, Spherical, in Titanium Alloy Assembly Recommendations - Edition 1	1995	ASD-STAN	
2349	PREN 3451	Aerospace Series Titanium TI-P99002 not Heat Treated Grade 2 Forging Stock, for Annealed Forgings a or D Less Than or Equal to 300 mm - Edition P 2	1995	ASD-STAN	
2350	PREN 6041	Aerospace Series Non-Metallic Materials Test Method Analysis of Non-Metallic Materials (Uncured) by Differential Scanning Calorimetry (DSC) - Edition P1	1995	ASD-STAN	
2351	PREN 3119	Aerospace Series Titanium Alloy TI-P46001 not Heat Treated Grade 2 Forging Stock, for Solution Treated and Aged Forgings a or D Less Than or Equal to 360 mm - Edition P 2	1995	ASD-STAN	
2352	PREN 2712-008	Aerospace Series Cables, Electrical, Single and Multicore for General Purpose Operating Temperatures Between - 55 Degrees C and 150 Degrees C Part 008: Screened (Braided) and Jacketed, UV Laser Printable Product Standard	1995	ASD-STAN	
2353	PREN 3904	Aerospace Series Washers, Wire Locking, in Aluminium Alloy, Anodized - Edition P1	1995	ASD-STAN	
2354	PREN 2265-003	Aerospace Series Cables, Electrical, for General Purpose Operating Temperatures Between -55 Degrees Celsius and 150 Degrees Celsius Part 003: Ink Jet Printable Product Standard - Edition P 1	1995	ASD-STAN	
2355	PREN 2267-004	Aerospace Series Cables, Electrical for General Purpose Operating Temperatures Between - 55 and 260 Degrees C CO2-Laser Printable Product Standard - Edition P 1	1995	ASD-STAN	
2356	PREN 2053	Aerospace Series Folded Profiles U-Section in Aluminium and Aluminium Alloys Dimensions - Edition 2	1995	ASD-STAN	
2357	PREN 2883	Aerospace Series Nuts, Hexagonal, Self-Locking, with Counterbore and Captive Washer, in Heat Resisting Steel, MoS2 Lubricated Classification: 1 100 MPa (at Ambient Temperature)/315 Degrees Celsius - Edition P 1	1995	ASD-STAN	
2358	PREN 6043	Aerospace Series Thermosetting Resin Systems Test Method Determination of Gel Time and Viscosity - Edition P1	1995	ASD-STAN	
2359	PREN 6030	Aerospace Series Fibre Reinforced Plastics Test Method Determination of the Mechanical Degradation Due to Chemical Paint Strippers - Edition P1	1995	ASD-STAN	
2360	PREN 6052	Aerospace Series Rivets - Collar - System in Aluminium Alloy Shear Type Inch Series Technical Specification - Edition P 1	1995	ASD-STAN	
2361	PREN 3155-053	Aerospace Series Electrical Contacts Used in Elements of Connection Part 053 : Contacts, Electrical, Female 053, Type A, Crimp, Class S Product Standard - Edition P 1	1995	ASD-STAN	
2362	PREN 2413	Aerospace Series Bolts, Thin Hexagonal Head, Close Tolerance Shank, Short Thread, in Alloy Steel, Cadmium Plated Classification : 1 100 MPa (at Ambient Temperature)/235 Degrees C - Edition P 2	1994	ASD-STAN	
2363	PREN 4183	Aerospace Series Pipe Coupling 8 Degrees 30 in Titanium Alloy Elbows 90 Degrees, Double, Welded - Edition P 1	1994	ASD-STAN	
2364	PREN 2098-2	Aerospace Series Inspection and Testing Requirements for Titanium and Heat Resisting Alloy Wrought Products Part 2 - Inspection and Testings Requirements for Sheets, Strips and Plates - Edition 2	1994	ASD-STAN	
2365	PREN 2428	Aerospace Series Ethylene-Propylene Rubber (EPM/EPDM) Hardness 50 IRHD - Edition 1	1994	ASD-STAN	

2366	PREN 4192	Aerospace Series Pipe Coupling 8 Degrees 30 in Titanium Alloy Tees, Reduced, Bulkhead Branch - Edition P 1	1994	ASD-STAN	
2367	PREN 3314	Aerospace Series Titanium Alloy TI-P64001 Solution Treated and Aged Bar for Machining D Less Than or Equal to 75 mm - Edition P 2	1994	ASD-STAN	
2368	PREN 2591-A1	Aerospace Series Elements of Electrical and Optical Connection Test Methods - Part A1 - Visual Examination - Edition 2	1994	ASD-STAN	
2369	PREN 4069	Aerospace Series Nuts, Hexagon, Plain, Reduced Height, Reduced Across Flats, in Heat Resisting Steel, Passivated Classification: 600 MPa (at Ambient Temperature) / 650 Degrees C - Edition 1	1994	ASD-STAN	
2370	PREN 4133	Aerospace Series Bolts, Normal Hexagonal Head, Coarse Tolerance Normal Shank, Long Thread in Titanium Alloy, Aluminium IVD Coated Classification : 1 100 MPa (at Ambient Temperature)/ 425 Degrees C - Edition P1	1994	ASD-STAN	
2371	TR 4053	Aerospace Series Pipe Couplings, Loose Flanges and Seals in Titanium Alloy Assembly Recommendations - Edition 1	1994	ASD-STAN	
2372	PREN 2988	Aerospace Series Nickel-Cadmium Batteries of Format D Type - Edition P 1	1994	ASD-STAN	
2373	PREN 4187	Aerospace Series Pipe Coupling 8 Degrees 30 in Titanium Alloy Elbows 90 Degrees, Bulkhead, Long - Edition P 1	1994	ASD-STAN	
2374	PREN 3773-003	Aerospace Series Circuit Breakers, Single-Pole, Temperature Compensated, Rated Currents 1 A to 25 A, Switching Capacity 65 IN/1 000 A Max. Part 003 : Metric Thread Fasteners, Distance Between Terminal Centres 12 mm Product Standard - Edition P 1	1994	ASD-STAN	
2375	PREN 4130	Aerospace Series Bolts, Normal Hexagonal Head, Coarse Tolerance Normal Shank, Medium Length Thread, in Titanium Alloy, Aluminium IVD Coated Classification : 1 100 MPa (at Ambient Temperature) / 425 Degrees C - Edition P1	1994	ASD-STAN	
2376	PREN 4019	Aerospace Series Pipe Coupling 8 Degrees 30 in Titanium Alloy Elbows 90 Degrees, Welded - Edition P1	1994	ASD-STAN	
2377	PREN 3258	Aerospace Series Pipe Coupling 8 Degree 30 in Titanium Alloy Tee - Edition P 2;	1994	ASD-STAN	
2378	PREN 3253	Aerospace Series Pipe Coupling 8 Degree 30 in Titanium Alloy Elbow 90 Degree Bulkhead - Edition P 2;	1994	ASD-STAN	
2379	PREN 3466	Aerospace Series Titanium Alloy TI-P63001 Solution Treated and Aged Bar for Machining D Less Than or Equal to 150 mm - Edition P 2	1994	ASD-STAN	
2380	PREN 3789	Aerospace Series Pipe Coupling 8 Degrees 30 Inches Protective Plugs With External Threads - Edition P 1	1994	ASD-STAN	
2381	PREN 4027	Aerospace Series Pipe Coupling 8 Degrees 30 in Titanium Alloy Tees, Branch with Swivel Nut - Edition P1	1994	ASD-STAN	
2382	PREN 4137	Aerospace Series Bolts, Normal Bi-Hexagonal Head, Stepped Shank, Long Thread, in Titanium Alloy, Anodized, MoS2 Lubricated Classification: 1 100 MPa (at Ambient Temperature)/315 Degrees C - Edition P1	1994	ASD-STAN	
2383	PREN 4191	Aerospace Series Pipe Coupling 8 Degrees 30 in Titanium Alloy Tees, Reduced, Bulkhead Branch, Long - Edition P 1	1994	ASD-STAN	
2384	PREN 2987	Aerospace Series Nickel-Cadmium Batteries of Format C Type - Edition P 1	1994	ASD-STAN	
2385	PREN 2435-01	Aerospace Series Paints and Varnishes Corrosion Resistant Chromated Two Component Cold Curing Primer Part 01 : Minimum Requirements - Edition P 1	1994	ASD-STAN	
2386	PREN 2260	Aerospace Series Silicone Rubber (VMQ) Hardness 60 IRHD - Edition 1	1994	ASD-STAN	
2387	PREN 4182	Aerospace Series Pipe Coupling 8 Degrees 30 in Titanium Alloy Tee, Reduced - Edition P 1	1994	ASD-STAN	
2388	PREN 4125	Aerospace Series Nuts, Anchor, Self-Locking, Fixed, Two Lug, Reduced Series, with Incremental Counterbore, in Heat Resisting Steel, MoS2 Lubricated Classification: 900 MPa (at Ambient Temperature) /315 Degrees C - Edition P1	1994	ASD-STAN	
2389	PREN 3561	Aerospace Series Pipe Coupling 8 Degree 30 in Titanium Alloy Ferrules with Dynamic Beam Seal End, Welded and Reduced at Pipe End - Edition P 1	1994	ASD-STAN	
2390	PREN 3517	Aerospace Series Steel FE-PL2105 Air Melted Hardened and Tempered Bar for Machining De Less Than or Equal to 150 mm 1080 MPa Less Than or Equal to Rm Less Than or Equal to 1280 MPa - Edition P 2	1994	ASD-STAN	
2391	PREN 2991	Aerospace Series Nickel-Cadmium Batteries of Format E Type - Edition P 1	1994	ASD-STAN	
2392	PREN 2259	Aerospace Series Silicone Rubber (VMQ) Hardness 50 IRHD - Edition 1	1994	ASD-STAN	
2393	PREN 3249	Aerospace Series Pipe Coupling 8 Degrees 30 Feet in Titanium Alloy Elbow 90 Degree - Edition P 2	1994	ASD-STAN	
2394	PREN 4134	Aerospace Series Bolts, Normal Hexagonal Head, Coarse Tolerance Normal Shank, Long Thread, in Heat Resisting Nickel Base Alloy, Aluminium IVD Coated Classification : 1 250 MPa (at Ambient Temperature) / 425 Degrees C - Edition P1	1994	ASD-STAN	
2395	PREN 3907	Aerospace Series Bolts, Double Hexagon Head, Normal Shank, Long Thread, in Titanium Alloy TI-P63, MoS2 Coated Classification: 1 100 MPa (at Ambient Temperature)/350 Degrees C - Edition P 1	1994	ASD-STAN	
2396	PREN 4104	Aerospace Series Nickel Base Alloy NI-B40002 Filler Metal for Brazing Powder or Paste - Edition P1	1994	ASD-STAN	

2397	PREN 2430	Aerospace Series Ethylene-Propylene Rubber (EPM/EPDM) Hardness 70 IRHD - Edition 1	1994	ASD-STAN	
2398	PREN 2379	Aerospace Series Fluids for Assessment of Non-Metallic Materials - Edition P 1	1994	ASD-STAN	
2399	PREN 2591	Aerospace Series Elements of Electrical and Optical Connection Test Methods - General	1994	ASD-STAN	
2400	PREN 3881	Aerospace Series Aluminium Alloy AL-P7075- T73 Hand Forgings a Less Than or Equal to 125 mm - Edition P 1	1994	ASD-STAN	
2401	PREN 4180	Aerospace Series Titanium and Titanium Alloys Circular Tubes for Fluids Large Tolerances Diameter 4 mm Less Than or Equal to D Less Than or Equal to 40 mm Thickness 0,4 mm Less Than or Equal to a Less Than or Equal to 2 mm Dimensions - Edition P 1	1994	ASD-STAN	
2402	PREN 3774-003	Aerospace Series Circuit Breakers, Three-Pole, Temperature Compensated, Rated Currents 2 A to 25 A, Switching Capacity 65 IN Part 003 : Metric Thread Fasteners, Distance Between Terminal Centres 12,8 mm Product Standard - Edition P 1	1994	ASD-STAN	
2403	PREN 3735	Aerospace Series Titanium Alloy TI-P65002 Solution Treated and Aged Bar for Machining D is Less Than or Equal to 75 mm - Edition P 1	1994	ASD-STAN	
2404	PREN 3311	Aerospace Series Titanium Alloy TI-P64001 Annealed Bar for Machining D Less Than or Equal to 150 mm - Edition P 2	1994	ASD-STAN	
2405	PREN 2591-FA1	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part FA1 - Optical Elements Visual Examination - Edition P 2	1994	ASD-STAN	
2406	PREN 2098-5	Aerospace Series Inspection and Testing Requirements for Titanium and Heat Resisting Alloy Wrought Products Part 5 - Inspection and Testing Requirements for Wires - Edition 2	1994	ASD-STAN	
2407	PREN 3319	Aerospace Series Titanium Alloy TI-P64002 Annealed Bar for Machining D Less Than or Equal to 80 mm - Edition P 2	1994	ASD-STAN	
2408	PREN 4031	Aerospace Series Pipe Coupling 8 Degrees 30 in Titanium Alloy Nuts for Welded Union - Edition P1	1994	ASD-STAN	
2409	PREN 3254	Aerospace Series Pipe Coupling 8 Degree 30 in Titanium Alloy Elbow 90 Degree, Bulkhead, Welded - Edition P 2	1994	ASD-STAN	
2410	PREN 2665-003	Aerospace Series Circuit Breakers, Three-Pole, Temperature Compensated, Rated Currents 20 A to 50 A Part 003 : Metric Thread Fasteners, Distance Between Terminal Centres 19 mm Product Standard - Edition P 1	1994	ASD-STAN	
2411	PREN 3948	Aerospace Series Nickel Base Alloy NI-B15701 Filler Metal for Brazing Wire - Edition P 1	1994	ASD-STAN	
2412	PREN 2431	Aerospace Series Ethylene-Propylene Rubber (EPM/EPDM) Hardness 80 IRHD - Edition 1	1994	ASD-STAN	
2413	PREN 3639	Aerospace Series Heat Resisting Alloy FE-PA2601 Softened and Cold Worked Wire for Forged Fasteners D is Less Than or Equal to 15 mm 900 MPa is Less Than or Equal to Rm is Less Than or Equal to 1100 MPa - Edition P 1	1994	ASD-STAN	
2414	PREN 4131	Aerospace Series Bolts, Normal Hexagonal Head, Coarse Tolerance Normal Shank, Medium Length Thread, in Heat Resisting Nickel Base Alloy, Aluminium IVD Coated Classification : 1 250 MPa (at Ambient (Temperature) / 425 Degrees C - Edition P1	1994	ASD-STAN	
2415	PREN 4186	Aerospace Series Pipe Coupling 8 Degrees 30 in Titanium Alloy Cross Unions - Edition P 1	1994	ASD-STAN	
2416	PREN 3790	Aerospace Series Pipe Coupling 8 Degrees 30 Feet Protective Caps with Internal Threads - Edition P 1	1994	ASD-STAN	
2417	PREN 2591-6101	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part 6101: Optical Elements Visual Examination - Edition P 1	1994	ASD-STAN	
2418	PREN 4194	Aerospace Series Pipe Coupling 8 Degrees 30 in Titanium Alloy Tees, Reduced, Bulkhead - Edition P 1	1994	ASD-STAN	
2419	PREN 4032	Aerospace Series Pipe Coupling 8 Degrees 30 in Titanium Alloy Thrust Wire - Edition P1	1994	ASD-STAN	
2420	PREN 3947	Aerospace Series Nickel Base Alloy NI-B15701 Filler Metal for Brazing Rolled Foil - Edition P 1	1994	ASD-STAN	
2421	PREN 3250	Aerospace Series Pipe Coupling 8 Degrees 30 in Titanium Alloy Elbow 90 Degrees Swivel Nut - Edition P 2	1994	ASD-STAN	
2422	PREN 3255	Aerospace Series Pipe Coupling 8 Degree 30 in Titanium Alloy Elbow 45 Degree - Edition P 2;	1994	ASD-STAN	
2423	PREN 2649	Aerospace Series Screws, Pan Head, Slotted, Threaded to Head, in Alloy Steel, Cadmium Plated Classification : 900 MPa (at Ambient Temperature) / 235 Degrees C - Edition P 2	1994	ASD-STAN	
2424	PREN 3520	Aerospace Series Steel FE-PL2105 Air Melted Softened Forging Stock a or D Less Than or Equal to 300 mm - Edition P 2	1994	ASD-STAN	
2425	PREN 2098-3	Aerospace Series Inspection and Testing Requirements for Titanium and Heat Resisting Alloy Wrought Products Part 3 - Inspection and Testing Requirements for Bars and Sections - Edition 2	1994	ASD-STAN	
2426	PREN 3924	Aerospace Series Nickel Base Alloy NI-B41203 Filler Metal for Brazing Tape - Edition P 1	1994	ASD-STAN	
2427	PREN 4075	Aerospace Series Screws, Pan Head, Offset Cruciform Recess, Threaded to Head, in Corrosion Resisting Steel, Passivated Classification : 490 MPa (at Ambient Temperature)/425 Degrees C - Edition P1	1994	ASD-STAN	

2428	PREN 3463	Aerospace Series Titanium Alloy TI-P19001 Solution Heat Treated and Aged Bar for Machining D Less Than or Equal to 75 mm - Edition P 2	1994	ASD-STAN	
2429	PREN 3270	Aerospace Series Pipe Coupling 8 Degree 30 in Titanium Alloy Blanking Plugs with Locking Ring - Edition P 1	1994	ASD-STAN	
2430	PREN 4026	Aerospace Series Pipe Coupling 8 Degrees 30 in Titanium Alloy Tees - Edition P1	1994	ASD-STAN	
2431	PREN 4076	Aerospace Series Screws, Pan Head, Slotted, Threaded to Head, in Corrosion Resisting Steel, Passivated Classification : 490 MPa (at Ambient Temperature)/425 Degrees C - Edition P1	1994	ASD-STAN	
2432	PREN 4105	Aerospace Series Nickel Base Alloy NI-B40002 Filler Metal for Brazing Tape - Edition P1	1994	ASD-STAN	
2433	PREN 3762	Aerospace Series Heat Resisting Alloy FE-PA2601 Softened and Cold Worked Wire for Forged Fasteners D Less Than or Equal to 15 mm 1100 MPa Less Than or Equal to Rm Less Than or Equal to 1300 MPa - Edition P 1	1994	ASD-STAN	
2434	PREN 3371	Aerospace Series Electrical Bonding Technical Specification - Edition P 1	1994	ASD-STAN	
2435	PREN 3519	Aerospace Series Steel FE-PL2105 Air Melted Hardened and Tempered Bar for Machining De Less Than or Equal to 150 mm 880 MPa Less Than or Equal to Rm Less Than or Equal to 1080 MPa - Edition P 2	1994	ASD-STAN	
2436	PREN 4129	Aerospace Series Bolts, Normal Hexagonal Head, Coarse Tolerance Normal Shank, Medium Length Thread, in Alloy Steel, Cadmium Plated Classification: 1 100 MPa (at Ambient Temperature)/235 Degrees C - Edition P1	1994	ASD-STAN	
2437	PREN 3256	Aerospace Series Pipe Coupling 8 Degree 30 in Titanium Alloy Elbow 45 Degree Swivel Nut, Welded - Edition P 2;	1994	ASD-STAN	
2438	PREN 4190	Aerospace Series Pipe Coupling 8 Degrees 30 in Titanium Alloy Tees, Reduced, with Swivel Nut on Run - Edition P 1	1994	ASD-STAN	
2439	PREN 4126	Aerospace Series Nuts, Anchor, Self-Locking, Floating, Two Lug, Reduced Series, with Incremental Counterbore, in Heat Resisting Steel, MoS2 Lubricated Classification: 900 MPa (at Ambient Temperature) /315 Degrees C - Edition P1	1994	ASD-STAN	
2440	PREN 4167	Aerospace Series Clips, Spring Tension, Three Parts Inner Clips in Heat Resisting Steel FE-PA92HT (A286) - Edition P1	1994	ASD-STAN	
2441	PREN 3690	Aerospace Series Pipe Coupling 8 Degree 30 in Titanium Alloy Unions, Bulkhead, Long - Edition P 1	1994	ASD-STAN	
2442	PREN 3248	Aerospace Series Pipe Coupling 8 Degree 30 in Titanium Alloy Adapters, Reduced Pipe End with Locking Ring - Edition P 1	1994	ASD-STAN	
2443	PREN 3263	Aerospace Series Pipe Coupling 8 Degree 30 in Titanium Alloy Tee Bulkhead End - Edition P 2;	1994	ASD-STAN	
2444	PREN 3265	Aerospace Series Pipe Coupling 8 Degree 30 in Titanium Alloy Nut, Union - Edition P 2	1994	ASD-STAN	
2445	PREN 4132	Aerospace Series Bolts, Normal Hexagonal Head, Coarse Tolerance Normal Shank, Long Thread, in Alloy Steel, Cadmium Plated Classification: 1 100 MPa (at Ambient Temperature)/235 Degrees C - Edition P1	1994	ASD-STAN	
2446	PREN 3663	Aerospace Series Pipe Coupling O-Rings in Acrylonitrile-Butadiene Elastomer (NBR), 75 IRHD, Temperature Range: - 55 Degrees C to 135 Degrees C - Edition P 1	1994	ASD-STAN	
2447	PREN 3788	Aerospace Series Pipe Coupling 8 Degrees 30 Inches Protective Caps - Edition P 1	1994	ASD-STAN	
2448	PREN 2986	Aerospace Series Nickel-Cadmium Batteries of Format B Type - Edition P 1	1994	ASD-STAN	
2449	PREN 4235-1	Aerospace Series Steel Wrought Products Technical Specification Part 1: General Requirements - Edition P 1	1994	ASD-STAN	
2450	PREN 3792	Aerospace Series Anaerobic Polymerisable Compounds Technical Specification - Edition P 1	1994	ASD-STAN	
2451	PREN 3761	Aerospace Series Heat Resisting Alloy FE-PA2601 Softened and Cold Worked Bar for Forged Fasteners D Less Than or Equal to 50 mm 1100 MPa Less Than or Equal to Rm Less Than or Equal to 1300 MPa - Edition P 1	1994	ASD-STAN	
2452	PREN 3922	Aerospace Series Nickel Base Alloy NI-B41203 Filler Metal for Brazing Borided Foil - Edition P 1	1994	ASD-STAN	
2453	PREN 2262	Aerospace Series Silicone Rubber (VMQ/PVMQ) with High Tear Strength Hardness 50 IRHD - Edition 1	1994	ASD-STAN	
2454	PREN 3688	Aerospace Series T-Ring Fillers in Titanium Alloy for Welding Pipes 14 000 kPa Nominal Pressure - Edition P 1	1994	ASD-STAN	
2455	PREN 3112	Aerospace Series Bolts, Normal Hexagonal Head, Threaded to Head, in Alloy Steel, Cadmium Plated Classification: 900 MPa (at Ambient Temperature)/235 Degrees C - Edition P 2	1994	ASD-STAN	
2456	PREN 2098-4	Aerospace Series Inspection and Testing Requirements for Titanium and Heat Resisting Alloy Wrought Products Part 4 - Inspection and Testing Requirements for Tubes - Edition 2	1994	ASD-STAN	
2457	PREN 4184	Pipe Coupling 8 Degrees 30 in Titanium Alloy Elbows 45 Degrees, Double, Welded - Edition P 1	1994	ASD-STAN	
2458	PREN 3919	Aerospace Series Nickel Base Alloy NI-B41202 Filler Metal for Brazing Amorphous Foil - Edition P 1	1994	ASD-STAN	
2459	PREN 2591-F3	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part F3: Change of Power Distribution - Edition P 1	1994	ASD-STAN	

2460	PREN 3869	Aerospace Series Pipe Couplings, Loose Flanges and Seals Seals in Fluorocarbon Rubber and Armature in Aluminium Alloy - Edition P 1	1994	ASD-STAN	
2461	PREN 2794-003	Aerospace Series Circuit Breakers, Single-Pole, Temperature Compensated, Rated Currents 20 A to 50 A Part 003 : Metric Thread Fasteners, Distance Between Terminal Centres 19 mm Product Standard - Edition P 1	1994	ASD-STAN	
2462	PREN 4188	Aerospace Series Pipe Coupling 8 Degrees 30 in Titanium Alloy Elbows 90 Degrees, Bulkhead, Long, Welded - Edition P 1	1994	ASD-STAN	
2463	PREN 3880	Aerospace Series Aluminium Alloy AL-P7075- T73 Die Forgings a Less Than or Equal to 125 mm - Edition P 1	1994	ASD-STAN	
2464	PREN 4029	Aerospace Series Pipe Coupling 8 Degrees 30 in Titanium Alloy Tees Bulkhead Branch - Edition P1	1994	ASD-STAN	
2465	PREN 4136	Aerospace Series Bolts, Normal Bi-Hexagonal Head, Coarse Tolerance Normal Shank, Long Thread, in Alloy Steel, Cadmium Plated Classification: 1 100 MPa (at Ambient Temperature)/235 Degrees C - Edition P1	1994	ASD-STAN	
2466	PREN 3696	Aerospace Series Washers in Heat Resisting Steel - Edition P 1	1994	ASD-STAN	
2467	PREN 3691	Aerospace Series Pipe Coupling 8 Degree 30 in Titanium Alloy Unions, Bulkhead, Long, Welded - Edition P 1	1994	ASD-STAN	
2468	PREN 2535	Aerospace Series Vacuum Deposition of Cadmium - Edition P 1	1994	ASD-STAN	
2469	PREN 2961	Aerospace Series Heat Resisting Alloy NI-PH2601 Solution Treated Bar for Machined Fasteners D is Less Than or Equal to 50 mm Rm is Greater Than or Equal to 1270 MPa - Edition P 2	1994	ASD-STAN	
2470	PREN 2098-6	Aerospace Series Inspection and Testing Requirements for Titanium and Heat Resisting Alloy Wrought Products Part 6 - Inspection and Testing Requirements for Bars and Wires for Fasteners - Edition 2	1994	ASD-STAN	
2471	PREN 4045	Aerospace Series Heat Resisting Alloys Capillary Tubes, Seamless Diameter 0,6 mm Less Than or Equal to D Less Than or Equal to 2 mm Dimension - Edition P1	1994	ASD-STAN	
2472	PREN 4193	Aerospace Series Pipe Coupling 8 Degrees 30 in Titanium Alloy Tees, Reduced, Bulkhead Long - Edition P 1	1994	ASD-STAN	
2473	PREN 3746	Aerospace Series O-Rings, in Fluorosilicone Rubber (FVMQ) Hardness 80 IRHD - Edition P 1	1994	ASD-STAN	
2474	PREN 3251	Aerospace Series Pipe Coupling 8 Degrees 30 in Titanium Alloy Elbow 90 Degrees, Welded - Edition P 2	1994	ASD-STAN	
2475	PREN 3252	Aerospace Series Pipe Coupling 8 Degree 30 in Titanium Alloy Elbow 90 Degree Swivel Nut, Welded - Edition P 2	1994	ASD-STAN	
2476	PREN 2432	Aerospace Series Ethylene-Propylene Rubber (EPM/EPDM) Hardness 90 IRHD - Edition 1	1994	ASD-STAN	
2477	PREN 3752	Aerospace Series Nuts, Self-Locking, MJ Threads, in Heat Resisting Steel FE-PA92HT (A286), MoS2 Coated Classification: 1 100 MPa (at Ambient Temperature)/425 Degrees C Technical Specification - Edition P 1	1994	ASD-STAN	
2478	PREN 2887	Aerospace Series Bolts, Normal Hexagonal Head, Threaded to Head, in Corrosion Resisting Steel, Passivated Classification: 600 MPa (at Ambient Temperature)/425 Degrees C - Edition P 2	1994	ASD-STAN	
2479	PREN 3260	Aerospace Series Pipe Coupling 8 Degree 30 in Titanium Alloy Tee, Branch with Swivel Nut - Edition P 2	1994	ASD-STAN	
2480	PREN 4030	Aerospace Series Pipe Coupling 8 Degrees 30 in Titanium Alloy Tees, Bulkhead Run - Edition P1	1994	ASD-STAN	
2481	PREN 4028	Aerospace Series Pipe Coupling 8 Degrees 30 in Titanium Alloy Tees, Swivel Nut on Run - Edition P1	1994	ASD-STAN	
2482	PREN 3868	Aerospace Series Pipe Couplings, Loose Flanges and Seals Flange Connectors, Welded, in Titanium Alloy TI-P64001 - Edition P 1	1994	ASD-STAN	
2483	PREN 4009	Aerospace Series Bolts, Double Hexagon Head, Close Tolerance Shank, Medium Length Thread, in Heat Resisting Nickel Base Alloy NI-P100HT (Inconel 718) Classification : 1 550 MPa (at Ambient Temperature) / 650 Degrees C - Edition P1	1994	ASD-STAN	
2484	PREN 3906	Aerospace Series Martensitic Corrosion Resisting Steel FE-PM3801 Air Melted Solution Treated Bar D is Less Than or Equal to 50 mm for the Manufacture of Fasteners 1100 MPa is Less Than or Equal to Rm is Less Than or Equal to 1300 MPa - Edition P 1	1994	ASD-STAN	
2485	PREN 4135	Aerospace Series Bolts, Normal Bi-Hexagonal Head, Coarse Tolerance Normal Shank, Medium Length Thread, in Titanium Alloy, Anodized, MoS2 Lubricated Classification: 1 100 MPa (at Ambient Temperature)/315 Degrees C - Edition P1	1994	ASD-STAN	
2486	PREN 3747	Aerospace Series O-Rings, in Fluorosilicone Rubber (FVMQ) Technical Specification - Edition P 1	1994	ASD-STAN	
2487	PREN 2921	Aerospace Series Nuts, Hexagon, Thin, Reduced Across Flats, Heat Resisting Steel, Passivated Classification : 900 MPa / 650 Degrees C	1994	ASD-STAN	
2488	PREN 2261	Aerospace Series Silicone Rubber (VMQ) Hardness 70 IRHD - Edition 1	1994	ASD-STAN	
2489	PREN 4168	Aerospace Series Clips, Spring Tension, Three Parts Outer Clips in Heat Resisting Steel FE-PA92HT (A286) - Edition P1	1994	ASD-STAN	

2490	PREN 3257	Aerospace Series Pipe Coupling 8 Degree 30 in Titanium Alloy Elbow 45 Degree, Bulkhead - Edition P 2	1994	ASD-STAN	
2491	PREN 4166	Aerospace Series Clips, Spring Tension, Three Parts PTFE Bushes - Edition P1	1994	ASD-STAN	
2492	PREN 3462	Aerospace Series Titanium Alloy TI-P19001 Annealed Bar for Machining D Less Than or Equal to 150 mm - Edition P 2	1994	ASD-STAN	
2493	PREN 2429	Aerospace Series Ethylene-Propylene Rubber (EPM/EPDM) Hardness 60 IRHD - Edition 1	1994	ASD-STAN	
2494	PREN 2589	Aerospace Series Steel Sheet and Strip, Cold Rolled Thickness 0,1 mm Less Than or Equal to a Less Than or Equal to 3 mm Dimensions - Edition P 1	1994	ASD-STAN	
2495	PREN 2993	Aerospace Series Nickel-Cadmium Batteries of Format F Type - Edition P 1	1994	ASD-STAN	
2496	PREN 3689	Aerospace Series T-Ring Fillers in Titanium Alloy for Welding Pipes 28 000 kPa Nominal Pressure - Edition P 1	1994	ASD-STAN	
2497	PREN 3867	Aerospace Series Pipe Couplings, Loose Flanges and Seals Flanges in Titanium Alloy TI-P64001 - Edition P 1	1994	ASD-STAN	
2498	PREN 3262	Aerospace Series Pipe Coupling 8 Degree 30 in Titanium Alloy Tee Bulkhead Branch - Edition P 2; Replaced by PREN 4029	1994	ASD-STAN	
2499	PREN 4233	Aerospace Series Pipe Coupling 8 Degrees 30 in Titanium Alloy Unions, Welded, Threaded - Edition P 1	1994	ASD-STAN	
2500	PREN 4022	Aerospace Series Pipe Coupling 8 Degrees 30 in Titanium Alloy Elbows 90 Degrees, Bulkhead, Welded - Edition P1	1994	ASD-STAN	
2501	PREN 3566	Aerospace Series Pipe Coupling 8 Degree 30 in Titanium Alloy Adapters with Locking Ring - Edition P 1	1994	ASD-STAN	
2502	PREN 3944	Aerospace Series Nickel Base Alloy NI-B41204 Filler Metal for Brazing Tape - Edition P 1	1994	ASD-STAN	
2503	PREN 3271	Aerospace Series Pipe Coupling 8 Degree 30 Thrust Wire - Edition P 2;	1994	ASD-STAN	
2504	PREN 3928	Aerospace Series Nickel Base Alloy NI-B40001 Filler Metal for Brazing Tape - Edition P 1	1994	ASD-STAN	
2505	PREN 4021	Aerospace Series Pipe Coupling 8 Degrees 30 in Titanium Alloy Elbows 90 Degrees, Bulkhead - Edition P1	1994	ASD-STAN	
2506	PREN 3261	Aerospace Series Pipe Coupling 8 Degree 30 in Titanium Alloy Tee with Swivel Nut - Edition P 2; Replaced by PREN 4028	1994	ASD-STAN	
2507	PREN 3940	Aerospace Series Nickel Base Alloy NI-B46001 Filler Metal for Brazing Tape - Edition P 1	1994	ASD-STAN	
2508	PREN 4074	Aerospace Series Screws, Pan Head, Six Lobe Recess, Coarse Tolerance Normal Shank, Medium Length Thread, in Titanium Alloy, Aluminium IVD Coated Classification : 1 100 MPa (at Ambient Temperature)/ 425 Degrees C - Edition P1	1994	ASD-STAN	
2509	PREN 2098-1	Aerospace Series Inspection and Testing Requirements for Titanium and Heat Resisting Alloy Wrought Products Part 1 - General Requirements - Edition 2	1994	ASD-STAN	
2510	PREN 4185	Aerospace Series Pipe Coupling 8 Degrees 30 in Titanium Alloy Tees, Bulkhead Long - Edition P 1	1994	ASD-STAN	
2511	PREN 2985	Aerospace Series Nickel-Cadmium Batteries of Format A Type - Edition p 1	1994	ASD-STAN	
2512	PREN 4189	Aerospace Series Pipe Coupling 8 Degrees 30 in Titanium Alloy Tees, Bulkhead Branch, Long - Edition P 1	1994	ASD-STAN	
2513	PREN 3461	Aerospace Series Titanium TI-P99003 Annealed Bar for Machining D Less Than or Equal to 150 mm 540 MPa Less Than or Equal to Rm Less Than or Equal to 740 MPa - Edition P 2	1994	ASD-STAN	
2514	PREN 4017	Aerospace Series Pipe Coupling 8 Degrees 30 in Titanium Alloy Elbows 90 Degrees - Edition P1	1994	ASD-STAN	
2515	PREN 3442	Aerospace Series Titanium TI-P99002 Annealed Sheet and Strip, Hot Rolled a Less Than or Equal to 6 mm 390 MPa Less Than or Equal to Rm Less Than or Equal to MPa - Edition P 2	1993	ASD-STAN	
2516	PREN 3951	Aerospace Series Silver Base Alloy AG-B32101 Filler Metal for Brazing Rolled Foil - Issue P1	1993	ASD-STAN	
2517	PREN 3155-042	Aerospace Series Electrical Contacts Used in Elements of Connection Part 042 - Contacts, Electrical, Triaxial, Size 08, Male 042, Type D, Solder, Class P Product Standard - Edition P1	1993	ASD-STAN	
2518	PREN 2591-G1	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part G1 - Electrical Elements Measurement of Open Circuit Impedance of Couplers - Edition P 1	1993	ASD-STAN	
2519	PREN 3497	Aerospace Series Titanium TI-P99001 Annealed Sheet and Strip, Cold Rolled a Less Than or Equal to 6 mm 290 MPa Less Than or Equal to Rm Less Than or Equal to 420 MPa - Edition P 2	1993	ASD-STAN	
2520	PREN 3860	Aerospace Series Titanium Alloy TI-P19001 Annealed Sheet and Strip, Cold Rolled a Less Than or Equal to 6 mm - Edition P 1	1993	ASD-STAN	
2521	PREN 2591-G6	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part G6 - Electrical Elements Transmission Test - Edition P 1	1993	ASD-STAN	

2522	PREN 3871	Aerospace Series Titanium Alloy TI-P19001 Solution Treated and Aged Sheet and Strip, Cold Rolled a Less Than or Equal to 6 mm - Edition P 1	1993	ASD-STAN	
2523	PREN 3859	Aerospace Series Titanium Alloy TI-P19001 Annealed Sheet and Strip, Hot Rolled a Less Than or Equal to 6 mm - Edition P 1	1993	ASD-STAN	
2524	PREN 2591-G4	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part G4 - Electrical Elements Measurement of Turns Ratio on a Transformer Used in a Coupler - Edition P 1	1993	ASD-STAN	
2525	PREN 3499	Aerospace Series Titanium TI-P99003 Annealed Sheet and Strip, Cold Rolled a Less Than or Equal to 6 mm 570 MPa Less Than or Equal to Rm Less Than or Equal to 730 MPa - Edition P 2	1993	ASD-STAN	
2526	PREN 2591-B19	Aerospace Series Elements in Electrical and Optical Connection Test Methods Part B19 - Voltage Strength for Lugs and in-Line Splices	1993	ASD-STAN	
2527	PREN 3225-3	Aerospace Series Heat Resisting Alloys Produced from Atomized Powder Powder Compacted Forging Stock and Parts Technical Specification Part 3 - Hot Compacted Forging Stock - Edition P 1	1993	ASD-STAN	
2528	PREN 2829	Aerospace Series Adhesion Test for Metallic Coatings by Shot Peening - Edition 1	1993	ASD-STAN	
2529	PREN 3225-2	Aerospace Series Heat Resisting Alloys Produced from Atomized Powder Powder Compacted Forging Stock and Parts Technical Specification Part 2 - Atomized Powder - Edition P 1	1993	ASD-STAN	
2530	PREN 2591-FD14	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part FD14 - Optical Elements Unmating of Lanyard Release Optical Connection Elements - Edition P 1	1993	ASD-STAN	
2531	PREN 2591-FD15	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part FD15 - Optical Elements - Test Probe Damage - Edition P 1	1993	ASD-STAN	
2532	PREN 2591-FD3	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part FD3 - Optical Elements - Vibrations - Edition P 1	1993	ASD-STAN	
2533	PREN 2591-F9	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part F9 - Optical Elements Effectiveness of Cable Attachment Cable Cyclic Flexing - Edition P 1	1993	ASD-STAN	
2534	PREN 2435-0	Aerospace Series Corrosion Resistant , Two-Component, Cold Curing Primer	1993	ASD-STAN	
2535	PREN 2786	Aerospace Series Electrolytic Silver Plating of Fasteners - Edition P 1	1993	ASD-STAN	
2536	PREN 2591-D28	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part D28 - Sinusoidal Vibrations with Passage of Current for Lugs and in-Line Splices	1993	ASD-STAN	
2537	PREN 3676	Aerospace Series Inserts, Thin Wall Design Standard - Edition P 1	1993	ASD-STAN	
2538	PREN 2591-FC24	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part FC24 - Optical Elements - Interfacial Sealing - Edition P 1	1993	ASD-STAN	
2539	PREN 2591-F15	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part F15 - Optical Elements Connection Integrity at Temperature - Edition P 1	1993	ASD-STAN	
2540	PREN 2591-FC17	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part FC17 - Optical Elements Flammability - Edition P 1	1993	ASD-STAN	
2541	PREN 2591-G7	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part G7 - Electrical Elements Measurement of Characteristic Impedance of a Bus or a Stub Terminator - Edition P 1	1993	ASD-STAN	
2542	PREN 2591-G9	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part G9 - Electrical Elements Tensile Strength of Couplers - Edition P 1	1993	ASD-STAN	
2543	PREN 2858-3	Aerospace Series Titanium and Titanium Alloys Forging Stock and Forgings Technical Specification Part 3 - Pre-Production and Production Forgings - Edition 1	1993	ASD-STAN	
2544	PREN 2591-FC18	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part FC18 - Optical Elements Fire Resistance - Edition P 1	1993	ASD-STAN	
2545	PREN 2591-FD6	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part FD6 - Optical Elements Mechanical Endurance - Edition P 1	1993	ASD-STAN	
2546	PREN 3700	Aerospace Series Static Inverters for Aircraft Technical Specification - Edition P 1; Corrigendum	1993	ASD-STAN	
2547	PREN 2860-2	Aerospace Series Heat Resisting Alloys Forging Stock and Forgings Technical Specification Part 2 - Forging Stock - Edition P 1	1993	ASD-STAN	

2548	PREN 2862	Aerospace Series Nuts, Anchor, Self-Locking, Fixed, 90 Degree Corner, with Counterbore, in Alloy Steel, Cadmium Plated, MoS2 Lubricated Classification : 1 100 MPa (at Ambient Temperature)/235 Degrees C - Edition P 1; Corrigendum 05/10/1993	1993	ASD-STAN	
2549	PREN 3236	Aerospace Series Inserts, Thin Wall, Short, in Heat Resisting Nickel Base Alloy NI-P100HT (Inconel 718) - Edition P 2	1993	ASD-STAN	
2550	PREN 3870	Aerospace Series Titanium Alloy TI-P19001 Solution Treated and Aged Sheet and Strip, Hot Rolled a Less Than or Equal to 6 mm - Edition P 1	1993	ASD-STAN	
2551	PREN 3155-043	Aerospace Series Electrical Contacts Used in Elements of Connection Part 043 - Contacts, Electrical, Triaxial, Size 08, Female 043, Type D, Solder, Class P Product Standard - Edition P1	1993	ASD-STAN	
2552	PREN 2591-FD4	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part FD4 - Optical Elements - Transverse Load - Edition P 1	1993	ASD-STAN	
2553	PREN 2591-FC7	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part FC7 - Optical Elements Salt Mist - Edition P 1	1993	ASD-STAN	
2554	PREN 4012	Aerospace Series Nuts, Bihexagonal, Self- Locking, in Heat Resisting Nickel Base Alloy NI-P100HT (Inconel 718), MoS2 Coated Classification: 1 550 MPa (at Ambient Temperature) / 425 Degrees C - Edition P1	1993	ASD-STAN	
2555	PREN 2865	Aerospace Series Nuts, Anchor, Self-Locking, Floating, Two Lug, with Counterbore, in Heat Resisting Steel, MoS2 Lubricated Classification : 1 100 MPa (at Ambient Temperature)/315 Degrees C - Edition P 1	1993	ASD-STAN	
2556	PREN 3537	Aerospace Series Nuts, Anchor, Self-Locking, Fixed, Two Lug, with Counterbore, in Heat Resisting Steel, MoS2 Lubricated Classification : 1 100 MPa (at Ambient Temperature)/315 Degrees Celsius - Edition P 1; Corrigendum 5/10/93	1993	ASD-STAN	
2557	PREN 2414	Aerospace Series Washers, Chamfered, with Counterbore, in Alloy Steel, Cadmium Plated - Edition P 1	1993	ASD-STAN	
2558	PREN 4084	Aerospace Series Nuts, Anchor, Self-Locking, Fixed, Two Lug, with Counterbore, in Alloy Steel, Cadmium Plated, MoS2 Lubricated Classification: 1 100 MPa (at Ambient Temperature) / 235 Degrees C - Edition P1	1993	ASD-STAN	
2559	PREN 2858-2	Aerospace Series Titanium and Titanium Alloys Forging Stock and Forgings Technical Specification Part 2 - Forging Stock - Edition 1	1993	ASD-STAN	
2560	PREN 2858-1	Aerospace Series Titanium and Titanium Alloys Forging Stock and Forgings Technical Specification Part 1 - General Requirements - Edition 1	1993	ASD-STAN	
2561	PREN 2591-G3	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part G3 - Electrical Elements Common Mode Rejection of Couplers - Edition P 1	1993	ASD-STAN	
2562	PREN 2591-F10	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part F10 - Optical Elements Effectiveness of Cable Attachment Cable Pulling - Edition P 1	1993	ASD-STAN	
2563	PREN 3441	Aerospace Series Titanium TI-P99001 Annealed Sheet and Strip, Hot Rolled a Less Than or Equal to 6 mm 290 MPa Less Than or Equal to Rm Less Than or Equal to 420 MPa - Edition P 2	1993	ASD-STAN	
2564	PREN 3001	Aerospace Series Tempered Float Glass Plies for Aircraft Applications Technical Specification - Edition P 1	1993	ASD-STAN	
2565	PREN 2591-F1	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part F1 - Optical Elements Insertion Loss - Edition P 1	1993	ASD-STAN	
2566	PREN 2591-G5	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part G5 - Electrical Elements Measurement of Stub Input Impedance of Couplers - Edition P 1	1993	ASD-STAN	
2567	PREN 2004-10	Aerospace Series Test Methods for Aluminium and Aluminium Alloy Products Part 10: Preparation of Micrographic Specimens for Aluminium Alloys - Edition P 1	1993	ASD-STAN	
2568	PREN 4119	Aerospace Series Nuts, Bihexagonal, Self- Locking, Deep Counterbored, in Heat Resisting Steel FE-PA92HT (A286), Silver Plated on Thread Classification : 1 100 MPa (at Ambient Temperature) / 650 Degrees C - Edition P1	1993	ASD-STAN	
2569	TR 3634	Aerospace Series Fluid Fittings, Flanged Assembly Recommendations - Edition 1	1993	ASD-STAN	
2570	PREN 3225-1	Aerospace Series Heat Resisting Alloys Produced from Atomized Powder Powder Compacted Forging Stock and Parts Technical Specification Part 1 - General Requirements - Edition P 1	1993	ASD-STAN	
2571	PREN 2591-FC14	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part FC14 - Optical Elements Immersion at Low Air Pressure - Edition P 1	1993	ASD-STAN	
2572	PREN 2591-FC3	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part FC3 - Optical Elements Cold/ Low Pressure and Damp Heat - Edition P 1	1993	ASD-STAN	

2573	PREN 2591-E12	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part E12 - Recommendation to Check Effectiveness of Non Removable Fixing of Hermetically Sealed Connector Shell	1993	ASD-STAN	
2574	PREN 4013	Aerospace Series Shank Nuts, Self-Locking, in Heat Resisting Nickel Base Alloy NI-P100HT (Inconel 718), Silver Plated Classification: 1 550 MPa (at Ambient Temperature) / 600 Degrees C - Edition P1	1993	ASD-STAN	
2575	PREN 2591-F12	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part F12 - Optical Elements Effectiveness of Cable Attachment Cable Axial Compression - Edition P 1	1993	ASD-STAN	
2576	PREN 3753	Aerospace Series Nuts, Anchor, Self-Locking, Fixed, 60 Degree Corner, with Counterbore, in Alloy Steel, Cadmium Plated, MoS2 Lubricated Classification: 1 100 MPa (at Ambient Temperature)/235 Degrees C - Edition P 1; Corrigendum	1993	ASD-STAN	
2577	PREN 2591-E1	Aerospace Series Elements of Electrical and Optical Connction Test Methods Part E1 - Soft Soldering	1993	ASD-STAN	
2578	PREN 3435	Aerospace Series Nuts, Anchor, Self-Locking, Floating, Two Lug, Reduced Series, with Counterbore, in Heat Resisting Steel, MoS2 Lubricated Classification: 1 100 MPa (at Ambient Temperature)/315 Degrees C - Edition P 1; Corrigendum	1993	ASD-STAN	
2579	PREN 3768	Aerospace Series Nuts, Anchor, Self-Locking, One Lug, Fixed, Reduced Series, With Counterbore, in Heat Resisting Steel, MoS2 Lubricated Classification : 1 100 MPa (at Ambient Temperature) / 315 Degrees C - Edition P 1	1993	ASD-STAN	
2580	PREN 4118	Aerospace Series Nuts, Bihexagonal, Self- Locking, in Heat Resisting Steel FE-PA92HT (A286), Silver Plated on Thread Classification : 1 100 MPa (at Ambient Temperature) / 650 Degrees C - Edition P1	1993	ASD-STAN	
2581	PREN 3538	Aerospace Series Nuts, Anchor, Self-Locking, Fixed, Two Lug, Reduced Series, with Counterbore , in Heat Resisting Steel, MoS2 Lubricated Classification : 1 100 MPa (at Ambient Temperature) / 315 Degrees Celsius - Edition P 1; Corrigendum 5/10/1993	1993	ASD-STAN	
2582	PREN 3225-4	Aerospace Series Heat Resisting Alloys Produced from Atomized Powder Powder Compacted Forging Stock and Parts Technical Specification Part 4 - Pre-Production and Production Parts - Edition P 1	1993	ASD-STAN	
2583	PREN 2591-FC1	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part FC1 - Optical Elements Endurance at Temperature - Edition P 1	1993	ASD-STAN	
2584	PREN 3498	Aerospace Series Titanium TI-P99002 Annealed Sheet and Strip, Cold Rolled a Less Than or Equal to 6 mm 390 MPa Less Than or Equal to Rm Less Than or Equal to 540 MPa - Edition P 2	1993	ASD-STAN	
2585	PREN 2863	Aerospace Series Nuts, Anchor, Self-Locking, Fixed, 90 Degree Corner, with Counterbore, in Heat Resisting Steel, MoS2 Lubricated Classification : 1 100 MPa (at Ambient Temperature)/315 Degrees C - Edition P 1; Corrigendum 05/10/1993	1993	ASD-STAN	
2586	PREN 2591-FC6	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part FC6 - Optical Elements Mould Growth - Edition P 1	1993	ASD-STAN	
2587	TR 3900	Aerospace Series Metallic Materials Relationship Between AECMA Designation Systems - Edition 1	1993	ASD-STAN	
2588	PREN 4120	Aerospace Series Nuts, Bihexagonal, Self- Locking, in Heat Resisting Nickel Base Alloy NI-P101HT (Waspaloy), Silver Plated on Thread Classification : 1 210 MPa (at Ambient Temperature) / 730 Degrees C - Edition P1	1993	ASD-STAN	
2589	PREN 3446	Aerospace Series Bearings, Precision Ball Without Flange in Corrosion Resisting Steel, for Instruments and Equipment Dimensions and Loads - Edition 1	1993	ASD-STAN	
2590	PREN 2591-F11	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part F11 - Optical Elements Effectiveness of Cable Attachment Cable Torsion - Edition P 1	1993	ASD-STAN	
2591	PREN 2869	Aerospace Series Nuts, Hexagonal, Slotted/Castellated, Normal Height, Normal Across Flats, in Heat Resisting Steel, Passivated Classification : 1 100 MPa (at Ambient Temperature) / 650 Degrees C - Edition P 1	1993	ASD-STAN	
2592	PREN 2591-FC5	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part FC5 - Optical Elements Rapid Change of Temperature - Edition P 1	1993	ASD-STAN	
2593	PREN 3443	Aerospace Series Titanium TI-P99003 Annealed Sheet and Strip, Hot Rolled a Less Than or Equal to 6 mm 570 MPa Less Than or Equal to Rm Less Than or Equal to MPa - Edition P 2	1993	ASD-STAN	
2594	PREN 2565	Aerospace Series Preparation of Carbon Fibre Reinforced Resin Panels for Test Purposes - Edition P 2	1993	ASD-STAN	
2595	PREN 3237	Aerospace Series Inserts, Thin Wall, Long, in Heat Resisting Nickel Base Alloy NI-P100HT (Inconel 718) - Edition P 1	1993	ASD-STAN	
2596	PREN 3212	Aerospace Series Paints and Varnishes Corrosion Test by Alternate Immersion in a Buffered Sodium Chloride Solution - Edition 1	1993	ASD-STAN	
2597	PREN 2591-G2	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part G2 - Electrical Elements Measurement of Signal Distortion of Couplers	1993	ASD-STAN	

2598	PREN 4117	Aerospace Series Nuts, Bihexagonal, Self- Locking, in Heat Resisting Nickel Base Alloy NI-P100HT (Inconel 718), Silver Plated on Thread Classification : 1 500 MPa (at Ambient Temperature) / 600 Degrees C - Edition P1	1993	ASD-STAN	
2599	PREN 4116	Aerospace Series Nuts, Hexagonal, Self-Locking, in Heat Resisting Steel FE-PA92HT (A286), Silver Plated on Thread Classification : 1 100 MPa (at Ambient Temperature) / 425 Degrees C - Edition P1	1993	ASD-STAN	
2600	PREN 2591-GC1	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part GC1 - Electrical Elements Endurance at Temperature for Couplers - Edition P 1	1993	ASD-STAN	
2601	PREN 2591-F2	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part F2 - Optical Elements Variation of Attenuation and Optical Discontinuity - Edition P 1	1993	ASD-STAN	
2602	PREN 2591-B18	Aerospace Series Elements in Electrical and Optical Connection Test Methods Part B18 - Current Cycling for Lugs and in-Line Splices	1993	ASD-STAN	
2603	PREN 3741	Aerospace Series Nuts, Clip, Metric Installation Holes and Assembly - Edition P 1	1993	ASD-STAN	
2604	PREN 2591-FD1	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part FD1 - Optical Elements Acceleration Steady State - Edition P 1	1993	ASD-STAN	
2605	PREN 2591-FD2	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part FD2 - Optical Elements - Shock - Edition P 1	1993	ASD-STAN	
2606	PREN 2591-FC15	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part FC15 - Optical Elements Fluid Resistance - Edition P 1	1993	ASD-STAN	
2607	PREN 2591-FC16	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part FC16 - Optical Elements Ozone Resistance - Edition P 1	1993	ASD-STAN	
2608	PREN 3750	Aerospace Series Nuts, Anchor, Self-Locking, Fixed, 90 Degree Corner, Reduced Series, with Counterbore, in Heat Resisting Steel, MoS2 Lubricated Classification: 1 100 MPa (at Ambient Temperature)/315 Degrees C - Edition P 1; Corrigendum	1993	ASD-STAN	
2609	PREN 2591-FD5	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part FD5 - Optical Elements - Axial Load - Edition P 1	1993	ASD-STAN	
2610	PREN 2591-F4	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part F4 - Optical Elements Cleaning Capability of Optical Face - Edition P 1	1993	ASD-STAN	
2611	PREN 2398	Aerospace Series Heat Resisting Alloy FE-PA2601 Softened, Cold Worked, Solution Treated, Precipitation Treated Bars for Machined Fastners D Less Than or Equal to 50 mm 900 MPa Less Than or Equal to Rm Less Than or Equal to 1100 MPa - Edition P2	1993	ASD-STAN	
2612	PREN 2868	Aerospace Series Nuts, Hexagonal, Slotted/Castellated, Normal Height, Normal Across Flats, in Heat Resisting Steel, Silver Plated Classification : 1 100 MPa (at Ambient Temperature) / 650 Degrees C - Edition P 1	1993	ASD-STAN	
2613	PREN 2591-G8	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part G8 - Electrical Elements Measurement of Surface Transfer Impedance of Couplers - Edition P 1	1993	ASD-STAN	
2614	PREN 3539	Aerospace Series Nuts, Anchor, Self-Locking, One Lug, Fixed, with Counterbore, in Heat Resisting Steel, MoS2 Lubricated Classification : 1 100 MPa (at Ambient Temperature) / 315 Degrees Celsius - Edition P 1	1993	ASD-STAN	
2615	PREN 2895	Aerospace Series Nuts, Hexagonal, Plain, Normal Height, Normal Across Flats, in Corrosion Resisting Steel, Passivated Classification : 900 MPa (at Ambient Temperature) / 425 Degrees C - Edition P 1	1993	ASD-STAN	
2616	PREN 3726	Aerospace Series Nuts, Self-Locking, Clip, in Heat Resisting Steel FE-PA92HT (A286), MoS2 Coated Classification: 1 100 MPa (at Ambient Temperature)/425 Degrees C - Edition P 1	1993	ASD-STAN	
2617	PREN 2626	Aerospace Series Aluminium Alloy AL-P7475-T7351 Plate 6 mm Less Than a Less Than or Equal to 100 mm	1993	ASD-STAN	
2618	PREN 3567-003	Aerospace Series Couplers for Use in Multiplex Data Bus Systems in Accordance with STANAG 3838 Part 003 - Single In-Line Couplers Product Standard - Edition P 1	1992	ASD-STAN	
2619	PREN 3781	Aerospace Series Grooves for Spiral Wound Retaining Rings Design Standard - Edition P 1	1992	ASD-STAN	
2620	PREN 2591-B3	Aerospace Series Elements of Electrical and Optical Connection Test Methods - Part B3 - Electrical Continuity at Microvolt level - Edition 1	1992	ASD-STAN	
2621	PREN 3475-304	Aerospace Series Cables, Electrical, Aircraft Use Test Methods Part 304 - Surface Resistance - Issue P 1	1992	ASD-STAN	

2622	PREN 3227	Aerospace Series Nuts, Hexagon, Plain, Normal Height, Normal Across Flats, in Steel, Cadmium Plated, Left Hand Thread Classification: 1 100 MPa (at Ambient Temperature) / 235 Degrees Celsius - Edition P 1	1992	ASD-STAN	
2623	PREN 3032	Aerospace Series Test Method for Dry Film Lubricants Thickness Measurement - Edition 1	1992	ASD-STAN	
2624	PREN 3475-403	Aerospace Series Cables, Electrical, Aircraft Use Test Methods Part 403 - Delamination and Blocking - Issue P 1	1992	ASD-STAN	
2625	PREN 2591-C3	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part C3 - Cold/Low Pressure and Damp Heat - Issue P 1	1992	ASD-STAN	
2626	PREN 2591-D18	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part D18 - Gauge Insertion and Extraction Forces in a Female Contact - Issue P 1	1992	ASD-STAN	
2627	PREN 2591-D26	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part D26 - Contact Retention System Effectiveness (Removable Contact Walkout) - Issue P 1	1992	ASD-STAN	
2628	PREN 3475-305	Aerospace Series Cables, Electrical, Aircraft Use Test Methods Part 305 - Overload Resistance - Issue P 1	1992	ASD-STAN	
2629	PREN 2591-E5	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part E5 - Contact Protection Effectiveness (Scoop-Proof) - Issue P 1	1992	ASD-STAN	
2630	PREN 2591-B6	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part B6 - Measurement of Insulation Resistance - Edition 1	1992	ASD-STAN	
2631	PREN 3019	Aerospace Series Self-Locking Plate Nuts, Floating, Two-Lug, in Heat Resisting Steel FE-PA92HT (A286) Classification : 1 100 MPa (at Ambient Temperature) /650 Degrees C - Issue P 2	1992	ASD-STAN	
2632	PREN 2591-B16	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part B16 - Engagement of Contacts - Issue P 1	1992	ASD-STAN	
2633	PREN 2874	Aerospace Series Bolts, Large Bihexagonal Head, Close Tolerance Normal Shank, Medium Length Thread, in Nickel Alloy, Passivated Classification : 1 550 MPa (at Ambient Temperature) /315 Degrees C - Issue P 1	1992	ASD-STAN	
2634	PREN 3026	Aerospace Series Test Method for Dry Film Lubricants Corrosion Test on Steels Specimens - Edition 1	1992	ASD-STAN	
2635	PREN 3675	Aerospace Series Sampling Plan for Acceptance Testing of Aramid, Carbon Fibre and Textile Glass Filament Yarns - Edition P 1	1992	ASD-STAN	
2636	PREN 2591-C21	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part C21 - Damp Heat, Cyclic Test - Issue P 1	1992	ASD-STAN	
2637	TR 3540	Aerospace Series Use and Selection of Self-Locking Wire Thread Inserts - Issue 1	1992	ASD-STAN	
2638	PREN 2591-E4	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part E4 - Residual Magnetism - Issue P 1	1992	ASD-STAN	
2639	PREN 2591-C8	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part C8 - Sand and Dust - Issue P 1	1992	ASD-STAN	
2640	PREN 2591-C13	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part C13 - Driving Rain (Artificial) - Issue P 1	1992	ASD-STAN	
2641	PREN 3782	Aerospace Series Holes for 100 Degrees Countersunk Head Screws Design Standard - Issue P 1	1992	ASD-STAN	
2642	PREN 2591-C4	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part C4 - Damp Heat Steady State - Issue P 1	1992	ASD-STAN	
2643	PREN 2591-B5	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part B5 - Housing (Shell) Electrical Continuity - Edition 1	1992	ASD-STAN	
2644	PREN 2591-C5	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part C5 - Rapid Change of Temperature - Issue P 1	1992	ASD-STAN	
2645	PREN 2591-D10	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part D10 - Insert Retention in Housing (Axial) - Issue P 1	1992	ASD-STAN	
2646	PREN 2591-C20	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part C20 - Simulated Solar Radiation at Ground Level - Issue P 1	1992	ASD-STAN	
2647	PREN 2591-B8	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part B8 - Temperature Rise Due to Rated Current - Edition 1	1992	ASD-STAN	

2648	PREN 2591-B9	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part B9 - Current Temperature Derating - Edition 1	1992	ASD-STAN	
2649	PREN 2591-B2	Aerospace Series Elements of Electrical and Optical Connection Test Methods - Part B2 - Contact Resistance at Rated Current - Edition 1	1992	ASD-STAN	
2650	PREN 2591-C2	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part C2 - Climatic Sequence - Issue P 1	1992	ASD-STAN	
2651	PREN 3475-410	Aerospace Series Cables, Electrical, Aircraft Use Test Methods Part 410 - Thermal Endurance - Issue P 1	1992	ASD-STAN	
2652	PREN 3740	Aerospace Series Bolts, Shouldered, Thin Hexagonal Head, Close Tolerance Shank, Short Thread, in Titanium Alloy, MoS2 Lubricated Classification: 1 100 MPa (at Ambient Temperature)/315 Degrees C - Edition P 1	1992	ASD-STAN	
2653	PREN 2591-D17	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part D17 - Tensile Strength (Crimped Connection) - Issue P 1	1992	ASD-STAN	
2654	PREN 2591-C22	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part C22 - Hermeticity - Issue P 1	1992	ASD-STAN	
2655	PREN 3641	Aerospace Series Test Methods Heat Resisting Alloys Compacted Material Procedure for Quantitative Determination of Thermally Induced Porosity (T.I.P.) - Edition P 1	1992	ASD-STAN	
2656	PREN 2591-C24	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part C24 - Interfacial Sealing - Issue P 1	1992	ASD-STAN	
2657	PREN 3633	Aerospace Series Installation Hole for Fluid Fittings, Flanged - Edition P 1	1992	ASD-STAN	
2658	PREN 3475-405	Aerospace Series Cables, Electrical, Aircraft Use Test Methods Part 405 - Bending at Ambient Temperature - Issue P 1	1992	ASD-STAN	
2659	PREN 2536	Aerospace Series Hard Anodizing of Aluminium Alloys - Edition 1	1992	ASD-STAN	
2660	PREN 3475-402	Aerospace Series Cables, Electrical, Aircraft Use Test Methods Part 402 - Shrinkage and Delamination - Issue P 1	1992	ASD-STAN	
2661	PREN 2925	Aerospace Series Bolts with Double Hexagon Head, Relieved Shank, Long Thread, in Heat Resisting Steel FE-PA92HT (A286) Classification : 900 MPa / 650 Degrees C - Issue P 2	1992	ASD-STAN	
2662	PREN 3640	Aerospace Series Test Methods Heat Resisting Alloys Atomized Powder Procedure for the Inspection of Loose Powder Cleanness by Water Elutriation - Edition P 1	1992	ASD-STAN	
2663	PREN 2591-C7	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part C7 - Salt Mist - Issue P 1	1992	ASD-STAN	
2664	PREN 2591-D24	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part D24 - Stripping Force, Solderless Wrapped Connections - Issue P 1	1992	ASD-STAN	
2665	PREN 2591-B4	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part B4 - Discontinuity of Contacts in the Microsecond Range - Edition 1	1992	ASD-STAN	
2666	PREN 3305	Aerospace Series Bolts, 100 Degree Countersunk Reduced Head, Offset Cruciform Recess, Close Tolerance Shank, Short Thread, in Alloy Steel, Cadmium Plated Classification: 1100 MPa (at Ambient Temperature)/235 Degrees Celsius - Issue P 1	1992	ASD-STAN	
2667	PREN 2591-D2	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part D2 - Shock - Issue P 1	1992	ASD-STAN	
2668	PREN 2591-C12	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part C12 - Air Leakage - Issue P 1	1992	ASD-STAN	
2669	PREN 3832	Aerospace Series Bolts, Double Hexagon Head, Relieved Shank, Long Thread, in Heat Resisting Nickel Base Alloy NI-P100HT (Inconel 718) Classification: 1 550 MPa (at Ambient Temperature)/650 Degrees C - Edition P 1	1992	ASD-STAN	
2670	PREN 2591-C9	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part C9 - Dry Heat - Issue P 1	1992	ASD-STAN	
2671	PREN 2591-C18	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part C18 - Fire-Resistance - Issue P 1	1992	ASD-STAN	
2672	PREN 3030	Aerospace Series Test Method for Dry Film Lubricants Solids Content - Edition 1	1992	ASD-STAN	
2673	PREN 3724	Aerospace Series Bolts, Double Hexagon Head, Relieved Shank, Long Thread, in Titanium Alloy TI-P63, MoS2 Coated Classification: 1 100 MPa (at Ambient Temperature) - Issue P 1	1992	ASD-STAN	

2674	PREN 2591-D11	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part D11 - Insert Retention in Housing (Torsional) - Issue P 1	1992	ASD-STAN	
2675	PREN 3228	Aerospace Series Nuts, Hexagon, Plain, Reduced Height, Normal Across Flats, in Steel, Cadmium Plated Classification: 900 MPa (at Ambient Temperature) / 235 Degrees Celsius - Edition P 1	1992	ASD-STAN	
2676	PREN 2591-B7	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part B7 - Voltage Proof Test - Edition 1	1992	ASD-STAN	
2677	PREN 2591-D8	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part D8 - Mating and Unmating Forces - Issue P 1	1992	ASD-STAN	
2678	PREN 2591-C15	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part C15 - Fluid Resistance - Issue P 1	1992	ASD-STAN	
2679	PREN 3475-503	Aerospace Series Cables, Electrical, Aircraft Use Test Methods Part 503 - Scrape Abrasion - Issue P 1	1992	ASD-STAN	
2680	PREN 3020	Aerospace Series Self-Locking Plate Nuts, Floating, Two-Lug, in Heat Resisting Steel FE-PA92HT (A286), Silver Plated Classification : 1 100 MPa (at Ambient Temperature) /650 Degrees C - Issue P 2	1992	ASD-STAN	
2681	PREN 2591-D5	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part D5 - Axial Load - Issue P 1	1992	ASD-STAN	
2682	PREN 2591-C16	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part C16 - Ozone Resistance - Issue P 1	1992	ASD-STAN	
2683	PREN 2591-D27	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part D27 - Robustness of Protective Cover Attachment - Issue P 1	1992	ASD-STAN	
2684	PREN 3630	Aerospace Series Fluid Fittings, Flanged, Straight Sealing by O-Ring for 0,8 mm Thick Tubes - Edition P 1	1992	ASD-STAN	
2685	PREN 2591-D14	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part D14 - Unmating of Lanyard Release Connectors - Issue P 1	1992	ASD-STAN	
2686	PREN 2591-E6	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part E6 - Use of Tools - Issue P 1	1992	ASD-STAN	
2687	PREN 3759	Aerospace Series Screws, Pan Head, Offset Cruciform Recess, Threaded to Head, in Heat and Corrosion Resisting Steel, Passivated Classification : 1 100 MPa (at Ambient Temperature) / 425 Degrees C - Edition P 1	1992	ASD-STAN	
2688	PREN 3475-702	Aerospace Series Cables, Electrical, Aircraft Use Test Methods Part 702 - Braid Screen Pushback Capability - Issue P 1	1992	ASD-STAN	
2689	PREN 3658	Aerospace Series Tube Bend Radii, for Engine Application Design Standard - Issue P 1	1992	ASD-STAN	
2690	PREN 3307	Aerospace Series Screws, Pan Head, Offset Cruciform Recess, Threaded to Head, in Titanium Alloy, MoS2 Lubricated Classification: 1100 MPa (at Ambient Temperature)/315 Degrees Celsius - Issue P 1	1992	ASD-STAN	
2691	PREN 2929	Aerospace Series Bolts with Double Hexagon Head, Relieved Shank, Long Thread, in Heat Resisting Nickel Base Alloy NI-P101HT (Waspaloy) Classification : 1 210 MPa / 735 Degrees C - Issue P 2	1992	ASD-STAN	
2692	PREN 2591-B13	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part B13 - Shielding Effectiveness from 100 MHz to 1 GHz - Issue P 1	1992	ASD-STAN	
2693	PREN 2591-E3	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part E3 - Contact Deformation After Crimping - Issue P 1	1992	ASD-STAN	
2694	PREN 3229	Aerospace Series Nuts, Hexagon, Plain, Reduced Height, Normal Across Flats, in Steel, Cadmium Plated, Left Hand Thread Classification: 900 MPa (at Ambient Temperature) / 235 Degrees Celsius - Edition P 1	1992	ASD-STAN	
2695	PREN 3475-303	Aerospace Series Cables, Electrical, Aircraft Use Test Methods Part 303 - Insulation Resistance - Issue P 1	1992	ASD-STAN	
2696	PREN 3027	Aerospace Series Test Method for Dry Film Lubricants Salt Spray Test - Edition 1	1992	ASD-STAN	
2697	PREN 3819	Aerospace Series Clearance for Wrenches and Sockets - Issue P 1	1992	ASD-STAN	
2698	PREN 3567-004	Aerospace Series Couplers for Use in Multiplex Data Bus Systems in Accordance with STANAG 3838 Part 004 - Double In-Line Couplers Product Standard - Edition P 1	1992	ASD-STAN	
2699	PREN 2591-D19	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part D19 - Stability of Male Contacts in Insert - Issue P 1	1992	ASD-STAN	
2700	PREN 2591-D6	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part D6 - Mechanical Endurance - Issue P 1	1992	ASD-STAN	

2701	PREN 2591-C19	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part C19 - Gas-Tightness of Solderless Wrapped Connections - Issue P 1	1992	ASD-STAN	
2702	PREN 3475-201	Aerospace Series Cables, Electrical, Aircraft Use Test Methods Part 201 - Visual Examination - Issue P 1	1992	ASD-STAN	
2703	PREN 2157-2	Aerospace Series Steel Forging Stock and Forgings Technical Specification Part 2 - Forging Stock - Edition 1	1992	ASD-STAN	
2704	PREN 2867	Aerospace Series Nuts, Anchor, Self-Locking, Floating, One Lug, with Counterbore, in Heat Resisting Steel, MoS2 Lubricated Classification : 1 110 MPa (at Ambient Temperature) / 315 Degrees C - Issue P 1	1992	ASD-STAN	
2705	PREN 2866	Aerospace Series Nuts, Anchor, Self-Locking, Floating, One Lug, with Counterbore, in Steel, Cadmium Plated, MoS2 Lubricated Classification : 1 110 MPa (at Ambient Temperature) / 235 Degrees C - Issue P 1	1992	ASD-STAN	
2706	PREN 3226	Aerospace Series Nuts, Hexagon, Plain, Normal Height, Normal Across Flats, in Steel, Cadmium Plated Classification: 1 100 MPa (at Ambient Temperature) / 235 Degrees Celsius - Edition P 1	1992	ASD-STAN	
2707	PREN 2590	Aerospace Series Steel Sheets and Plates, Hot Rolled Dimensions - Issue P 1	1992	ASD-STAN	
2708	PREN 3241	Aerospace Series Nuts, Self-Locking, Clip, in Heat Resisting Steel FE-PA92HT (A286), Silver Coated Classification: 1 100 MPa (at Ambient Temperature) / 425 Degrees Celsius - Issue P 2	1992	ASD-STAN	
2709	PREN 3475-504	Aerospace Series Cables, Electrical, Aircraft Use Test Methods Part 504 - Torsion - Issue P 1	1992	ASD-STAN	
2710	PREN 2591-C6	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part C6 - Mould Growth - Issue P 1	1992	ASD-STAN	
2711	PREN 2927	Aerospace Series Bolts with Double Hexagon Head, Relieved Shank, Long Thread, in Heat Resisting Nickel Base Alloy NI-P100HT (Inconel 718) Classification : 1 275 MPa / 650 Degrees C - Issue P 2	1992	ASD-STAN	
2712	PREN 2591-D15	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part D15 - Test Probe Damage (Female Contact) - Issue P 1	1992	ASD-STAN	
2713	PREN 3760	Aerospace Series Screws, 100 Degrees Countersunk Normal Head, Offset Cruciform Recess, Threaded to Head, in Heat and Corrosion Resisting Steel, Passivated Classification : 1 100 MPa (at Ambient Temperature) / 425 Degrees C - Edition P 1	1992	ASD-STAN	
2714	PREN 3475-404	Aerospace Series Cables, Electrical, Aircraft Use Test Methods Part 404 - Thermal Shock - Issue P 1	1992	ASD-STAN	
2715	PREN 2930	Aerospace Series Bolts with Double Hexagon Head, Relieved Shank, Long Thread, in Heat Resisting Nickel Base Alloy NI-P101HT (Waspaloy), Silver Plated Classification : 1 210 MPa / 735 Degrees C - Issue P 2	1992	ASD-STAN	
2716	PREN 2591-D7	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part D7 - Durability of Contact Retention System and Seals (Maintenance Ageing) - Issue P 1	1992	ASD-STAN	
2717	PREN 2591-D20	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part D20 - Mechanical Strength of Rear Accessories - Issue P 1	1992	ASD-STAN	
2718	PREN 2591-C23	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part C23 - Thermal Shock - Issue P 1	1992	ASD-STAN	
2719	PREN 3475-202	Aerospace Series Cables, Electrical, Aircraft Use Test Methods Part 202 - Mass - Issue P 1	1992	ASD-STAN	
2720	PREN 3653	Aerospace Series Nuts, Anchor, Self-Locking, Floating, Self-Aligning, One Lug, in Steel, Cadmium Plated, MoS2 Lubricated Classification: 900 MPa (at Ambient Temperature)/235 Degrees C - Edition P 1	1992	ASD-STAN	
2721	PREN 3783	Aerospace Series Fibre Composite Materials Normalisation of Fibre Dominated Mechanical Properties - Issue P 1	1992	ASD-STAN	
2722	PREN 2591-A2	Aerospace Series Elements of Electrical and Optical Connection Test Methods - Part A2 - Examination of Dimensions and Mass - Edition 1	1992	ASD-STAN	
2723	PREN 2928	Aerospace Series Bolts with Double Hexagon Head, Relieved Shank, Long Thread, in Heat Resisting Nickel Base Alloy NI-P100HT (Inconel 718), Silver Plated Classification : 1 275 MPa / 650 Degrees C - Issue P 2	1992	ASD-STAN	
2724	PREN 2591-D13	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part D13 - Holding Force of Grounding Spring System - Issue P 1	1992	ASD-STAN	
2725	PREN 2926	Aerospace Series Bolts with Double Hexagon Head, Relieved Shank, Long Thread, in Heat Resisting Steel FE-PA92HT (A286), Silver Plated Classification : 900 MPa / 650 Degrees C - Issue P 2	1992	ASD-STAN	
2726	PREN 2591-E2	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part E2 - Restricted Entry - Issue P 1	1992	ASD-STAN	

2727	PREN 3567-001	Aerospace Series Couplers for Use in Multiplex Data Bus Systems in Accordance with STANAG 3838 Part 001 - Technical Specification - Edition P 1	1992	ASD-STAN	
2728	PREN 2591-D16	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part D16 - Contact Bending Strength - Issue P 1	1992	ASD-STAN	
2729	PREN 2591-C14	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part C14 - Immersion at Low Air Pressure - Issue P 1	1992	ASD-STAN	
2730	PREN 2591-C10	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part C10 - Cold - Issue P 1	1992	ASD-STAN	
2731	PREN 3475-301	Aerospace Series Cables, Electrical, Aircraft Use Test Methods Part 301 - Electrical Resistance Per Unit Length - Issue P 1	1992	ASD-STAN	
2732	PREN 2591-D25	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part D25 - Unwrapping, Solderless Wrapped Connections - Issue P 1	1992	ASD-STAN	
2733	PREN 3475-406	Aerospace Series Cables, Electrical, Aircraft Use Test Methods Part 406 - Cold Bend Test - Issue P 1	1992	ASD-STAN	
2734	PREN 2591-D9	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part D9 - Contact Retention in Insert - Issue P 1	1992	ASD-STAN	
2735	PREN 2591-C11	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part C11 - Low Air Pressure - Issue P 1	1992	ASD-STAN	
2736	PREN 3475-502	Aerospace Series Cables, Electrical, Aircraft Use Test Methods Part 502 - Notch Propagation - Issue P 1	1992	ASD-STAN	
2737	PREN 2591-D4	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part D4 - Transverse Load (External Bending Moment) - Issue P 1	1992	ASD-STAN	
2738	PREN 2591-D12	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part D12 - Contact Insertion and Extraction Forces - Issue P 1	1992	ASD-STAN	
2739	PREN 3304	Aerospace Series Bolts, 100 Degree Countersunk Reduced Head, Offset Cruciform Recess, Close Tolerance Shank, Short Thread, in Titanium Alloy, MoS2 Lubricated Classification: 1100 MPa (at Ambient Temperature)/315 Degrees Celsius - Issue P 1	1992	ASD-STAN	
2740	PREN 2591-C17	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part C17 - Flammability - Issue P 1	1992	ASD-STAN	
2741	PREN 3475-409	Aerospace Series Cables, Electrical, Aircraft Use Test Methods Part 409 - Air-Excluded Ageing - Issue P 1	1992	ASD-STAN	
2742	PREN 2591-B10	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part B10 - Electrical Overload - Issue P 1	1992	ASD-STAN	
2743	PREN 3475-703	Aerospace Series Cables, Electrical, Aircraft Use Test Methods Part 703 - Permanence of Manufacturers Marking - Issue P 1	1992	ASD-STAN	
2744	PREN 3240	Aerospace Series Nuts, Self-Locking, Clip, in Heat Resisting Steel FE-PA92HT (A286), Uncoated Classification: 1 100 MPa (at Ambient Temperature) / 425 Degrees Celsius - Issue P 2	1992	ASD-STAN	
2745	PREN 3722	Aerospace Series Shank Nuts, Self-Locking, in Heat Resisting Steel FE-PA92HT (A286), MoS2 Coated Classification: 1100 MPa (at Ambient Temperature)/425 Degrees C - Issue P 1	1991	ASD-STAN	
2746	PREN 2653	Aerospace Series Bolts, 100 Degrees Countersunk Head, Slotted, Threaded to Head, in Corrosion Resisting Steel, Passivated Classification: 600 MPa (at Ambient Temperature) /425 Degrees C - Issue P 1	1991	ASD-STAN	
2747	PREN 3324	Aerospace Series Bolts, Hexagon Head, Relieved Shank, Long Thread, in Heat Resisting Steel FR-PM38 (FV 535) Classification: 1000 MPa/550 Degrees Celsius Unplated - Issue P 1	1991	ASD-STAN	
2748	PREN 3306	Aerospace Series Screws, 100 Degree Countersunk Normal Head, Offset Cruciform-Ribbed Recess, Threaded to Head, in Titanium Alloy, MoS2 Lubricated Classification: 1100 MPa (at Ambient Temperature)/ 315 Degrees C - Issue P 1	1991	ASD-STAN	
2749	PREN 3686	Aerospace Series Bolts with Double Hexagon Head, Relieved Shank, Long Thread, in Heat Resisting Steel, FE-PA92HT (A286), Silver Plated Classification: 1100 MPa/650 Degrees C - Issue P 1	1991	ASD-STAN	

2750	PREN 2591-D1	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part D1 - Acceleration, Steady State - Edition 1	1991	ASD-STAN	
2751	PREN 3580	Aerospace Series Standard-Weight PTFE Flexible Hose Assembly of a Nominal Pressure Equal to 21000 kPa with 8 Degree 30 Fitting in Titanium Product Standard - Issue P 1	1991	ASD-STAN	
2752	PREN 2957	Aerospace Series Method of Preparation of Forged Samples - Edition P 1	1991	ASD-STAN	
2753	PREN 2155-3	Aerospace Series Test Methods for Transparent Materials for Aircraft Glazing Part 3 - Determination of Refractive Index - Edition 1	1991	ASD-STAN	
2754	PREN 3723	Aerospace Series Nuts, Hexagonal, Self-Locking, in Heat Resisting Steel FE-PA92HT (A286), MoS2 Coated Classification: 1100 MPa (at Ambient Temperature)/425 Degrees C - Issue P 1	1991	ASD-STAN	
2755	PREN 3417	Aerospace Series Rivets, Solid, Universal Head, in Nickel Base Alloy NI-P11, Metric Series - Issue P 1	1991	ASD-STAN	
2756	PREN 2666-003	Aerospace Series Single-Pole Circuit Breakers Rated Currents 50 to 100 A Distance Between Terminals 36.5 mm Product Standard	1991	ASD-STAN	
2757	PREN 3383	Aerospace Series Rings Retaining, Internal, Axial Mounting, Steel, Vacuum Cadmium Plated - Issue P 1	1991	ASD-STAN	
2758	PREN 2654	Aerospace Series Bolts, 100 Degrees Countersunk Normal Head, Slotted Threaded to Head, in Brass, Tin Plated Classification: 380 MPa (at Ambient Temperature)/80 Degrees C - Issue P 1	1991	ASD-STAN	
2759	PREN 3687	Aerospace Series Bolts, Normal Hexagon Head, Relieved Shank, Long Thread, in Heat Resisting Steel, FE-PA92HT (A286), Silver Plated Classification: 1100 MPa/650 Degrees C - Issue P 1	1991	ASD-STAN	
2760	PREN 2032-2	Aerospace Series Metallic Materials Part 2 - Coding of Delivery Condition According to the Heat Treatment - Issue 2	1991	ASD-STAN	
2761	PREN 3325	Aerospace Series Bolts, T-head, Relieved Shank, Long Thread, in Heat Resisting Steel, FE-PM38(FV535) Classification: 1000 MPa/550 Degrees Celsius Unplated - Issue P 1	1991	ASD-STAN	
2762	PREN 3721	Aerospace Series Nuts, Bihexagonal, Self-Locking, Deep Counterbored, in Heat Resisting Steel FE-PA92HT (A286), MoS2 Coated Classification: 1100 MPa (at Ambient Temperature)/425 Degrees C - Issue P 1	1991	ASD-STAN	
2763	PREN 2002-23	Aerospace Series Test Methods for Metallic Materials Part 23 - Sharp-Notch Tension Testing - Issue P 1	1991	ASD-STAN	
2764	PREN 3384	Aerospace Series Rings Retaining, External, Axial Mounting, Steel, Phosphated - Issue P 1	1991	ASD-STAN	
2765	PREN 3308	Aerospace Series Screws, Normal Hexagonal Head, Threaded to Head, in Titanium Alloy, MoS2 Lubricated Classification: 1100 MPa (at Ambient Temperature)/ 315 Degrees C - Issue P 1	1991	ASD-STAN	
2766	PREN 2545-2	Aerospace Series Titanium and Titanium Alloy Remelting Stock and Castings - Technical Specification - Part 2 - Remelting Stock - Edition 1	1991	ASD-STAN	
2767	PREN 3706	Aerospace Series Headless Threaded Plugs, Cross Recess, in Aluminium Alloy 5086 - Issue P 1	1991	ASD-STAN	
2768	PREN 2743	Aerospace Series Reinforced Plastics Standard Procedures for Conditioning Prior to Testing - Issue P 1	1991	ASD-STAN	
2769	PREN 2591-B1	Aerospace Series Elements of Electrical and Optical Connection Test Methods - Part B1 - Contact Resistance - Low Level - Edition 1	1991	ASD-STAN	
2770	PREN 2545-3	Aerospace Series Titanium and Titanium Alloy Remelting Stock and Castings - Technical Specification - Part 3 - Pre-Production and Production Castings - Edition 1	1991	ASD-STAN	
2771	PREN 3720	Aerospace Series Nuts, Bihexagonal, Self-Locking, in Heat Resisting Steel FE-PA92HT (A286), MoS2 Coated Classification: 1100 MPa (at Ambient Temperature)/425 Degrees C - Issue P 1	1991	ASD-STAN	
2772	PREN 3717	Aerospace Series Tubes Selection for Engines Fluid Systems - Issue P 1	1991	ASD-STAN	
2773	PREN 2155-2	Aerospace Series Test Methods for Transparent Materials for Aircraft Glazing Part 2 - Determination of Water Absorption - Edition 1	1991	ASD-STAN	
2774	PREN 3425	Aerospace Series Groove Dimensions for Axial Mounting Internal Type Retaining Rings - Issue P 1	1991	ASD-STAN	
2775	PREN 2591-C1	Aerospace Series Elements of Electrical and Optical Connection Test Methods Part C1 - Endurance at Temperature - Edition 1	1991	ASD-STAN	
2776	PREN 3426	Aerospace Series Groove Dimensions for Axial Mounting External Type Retaining Rings - Issue P 1	1991	ASD-STAN	
2777	PREN 2004-5	Aerospace Series Test Methods for Aluminum and Aluminium Alloys Products Part 5 - Determination of Cladding Thickness and Copper Diffusion of Clad Semi-Finished Products - Edition 1	1991	ASD-STAN	
2778	PREN 2757	Aerospace Series Test Method for Determining the Drying and Ignition Residues of Adhesive Primers - Issue P 1	1991	ASD-STAN	

2779	PREN 3572	Aerospace Series PTFE Flexible Hose Assembly with Convaluted Inner Tube of a Nominal Pressure up to 6800 kPa and 8 Degree 30 Fitting in Titanium Product Standard - Issue P 1	1991	ASD-STAN	
2780	PREN 3712	Aerospace Series Nuts, Anchor, Self-Locking, One Lug, Fixed, Reduced Series, with Counterbore, in Steel, Cadmium Plated, MoS2 Lubricated Classification: 1100 MPa (at Ambient Temperature)/235 Degrees C - Issue P 1	1991	ASD-STAN	
2781	PREN 3616	Aerospace Series Fibre Reinforced Plastics Test Method for the Determination of Moisture Content by Means of Moisture Evolution Analyser (MEA) - Issue P 1	1991	ASD-STAN	
2782	PREN 2155-14	Aerospace Series Test Methods for Transparent Materials for Aircraft Glazing Part 14 - Determination of the 1/10 Vicat Softening Temperature - Edition 1	1991	ASD-STAN	
2783	PREN 2002-18	Aerospace Series Test Methods for Metallic Materials Part 18 - Hydraulic Distension Test for Tube - Issue P1	1991	ASD-STAN	
2784	PREN 2545-1	Aerospace Series Titanium and Titanium Alloy Remelting Stock and Castings - Technical Specification - Part 1 - General Requirements - Edition 1	1991	ASD-STAN	
2785	PREN 2002-17	Aerospace Series Test Methods for Metallic Materials Tube Used Under Pressure Part 17 - Integrity Test - Issue P1	1991	ASD-STAN	
2786	PREN 3385	Aerospace Series Rings Retaining, External, Axial Mounting, Steel, Vacuum Cadmium Plated - Issue P 1	1991	ASD-STAN	
2787	PREN 2003-5	Aerospace Series Test Methods for Steel Products Part 5 Charpy Impact Test (V Notch) - Issue P 1	1991	ASD-STAN	
2788	PREN 3382	Aerospace Series Rings Retaining, Internal, Axial Mounting, Steel, Phosphated - Issue P 1	1991	ASD-STAN	
2789	PREN 3386	Aerospace Series Rings Retaining, Radial Mounting, Steel, Phosphated - Issue P 1	1991	ASD-STAN	
2790	PREN 3427	Aerospace Series Groove Dimensions for Radial Mounting Retaining Rings - Issue P 1	1991	ASD-STAN	
2791	PREN 3707	Aerospace Series Headless Threaded Plugs Installation Holes - Issue P 1	1991	ASD-STAN	
2792	PREN 2666-001	Aerospace Series Single-Pole Circuit Breakers Rated Currents 50 to 100 A Technical Requirements	1991	ASD-STAN	
2793	PREN 3713	Aerospace Series Nuts, Self-Locking, Bihexagonal, in Steel, Cadmium Plated, MoS2 Lubricated Classification: 1550 MPa (at Ambient Temperature)/235 Degrees C - Issue P 1	1991	ASD-STAN	
2794	PREN 2651	Aerospace Series Bolts, Pan Head, Slotted, Threaded to Head, in Brass, Tin Plated Classification: 380 MPa (at Ambient Temperature)/80 Degrees C - Issue P 1	1991	ASD-STAN	
2795	PREN 2003-1	Aerospace Series Test Methods for Steel Products Part 1 Charpy Impact Test (U Notch) - Issue P 2	1991	ASD-STAN	
2796	PREN 2942	Aerospace Series Insert, Screw Thread, Helical Coil, Self-Locking, in Heat Resisting Alloy, Nickel Base Alloy (INCO X750-EN 3018) Silver Plated - Issue P 1	1990	ASD-STAN	
2797	PREN 3636	Aerospace Series Screws, Reduced Pan Head, Offset Cruciform Recess, Relieved Shank, Long Thread, in Heat Resisting Steel FE- PA92HT (A286), Silver Plated Classification : 900 MPa/650 Degrees Celsius - Issue P 1	1990	ASD-STAN	
2798	PREN 3643	Aerospace Series Rivets, Solid, 100 Degrees Normal Countersunk Head, in Titanium TI-P02, Anodized - Issue P 1	1990	ASD-STAN	
2799	PREN 3016	Aerospace Series Washers Countersunk, Load Spreading Heat Resisting Steel - Issue P 1	1990	ASD-STAN	
2800	PREN 3381	Aerospace Series Bolts, 100 Degrees Countersunk Normal Head, Offset Cruciform-Ribbed Recess, Close Tolerance Shank, Short Thread, in Titanium, Anodized, MoS 2 Lubricated Classification: 1100 MPa (at Ambient Temperature) / 315 Degrees Celsius - Issue P 2	1990	ASD-STAN	
2801	PREN 2650	Aerospace Series Bolts, Pan Head, Slotted, Threaded to Head, in Corrosion Resisting Steel, Passivated Classification: 600 MPa (at Ambient Temperature) /425 Degrees Celsius - Issue P 1	1990	ASD-STAN	
2802	PREN 2236	Aerospace Series Pins, Shear, Headed, Close Tolerance Technical Specification - Edition 1	1990	ASD-STAN	
2803	PREN 3267	Aerospace Series Washer, Bulkhead in Titanium Alloy - Issue P 1	1990	ASD-STAN	
2804	PREN 3141	Aerospace Series Rivets, Solid, Universal Head, in Nickel Base Alloy NI-P11, Cadmium Plated - Issue P 1	1990	ASD-STAN	
2805	PREN 3642	Aerospace Series Rivets, Solid, 100 Degrees Normal Countersunk Head with Dome, in Titanium TI-P02, Anodized - Issue P 1	1990	ASD-STAN	
2806	PREN 3614	Aerospace Series Bolts, Normal Hexagon Head, Relieved Shank, Long Thread, in Heat Resisting Steel FE-PA92HT (A286), Silver Plated Classification : 900 MPa/650 Degrees Celsius - Issue P 1	1990	ASD-STAN	
2807	PREN 2830	Aerospace Series Adhesion Test for Metallic Coatings by Shearing Action - Edition 1	1990	ASD-STAN	
2808	PREN 2624	Aerospace Series Pressure Impulse Testing of Hydraulic System Components - Issue P 1	1990	ASD-STAN	
2809	PREN 3201	Aerospace Series Design Standard Holes for Metric Threaded Fasteners - Issue P 1	1990	ASD-STAN	

2810	PREN 2673	Aerospace Series Design and Construction of Pipelines for Fluids in Liquid or Gaseous Condition, Rigid Lines - Manufacture - Edition P 1	1990	ASD-STAN	
2811	PREN 3711	Aerospace Series Wrench-Double Ended, Bi-Hexagonal Straight, Cranked, Offset - Issue P 1	1990	ASD-STAN	
2812	PREN 3368	Aerospace Series Aerospace Design Standard Holes for Locating Pins - Issue P 1	1990	ASD-STAN	
2813	PREN 2601	Aerospace Series Fork Ends, Adjustable Technical Specification - Issue P 1	1990	ASD-STAN	
2814	PREN 2831	Aerospace Series Hydrogen Embrittlement of Steels Test by Slow Bending - Edition 1	1990	ASD-STAN	
2815	PREN 3043	Aerospace Series Fasteners, Externally Threaded, in Heat Resisting Steel FE-PA92HT (A 286) Classification: 90 MPa/550 Degrees Celcius Manufacturing Method Optional Technical Specification - Issue P 2	1990	ASD-STAN	
2816	PREN 3323	Aerospace Series Bolts with Double Hexagon Head, Relieved Shank, Long Thread, in Heat Resisting Steel FE-PM38 (FV535) Classification : 1000 MPa/550 Degrees Celsius - Issue P 1	1990	ASD-STAN	
2817	PREN 3541	Aerospace Series Rod Ends, Adjustable, Self-Aligning Ball Bearing with Threaded Shank Dimensions, Torques, Clearances and Loads - Edition 1	1990	ASD-STAN	
2818	PREN 3613	Aerospace Series Bolts, Normal Hexagon Head, Relieved Shank, Long Thread, in Heat Resisting Nickel Base Alloy NI-P100HT (Inconel 718), Silver Plated Classification : 1275 MPa/ 650 Degrees Celsius - Issue P 1	1990	ASD-STAN	
2819	PREN 2832	Aerospace Series Hydrogen Embrittlement of Steels Notched Specimen Test - Edition 1	1990	ASD-STAN	
2820	PREN 2720	Aerospace Series Test Method for Metallic Materials Testing of Susceptibility to Exfoliation Corrosion in 2XXX and 7XXX Series Wrought Aluminium Alloy Products for Aerospace Constructions - Issue P 1	1990	ASD-STAN	
2821	PREN 2828	Aerospace Series Adhesion Test for Metallic Coatings by Burnishing - Edition 1	1990	ASD-STAN	
2822	PREN 3637	Aerospace Series Nuts, Self-Locking, Bi-Hexagonal (Double Reduced), in Heat Resisting Nickel Base Alloy NI-P101HT (Waspaloy), Silver Plated Classification : 1210 MPa/730 Degrees Celsius - Issue P 1	1990	ASD-STAN	
2823	PREN 2870	Aerospace Series Bolts, Bihexagonal Normal Head, Close Tolerance Normal Shank, Short Thread in Titanium Alloy, Anodized, MoS2 Lubricated Classification;1100 MPa (at Ambient Temperature) /315 Degrees Celsius - Issue P 1	1990	ASD-STAN	
2824	PREN 2241	Aerospace Series Lamp Base Dimensions - Issue P 1	1990	ASD-STAN	
2825	PREN 3142	Aerospace Series Rivets, Solid, Universal Head, in Nickel Base Alloy NI-P11 - Issue P 1	1990	ASD-STAN	
2826	PREN 3049	Aerospace Series O-Rings - Issue P 1	1990	ASD-STAN	
2827	PREN 3136	Aerospace Series Rivets, Solid, Universal Head, in Corrosion Resisting Steel FE-PA92HT, Passivated - Issue P 1	1990	ASD-STAN	
2828	PREN 6019	Aerospace Series Test Methods for Metallic Materials Recommended Practice for R-Curve and Kco Determination - Issue P 1	1990	ASD-STAN	
2829	PREN 2746	Aerospace Series Glass Fibre Reinforced Plastics Determination of Flexural Properties Three Point Bend Method - Issue P 1	1990	ASD-STAN	
2830	PREN 3380	Aerospace Series Retaining Rings Technical Specification - Issue P 1	1990	ASD-STAN	
2831	PREN 3050	Aerospace Series O-Rings in Low Compression Set Fluorocarbon Rubber Technical Specification - Issue P 1	1990	ASD-STAN	
2832	PREN 3389	Aerospace Series Fasteners, Externally Threaded, in Heat Resisting Nickel Base Alloy NI-P101HT (Waspaloy) Classification: 1210 MPa/730 Degrees Celsius Manufacturing Method Optional Technical Specification - Issue P 1	1990	ASD-STAN	
2833	PREN 3017	Aerospace Series Washers, Facing/Packing Heat Resisting Steel - Issue P 1	1990	ASD-STAN	
2834	PREN 2744	Aerospace Series Non-Metallic Materials Preferred Test Temperatures - Edition 1	1990	ASD-STAN	
2835	PREN 3543	Aerospace Series Bolts, 100 Degree Countersunk Normal Head, Offset Cruciform-Ribbed Recess, Close Tolerance Shank, Short Thread in Heat and Corrosion Resisting Steel, Passivated Classification: 1100 MPa (at Ambient Temperature) /425 Degrees Celsius - Issu	1990	ASD-STAN	
2836	PREN 3710	Aerospace Series Sockets, Bi-Hexagonal Technical Specification - Issue P 1	1990	ASD-STAN	
2837	PREN 3612	Aerospace Series Undercuts for Splines - Issue P 1	1990	ASD-STAN	
2838	PREN 2882	Aerospace Series Nuts, Hexagonal, Seld-Locking, with Counterbore and Captive Washer, in Steel, Cadmium Plated, MoS2 Lubricated Classification : 1100 MPa (at Ambient Temperature)/235 Degrees C - Issue P 1	1990	ASD-STAN	
2839	PREN 3644	Aerospace Series Rivets, Solid, Universal Head, in Titanium TI P02, Anodized - Issue P 1	1990	ASD-STAN	
2840	PREN 3388	Aerospace Series Fasteners, Externally Threaded, in Heat Resisting Nickel Base Alloy NI - P100HT (Inconel 718) Classification: 1275 MPa/650 Degrees Celsius Manufacturing Method Optional Technical Specification - Issue P 1	1990	ASD-STAN	

2841	PREN 2289	Aerospace Series Rod Bodies, Flight Controls in Aluminium Alloys Technical Specification - Issue P 1	1990	ASD-STAN	
2842	PREN 3002	Aerospace Series Chromic Acid Anodizing Testing of Adhesives - Issue P 1	1990	ASD-STAN	
2843	PREN 2597	Aerospace Series Carbon Thermosetting Resin Undirectional Laminates Tensile Test Perpendicular to the Fibre Direction - Issue P 1	1990	ASD-STAN	
2844	PREN 3044	Aerospace Series Installation of Self-Locking Thread Inserts Design Dimensions - Issue P 1	1990	ASD-STAN	
2845	PREN 2747	Aerospace Series Glass Fibre Reinforced Plastics Determination of Tensile Properties - Issue P 1	1990	ASD-STAN	
2846	PREN 6018	Aerospace Series Test Methods for Metallic Materials Determination of Density According to Displacement Method - Issue P 1	1990	ASD-STAN	
2847	PREN 2945	Aerospace Series Assembly with Self-Locking Thread Inserts - Issue P 1	1990	ASD-STAN	
2848	PREN 3326	Aerospace Series Bolts, D-Head, Close Tolerance, Medium Thread Length, in Heat Resisting Nickel Base Alloy NI-P100HT (INCO 718) Classification : 1275 MPa/550 Degrees Celsius, Unplated - Issue P 1	1990	ASD-STAN	
2849	PREN 3096	Aerospace Series Sealants Test Method Determination of Tack-Free Time	1989	ASD-STAN	
2850	PREN 3182	Aerospace Series Ball Bearings, Rigid in Corrosion Resisting Steel Cadmium Plated, for Control Cable Pulleys Dimensions and Loads - Issue P 1	1989	ASD-STAN	
2851	PREN 3377	Aerospace Series Nuts, Self-Locking, Hexagonal in Heat Resisting Steel FE-PA92HT (A286), Uncoated Classification : 1100 MPa/425 Degrees Celsius - Issue P 1	1989	ASD-STAN	
2852	PREN 2071	Sheets in Aluminium and Aluminium Alloys - Thickness A Less Than or Equal to 6 mm - Dimensions (C6/A01)	1989	ASD-STAN	
2853	PREN 2656	Aerospace Series Pipe Couplings up to 56000 kPa Fitting End, Welded, Geometrical Configuration - Issue P 1	1989	ASD-STAN	
2854	PREN 3330	Aerospace Series Steel FE-PL45 Annealed Bar and Wire De Less Than or Equal to 40 mm for Prevailing Torque Nuts - Issue P 1	1989	ASD-STAN	
2855	PREN 2587	Aerospace Series Rod-Ends, Adjustable Double Fork and Threaded Shank Dimensions and Loads	1989	ASD-STAN	
2856	PREN 3243	Aerospace Series Pipe Coupling 8 Degrees 30 in Titanium Alloy Ferrule, Welded, with Dynamic Beam Seal End - Issue P 1	1989	ASD-STAN	
2857	PREN 2562	Aerospace Series Unidirectional Laminates Carbon-Thermosetting Resin Flexural Test - Issue P 1	1989	ASD-STAN	
2858	PREN 3094	Aerospace Series Sealants Test Method Determination of Application Time	1989	ASD-STAN	
2859	PREN 3242	Aerospace Series Pipe Coupling 8 Degrees 30 in Titanium Alloy Union, Welded, Threaded - Issue P 1	1989	ASD-STAN	
2860	PREN 3152	Aerospace Series Propulsion Standard Parts Nuts, Self-Locking, in Heat Resisting Steel FE-PA92HT (A286) Classification: 1100 MPa/425 Degrees Celsius Technical Specification - Issue P 1	1989	ASD-STAN	
2861	PREN 2667-6	Aerospace Series Test Method for the Determination of Water Absorption of Structural Foam Film Adhesives - Issue P 1	1989	ASD-STAN	
2862	PREN 3202	Aerospace Series T-Head Bolt Traps Design Dimensions - Issue P 1	1989	ASD-STAN	
2863	PREN 3294	Aerospace Series Bolts, T-Head, Close Tolerance in Heat Resisting Nickel Base Alloy NI-P101HT (Waspaloy), Uncoated for Increased Height Nuts Classification : 1210 MPa/730 Degrees Celsius - Issue P 1	1989	ASD-STAN	
2864	PREN 2793	Aerospace Series Phosphate Treatment of Ferrous Alloys	1989	ASD-STAN	
2865	PREN 2561	Aerospace Series Unidirectional Laminates Carbon-Thermosetting Resin Tensile Test Parallel to the Fibre Direction - Issue P 1	1989	ASD-STAN	
2866	PREN 3327	Aerospace Series Bolts, Double Hexagon Head, Close Tolerance Medium Thread Length in Heat Resisting Nickel Base Alloy NI-P100HT (Inconel 718), Uncoated Classification : 1275 MPa/650 Degrees Celsius - Issue P 1	1989	ASD-STAN	
2867	PREN 3297	Aerospace Series Inserts, Thin Wall, Self-Locking in Heat Resisting Nickel Base Alloy NI-P100HT (Inconel 718) Classification : 1275 MPa/550 Degrees Celsius Technical Specification - Issue P 1	1989	ASD-STAN	
2868	PREN 2667	Test Method for the Determination of Water Absorption of Structural Foam Film Adhesives	1989	ASD-STAN	
2869	PREN 2569	Aerospace Series Control Cable Fittings and Turnbarrels Technical Specification - Edition 1	1989	ASD-STAN	
2870	PREN 2543	Aerospace Series Steel FE-PL43S Annealed Sheet and Strip 0.3 is Less Than or Equal to a Less Than or Equal to 2 mm for Prevailing to Que Nuts - Issue P 2	1989	ASD-STAN	
2871	PREN 2155-13	Aerospace Series Test Methods for Transparent Materials for Aircraft Glazing Part 13 - Determination of Temperature at Deflection Under Load - Edition 1	1989	ASD-STAN	

2872	PREN 3148	Aerospace Series Shank Nuts, Self-Locking, Flange Restrained Installation Procedure - Issue P 2	1989	ASD-STAN	
2873	PREN 3272	Aerospace Series Pipe Coupling 8 Degrees 30 Dynamic Beam Seal End for Nipple, Welded Geometric Configuration - Issue P 1	1989	ASD-STAN	
2874	PREN 3611	Aerospace Series Spigots Dimensions and Fit Selection - Issue P 1	1989	ASD-STAN	
2875	PREN 2856	Aerospace Series Nuts, Anchor, Self-Locking, Fixed, Closed Corner, Reduced Series, with Counterbore Classification: 1100 MPa/235 Degrees Celsius - Issue P 1	1989	ASD-STAN	
2876	PREN 2592	Aerospace Series Three-Pole Circuit Breakers Temperature Compensated Rated Currents up to 25 A Product Standard - Edition 1	1989	ASD-STAN	
2877	PREN 2131	Aerospace Series Plates Aluminium and Aluminium Alloys - Edition 2	1989	ASD-STAN	
2878	PREN 2542	Steel FE-PL43S Annealed Bar and Wire De Less Than or Equal to 40 mm for Prevailing Torque Nuts	1989	ASD-STAN	
2879	PREN 2495	Aerospace Series Single-Pole Circuit Breakers Temperature Compensated Rated Currents up to 25 A Product Standard - Edition 1	1989	ASD-STAN	
2880	PREN 3301	Aerospace Series Bolts, T-Head, Close Tolerance Medium Thread Length in Heat Resisting Steel FE-PM38 (FV535), Uncoated Classification : 1000 MPa/550 Degrees Celsius - Issue P 1	1989	ASD-STAN	
2881	PREN 2375	Aerospace Series Resin Preimpregnated Materials Production Batch Sampling Procedure - Edition 1	1989	ASD-STAN	
2882	PREN 2563	Aerospace Series Unidirectional Laminates Carbon-Thermosetting Resin Test Method - Determination of Apparent Interlaminar Shear Strength - Issue P 1	1989	ASD-STAN	
2883	PREN 2350	Aerospace Series Circuit Breakers Technical Specification - Edition 1	1989	ASD-STAN	
2884	PREN 3034	Aerospace Series Nuts, Self-Locking, Hexagonal with Captive Washer, in Heat Resisting Steel FE-PA92HT (A286), Silver Coated Classification: 1100 MPa/425 Degrees Celsius - Issue P 1	1989	ASD-STAN	
2885	PREN 3033	Aerospace Series Nuts, Self-Locking, Hexagonal with Captive Washer, in Heat Resisting Steel FE-PA92HT (A286), Uncoated Classification: 1100 MPa/425 Degrees Celsius - Issue P 1	1989	ASD-STAN	
2886	PREN 2105	Aerospace Series Acrylonitrile-Butadiene - Rubber (NBR) Hardness 50 IRHD	1989	ASD-STAN	
2887	PREN 2672	Aerospace Series Design and Construction of Pipelines for Fluids in Liquid or Gaseous Condition Design of Rigid Lines - Issue P 1	1989	ASD-STAN	
2888	PREN 2068	Aerospace Series Rod-Ends with Self-Lubricating Self-Aligning Bearings Technical Specification - Issue P 1	1989	ASD-STAN	
2889	PREN 2107	Aerospace Series Acrylonitrile-Butadiene - Rubber (NBR) Hardness 70 IRHD	1989	ASD-STAN	
2890	PREN 2111	Aerospace Series Chloroprene - Rubber (CR) Hardness 60 IRHD	1989	ASD-STAN	
2891	PREN 3328	Aerospace Series Bolts, Double Hexagon Head, Close Tolerance Medium Thread Length in Heat Resisting Steel FE-PM38 (FV535), Uncoated Classification : 1000 MPa/550 Degrees Celsius - Issue P 1	1989	ASD-STAN	
2892	PREN 3005	Aerospace Series Nuts, Self-Locking, in Heat Resisting Nickel Base Alloy NI-P101HT (Waspaloy) Classification: 1210 MPa/730 Degrees Celsius Technical Specification - Issue P 1	1989	ASD-STAN	
2893	PREN 2110	Aerospace Series Chloroprene - Rubber (CR) Hardness 50 IRHD	1989	ASD-STAN	
2894	PREN 3379	Aerospace Series Bolts, Double Hexagon Head, Close Tolerance in Heat Resisting Nickel Base Alloy N1-P101HT (Waspaloy), Uncoated for Increased Height Nuts Classification : 1210 MPa/730 Degrees Celsius - Issue P 1	1989	ASD-STAN	
2895	PREN 2067	Aerospace Series Rod-Ends with Self-Aligning Ball Bearings Technical Specification - Issue P 1	1989	ASD-STAN	
2896	PREN 2515	Aerospace Series Rod Ends, Adjustable Single Fork and Threaded Shank Dimensions and Loads	1989	ASD-STAN	
2897	PREN 2112	Aerospace Series Chloroprene - Rubber (CR) Hardness 70 IRHD	1989	ASD-STAN	
2898	PREN 3329	Aerospace Series Steel FE-PL45 Annealed Sheet and Strip 0,3 Less Than or Equal to a Less Than or Equal to 2 mm for Prevailing Torque Nuts - Issue P 1	1989	ASD-STAN	
2899	PREN 3293	Aerospace Series Bolts, T-Head Close Tolerance Medium Thread Length in Heat Resisting Nickel Base Alloy N1-P100HT (Inconel 718), Uncoated Classification : 1275 MPa/650 Degrees Celsius - Issue P 1	1989	ASD-STAN	
2900	PREN 3273	Aerospace Series Pipe Coupling 8 Degress 30 Dynamic Beam Seal End for Elbows, Tees and Crosses Geometric Configuration - Issue P 1	1989	ASD-STAN	
2901	PREN 2113	Aerospace Series Chloroprene - Rubber (CR) Hardness 80 IRHD	1989	ASD-STAN	

2902	PREN 3004	Aerospace Series Nuts, Self Locking, in Heat Resisting Steel FE-PA92HT (A286) Classification: 1100 MPa/650 Degrees Celsius Technical Specification - Issue P 1	1989	ASD-STAN	
2903	PREN 3659	Titanium/Columbium Solid Rivets Technical Specification	1989	ASD-STAN	
2904	PREN 2851	Aerospace Series Marking of Parts and Assemblies Indications on Drawings - Edition 1	1989	ASD-STAN	
2905	PREN 3012	Aerospace Series Nuts, Self-Locking, Bihexagonal in Heat Resisting Nickel Base Alloy NI-P101HT (Waspaloy) Unplated Classification: 1210 MPa/730 Degrees Celsius - Issue P 1	1988	ASD-STAN	
2906	PREN 2557	Aerospace Series Carbon Fibre Preimpregnates Test Method for the Determination of Mass Per Unit Area - Issue P 1	1988	ASD-STAN	
2907	PREN 2768	Aerospace Series Steel FE-PL79 Carburized, Hardened and Tempered 1180 Less Than or Equal to Rm Less Than or Equal to 1550 MPa Forgings De Less Than or Equal to 150 mm - Issue P 2	1988	ASD-STAN	
2908	PREN 2103	Steel Nickel Base and Cobalt Base Alloy Remelting Stock and Castings - Technical Specification - Part 1 - General Requirements	1988	ASD-STAN	
2909	PREN 3513	Aerospace Series Steel FE-PL711 Hardened and Tempered 900 Less Than or Equal to Rm Less Than or Equal to 1100 MPa Bar and Wire De Less Than or Equal to 45 mm - Issue P 1	1988	ASD-STAN	
2910	PREN 3150	Aerospace Series Pin, Shoulder, Headless, in NI-P100HT (INCO 718) - Issue P 1	1988	ASD-STAN	
2911	PREN 3489	Aerospace Series Steel FE-PA13 Softened 500 Less Than or Equal to Rm Less Than or Equal to 750 MPa Tubes for Structures 0,5 Less Than or Equal to a Less Than or Equal to 5 mm - Issue P 1	1988	ASD-STAN	
2912	PREN 2701	Aerospace Series Aluminium Alloy (2024) Solution Treated, Water Quench, Cold Worked and Naturally Aged (T3) Drawn Tube for Structures 0,6 Less Than or Equal to a Less Than or Equal to 12,5 mm - Edition 1	1988	ASD-STAN	
2913	PREN 3522	Aerospace Series Steel FE-PL79 Softened Reference Heat Treatment: Carburized, Hardened and Tempered Forging Stock De Less Than or Equal to 200 mm - Issue P 1	1988	ASD-STAN	
2914	PREN 2559	Aerospace Series Carbon Fibre Preimpregnates Test Method for the Determination of the Resin and Fibre Content and the Mass of Fibre Per Unit Area - Issue P 1	1988	ASD-STAN	
2915	PREN 3485	Aerospace Series Steel FE-CM61 Homogenised, Solution Treated, Precipitation Hardened and Sub Zero Rm Greater Than or Equal to 830 MPa Medium Strength Sand or Investment Casting	1988	ASD-STAN	
2916	PREN 3366	Aerospace Series Steel FE-CM68 as Manufactured Reference Heat Treatment: Solution Treated Remelting Stock - Issue P 1	1988	ASD-STAN	
2917	PREN 3276	Aerospace Series Clamps, Loop ("P" Type) without Rubber Cushioning in Corrosion Resisting Steel Dimensions - Masses - Edition 1	1988	ASD-STAN	
2918	PREN 2779	Aerospace Series Steel FE-PL56 Hardened and Tempered 1250 Less Than or Equal to Rm Less Than or Equal to 1400 MPa Bar De Less Than or Equal to 70 mm - Issue P 1	1988	ASD-STAN	
2919	PREN 3345	Aerospace Series Aluminium Alloy (7150) Solution Treated, Water Quenched Controlled Stretched and Artificially Aged (T6511) Extruded Bar and Section (a or D) Less Than or Equal to 90 mm with Peripheral Coarse Grain Control - Issue P 1	1988	ASD-STAN	
2920	PREN 3530	Aerospace Series Steel FE-PA95 Softened Reference Heat Treatment: Solution Treated and Precipitation Treated Forging Stock De Less Than or Equal to 200 mm - Issue P 1	1988	ASD-STAN	
2921	PREN 3337	Aerospace Series Aluminium Alloy (7010) Solution Treated and Artificially Aged (T74511) Extruded Bars and Sections (a or D) Less Than or Equal to 130 mm with Peripheral Coarse Grain Control - Issue P 1	1988	ASD-STAN	
2922	PREN 3334	Aerospace Series Aluminium Alloy (7050) Solution Treated, Controlled Stretched and Artificially Aged (T7651) Plate 6 Less Than or Equal to a Less Than or Equal to 60 mm - Issue P 1	1988	ASD-STAN	
2923	PREN 3468	Aerospace Series Steel FE-PA13 Softened 500 Less Than or Equal to Rm Less Than or Equal to 700 MPa Forgings De Less Than or Equal to 100 mm - Issue P 1	1988	ASD-STAN	
2924	PREN 3482	Aerospace Series Steel FE-PA13 Annealed Reference Heat Treatment: Softened Forging Stock De Less Than or Equal to 100 mm - Issue P 1	1988	ASD-STAN	
2925	PREN 2767	Aerospace Series Steel FE-PL79 Carburized, Hardened and Tempered 1180 Less Than or Equal to Rm Less Than or Equal to 1550 MPa Bar for Machining De Less Than or Equal to 150 mm - Issue P 2	1988	ASD-STAN	
2926	PREN 3151	Aerospace Series Plain Dowels in NI-P100HT (Inconel 718) - Issue P 1	1988	ASD-STAN	
2927	PREN 3239	Aerospace Series Nuts, Self-Locking, Bihexagonal in Heat Resisting Nickel Base Alloy NI-P101HT (Waspaloy) Silver Plated Thread Classification : 1210 MPa/730 Degrees Celsius - Issue P 1	1988	ASD-STAN	

2928	PREN 2103-2	Aerospace Series Steel, Nickel Base and Cobalt Base Alloy Remelting Stock and Castings - Technical Specification - Part 2 - Remelting Stock - Edition 1	1988	ASD-STAN	
2929	PREN 2489	Aerospace Series Fibre Reinforced Plastics Determination of the Action of Liquid chemicals - Issue P 1	1988	ASD-STAN	
2930	PREN 2541	Aerospace Series Steel FE-PA 18 Quenched and Cold Drawn Wire for Spring De Less Than or Equal to 4,0 mm - Issue P 2	1988	ASD-STAN	
2931	PREN 3123	Aerospace Series Aluminium Alloy AL-C27 Solution Treated and Artificially Aged (T6) Structural Precision Castings - Issue P 1	1988	ASD-STAN	
2932	PREN 3340	Aerospace Series Aluminium Alloy (7050) Solution Treated and Artificially Aged (T76) Die Forgings a Less Than or Equal to 200 mm - Issue P 1	1988	ASD-STAN	
2933	PREN 3471	Aerospace Series Steel FE-PA18 Quenched and Cold Drawn Strip for Spring a Less Than or Equal to 4,0 mm - Issue P 1	1988	ASD-STAN	
2934	PREN 3466	Titanium Alloy TI-P68 Solution Treated and Aged Rm Greater Than or Equal to 1000 MPa Bar for Machining De Less Than or Equal to 150 mm	1988	ASD-STAN	
2935	PREN 3486	Aerospace Series Steel FE-PM67 Solution Annealed and Precipitation Hardened 1400 Less Than or Equal to Rm Less Than or Equal to 1550 Mpa Forgings De Less Than or Equal to 100 mm - Issue P 1	1988	ASD-STAN	
2936	PREN 2691	Aerospace Series Aluminium Alloy (2017A) Solution Treated, Water Quench, Coldworked and Naturally Aged (T3) Sheet and Strip 0,4 Less Than or Equal to a Less Than or Equal to 6 mm - Edition 1	1988	ASD-STAN	
2937	PREN 2103-3	Aerospace Series Steel, Nickel Base and Cobalt Base Alloy Remelting Stock and Castings - Technical Specification - Part 3 - Pre-Production and Production Castings - Edition 1	1988	ASD-STAN	
2938	PREN 2699	Aerospace Series Aluminium Alloy (5086) Annealed and Straightened (H111) Drawn Bar 6 Less Than or Equal to D Less Than or Equal to 50 mm - Edition 1	1988	ASD-STAN	
2939	PREN 3481	Aerospace Series Steel FE-PA13 Annealed Reference Heat Treatment: Softened Hollow Bars 5 Less Than or Equal to a Less Than or Equal to 12 mm - Issue P 1	1988	ASD-STAN	
2940	PREN 3367	Aerospace Series Steel FE-PL10 Hardened, Tempered and Cold Drawn 1260 Less Than or Equal to Rm Less Than or Equal to 2790 MPa Wire for Spring 0,20 Less Than or Equal to D Less Than or Equal to 10,50 mm - Issue P 1	1988	ASD-STAN	
2941	PREN 3013	Aerospace Series Nuts, Self-Locking, Bihexagonal in Heat Resisting Nickel Base Alloy NI-P101HT (Waspaloy) Completely Silver Plated Classification: 1210 MPa/730 Degrees Celsius - Issue P 1	1988	ASD-STAN	
2942	PREN 3219	Aerospace Series Heat Resisting Nickel Base Alloy (Ni-P101HT) Cold Worked and Softened Bar and Wire for Continuous Forging or Extrusion for Fasteners 3 Less Than or Equal to D Less Than or Equal to 30 mm - Issue P 1	1988	ASD-STAN	
2943	PREN 2574	Aerospace Series Welds Information on Drawings - Edition 1	1988	ASD-STAN	
2944	PREN 2960	Aerospace Series Heat Resisting Nickel Base Alloy (NI-P101HT) Cold Worked and Solution Treated Bar for Machining for Fasteners 3 Less Than or Equal to D Less Than or Equal to 50 mm - Issue P 1	1988	ASD-STAN	
2945	PREN 3122	Aerospace Series Aluminium Alloy AL-C27 Solution Treated and Artificially Aged (T6) High Strength Structural Precision Castings - Issue P 1	1988	ASD-STAN	
2946	PREN 3065	Aerospace Series Installation Holes for Self-Locking Serrated Shank Nuts Design Specifications - Issue P 1	1988	ASD-STAN	
2947	PREN 2297	Aerospace Series Heat Resisting Nickel Base Alloy Ni-P96HT Solution Treated and Precipitation Treated Rm Greater Than or Equal to 1080 MPa Bar and Sections for Welded Rings - Issue P 1	1988	ASD-STAN	
2948	PREN 3550	Aerospace Series Aluminium Alloy (2024) Solution Treated, Stretched and Artificially Aged (T8511) Extruded Bars and Sections (a or D) Less Than or Equal to 150 mm - Issue P 1	1988	ASD-STAN	
2949	PREN 3514	Aerospace Series Steel FE-PL711 Hardened and Tempered 1100 Less Than or Equal to Rm Less Than or Equal to 1300 MPa Bar and Wire for Bolts De Less Than or Equal to 25 mm - Issue P 1	1988	ASD-STAN	
2950	PREN 3493	Aerospace Series Steel FE-PL48 Hardened and Tempered 1050 Less Than or Equal to Rm Less Than or Equal to 1250 MPa Forgings De Less Than or Equal to 40 mm - Issue P 1	1988	ASD-STAN	
2951	PREN 3363	Aerospace Series Steel FE-CM68 Solution Treated Rm Greater Than or Equal to 485 MPa Sand or Investment Casting - Issue P 1	1988	ASD-STAN	
2952	PREN 2700	Aerospace Series Aluminium Alloy (6061) Solution Treated, Water Quench and Artificially Aged (T6) Drawn Bar 6 Less Than or Equal to D Less Than or Equal to 75 mm with Coarse Peripheral Grain Control - Edition 1	1988	ASD-STAN	
2953	PREN 3478	Aerospace Series Steel FE-PM63 Solution Annealed Transformation Treated and Precipitation Hardened 1310 Less Than or Equal to Rm Less Than or Equal to 1550 MPa Sheet and Strip a Less Than or Equal to 6 mm - Issue P 1	1988	ASD-STAN	

2954	PREN 3492	Aerospace Series Steel FE-PM44 Hardened and Tempered Bar for Machining De Less Than or Equal to 150 mm - Issue P 1	1988	ASD-STAN	
2955	PREN 2898	Aerospace Series Corrosion and Heat Resisting Steel Rivets Technical Specification - Issue P 1	1988	ASD-STAN	
2956	PREN 3554	Aerospace Series Aluminium Alloy (7010) Solution Treated, Cold Compressed and Artificially Aged (T7652) Hand Forgings a Less Than or Equal to 200 mm - Issue P 1	1988	ASD-STAN	
2957	PREN 2558	Aerospace Series Carbon Fibre Preimpregnates Test Method for the Determination of the Percentage of Volatile Matter - Issue P 1	1988	ASD-STAN	
2958	PREN 2378	Aerospace Series Fibre Reinforced Plastics Determination of Water Absorption by Immersion in Demineralised Water - Issue P 1	1988	ASD-STAN	
2959	PREN 3064	Aerospace Series Self-Locking Serrated Shank Nuts Assembly Procedure - Issue P 1	1988	ASD-STAN	
2960	PREN 2560	Aerospace Series Carbon Fibre Preimpregnates Test Method for the Determination of the Resin Flow - Issue P 1	1988	ASD-STAN	
2961	PREN 2310	Aerospace Series Test Methods for the Flame Resistance Rating of Non-Metallic Materials - Edition 1	1988	ASD-STAN	
2962	PREN 2671	Aerospace Series Design and Construction of Pipelines for Fluids in Liquid or Gaseous Condition; Outline and Terms - Edition P 1	1988	ASD-STAN	
2963	PREN 2780	Aerospace Series Steel FE-PL56 Hardened and Tempered 1250 Less Than or Equal to Rm Less Than or Equal to 1400 MPa Forgings De Less Than or Equal to 70 mm - Issue P 1	1988	ASD-STAN	
2964	PREN 3220	Aerospace Series Heat Resisting Nickel Base Alloy (Ni-P101HT) Cold Worked and Softened Bar and Wire for Continuous Forging or Extrusion for Fasteners 3 Less Than or Equal to D Less Than or Equal to 30 mm - Issue P 1	1988	ASD-STAN	
2965	PREN 3348	Aerospace Series Aluminium Alloy (2024) Solution Treated and Artificially Aged (T62) Plate 6 Less Than or Equal to a Less Than or Equal to 50 mm - Issue P 1	1988	ASD-STAN	
2966	PREN 3555	Aerospace Series Aluminium Alloy (7075) Solution Treated, Controlled Stretched and Artificially Aged (T79510) Extruded Bars and Sections 1,2 Less Than (a or D) Less Than or Equal to 100 mm with Peripheral Coarse Grain Control - Issue P 1	1988	ASD-STAN	
2967	PREN 2770	Aerospace Series Steel FE-PL53S Hardened and Tempered 1050 Less Than or Equal to Rm Less Than or Equal to 1220 MPa Sheet and Plate 0,5 Less Than or Equal to a Less Than or Equal to 12 mm - Issue P 1	1988	ASD-STAN	
2968	PREN 2698	Aerospace Series Aluminium Alloy (7075) Solution Treated, Water Quench, Controlled Stretched and Artificially Aged (T6510) Extruded Bar and Section 1,2 Less Than or Equal to (a or D) Less Than or Equal to 100 mm - Edition 1	1988	ASD-STAN	
2969	PREN 2941	Aerospace Series Nickel Alloy Rivets Technical Specification	1988	ASD-STAN	
2970	PREN 3343	Aerospace Series Aluminium Alloy (7010) Solution Treated and Artificially Aged (T76511) Extruded Bars and Sections 1 Less Than (a or D) Less Than or Equal to 130 mm with Peripheral Coarse Grain Control - Issue P 1	1988	ASD-STAN	
2971	PREN 3048	Aerospace Series Bearings, Spherical Plain in Corrosion Resisting Steel with Self-Lubricating Liner, Light Series Elevated Loads at Ambient Temperature Dimensions and Loads - Issue P 1	1988	ASD-STAN	
2972	PREN 3290	Aerospace Series Bearings-Airframe Rolling Single Row, Self-Aligning Roller Bearings in Steel Diameter Series 3 and 4 Dimensions, Torques, Clearances and Loads - Issue P 1	1987	ASD-STAN	
2973	PREN 2070-7	Aerospace Series Aluminium and Aluminium Alloy Wrought Products - Technical Specification - Part 7 - Wrought Forging Stock - Edition 1	1987	ASD-STAN	
2974	PREN 3055	Aerospace Series Bearings-Airframe Rolling Single Row Self-Aligning Roller Bearings in Corrosion Resisting Steel Dimensions and Loads - Issue P 1	1987	ASD-STAN	
2975	PREN 3057	Aerospace Series Bearings-Airframe Rolling Rigid Two Row Ball Bearings in Steel Cadmium Plated Dimensions and Loads - Issue P 1	1987	ASD-STAN	
2976	PREN 2811	Aerospace Series Nuts, Hexagon, Slotted/Castellated in Steel Cadmium Plated Classification: 1100 MPa/235 Degrees Celsius - Issue P 1	1987	ASD-STAN	
2977	PREN 3292	Aerospace Series Bearings-Airframe Rolling Single Row, Self-Aligning Roller Bearings in Corrosion Resisting Steel Diameter Series 3 and 4 Dimensions, Torques, Clearances and Loads - Issue P 1	1987	ASD-STAN	
2978	PREN 3289	Aerospace Series Bearings-Airframe Rolling Double Row, Self-Aligning Ball Bearings in Corrosion Resisting Steel Diameter Series 2 Dimensions, Torques, Clearances and Loads - Issue P 1	1987	ASD-STAN	
2979	PREN 3287	Aerospace Series Bearings-Airframe Rolling, Double Row Self-Aligning Ball Bearings in Steel Diameter Series 2 Dimensions, Torques, Clearances and Loads - Issue P 1	1987	ASD-STAN	

2980	PREN 3035	Aerospace Series Bolts, 100 Degrees Countersunk Head, Torq-Setrm Recess, Close Tolerance Shank, Short Thread, in Steel Cadmium Plated Classification: 1100 MPa/235 Degrees Celsius - Issue P 1	1987	ASD-STAN	
2981	PREN 3007	Aerospace Series Bolts, Hexagon Head, Relieved Shank, Long Thread, in Heat Resisting Steel FE-PA92HT (A286) Classification 900 MPa/650 Degrees Celsius Silver Plated - Issue P 1	1987	ASD-STAN	
2982	PREN 2652	Aerospace Series Screws, 100 Degrees Countersunk Head, Slotted, Fully Threaded, in Steel Cadmium Plated Classification : 900 MPa/235 Degrees Celsius - Issue P 1	1987	ASD-STAN	
2983	PREN 3058	Aerospace Series Bearings-Airframe Rolling Rigid Two Row Ball Bearings in Corrosion Resisting Steel Dimensions and Loads - Issue P 1	1987	ASD-STAN	
2984	PREN 3283	Aerospace Series Bearings-Airframe Rolling Rigid, Single Row Ball Bearings in Corrosion Resisting Steel Diameter Series 8 and 9 Dimensions, Torques, Clearances and Loads - Issue P 1	1987	ASD-STAN	
2985	PREN 3284	Aerospace Series Bearings-Airframe Rolling Rigid, Single Row Ball Bearings in Steel Diameter Series 0 and 2 Normal Clearance Category Dimensions, Torques, and Loads - Issue P 1	1987	ASD-STAN	
2986	PREN 2600	Aerospace Series Designation of Metallic Semi-Finished Products Rules - Edition P1	1987	ASD-STAN	
2987	PREN 2582	Aerospace Series Bolts in Heat Resisting Nickel Base Alloy NI-P101HT(Waspaloy) Classification: 1210 MPa/730 Degrees Celsius Technical Specification - Edition P1	1987	ASD-STAN	
2988	PREN 2885	Aerospace Series Bolts, Pan Head, Torq-Setrm Recess, Coarse Tolerance Shank, Short Thread, in Steel, Cadmium Plated Classification: 900 MPa/235 Degrees Celsius - Issue P 1	1987	ASD-STAN	
2989	PREN 2070-4	Aerospace Series Aluminium and Aluminium Alloy Wrought Products - Technical Specification - Part 4 - Tube for Structures - Edition 1	1987	ASD-STAN	
2990	PREN 2602	Aerospace Series Ports for Installation of Straight Metric-Size Unions with Locking Ring Dimensions - Issue P 1	1987	ASD-STAN	
2991	PREN 3054	Aerospace Series Bearings-Airframe Rolling Single Row Self-Aligning Roller Bearings in Steel Cadmium Plated Dimensions and Loads - Issue P 1	1987	ASD-STAN	
2992	PREN 2603	Aerospace Series Straight Metric-Size Unions with Locking Ring Port End Dimensions - Issue P 1	1987	ASD-STAN	
2993	PREN 3008	Aerospace Series Bolts, Hexagon Head, Relieved Shank, Long Thread, in Heat Resisting Nickel Base Alloy NI-P100HT (INCO 718) Classification 1275 MPa/650 Degrees Celsius Unplated - Issue P 1	1987	ASD-STAN	
2994	PREN 2076-3	Aerospace Series Aluminium and Magnesium Alloy Ingots and Castings - Technical Specification - Part 3 - Pre-Production and Production Castings - Edition 1	1987	ASD-STAN	
2995	PREN 2605	Aerospace Series Straight Metric-Size Unions with Locking Ring 24 Degrees Union Interface Dimensions - Issue P 1	1987	ASD-STAN	
2996	PREN 2501	Aerospace Series Bearings, Spherical Plain in Corrosion Resisting Steel with Self-Lubricating Liner and Wide Inner Ring Dimensions and Loads	1987	ASD-STAN	
2997	PREN 3009	Aerospace Series Bolts, Hexagon Head, Relieved Shank, Long Thread, in Heat Resisting Nickel Base Alloy NI-P100HT (INCO 718) Classification 1275 MPa/650 Degrees Celsius Silver Plated - Issue P 1	1987	ASD-STAN	
2998	PREN 2076-2	Aerospace Series Aluminium and Magnesium Alloy Ingots and Castings - Technical Specification - Part 2 - Ingots for Remelting - Edition 1	1987	ASD-STAN	
2999	PREN 2076-1	Aerospace Series Aluminium and Magnesium Alloy Ingots and Castings - Technical Specification - Part 1 - General Requirements - Edition 1	1987	ASD-STAN	
3000	PREN 3037	Aerospace Series Bolts, Pan Head, Torq-Setrm Recess, Close Tolerance Shank, Short Thread, in Titanium Alloy, Anodised Classification: 1100 MPa/315 Degrees Celsius - Issue P 1	1987	ASD-STAN	
3001	PREN 3063	Aerospace Series Bolts, Double Hexagon Head, Close Tolerance, Medium Thread Length, in Heat Resisting Nickel Base Alloy NI-P101HT (Waspaloy) Classification 1210 MPa/735 Degrees Celsius, Uncoated - Issue P 1	1987	ASD-STAN	
3002	PREN 3038	Aerospace Series Bolts, Pan Head, Torq-Setrm Recess, Close Tolerance Shank, Short Thread, Corrosion Resisting Steel, Passivated Classification: 1100 MPa/425 Degrees Celsius - Issue P 1	1987	ASD-STAN	
3003	PREN 2753	Aerospace Series Nuts, Anchor, Self Locking One Lug, with Counterbore Classification: 1100 MPa/235 Degrees Celsius - Issue P 1	1987	ASD-STAN	
3004	PREN 3045	Aerospace Series Bearings-Airframe Rolling Rigid Single Row Ball Bearings in Steel Diameter Series 0 and 2 Reduced Clearance Category Dimensions and Loads - Issue P 1	1987	ASD-STAN	
3005	PREN 3010	Aerospace Series Bolts, Hexagon Head, Relieved Shank, Long Thread, in Heat Resisting Nickel Base Alloy NI-P101HT (Waspaloy) Classification 1210 MPa/730 Degrees Celsius Unplated - Issue P 1	1987	ASD-STAN	

3006	PREN 3051	Substitute Materials for Bolts - Edition P 1	1987	ASD-STAN	
3007	PREN 2070-5	Aerospace Series Aluminium and Aluminium Alloy Wrought Products - Technical Specification - Part 5 - Tube Used Under Pressure - Edition 1	1987	ASD-STAN	
3008	PREN 3047	Aerospace Series Bearings-Airframe Rolling Rigid Single Row Ball Bearings in Corrosion Resisting Steel Diameter Series 0 and 2 Reduced Clearance Category Dimensions and Loads - Issue P 1	1987	ASD-STAN	
3009	PREN 3288	Aerospace Series Bearings-Airframe Rolling Double Row, Self-Aligning Ball Bearings in Steel, Cadmium Plated Diameter Series 2 Dimensions, Torques, Clearances and Loads - Issue P 1	1987	ASD-STAN	
3010	PREN 3149	Aerospace Series Shank Nuts, Metric Installation Holes - Issue P 1	1987	ASD-STAN	
3011	PREN 2604	Aerospace Series Straight Metric-Size Unions with Locking Ring 8 Degrees 30 Union Interface Dimensions - Issue P 1	1987	ASD-STAN	
3012	PREN 2897	Aerospace Series Bolts, Pan Head, Torq-Set Recess, Close Tolerance Shank, Short Thread, in Steel, Cadmium Plated Classification: 1100 MPa/235 Degrees Celsius - Issue P 1	1987	ASD-STAN	
3013	PREN 3286	Aerospace Series Bearings-Airframe Rolling Rigid, Single Row Ball Bearings in Corrosion Resisting Steel Diameter Series 0 and 2 Normal Clearance Category Dimensions, Torques, and Loads - Issue P 1	1987	ASD-STAN	
3014	PREN 2645	Aerospace Series Straight Metric-Size Unions with Locking Ring Locking Ring Dimensions - Issue P 1	1987	ASD-STAN	
3015	PREN 2070-6	Aerospace Series Aluminium and Aluminium Alloy Wrought Products - Technical Specification - Part 6 - Rivet Wire - Edition 1	1987	ASD-STAN	
3016	PREN 3196	Aerospace Series Nuts, Self-Locking, Hexagonal, in Heat Resisting Steel FE-PA92HT (A286), Silver Coated Classification : 1100 MPa/425 Degrees Celsius - Issue P 1	1987	ASD-STAN	
3017	PREN 2607	Aerospace Series Straight Metric-Size Unions with Locking Ring Configuration O-Ring Dimensions - Issue P 1	1987	ASD-STAN	
3018	PREN 3282	Aerospace Series Bearings-Airframe Rolling Rigid, Single Row Ball Bearings in Steel, Cadmium Plated Diameter Series 8 and 9 Dimensions, Torques, Clearances and Loads - Issue P 1	1987	ASD-STAN	
3019	PREN 3291	Aerospace Series Bearings-Airframe Rolling Single Row, Self-Aligning Roller Bearings in Steel, Cadmium Plated Diameter Series 3 and 4 Dimensions, Torques, Clearances and Loads - Issue P 1	1987	ASD-STAN	
3020	PREN 3046	Aerospace Series Bearings-Airframe Rolling Rigid Single Row Ball Bearings in Steel Cadmium Plated Diameter Series 0 and 2 Reduced Clearance Category Dimensions and Loads - Issue P 1	1987	ASD-STAN	
3021	PREN 2884	Aerospace Series Bolts, Pan Head, Torq-Setrm Recess, Coarse Tolerance Shank, Short Thread, in Titanium Alloy, Anodised Classification: 1100 MPa/315 Degrees Celsius - Issue P 1	1987	ASD-STAN	
3022	PREN 3285	Aerospace Series Bearings-Airframe Rolling Rigid, Single Row Ball Bearings in Steel, Cadmium Plated Diameter Series 0 and 2 Normal Clearance Category Dimensions, Torques, and Loads - Issue P 1	1987	ASD-STAN	
3023	PREN 2576	Aerospace Series Bolts in Heat Resisting Steel FE-PA92HT(A286) Classification: 900 MPa/650 Degrees Celsius Technical Specification - Edition P1	1987	ASD-STAN	
3024	PREN 3011	Aerospace Series Bolts, Hexagon Head, Relieved Shank, Long Thread, in Heat Resisting Nickel Base Alloy NI-P101HT (Waspaloy) Classification 1210 MPa/730 Degrees Celsius Silver Plated - Issue P 1	1987	ASD-STAN	
3025	PREN 3056	Aerospace Series Bearings-Airframe Rolling Rigid Two Row Ball Bearings in Steel Dimensions and Loads - Issue P 1	1987	ASD-STAN	
3026	PREN 3281	Aerospace Series Bearings-Airframe Rolling Rigid, Single Row Ball Bearings in Steel Diameter Series 8 and 9 Dimensions, Torques, Clearances and Loads - Issue P 1	1987	ASD-STAN	
3027	PREN 2754	Aerospace Series Nuts, Anchor, Self Locking Two Lug, Floating with Counterbore Classification: 1100 MPa/235 Degrees Celsius - Issue P 1	1987	ASD-STAN	
3028	PREN 2852	Aerospace Series Nuts, Hexagonal, Plain, Normal Height, Normal Across Flats, Heat Resisting Steel Passivated Classification: 1100 MPa/650 Degrees Celsius - Issue P 1	1987	ASD-STAN	
3029	PREN 2886	Aerospace Series Bolts, Pan Head, Torq-Setrm Recess, Close Tolerance Shank, Short Thread, in Steel, Cadmium Plated Classification: 900 MPa/235 Degrees Celsius - Issue P 1	1987	ASD-STAN	
3030	PREN 3006	Aerospace Series Bolts, Hexagon Head, Relieved Shank, Long Thread, in Heat Resisting Steel FE-PA92HT (A286) Classification 900 MPa/650 Degrees Celsius Unplated - Issue P 1	1987	ASD-STAN	
3031	PREN 2932	Aerospace Series Bolts T-Head, Relieved Shank, Long Thread, in Heat Resisting Steel FE-PA92HT (A286) Silver Plated Classification: 900 MPa/650 Degrees Celsius - Issue P 1	1986	ASD-STAN	
3032	PREN 2002-14	Aerospace Series Test Methods for Metallic Materials Part 14 - Reverse Bend Testing of Wire - Issue P 1	1986	ASD-STAN	

3033	PREN 2906	Aerospace Series Nuts, Self Locking, Bi Hexagonal, in Heat Resisting Steel FE-PA92HT (A286) Unplated Classification: 1100 MPa/650 Degrees Celsius - Issue P 1	1986	ASD-STAN	
3034	PREN 2761	Aerospace Series Steel FE-PL78 1760 Less Than or Equal to Rm Less Than or Equal to 2000 MPa Forging De Less Than or Equal to 75 mm - Issue P 1	1986	ASD-STAN	
3035	PREN 2908	Aerospace Series Nuts, Self Locking, Bi Hexagonal, Deep Counterbored, in Heat Resisting Steel FE-PA92HT (A286) Unplated Classification: 1100 MPa/650 Degrees Celsius - Issue P 1	1986	ASD-STAN	
3036	PREN 2082-1	Aerospace Series Aluminium Alloy Forging Stock and Forgings - Technical Specification - Part 1 - General Requirements - Edition 1	1986	ASD-STAN	
3037	PREN 2949	Aerospace Series Washer, Bent Tab Heat Resisting Steel - Issue P 1	1986	ASD-STAN	
3038	PREN 2935	Aerospace Series Bolts T-Head, Relieved Shank, Long Thread, in Heat Resisting Nickel Base Alloy NI-P101HT (Waspaloy) Unplated Classification: 1210 MPa/730 Degrees Celsius - Issue P 1	1986	ASD-STAN	
3039	PREN 2948	Aerospace Series Washers, Tab Heat Resisting Steel - Issue P 1	1986	ASD-STAN	
3040	PREN 2721	Aerospace Series Aluminum Alloy Al-C12-T4 Sand Castings - Issue P 1	1986	ASD-STAN	
3041	PREN 2003-11	Aerospace Series Test Methods for Austenitic Stainless Steels Part 11 - Determination of Resistance to Intergranular Corrosion by the Huey Method - Issue P 1	1986	ASD-STAN	
3042	PREN 2723	Aerospace Series Aluminium Alloy Al-C12-T6 Sand Castings - Issue P 1	1986	ASD-STAN	
3043	PREN 2639	Aerospace Series Aluminium Alloy 2014A-T6 Extruded Bar and Section 1,2 Less Than or Equal to (a or D) Less Than or Equal to 150 mm with Coarse Peripheral Grain Control - Issue P 1	1986	ASD-STAN	
3044	PREN 2616	Aerospace Series Wire for Rivets in Aluminium and Aluminium Alloys Large Tolerances D Less Than or Equal to 10 mm Dimensions - Issue P 1	1986	ASD-STAN	
3045	PREN 2940	Aerospace Series Screws, 100 Degrees Countersunk Head, Torq-Setrm Recess, Thread to Head, in Heat Resisting Steel FE-PA92HT (A286) Silver Plated Classification: 900 MPa/650 Degrees Celsius - Issue P 1	1986	ASD-STAN	
3046	PREN 2933	Aerospace Series Bolts T-Head, Relieved Shank, Long Thread, in Heat Resisting Nickel Base Alloy NI-P100HT (INCO 718) Unplated Classification: 1275 MPa/650 Degrees Celsius - Issue P 1	1986	ASD-STAN	
3047	PREN 2760	Aerospace Series Steel FE-PL78 1760 Less Than or Equal to Rm Less Than or Equal to 2000 MPa Bar De Less Than or Equal to 75 mm - Issue P 1	1986	ASD-STAN	
3048	PREN 2792	Aerospace Series Rod Ends, Adjustable Double Fork and Threaded Shank Dimensions and Loads - Issue P 1	1986	ASD-STAN	
3049	PREN 2729	Aerospace Series Aluminium Alloy Al-C27-T6 Chill Castings - Issue P 1	1986	ASD-STAN	
3050	PREN 2722	Aerospace Series Aluminium Alloy Al-C12-T4 Chill Castings - Issue P 1	1986	ASD-STAN	
3051	PREN 2135	Aerospace Series Steel FE-PL61 Carburized, Hardened and Tempered Bar De Less Than or Equal to 40 mm - Issue P 1	1986	ASD-STAN	
3052	PREN 2912	Aerospace Series Washers, Flat, Large Diameter Aluminium Alloy - Issue P 1	1986	ASD-STAN	
3053	PREN 2936	Aerospace Series Bolts T-Head, Relieved Shank, Long Thread, in Heat Resisting Nickel Base Alloy NI-P101HT (Waspaloy) Silver Plated Classification 1210 MPa/730 Degrees Celsius - Issue P 1	1986	ASD-STAN	
3054	PREN 2623	Aerospace Series Electrical Cables for General Purpose Operating Temperatures between - 55 Degrees Celsius and + 135 Degrees Celsius - Issue P 1	1986	ASD-STAN	
3055	PREN 2002-12	Aerospace Series Test Methods for Metallic Materials Part 12 - Simple Torsion Testing of Wire - Issue P 1	1986	ASD-STAN	
3056	PREN 2938	Aerospace Series Screws, Hexagon Head, Thread to Head, in Heat Resisting Steel FE-PA92HT (A286) Silver Plated Classification: 900 MPa/650 Degrees Celsius - Issue P 1	1986	ASD-STAN	
3057	PREN 2615	Aerospace Series Wire to Close Tolerance in Aluminium and Aluminium Alloys 1,6 Less Than or Equal to D Less Than or Equal to 9,6 mm Dimensions - Issue P 1	1986	ASD-STAN	
3058	PREN 2934	Aerospace Series Bolts T-Head, Relieved Shank, Long Thread, in Heat Resisting Nickel Base Alloy NI-P100HT (INCO 718) Silver Plated Classification: 1275 MPa/650 Degrees Celsius - Issue P 1	1986	ASD-STAN	
3059	PREN 2003-14	Aerospace Series Test Methods for Steel Products Part 14 - Hardenability Test by End Quenching (Jominy Test) - Issue P 1	1986	ASD-STAN	
3060	PREN 2776	Aerospace Series Steel FE-P11 Rm Less Than or Equal to 340 MPa Sheet and Strip a Less Than or Equal to 2 mm - Issue P 1	1986	ASD-STAN	

3061	PREN 2907	Aerospace Series Nuts, Self Locking, Bi Hexagonal, in Heat Resisting Steel FE-PA92HT (A286) Silver Plated Classification: 1100 MPa/650 Degrees Celsius - Issue P 1	1986	ASD-STAN	
3062	PREN 2998	Aerospace Series Washers Countersunk Heat Resisting Steel - Issue P 1	1986	ASD-STAN	
3063	PREN 2543	Steel FE-PL43S 1250 Less Than or Equal to Rm Less Than or Equal to 1400 MPa Sheet and Strip 0.3 Less Than or Equal to a Less Than or Equal to 2 mm Only for Prevailing Torque Nuts	1986	ASD-STAN	
3064	PREN 2725	Aerospace Series Aluminium Alloy A1-C14-T6 Sand Castings - Issue P 1	1986	ASD-STAN	
3065	PREN 2355	Aerospace Series Fork-Ends, Threaded, Control Cable in Corrosion Resisting Steel Dimensions and Loads - Edition 2	1986	ASD-STAN	
3066	PREN 2637	Aerospace Series Aluminium Alloy 7075-T73 Extruded Bar and Section 1,2 Less Than or Equal to (a or D) Less Than or Equal to 100 mm with Coarse Peripheral Grain Control - Issue P 1	1986	ASD-STAN	
3067	PREN 2346	Aerospace Series Fire Resistant Electrical Cables Dimensions, Conductor Resistance and Mass - Issue P 1	1986	ASD-STAN	
3068	PREN 2939	Aerospace Series Screws, 100 Degrees Countersunk Head, Torq-Setrm Recess, Thread to Head, in Heat Resisting Steel FE-PA92HT (A286) Unplated Classification: 900 MPa/650 Degrees Celsius - Issue P 1	1986	ASD-STAN	
3069	PREN 2003-12	Aerospace Series Test Methods for Austenitic Stainless Steels Part 12 - Determination of Resistance to Intergranular Corrosion by the Monypenny-Strauss Method - Issue P 1	1986	ASD-STAN	
3070	PREN 2638	Aerospace Series Aluminium Alloy 2024-T3 Extruded Bar and Section 1,2 Less Than or Equal to (a or D) Less Than or Equal to 150 mm with Coarse Peripheral Grain Control - Issue P 1	1986	ASD-STAN	
3071	PREN 2914	Aerospace Series Washers, Flat, Large Diameter Heat Resisting Steel - Issue P 1	1986	ASD-STAN	
3072	PREN 2806	Aerospace Series Aluminium Alloy 2024-T42 Extruded Section 1,2 Less Than or Equal to a Less Than or Equal to 100 mm with Coarse Peripheral Grain Control - Issue P 1	1986	ASD-STAN	
3073	PREN 2082-2	Aerospace Series Aluminium Alloy Forging Stock and Forgings - Technical Specification - Part 2 - Forging Stock - Edition 1	1986	ASD-STAN	
3074	PREN 2586	Aerospace Series Washers, Lock for Flight Control Rods Dimensions - Issue P 1	1986	ASD-STAN	
3075	PREN 2727	Aerospace Series Aluminium Alloy Al-C26-T6 Chill Castings - Issue P 1	1986	ASD-STAN	
3076	PREN 2356	Aerospace Series Fork-Ends Threaded, Control Cable for Rolling Bearings in Corrosion Resisting Steel Dimensions and Loads - Edition 2	1986	ASD-STAN	
3077	PREN 2759	Aerospace Series Steel FE-PL80 1900 Less Than or Equal to Rm Less Than or Equal to 2100 MPa Forging De Less Than or Equal to 75 mm - Issue P 1	1986	ASD-STAN	
3078	PREN 2937	Aerospace Series Screws, Hexagon Head, Thread to Head, in Heat Resisting Steel FE-PA92HT (A286) Unplated Classification: 900 MPa/650 Degrees Celsius - Issue P 1	1986	ASD-STAN	
3079	PREN 2931	Aerospace Series Bolts T-head, Relieved Shank, Long Thread, in Heat Resisting Steel FE-PA92HT (A286) Unplated Classification: 900 MPa/650 Degrees Celsius - Issue P 1	1986	ASD-STAN	
3080	PREN 2641	Aerospace Series Control Cable Assemblies Combinations and Dimensions - Edition 1	1986	ASD-STAN	
3081	PREN 2807	Aerospace Series Aluminium Alloy 7020-T6 Extruded Section 1,2 Less Than or Equal to a Less Than or Equal to 100 mm with Coarse Peripheral Grain Control - Issue P 1	1986	ASD-STAN	
3082	PREN 2909	Aerospace Series Nuts, Self Locking, Bi Hexagonal, Deep Counterbored, in Heat Resisting Steel FE-PA92HT (A286) Silver Plated Classification: 1100 MPa/650 Degrees Celsius - Issue P 1	1986	ASD-STAN	
3083	PREN 2079	Aerospace Series Bearings, Precision Ball, in Corrosion Resisting Steel, for Instruments and Equipments, with Flange Dimensions and Loads - Issue P 1	1986	ASD-STAN	
3084	PREN 2911	Aerospace Series Shank Nuts, Self Locking, Flange Restrained, in Heat Resisting Steel FE-PA92HT (A286) Silver Plated Classification: 1100 MPa/650 Degrees Celsius - Issue P 1	1986	ASD-STAN	
3085	PREN 2002-15	Aerospace Series Test Methods for Metallic Materials Part 15 - Wrapping Test for Wire - Issue P 1	1986	ASD-STAN	
3086	PREN 2003-13	Aerospace Series Test Methods for Steel Products Part 13 - Macrographic Examination by Sulphur Print (Baumann Method) - Issue P 1	1986	ASD-STAN	
3087	PREN 2724	Aerospace Series Aluminium Alloy A1-C12-T6 Chill Castings - Issue P 1	1986	ASD-STAN	
3088	PREN 2357	Aerospace Series Stud-Ends in Corrosion Resisting Steel Swaged on Type, Control Cable Dimensions and Loads - Edition 2	1986	ASD-STAN	

3089	PREN 2791	Aerospace Series Rod-Ends, Adjustable Single Fork and Threaded Shank Dimensions and Loads - Issue P 1	1986	ASD-STAN	
3090	PREN 2082-3	Aerospace Series Aluminium Alloy Forging Stock and Forgings - Technical Specification - Part 3 - Pre- Production and Production Forgings - Edition 1	1986	ASD-STAN	
3091	PREN 2752	Aerospace Series Nuts, Anchor, Self Locking Fixed, Two Lug, Reduced Series, with Counterbore Classification: 1100 MPa/235 Degrees Celsius - Edition 1	1986	ASD-STAN	
3092	PREN 2790	Aerospace Series Rod-Ends, Adjustable Self-Aligning Plain Bearing with Self-Lubricating Liner and Threaded Shank Dimensions and Loads - Issue P 1	1986	ASD-STAN	
3093	PREN 2319	Aerospace Series Aluminium Alloy 2024-T3510 Drawn Bar a Less Than or Equal to 75 mm - Edition 2	1985	ASD-STAN	
3094	PREN 2631	Aerospace Series Aluminium Alloy 7075-T6511 Bar and Section 1,2 Less Than or Equal to (a or D) Less Than or Equal to 125 mm with Peripheral Coarse Grain Control - Edition 1	1985	ASD-STAN	
3095	PREN 2359	Aerospace Series Fork-Ends in Corrosion Resisting Steel Swaged on Type, Control Cable Dimensions and Loads - Edition 1	1985	ASD-STAN	
3096	PREN 2128	Aerospace Series Aluminium Alloy 7075-T7351 Drawn Bar a Less Than or Equal to 75 mm - Edition 2	1985	ASD-STAN	
3097	PREN 2114	Aerospace Series Aluminium 1050A-H14 Wire for Solid Rivets D Less Than or Equal to 10 mm - Edition 1	1985	ASD-STAN	
3098	PREN 2160	Aerospace Series Flexible Wire Ropes for Aircraft Controls in Zinc Coated Carbon Steel Construction - Dimensions - Loads - Edition 2	1985	ASD-STAN	
3099	PREN 2126	Aerospace Series Aluminium Alloy 7075-T651 Plate 6 Less Than a Less Than or Equal to 80 mm - Edition 2	1985	ASD-STAN	
3100	PREN 2692	Aerospace Series Aluminium Alloy 2017A-T3 Clad Sheet and Strip 0,4 Less Than or Equal to a Less Than or Equal to 6 mm - Edition 1	1985	ASD-STAN	
3101	PREN 2393	Aerospace Series Aluminium Alloy 2017A-T4 Drawn Tube for Structures 0,6 Less Than or Equal to a Less Than or Equal to 12,5 mm - Edition 2	1985	ASD-STAN	
3102	PREN 2358	Aerospace Series Eye-Ends in Corrosion Resisting Steel Swaged on Type, Control Cable Dimensions and Loads - Edition 1	1985	ASD-STAN	
3103	PREN 2655	Aerospace Series Aluminium Alloy 2017A-T42 Extruded Bar and Section 1,2 Less Than or Equal to (a or D) Less Than or Equal to 150 mm with Peripheral Coarse Grain Control - Edition 1	1985	ASD-STAN	
3104	PREN 2634	Aerospace Series Aluminium Alloy 2014-T4511 Bar and Section 1,2 Less Than or Equal to (a or D) Less Than or Equal to 200 mm with Peripheral Coarse Grain Control - Edition 1	1985	ASD-STAN	
3105	PREN 2362	Aerospace Series Ball-Ends in Corrosion Resisting Steel Swaged on Type, Control Cable Dimensions and Loads - Edition 1	1985	ASD-STAN	
3106	PREN 2636	Aerospace Series Aluminium Alloy 6082-T6 Bar and Section 1,2 Less Than or Equal to (a or D) Less Than or Equal to 200 mm with Peripheral Coarse Grain Control - Edition 1	1985	ASD-STAN	
3107	PREN 2706	Aerospace Series Aluminium Alloy 7009-T736510 Bar and Section 1,2 Less Than or Equal to (a or D) Less Than or Equal to 125 mm with Peripheral Coarse Grain Control - Edition 1	1985	ASD-STAN	
3108	PREN 2640	Aerospace Series Aluminium Alloy 2017A-T4 Extruded Bar and Section 1,2 Less Than or Equal to (a or D) Less Than or Equal to 150 mm with Peripheral Coarse Grain Control - Edition 1	1985	ASD-STAN	
3109	PREN 2320	Aerospace Series Aluminium Alloy 2024-T4 Drawn Bar a Less Than or Equal to 75 mm - Edition 2	1985	ASD-STAN	
3110	PREN 2609	Aerospace Series Turnbarrels, Control Cable in Copper-Zinc Alloys Dimensions and Loads - Edition 1	1985	ASD-STAN	
3111	PREN 2361	Aerospace Series Ball-Ends, Double Shank in Corrosion Resisting Steel Swaged on Type, Control Cable Dimensions and Loads - Edition 1	1985	ASD-STAN	
3112	PREN 2354	Aerospace Series Eye-Ends, Threaded, Control Cable in Corrosion Resisting Steel Dimensions and Loads - Edition 1	1985	ASD-STAN	
3113	PREN 2360	Aerospace Series Fork-Ends for Rolling Bearings in Corrosion Resisting Steel Swaged on Type, Control Cable Dimensions and Loads - Edition 1	1985	ASD-STAN	
3114	PREN 2630	Aerospace Series Aluminium Alloy 7009-T736511 Bar and Section 1,2 Less Than or Equal to (a or D) Less Than or Equal to 125 mm with Peripheral Coarse Grain Control - Edition 1	1985	ASD-STAN	
3115	PREN 2353	Aerospace Series Turnbarrels, Control Cable in Corrosion Resisting Steel Dimensions and Loads - Edition 1	1985	ASD-STAN	
3116	PREN 2689	Aerospace Series Aluminium Alloy 7050-T73651 Plate 6 Less Than a Less Than or Equal to 150 mm - Edition 1	1985	ASD-STAN	

3117	PREN 2709	Aerospace Series Aluminium Alloy 2024-T3510 Bar and Section 1,2 Less Than or Equal to (a or D) less Than or Equal to 150 mm with Peripheral Coarse Grain Control - Edition 1	1985	ASD-STAN	
3118	PREN 2575	Aerospace Series Filming of Documents 16 mm Microfilm - Edition 1	1985	ASD-STAN	
3119	PREN 2080	Aerospace Series Flexible Wire Ropes for Aircraft Controls in Corrosion Resisting Steel - Construction - Dimensions - Loads - Edition 2	1985	ASD-STAN	
3120	PREN 2317	Aerospace Series Aluminium Alloy 7075-T73 Drawn Bar a Less Than or Equal to 75 mm - Edition 2	1985	ASD-STAN	
3121	PREN 2708	Aerospace Series Aluminium Alloy 7075-T73510 Bar and Section 1,2 Less Than or Equal to (a or D) Less Than or Equal to 100 mm with Peripheral Coarse Grain Control - Edition 1	1985	ASD-STAN	
3122	PREN 2484	Microfilming of Drawings Aperture Card for 35 mm Microfilm Aerospace Series - Edition 1	1984	ASD-STAN	
3123	PREN 2502	Steel FE-PM66 930 Less Than or Equal to Rm Less Than or Equal to 1080 MPa Bars De Less Than or Equal to 150 mm Aerospace Series - Edition 1	1984	ASD-STAN	
3124	PREN 2314	Shock Resistant Acrylic Sheets for Aircraft Glazing Technical Specification Aerospace Series - Edition 1	1984	ASD-STAN	
3125	PREN 2070-2	Aluminium and Aluminium Alloy Wrought Products - Technical Specification - Part 2 - Sheet, Strip Formed Profiles and Plate Aerospace Series - Edition 1	1984	ASD-STAN	
3126	PREN 2534	Titanium Alloy TI-P68 1000 Less Than or Equal to Rm Less Than or Equal to 1200 MPa Bar 100 Less Than De Less Than or Equal to 150 mm Aerospace Series - Edition 1	1984	ASD-STAN	
3127	PREN 2497	Dry Abrasive Blasting of Titanium and Titanium Alloys Aerospace Series - Edition 1	1984	ASD-STAN	
3128	PREN 2269	Steel FE-PM13 S 1800 Less Than or Equal to Rm Less Than or Equal to 2000 MPa Bar and Wire for Fasteners De Less Than or Equal to 700 mm Aerospace Series - Edition 1	1984	ASD-STAN	
3129	PREN 2532	Titanium Alloy TI-P68 - 1100 Less Than or Equal to Rm Less Than or Equal to 1280 MPa Bar De Less Than or Equal to 25 mm Aerospace Series - Edition 1	1984	ASD-STAN	
3130	PREN 2245	Pipelines for Liquids and Gases Definitions Aerospace Series - Edition 2	1984	ASD-STAN	
3131	PREN 2155-5	Test Methods for Transparent Materials for Aircraft Glazing Part 5 - Determination of Visible Light Transmission Aerospace Series - Edition 1	1984	ASD-STAN	
3132	PREN 2685	Aluminium Alloy 7010-T7652 Forgings 80 Less Than or Equal to a Less Than or Equal to 160 mm Aerospace Series - Edition 1	1984	ASD-STAN	
3133	PREN 2070-3	Aluminium and Aluminium Alloy Wrought Products - Technical Specification - Part 3 - Bar and Section Aerospace Series - Edition 1	1984	ASD-STAN	
3134	PREN 2155-1	Test Methods for Transparent Materials for Aircraft Glazing Part 1 - Determination of the Density and Relative Density Aerospace Series - Edition 1	1984	ASD-STAN	
3135	PREN 2503	Steel FE-PM66 930 Less Than or Equal to Rm Less Than or Equal to 1080 MPa Forgings De Less Than or Equal to 150 mm Aerospace Series - Edition 1	1984	ASD-STAN	
3136	PREN 2070-1	Aluminium and Aluminium Alloy Wrought Products - Technical Specification - Part 1 - General Requirements Aerospace Series - Edition 1	1984	ASD-STAN	
3137	PREN 2270	Steel FE-PM13 S 1550 Less Than or Equal to Rm Less Than or Equal to 1750 MPa Bar and Wire for Fasteners De Less Than or Equal to 70 mm Aerospace Series - Edition 1	1984	ASD-STAN	
3138	PREN 2533	Titanium alloy TI-P68 1050 Less Than or Equal to Rm Less Than or Equal to 1220 MPa Bar 25 Less Than De Less Than or Equal to 100 mm Aerospace Series - Edition 1	1984	ASD-STAN	
3139	PREN 2394	Aluminium Alloy 7075-T6511 Bars and Sections A Less Than or Equal to 125 mm Aerospace Series - Edition 1	1983	ASD-STAN	
3140	PREN 2331	Test Methods for the Determination of the Resin Content of Woven Textile Glass Fibre Fabric Preimpregnate Aerospace Series - Edition 1	1983	ASD-STAN	
3141	PREN 2338	Sheets, Titanium and Titanium Alloys Hot Rolled Thickness 0,8 mm Less Than or Equal to a Less Than or Equal to 5 mm Dimensions Aerospace Series - Edition 1	1983	ASD-STAN	
3142	PREN 2366	Sheets and Strips Heat Resisting Alloys Cold Rolled Thickness a Less Than or Equal to 3 mm Dimensions Aerospace Series - Edition 1	1983	ASD-STAN	
3143	PREN 2258	Circular Tubes in Aluminium Alloys for Fluids Dimensions Aerospace Series - Edition 1	1983	ASD-STAN	
3144	PREN 2517	Titanium Alloy TI-P63 Annealed Sheets, Strips and Plates A Less Than or Equal to 100 mm Aerospace Series - Edition 1	1983	ASD-STAN	

3145	PREN 2528	Titanium Alloy TI-P11 540 MPa Less Than Rm Less Than or Equal to 700 MPa Sheets and Strips a Less Than or Equal to 5 mm Aerospace Series - Edition 1	1983	ASD-STAN	
3146	PREN 2380	Aluminium Alloy 7075-T73 Forgings a Less Than or Equal to 125 mm Aerospace Series - Edition 1	1983	ASD-STAN	
3147	PREN 2332	Test Method for the Determination of the Resin Flow of Woven Textile Glass Fibre Fabric Preimpregnate Aerospace Series - Edition 1	1983	ASD-STAN	
3148	PREN 2531	Titanium Alloy TI-P63 Annealed - 900 MPa Less Than or Equal to Rm Less Than or Equal to 1160 MPa Forgings De Less Than or Equal to 150 mm Aerospace Series - Edition 1	1983	ASD-STAN	
3149	PREN 2525	Titanium TI-P01 290 MPa Less Than Rm Less Than or Equal to 420 MPa Sheets and Strips a Less Than or Equal to 5 mm Aerospace Series - Edition 1	1983	ASD-STAN	
3150	PREN 2527	Titanium TI-P04 570 MPa Less Than Rm Less Than or Equal to 730 MPa Sheets and Strips a Less Than or Equal to 5 mm Aerospace Series - Edition 1	1983	ASD-STAN	
3151	PREN 2330	Test Method for the Determination of the Percentage of Volatile Matter in Woven Textile Glass Fibre Fabric Preimpregnate Aerospace Series - Edition 1	1983	ASD-STAN	
3152	PREN 2329	Test Method for the Determination of Mass per Unit Area of Woven Textile Glass Fibre Fabric Preimpregnate Aerospace Series - Edition 1	1983	ASD-STAN	
3153	PREN 2526	Titanium TI-P02 390 MPa Less Than Rm Less Than or Equal to 540 MPa Sheets and Strips a Less Than or Equal to 5 mm Aerospace Series - Edition 1	1983	ASD-STAN	
3154	PREN 2384	Aluminium Alloy 2014A-T6511 Bars and Sections a Less Than or Equal to 150 mm Aerospace Series - Edition 1	1983	ASD-STAN	
3155	PREN 2339	Sheets, Titanium and Titanium Alloys Cold Rolled Thickness 0,2 mm Less Than or Equal to a Less Than or Equal to 3 mm Dimensions Aerospace Series - Edition 1	1983	ASD-STAN	
3156	PREN 2544	Representation of Rivets on Drawings for Aerospace Equipment Aerospace Series - Edition 1	1983	ASD-STAN	
3157	PREN 2144	Rivets, Solid, Universal Head in Aluminium Alloy, EN 2115 Aerospace Series - Edition 1	1983	ASD-STAN	
3158	PREN 2499	Computer Output Microfiche (COM) A6 Microfiche Aerospace Series - Edition 1	1983	ASD-STAN	
3159	PREN 2145	Rivets, Solid, Universal Head, in Aluminium Alloy, EN 2115 Anodised Aerospace Series - Edition 1	1983	ASD-STAN	
3160	PREN 2369	Wires, Heat Resisting Alloys Diameter 0,2 mm Less Than or Equal to D Less Than or Equal to 8 mm Dimensions Aerospace Series - Edition 1	1983	ASD-STAN	
3161	PREN 2381	Aluminium Alloy 7009-T73652 Hand Forgings a Less Than or Equal to 150 mm Aerospace Series - Edition 1	1983	ASD-STAN	
3162	PREN 2149	Rivets, Solid, Universal Head, in Aluminium Alloy, EN2117 Anodised Aerospace Series - Edition 1	1983	ASD-STAN	
3163	PREN 2022	Bearings, Spherical Plain in Corrosion Resisting Steel with Self Lubricating Liner Light Series Dimensions and Loads Aerospace Series - Edition 2	1982	ASD-STAN	
3164	PREN 2520	Titanium TI-P04 540 MPa Less Than or Equal to Rm Less Than or Equal to 740 MPa Forgings De Less Than or Equal to 200 mm Aerospace Series - Edition 1	1982	ASD-STAN	
3165	PREN 2367	Split Pins in Steel EN2573 Aerospace Series - Edition 1	1982	ASD-STAN	
3166	PREN 2122	Washers, Flat, Aluminium Alloy Aerospace Series - Edition 1	1982	ASD-STAN	
3167	PREN 2518	Titanium TI-P02 390 MPa Less Than or Equal to Rm Less Than or Equal to 540 MPa Bars De Less Than or Equal to 200 mm Aerospace Series - Edition 1	1982	ASD-STAN	
3168	PREN 2342	Heat and Craze Resistant Acrylic Sheets for Aircraft Glazing Technical Specification Aerospace Series - Edition 1	1982	ASD-STAN	
3169	PREN 2510	Aluminium Alloy 2024-T42 Drawn Tubes for Structural Applications Aerospace Series - Edition 1	1982	ASD-STAN	
3170	PREN 2011	Bearings-Airframe Rolling Rigid Single Row Bearings in Corrosion Resisting Steel Diameter Series 8 and 9 Dimensions and Loads Aerospace Series - Edition 3	1982	ASD-STAN	
3171	PREN 2524	Titanium Alloy TI-P11 650 MPa Less Than or Greater to Rm Less Than or Greater to 880 MPa Forgings De Less Than or Equal to 75 mm Aerospace Series - Edition 1	1982	ASD-STAN	
3172	PREN 2523	Titanium alloy TI-P11 650 MPa Less Than or Equal to Rm Less Than or Equal to 880 MPa Bars De Less Than or Equal to 75 mm Aerospace Series - Edition 1	1982	ASD-STAN	
3173	PREN 2155-7	Test Methods for Transparent Materials for Aircraft Glazing - Part 7 - Determination of Optical Deviation Aerospace Series - Edition 1	1982	ASD-STAN	

3174	PREN 2017	Bearings-Airframe Rolling Double Row Self Aligning Ball Bearings in Corrosion Resisting Steel Diameter Series 2 Dimensions and Loads Aerospace Series - Edition 3	1982	ASD-STAN	
3175	PREN 2522	Titanium Alloy TI-P11 540 MPa Less Than or Equal to Rm - Less Than or Equal to 700 MPa Forgings De Less Than or Equal to 200 mm Aerospace Series - Edition 1	1982	ASD-STAN	
3176	PREN 2094	Aluminium Alloy 7009-T736 - Die Forgings a Less Than or Equal to 150 mm Aerospace Series - Edition 1	1982	ASD-STAN	
3177	PREN 2139	Washers, Flat, Heat Resisting Steel Aerospace Series - Edition 1	1982	ASD-STAN	
3178	PREN 2009	Bearings-Airframe Rolling Rigid Single Row Ball Bearings in Steel Diameter Series 8 and 9 Dimensions and Loads Aerospace Series - Edition 3	1982	ASD-STAN	
3179	PREN 2385	Aluminum Alloy 7009-T73651 Bars and Sections a Less Than or Equal to 125 mm Aerospace Series - Edition 1	1982	ASD-STAN	
3180	PREN 2015	Bearings-Airframe Rolling Double Row Self Aligning Ball Bearings in Steel Diameter Series 2 Dimensions and Loads Aerospace Series - Edition 3	1982	ASD-STAN	
3181	PREN 2508	Aluminium Alloy 5086-H111 Drawn Tubes for Structural Applications Aerospace Series - Edition 1	1982	ASD-STAN	
3182	PREN 2132	Electrodeposition of Chromium for Engineering Purposes Aerospace Series - Edition 1	1982	ASD-STAN	
3183	PREN 2494	Heat Resisting Steel FE-PM38 1000 MPa Less Than or Equal to Rm Less Than or Equal to 1140 MPa Forgings Aerospace Series - Edition 1	1981	ASD-STAN	
3184	PREN 2155-12	Test Methods for Transparent Materials for Aircraft Glazing - Part 12 - Determination of Linear Thermal Expansion Aerospace Series - Edition 1	1981	ASD-STAN	
3185	PREN 2462	Steel FE-PA13 Softened Bars De Less Than or Equal to 100 mm Aerospace Series - Edition 1	1981	ASD-STAN	
3186	PREN 2457	Steel FE-PL48 1050 MPa Less Than or Equal to Rm Less Than or Equal to 1250 MPa Forgings De Less Than or Equal to 40 mm Aerospace Series - Edition 1	1981	ASD-STAN	
3187	PREN 2155-9	Test Methods for Transparent Materials for Aircraft Glazing - Part 9 - Determination of Haze Aerospace Series - Edition 1	1981	ASD-STAN	
3188	PREN 2461	Steel FE-PM32 600 MPa Less Than or Equal to Rm Less Than or Equal to 800 MPa Forgings De Less Than or Equal to 70 mm Aerospace Series - Edition	1981	ASD-STAN	
3189	PREN 2449	Steel FE-PL45 900 MPa Less Than or Equal to Rm Less Than or Equal to 1100 MPa Forgings De Less Than or Equal to 40 mm Aerospace Series - Edition 1	1981	ASD-STAN	
3190	PREN 2451	Steel FE-PL73 1230 MPa Less Than or Equal to Rm Less Than or Equal to 1420 MPa Forgings De Less Than or Equal to 40 mm Aerospace Series - Edition 1	1981	ASD-STAN	
3191	PREN 2479	Steel FE-PL75 1250 MPa Less Than or Equal to Rm Less Than or Equal to 1400 MPa Forgings De Less Than or Equal to 40 mm Aerospace Series - Edition 1	1981	ASD-STAN	
3192	PREN 2476	Steel FE-PL74 1100 MPa Less Than or Equal to Rm Less Than or Equal to 1300 MPa Forgings De Less Than or Equal to 100 mm Aerospace Series - Edition 1	1981	ASD-STAN	
3193	PREN 2470	Steel FE-PA11 Softened and Cold Drawn Wires for Rivets 1mm Less Than or Equal to D Less Than or Equal to 10 mm Aerospace Series - Edition 1	1981	ASD-STAN	
3194	PREN 2477	Steel FE-PL75 1100 MPa Less Than or Equal to Rm Less Than or Equal to 1250 MPa Forgings De Less Than or Equal to 100 mm Aerospace Series - Edition 1	1981	ASD-STAN	
3195	PREN 2464	Steel FE-PA13 Softened Tubes for Structures 0,5 mm Less Than or Equal to a Less Than or Equal to 5 mm Aerospace Series - Edition 1	1981	ASD-STAN	
3196	PREN 2471	Steel FE-PL74 1250 MPa Less Than or Equal to Rm Less Than or Equal to 1450 MPa Bars De Less Than or Equal to 40 mm Aerospace Series - Edition 1	1981	ASD-STAN	
3197	PREN 2439	Steel FE-PL62 900 MPa Less Than or Equal to Rm Less Than or Equal to 1100 MPa Forgings De Less Than or Equal to 40 mm Aerospace Series - Edition 1	1981	ASD-STAN	
3198	PREN 2363	Locking Clips for Turnbuckles of Control Cables Dimensions Aerospace Series - Edition 1	1981	ASD-STAN	
3199	PREN 2468	Steel FE-PA11 Softened Tubes 0,5 mm Less Than or Equal to a Less Than or Equal to 5 mm Aerospace Series - Edition 1	1981	ASD-STAN	
3200	PREN 2463	Steel FE-PA13 Softened Sheets, Strips and Plates 0,5 mm Less Than or Equal to a Less Than or Equal to 20 mm Aerospace Series - Edition 1	1981	ASD-STAN	
3201	PREN 2446	Steel FE-PL45 1100 MPa Less Than or Equal to Rm Less Than or Equal to 1300 MPa Bars De Less Than or Equal to 25 mm Aerospace Series - Edition 1	1981	ASD-STAN	

3202	PREN 2390	Aluminium Alloy 6082-T6 Tubes for Structures 0,6 mm Less Than or Equal to a Less Than or Equal to 12,5 mm Aerospace Series - Edition 1	1981	ASD-STAN	
3203	PREN 2389	Aluminium Alloy 6082-T4 Tubes for Structures 0,6 mm Less Than or Equal to a Less Than or Equal to 12,5 mm Aerospace Series - Edition 1	1981	ASD-STAN	
3204	PREN 2448	Steel FE-PL45 900 MPa Less Than or Equal to Rm Less Than or Equal to 1100 MPa Bars De Less Than or Equal to 40 mm Aerospace Series - Edition 1	1981	ASD-STAN	
3205	PREN 2392	Aluminium Alloy 6061-T6 Tubes for Structures 0,6 Less Than or Equal to a Less Than or Equal to 12,5 mm Aerospace Series - Edition 1	1981	ASD-STAN	
3206	PREN 2155-21	Test Methods for Transparent Materials for Aircraft Glazing - Part 21 - Determination of Resistance to Crack Propagation Less Than Factor Greater Than	1981	ASD-STAN	
3207	PREN 2488	Aluminium Alloy 7075-F Cast or Extruded Forging Stocks Aerospace Series - Edition 1	1981	ASD-STAN	
3208	PREN 2388	Aluminium Alloy 2024-T351 Tubes for Structures 0,6 mm Less Than or Equal to a Less Than or Equal to 12,5 mm Aerospace Series - Edition 1	1981	ASD-STAN	
3209	PREN 2478	Steel FE-PL75 1250 MPa Less Than or Equal to Rm Less Than or Equal to 1400 MPa Bars De Less Than or Equal to 40 mm Aerospace Series - Edition 1	1981	ASD-STAN	
3210	PREN 2452	Steel FE-PL73 1080 MPa Less Than or Equal to Rm Less Than or Equal to 1280 MPa Bars De Less Than or Equal to 150 mm Aerospace Series - Edition 1	1981	ASD-STAN	
3211	PREN 2473	Steel FE-PL74 900MPa Less Than or Equal to Rm Less Than or Equal to 1100 MPa Bars De Less Than or Equal to 150 mm Aerospace Series - Edition 1	1981	ASD-STAN	
3212	PREN 2450	Steel FE-PL73 1230 MPa Less Than or Equal to Rm Less Than or Equal to 1420 MPa Bars De Less Than or Equal to 40 mm Aerospace Series - Edition 1	1981	ASD-STAN	
3213	PREN 2466	Steel FE-PA11 Softened Forgings De Less Than or Equal to 100 mm Aerospace Series - Edition 1	1981	ASD-STAN	
3214	PREN 2442	Steel FE-PL711 1100 MPa Less Than or Equal to Rm Less Than or Equal to 1300 MPa Bars and Wires De Less Than or Equal to 25 mm Aerospace Series - Edition 1	1981	ASD-STAN	
3215	PREN 2137	Steel FE-PL75 1100 MPa Less Than or Equal to Rm Less Than or Equal to 1250 MPa Bars De Less Than or Equal to 100 mm Aerospace Series - Edition 1	1981	ASD-STAN	
3216	PREN 2456	Steel FE-PL48 1050 MPa Less Than or Equal to Rm Less Than or Equal to 1250 MPa Bars De Less Than or Equal to 40 mm Aerospace Series - Edition 1	1981	ASD-STAN	
3217	PREN 2465	Steel FE-PA11 Softened Bars De Less Than or Equal to 100 mm Aerospace Series - Edition 1	1981	ASD-STAN	
3218	PREN 2155-19	Test Methods for Transparent Materials for Aircraft Glazing Part 19 Determination of Craze Resistance Aerospace Series - Edition 1	1981	ASD-STAN	
3219	PREN 2459	Steel FE-PL48 950 MPa Less Than or Equal to Rm Less Than or Equal to 1100 MPa Forgings De Less Than or Equal to 100 mm Aerospace Series - Edition 1	1981	ASD-STAN	
3220	PREN 2467	Steel FE-PA11 Softened Sheets or Plates 0,5 mm Less Than or Equal to a Less Than or Equal to 20 mm Aerospace Series - Edition 1	1981	ASD-STAN	
3221	PREN 2438	Steel FE-PL62 900 MPa Less Than or Equal to Rm Less Than or Equal to 1100 MPa Bars De Less Than or Equal to 40 mm Aerospace Series - Edition 1	1981	ASD-STAN	
3222	PREN 2454	Steel FE-PL73 880 MPa Less Than or Equal to Rm Less Than or Equal to 1080 MPa Bars De Less Than or Equal to 150 mm Aerospace Series - Edition 1	1981	ASD-STAN	
3223	PREN 2387	Aluminium Alloy 2014 A-T6 Tubes for Structures 0,6 Less Than or Equal to a Less Than or Equal to 12,5 mm Aerospace Series - Edition 1	1981	ASD-STAN	
3224	PREN 2458	Steel FE-PL48 950 MPa Less Than or Equal to Rm Less Than or Equal to 1100 MPa Bars De Less Than or Equal to 100 mm Aerospace Series - Edition 1	1981	ASD-STAN	
3225	PREN 2444	Steel FE-PL711 900 MPa Less Than or Equal to Rm Less Than or Equal to 1100 MPa Bars and Wires De Less Than or Equal to 45 mm Aerospace Series - Edition 1	1981	ASD-STAN	
3226	PREN 2443	Steel FE-PL711 1100 MPa Less Than or Equal to Rm Less Than or Equal to 1300 MPa Forgings De Less Than or Equal to 25 mm Aerospace Series - Edition 1	1981	ASD-STAN	

3227	PREN 2480	Steel FE-PL76 1250 MPa Less Than or Equal to Rm Less Than or Equal to 1400 MPa Bars De Less Than or Equal to 75 mm Aerospace Series - Edition 1	1981	ASD-STAN	
3228	PREN 2447	Steel FE-PL45 1100 MPa Less Than or Equal to Rm Less Than or Equal to 1300 MPa Forgings De Less Than or Equal to 25 mm Aerospace Series - Edition 1	1981	ASD-STAN	
3229	PREN 2460	Steel FE-PM32 600 MPa Less Than or Equal to Rm Less Than or Equal to 800 MPa Bars De Less Than or Equal to 70 mm Aerospace Series - Edition 1	1981	ASD-STAN	
3230	PREN 2391	Aluminium Alloy 6061-T4 Tubes for Structures 0,6 mm Less Than or Equal to a Less Than or Equal to 12,5 mm Aerospace Series - Edition 1	1981	ASD-STAN	
3231	PREN 2324	Aluminium Alloy 2014A-T6 Bars and Sections a Less Than or Equal to 150 mm Aerospace Series - Edition 1	1980	ASD-STAN	
3232	PREN 2193	Heat Resisting Nickel Base Alloy NI-P101-HT Solution Treated and Precipitation Treated Bars Aerospace Series - Edition 1	1980	ASD-STAN	
3233	PREN 2064	Bearings Spherical Plain in Corrosion Resisting Steel with Self Lubricating Liners Technical Specification Aerospace Series - Edition 1	1980	ASD-STAN	
3234	PREN 2293	Heat Resisting Nickel Base Alloy NI-P91-HT Rp0,2 Greater Than or Equal to 230 MPa Sheets and Strips 0,25 mm Less Than a Less Than or Equal to 3 mm Aerospace Series - Edition 1	1980	ASD-STAN	
3235	PREN 2302	Heat Resisting Nickel Base Alloy NI-P91-HT Rp0,2 Greater Than or Equal to 310 MPa Sheets and Strips 0,25 mm Less Than a Less Than or Equal to 3 mm Aerospace Series - Edition 1	1980	ASD-STAN	
3236	PREN 2100	Aluminium Alloy 2014A- T451 - Bars and Sections a Less Than or Equal to 200 mm Aerospace Series - Edition 1	1980	ASD-STAN	
3237	PREN 2315	Aluminium Alloy 7075-T73510 or T73511 Bars and Sections a Less Than or Equal to 100 mm Aerospace Series - Edition 1	1980	ASD-STAN	
3238	PREN 2396	Heat Resisting Nickel Base Alloy NI-P95-HT Cold Worked, Solution Treated and Precipitation Treated Bars for Machined Bolts D Less Than or Equal to 25 mm Aerospace Series - Edition 1	1980	ASD-STAN	
3239	PREN 2316	Aluminium Alloy 7075-T73 Bars and Sections a Less Than or Equal to 100 mm Aerospace Series - Edition 1	1980	ASD-STAN	
3240	PREN 2400	Heat Resisting Nickel Base Alloy NI-P96-HT Cold Drawn and Precipitation Treated Wires D Less Than or Equal to 10 mm Aerospace Series - Edition 1	1980	ASD-STAN	
3241	PREN 2243-1	Structural Adhesives Test Methods Part 1 - Single Lap Shear Aerospace Series - Edition 1	1980	ASD-STAN	
3242	PREN 2321	Aluminium Alloy 2024-T3 Bars and Sections a Less Than or Equal to 150 mm Aerospace Series - Edition 1	1980	ASD-STAN	
3243	PREN 2406	Heat Resisting Nickel Base Alloy NI-P101-HT Solution Treated and Precipitation Treated Bars for Forged Bolts D Less Than or Equal to 25 mm Aerospace Series - Edition 1	1980	ASD-STAN	
3244	PREN 2323	Aluminium Alloy 2014A-T651 Bars a Less Than or Equal to 200 mm Aerospace Series - Edition 1	1980	ASD-STAN	
3245	PREN 2155-8	Test Methods for Transparent Materials for Aircraft Glazing - Part 8 - Determination of Optical Distortion Aerospace Series - Edition 1	1980	ASD-STAN	
3246	PREN 2397	Heat Resisting Nickel Base Alloy NI-P95-HT Cold Worked, Solution Treated and Precipitation Treated Bars for Forged bolts D Less Than or Equal to 25 mm Aerospace Series - Edition 1	1980	ASD-STAN	
3247	PREN 2325	Aluminium Alloy 2014A-T6 Bars a Less Than or Equal to 100 mm Aerospace Series - Edition 1	1980	ASD-STAN	
3248	PREN 2341	Aluminium and Aluminium Alloy Square and Rectangular Extruded Bars Dimensions Aerospace Series - Edition 1	1980	ASD-STAN	
3249	PREN 2127	Aluminium Alloy 7075-T7351 Bars and Sections A Less Than or Equal to 100 mm Aerospace Series - Edition 1	1980	ASD-STAN	
3250	PREN 2093	Aluminium Alloy 7009 - T736 - Hand Forgings - a Less Than or Equal to 150 mm Aerospace Series - Edition 1	1980	ASD-STAN	
3251	PREN 2306	Heat Resisting Nickel Base Alloy NI-P9-HT Annealed Bars Aerospace Series - Edition 1	1980	ASD-STAN	
3252	PREN 2401	Heat Resisting Nickel Base Alloy NI-P96-HT Solution Treated and Precipitation Treated Wires D Less Than or Equal to 10 mm Aerospace Series - Edition 1	1980	ASD-STAN	
3253	PREN 2085	Aluminium Alloy 2618A - T6 Forgings a Less Than or Equal to 150 mm Aerospace Series - Edition 1	1980	ASD-STAN	
3254	PREN 2318	Aluminium Alloy 2024-T3510 or T3511 - Bars and Sections 1,2 mm Less Than or Equal to a Less Than or Equal to 150 mm Aerospace Series - Edition 1	1980	ASD-STAN	
3255	PREN 2399	Heat Resisting Steel FE-PA92-HT Rm Greater Than or Equal to 900 MPa Bars for Forged Bolts D Less Than or Equal to 25 mm Aerospace Series - Edition 1	1980	ASD-STAN	

3256	PREN 2155	Test Methods of Transparent Materials for Aircraft Glazing Aerospace Series - Edition 1	1980	ASD-STAN	
3257	PREN 2280	Steel FE-PM37 900 MPa Less Than or Equal to Rm Less Than or Equal to 1100 MPa Sheet a Less Than or Equal to 6 mm Aerospace Series - Edition 1	1979	ASD-STAN	
3258	PREN 2271	Steel FE-PM13 S 1800 MPa Less Than or Equal to Rm Less Than or Equal to 2000 MPa Forgings De Less Than or Equal to 70 mm Aerospace Series - Edition 1	1979	ASD-STAN	
3259	PREN 2312	Steel FE-PM42 Rm Greater Than or Equal to 1350 MPa Forgings De Less Than or Equal to 100 mm Aerospace Series - Edition 1	1979	ASD-STAN	
3260	PREN 2309	Hole Sizes for Solid Rivets Aerospace Series - Edition 1	1979	ASD-STAN	
3261	PREN 2281	Steel FE-PM42 900 MPa Less Than or Equal to Rm Less Than or Equal to 1100 MPa Forgings De Less Than or Equal to 100 mm Aerospace Series - Edition 1	1979	ASD-STAN	
3262	PREN 2276	Steel FE-PA95 1750 MPa Less Than or Equal to Rm Less Than or Equal to 2000 MPa Sheet and Plate a Less Than or Equal to 40 mm Aerospace Series - Edition 1	1979	ASD-STAN	
3263	PREN 2274	Steel FE-PA95 1750 MPa Less Than or Equal to Rm Less Than or Equal to 2000 MPa Bars De Less Than or Equal to 150 mm Aerospace Series - Edition 1	1979	ASD-STAN	
3264	PREN 2275	Steel FE-PA95 1750 MPa Less Than or Equal to Rm Less Than or Equal to 2000 MPa Forgings De Less Than or Equal to 150 mm Aerospace Series - Edition 1	1979	ASD-STAN	
3265	PREN 2273	Steel FE-PM13 S 1800 MPa Less Than or Equal to Rm Less Than or Equal to 2000 MPa Sheet and Plate a Less Than or Equal to 30 mm Aerospace Series - Edition 1	1979	ASD-STAN	
3266	PREN 2158-3	MJ Threads Part 3 - Tolerances and Limiting Dimensions Aerospace Series - Edition 1	1979	ASD-STAN	
3267	PREN 2195	Heat Resisting Nickel Base Alloy NI-P101-HT Solution Treated and Precipitation Treated Sheet and Strip a Less Than or Equal to 3 mm Aerospace Series - Edition 1	1979	ASD-STAN	
3268	PREN 2158-2	MJ Threads Part 2 - Selection of Nominal Diameters - Pitches - Tolerances Aerospace Series - Edition 1	1979	ASD-STAN	
3269	PREN 2136	Steel FE-PM42 900 MPa Less Than or Equal to Rm Less Than or Equal to 1100 MPa Bars De Less Than or Equal to 100 mm Aerospace Series - Edition 1	1979	ASD-STAN	
3270	PREN 2272	Steel FE-PM13 S 1550 MPa Less Than or Equal to Rm Less Than or Equal to 1750 MPa Forgings De Less Than or Equal to 70 mm Aerospace Series - Edition 1	1979	ASD-STAN	
3271	PREN 2257	Circular Structural Tubes in Aluminium and Aluminium Alloys Dimensions Aerospace Series - Edition 1	1979	ASD-STAN	
3272	PREN 2158-1	MJ Threads Part 1 - Basic Profile Aerospace Series - Edition 1	1979	ASD-STAN	
3273	PREN 2173	Heat Resisting Steel FE-PA93-HT Solution Treated and Precipitation Treated Bars Aerospace Series - Edition 1	1979	ASD-STAN	
3274	PREN 2201	Heat Resisting Nickel Base Alloy NI-P105-HT Solution Treated and Precipitation Treated Bars and Sections for Welded Rings Aerospace Series - Edition 1	1979	ASD-STAN	
3275	PREN 2279	Steel FE-PM37 900 MPa Less Than or Equal to Rm Less Than or Equal to 1100 MPa Forgings De Less Than or Equal to 150 mm Aerospace Series - Edition 1	1979	ASD-STAN	
3276	PREN 2313	Steel FE-PM42 Rm Greater Than or Equal to 1350 MPa Bars De Less Than or Equal to 100 mm Aerospace Series - Edition 1	1979	ASD-STAN	
3277	PREN 2188	Heat Resisting Nickel Base Alloy NI-P95-HT Solution Treated and Precipitation Treated Bar Aerospace Series - Edition 1	1978	ASD-STAN	
3278	PREN 2108	Acrylonitrile-Butadiene Rubber (NBR) Hardness 80 Characteristics Aerospace Series - Edition 1	1978	ASD-STAN	
3279	PREN 2106	Acrylonitrile-Butadiene Rubber (NBR) Hardness 60 Characteristics Aerospace Series - Edition 1	1978	ASD-STAN	
3280	PREN 2066	Extruded Sections in Aluminium and Aluminium Alloys General Tolerances Aerospace Series - Edition 1	1978	ASD-STAN	
3281	PREN 2109	Chloroprene Rubber (CR) Hardness 40 Characteristics Aerospace Series - Edition 1	1978	ASD-STAN	
3282	PREN 2216	Steel FE-PL52 S 1050 MPa Less Than or Equal to Rm Less Than or Equal to 1250 MPa Sheets a Less Than or Equal to 2 mm Aerospace Series - Edition 1	1977	ASD-STAN	
3283	PREN 2159	Steel FE-PM44 Hardened and Tempered Bars D Less Than or Equal to 150 mm Aerospace Series - Edition 1	1977	ASD-STAN	
3284	PREN 2214	Steel FE-PL52 S 1080 MPa Less Than or Equal to Rm Less Than or Equal to 1250 MPa Bars De Less Than or Equal to 100 mm Aerospace Series - Edition 1	1977	ASD-STAN	
3285	PREN 2225	Steel FE-PL32 Hardened and Tempered Hand and Die Forgings Aerospace Series - Edition 1	1977	ASD-STAN	

3286	PREN 2219	Steel FE-PL52 S 1030 MPa Less Than or Equal to Rm Less Than or Equal to 1230 MPa Tubes for Structures a Less Than or Equal to 2 mm d Greater Than or Equal to 5a Aerospace Series - Edition 1	1977	ASD-STAN	
3287	PREN 2221	Steel FE-PL31 Hardened and Tempered Hollow Bars 3.5 mm Less Than or Equal to a Less Than or Equal to 55 mm Aerospace Series - Edition 1	1977	ASD-STAN	
3288	PREN 2120	Steel FE-PA12 - Softened and Cold Drawn - Bars and Wires 0,25 mm Less Than or Equal to D Less Than or Equal to 2,5 mm Aerospace Series - Edition 1	1977	ASD-STAN	
3289	PREN 2207	Steel FE-PL43 S 900 MPa Less Than or Equal to Rm Less Than or Equal to 1100 MPa Hand And Die Forgings De Less Than or Equal to 40 mm Aerospace Series - Edition 1	1977	ASD-STAN	
3290	PREN 2222	Steel FE-PL31 Hardened and Tempered Hand and Die Forgings Aerospace Series - Edition 1	1977	ASD-STAN	
3291	PREN 2228	Steel FE-PA12 500 MPa Less Than or Equal to Rm Less Than or Equal to 700 MPa Sheets 0.5 mm Less Than or Equal to a Less Than or Equal to 6 mm Aerospace Series - Edition 1	1977	ASD-STAN	
3292	PREN 2208	Steel FE-PL43 S 650 MPa Less Than or Equal to Rm Less Than or Equal to 850 MPa Hand And Die Forgings De Less Than or Equal to 150 mm Aerospace Series - Edition 1	1977	ASD-STAN	
3293	PREN 2209	Steel FE-PL43 S 900 MPa Less Than or Equal to Rm Less Than or Equal to 1100 MPa Sheets, Strips and Plates 0.5 mm Less Than or Equal to a Less Than or Equal to 20 mm Aerospace Series - Edition 1	1977	ASD-STAN	
3294	PREN 2220	Steel FE-PL52 S 1080 MPa Less Than or Equal to Rm Less Than or Equal to 1250 MPa Tubes for Structures 2 mm Less Than or Equal to a Less Than or Equal to 20 mm d Less Than or Equal to 5a Aerospace Series - Edition 1	1977	ASD-STAN	
3295	PREN 2205	Steel FE-PL43 S 900 MPa Less Than or Equal to Rm Less Than or Equal to 1100 MPa Bars De Less Than or Equal to 40 mm Aerospace Series - Edition 1	1977	ASD-STAN	
3296	PREN 2211	Steel FE-PL43 S 900 MPa Less Than or Equal to Rm Less Than or Equal to 1100 MPa Tubes for Structures 2 mm Less Than or Equal to a Less Than or Equal to 12 mm d Greater Than or Equal to 5 a Aerospace Series - Edition 1	1977	ASD-STAN	
3297	PREN 2215	Steel FE-PL52 S 980 MPa Less Than or Equal to Rm Less Than or Equal to 1180 MPa Sheets 0.5 mm Less Than or Equal to a Less Than or Equal to 6 mm Aerospace Series - Edition 1	1977	ASD-STAN	
3298	PREN 2206	Steel FE-PL43 S 650 MPa Less Than or Equal to Rm Less Than or Equal to 850 MPa Bars De Less Than or Equal to 150 mm Aerospace Series - Edition 1	1977	ASD-STAN	
3299	PREN 2031	Steel FE-PL31 Hardened and Tempered Bars Aerospace Series - Edition 1	1977	ASD-STAN	
3300	PREN 2223	Steel FE-PL32 Hardened and Tempered Bars Aerospace Series - Edition 1	1977	ASD-STAN	
3301	PREN 2218	Steel FE-PL52 S 980 MPa Less Than or Equal to Rm Less Than or Equal to 1180 MPa Tubes for Structures a Less Than or Equal to 4 mm d Greater Than or Equal to 5a Aerospace Series - Edition 1	1977	ASD-STAN	
3302	PREN 2217	Steel FE-PL52 S 1080 MPa Less Than or Equal to Rm Less Than or Equal to 1250 MPa Sheets and Plates 2 mm Less Than or Equal to a Less Than or Equal to 20 mm Aerospace Series - Edition 1	1977	ASD-STAN	
3303	PREN 2210	Steel FE-PL43 S 650 MPa Less Than or Equal to Rm Less Than or Equal to 850 MPa Tubes for Structures 0.5 mm Less Than or Equal to a Less Than or Equal to 12 mm d Greater Than or Equal to 5 a Aerospace Series - Edition 1	1977	ASD-STAN	
3304	PREN 2224	Steel FE-PL32 Hardened and Tempered Hollow Bars 3.5 mm Less Than or Equal to a Less Than or Equal to 55 mm Aerospace Series - Edition 1	1977	ASD-STAN	
3305	PREN 2247	Steel FE-PL43S 650 MPa Less Than or Equal to Rm Less Than or Equal to 850 MPa Tubes for Structures 0,5 mm Less Than or Equal to a Less Than or Equal to 12 mm d Greater Than or Equal to 5 a Aerospace Series - Edition 1	1977	ASD-STAN	
3306	PREN 2125	Aluminium Alloy AL-P16 - T6151 - Plates 6 mm Less Than a Less Than or Equal to 120 mm Aerospace Series - Edition 1	1977	ASD-STAN	
3307	PREN 2081	Non-Metallic Bodied Pulleys with Ball Bearings - for Control Cables Dimensions and Loads Aerospace Series - Edition 1	1977	ASD-STAN	
3308	PREN 2212	Steel FE-PL43 S 670 MPa Less Than or Equal to Rm Less Than or Equal to 870 MPa Sheets, Strips and Plates 0.5 mm Less Than or Equal to a Less Than or Equal to 20 mm Aerospace Series - Edition 1	1977	ASD-STAN	
3309	PREN 2227	Steel FE-PM44 Hardened and Tempered Hand and Die Forgings De Less Than or Equal to 150 mm Aerospace Series - Edition 1	1977	ASD-STAN	
3310	PREN 2036	Round Steel Bars - Ground Dimensions - Tolerance h 8 Aerospace Series - Edition 1	1976	ASD-STAN	
3311	PREN 2039	Rectangular Steel Bars - Drawn Dimensions - Tolerances h 11/h 12 Aerospace Series - Edition 1	1976	ASD-STAN	
3312	PREN 2059	Top Hat Section Aluminium Alloy Folded Profiles Dimensions Aerospace Series - Edition 1	1976	ASD-STAN	
3313	PREN 2008	Precision Ball Bearings for Instruments and Equipment Type BC- Without Flange Dimensions Aerospace Series - Edition 1	1976	ASD-STAN	

3314	PREN 2045	Square Aluminium Alloy Bars - Drawn Dimensions - Tolerance h 11 Aerospace Series - Edition 1	1976	ASD-STAN	
3315	PREN 2038	Hexagonal Steel Bars - Drawn Dimensions - Tolerance h 9 Aerospace Series - Edition 1	1976	ASD-STAN	
3316	PREN 2052	L-Section Aluminium Alloy Folded Profiles with Internally Lipped Flanges Dimensions Aerospace Series - Edition 1	1976	ASD-STAN	
3317	PREN 2035	Round Steel Bars - Drawn Dimensions - Tolerance h 9 Aerospace Series - Edition 1	1976	ASD-STAN	
3318	PREN 2041	Square Steel Bars - Drawn Dimensions - Tolerances h 11/h 12 Aerospace Series - Edition 1	1976	ASD-STAN	
3319	PREN 2046	Hexagonal Aluminium Alloy Bars - Drawn Dimensions - Tolerance h 11 Aerospace Series - Edition 1	1976	ASD-STAN	
3320	PREN 2051	L-Section Aluminium Alloy Folded Profiles Dimensions Aerospace Series - Edition 1	1976	ASD-STAN	
3321	PREN 2034	Round Steel Bars Drawn and/or Descaled Dimensions - Tolerance h 11 Aerospace Series - Edition 1	1976	ASD-STAN	
3322	PREN 2037	Hexagonal Steel Bars - Drawn Dimensions - Tolerances h 11 and h 12 Aerospace Series - Edition 1	1976	ASD-STAN	
3323	PREN 2042	Square Steel Bars - Rolled Dimensions - Tolerance js 16 Aerospace Series - Edition 1	1976	ASD-STAN	
3324	PREN 2040	Rectangular Steel Bars - Rolled Dimensions - Tolerance js 16 Aerospace Series - Edition 1	1976	ASD-STAN	
3325	PREN 2063	Airframe Rolling Bearings - Technical Specification - Aerospace Series - Edition 1	1975	ASD-STAN	
3326	PREN 2002-4	Test Methods for Metallic Materials Part 4 Calibration of Dynamometric Calibration Devices Aerospace Series - Edition 1	1975	ASD-STAN	
3327	PREN 2002-3	Test Methods for Metallic Materials Part 3 Load Calibration of Tensile Testing Machines Aerospace Series - Edition 1	1975	ASD-STAN	
3328	PREN 2028	Split Pins in Corrosion Resistant Steel Aerospace Series - Edition 1	1975	ASD-STAN	

Hercules Ebooks Institute

www.herculesebooks.com info@herculesebooks.com +989141908737