

**Standards Manager Web Standards List**  
**AWWA-American Water Works Association**

<b>Id</b>	<b>Number</b>	<b>Title</b>	<b>Year</b>	<b>Organization</b>	<b>Page</b>
1	M71	Climate Action Plansù Adaptive Management Strategies for Utilities	2021	AWWA	
2	B304	Liquid Oxygen	2021	AWWA	
3	C605	Underground Installation of Polyvinyl Chloride (PVC) Pressure Pipe and Fittings for Water	2021	AWWA	
4	D102	Coating Steel Water-storage Tanks	2021	AWWA	
5	J100	Risk and Resilience Management of Water and Wastewater Systems	2021	AWWA	
6	C516	Large-Diameter Rubber-Sealed Butterfly Valves, 78 in (2000mm) and Larger	2021	AWWA	
7	C671	Online Turbidimeter Operation and Maintenance	2021	AWWA	
8	C800	Underground Service Line Valves and Fittings	2021	AWWA	
9	C906	Polyethylene (PE) Pressure Pipe and Fittings, 4 In. thru 65 In. (100 mm Through 1650 mm), for Waterworks	2021	AWWA	
10	D100	Welded Steel Tanks for Water Storage	2021	AWWA	
11	G200	Distribution Systems Operation and Management	2021	AWWA	
12	C203	Coal-Tar Protective Coatings and Linings for Steel Water Pipelines - Enamel and Tape - Hot Applied	2020	AWWA	
13	C214	Tape Coating Systems for the Exterior of Steel Water Pipelines	2020	AWWA	
14	M55	PE Pipe--Design and Installation	2020	AWWA	
15	M72	Knife Gate Valves	2020	AWWA	
16	M23	PVC Pipe - Design and Installation	2020	AWWA	0
17	M75	Elastomers for Waterworks: Pipes, Valves, and Fittings	2020	AWWA	0
18	C514	Air Valve and Vent Inflow Preventer Assemblies for Potable Water Distribution System and Storage Facilities	2020	AWWA	
19	C515	Reduced-Wall, Resilient-Seated Gate Valves for Water Supply Service	2020	AWWA	
20	C670	Online Chlorine Analyzer Operation and Maintenance	2020	AWWA	
21	C700	Cold-Water Meters - Displacement Type, Bronze Main Case	2020	AWWA	
22	C710	Cold-Water Meters Displacement Type, Plastic Main Case	2020	AWWA	
23	C901	Polyethylene (PE) Pressure Pipe and Tubing, 1/2 IN. (13 mm) Through 3 in. (76 mm), for Water Service	2020	AWWA	
24	G480	Water Conservation Program Operation and Management	2020	AWWA	
25	G485	Potable Reuse Program Operation and Management	2020	AWWA	
26	A100	Water Wells	2020	AWWA	0
27	B102	Manganese Greensand for Filters	2020	AWWA	0
28	B406	Ferric Sulfate	2020	AWWA	0
29	B452	EPI-DMA Polyamines	2020	AWWA	0
30	C115/A21.15	Flanged Ductile-Iron Pipe With Ductile-Iron or Gray-Iron Threaded Flanges	2020	AWWA	0
31	C225	Fused Polyolefin Coating systems for the Exterior of Steel Water Pipelines	2020	AWWA	0
32	C229	Fusion-Bonded Polyethylene Coating for Steel Water Pipe and Fittings	2020	AWWA	0
33	C653	Disinfection of Water Treatment Plants	2020	AWWA	0
34	C950	Fiberglass Pressure Pipe	2020	AWWA	0
35	D106	Standard for Sacrificial-Anode Cathodic Protection Systems for the Interior Submerged Surfaces of Steel Water Tanks	2020	AWWA	0
36	D115	Circular Prestressed Concrete Water Tanks with Circumferential Tendons	2020	AWWA	0

37	D120	Thermosetting Fiberglass-Reinforced Plastic Tanks	2019	AWWA	0
38	D108	Aluminum Dome Roofs For Water Storage Facilities	2019	AWWA	0
39	F101	Contact-Molded, Fiberglass-Reinforced Plastic Wash Water Troughs and Launderers	2019	AWWA	0
40	F102	Matched-Die-Molded, Fiberglass-Reinforced Plastic Weir Plates, Scum Baffles, and Mounting Brackets	2019	AWWA	0
41	C702	Cold-Water Meters Compound Type	2019	AWWA	0
42	C703	Cold-Water Meters - Fire Service Type	2019	AWWA	0
43	C704	Propeller-Type Meters for Waterworks Applications	2019	AWWA	0
44	C620	Spray-Applied In-Place Epoxy Lining of Water Pipelines, 3 in. and Larger	2019	AWWA	0
45	C622	Pipe Bursting of Potable Water Mains 4 In. (100 mm) to 36 In. (900 mm)	2019	AWWA	0
46	C652	Disinfection of Water-storage Facilities	2019	AWWA	0
47	C708	Cold-Water Meters Multijet Type	2019	AWWA	0
48	C712	Cold-Water Meters - Singlejet Type	2019	AWWA	0
49	C713	Cold-Water Meters: Fluidic-Oscillator Type	2019	AWWA	0
50	C714	Cold-Water Meters for Residential Fire Sprinkler Systems in One- and Two-Family Dwellings and Manufactured Homes	2019	AWWA	0
51	C750	Transit-Time Flowmeters in Full Closed Conduits	2019	AWWA	0
52	C751	Magnetic Inductive Flowmeters	2019	AWWA	0
53	C301	Prestressed Concrete Pressure Pipe, Steel-cylinder Type	2019	AWWA	0
54	C304	Design of Prestressed Concrete Cylinder Pipe	2019	AWWA	0
55	C500	Metal-seated Gate Valves for Water Supply Service	2019	AWWA	0
56	C223	Fabricated Steel and Stainless Steel Tapping Sleeves	2019	AWWA	0
57	C520	Knife Gate Valves, Sizes 2 In. (50 mm) Through 96 In. (2,400 mm)	2019	AWWA	0
58	C228	Stainless-Steel Pipe Flanges for Water Service--Sizes 2 In. Through 72 In. (50 mm Through 1,800 mm)	2019	AWWA	0
59	C209	Cold-Applied Tape Coatings for the Exterior of Special Sections, Connections, and Fittings for Steel Water Pipelines	2019	AWWA	0
60	C153/A21.53	Ductile-Iron Compact Fittings	2019	AWWA	0
61	B453	Polyacrylamide	2019	AWWA	0
62	B501	Sodium Hydroxide (Caustic Soda)	2019	AWWA	0
63	B202	Quicklime and Hydrated Lime	2019	AWWA	0
64	B703	Fluorosilicic Acid	2019	AWWA	0
65	B112	Microfiltration and Ultrafiltration Membrane Systems	2019	AWWA	0
66	B116	Electrodialysis and Ion-Exchange Membrane Systems	2019	AWWA	0
67	10123	Let's Talk Safety 2019: 52 Talks on Common Utility Safety Practices for Water Professionals	2019	AWWA	0
68	M24	Dual Water Systems Second Edition	2019	AWWA	
69	C701	Cold-Water Meters Turbine Type, for Customer Service	2019	AWWA	
70	M77	Condition Assessment of Water Mains	2019	AWWA	0
71	M60	Drought Preparedness and Response	2019	AWWA	0
72	M69	Inland Desalination and Concentrate Management	2019	AWWA	0
73	D130	Flexible-Membrane Materials for Potable Water Applications	2019	AWWA	0
74	C226	Stainless Steel Fittings for Waterworks Service, Sizes 1/2 In. Through 72 In. (15 mm Through 1800 mm)	2019	AWWA	
75	D103	Factory-coated Bolted Steel Tanks for Water Storage	2019	AWWA	0
76	20504	NULL	2018	AWWA	0
77	M62	NULL	2018	AWWA	0

78	B130	Membrane Bioreactor Systems	2018	AWWA	0
79	B201	Soda Ash	2018	AWWA	0
80	M33	Flowmeters in Water Supply First Edition	2018	AWWA	0
81	E200	NULL	2018	AWWA	0
82	F120	NULL	2018	AWWA	0
83	G400	Utility Management System	2018	AWWA	0
84	G485	NULL	2018	AWWA	0
85	M19	Emergency Planning for Water Utility Management Fourth Edition	2018	AWWA	0
86	C507	Ball Valves, 6 in. Through 48 in. (150mm Through 1200 mm) Fourth Edition	2018	AWWA	0
87	C519	NULL	2018	AWWA	0
88	C655	Field Dechlorination	2018	AWWA	0
89	C715	NULL	2018	AWWA	0
90	C105/A21.5	Polyethylene Encasement for Ductile-Iron Pipe Systems	2018	AWWA	0
91	B301	Liquid Chlorine	2018	AWWA	0
92	B304	Liquid Oxygen	2018	AWWA	0
93	B604	Granular Activated Carbon	2018	AWWA	0
94	B605	Granular Activated Carbon	2018	AWWA	0
95	C205	Cement-Mortar Protective Lining and Coating for Steel Water Pipe - 4 in. (100 mm) and Larger - Shop Applied	2018	AWWA	0
96	C521	Plastic Ball Valves	2018	AWWA	0
97	C518	Dual-Disc Swing-Check Valves for Waterworks Service	2018	AWWA	0
98	C502	Dry-Barrel Fire Hydrants	2018	AWWA	0
99	C503	Wet-Barrel Fire Hydrants	2018	AWWA	0
100	C305	CFPR Renewal and Strengthening of Prestressed Concrete Cylinder Pipe (PCCP)	2018	AWWA	0
101	C621	Internal Pipe Joint Seal Assemblies for Water Service	2018	AWWA	0
102	G410	Business Practices for Operation and Management	2018	AWWA	0
103	M6 add	Water Meters - Selection, Installation, Testing, and Maintenance	2018	AWWA	0
104	M11 errata	Steel Pipe: A Guide for Design and Installation	2018	AWWA	0
105	D110	Wire- and Strand-Wound, Circular-prestressed Concrete Water Tanks	2018	AWWA	0
106	B303	Sodium Chlorite	2018	AWWA	0
107	B402	Ferrous Sulfate	2018	AWWA	0
108	B300	Hypochlorites	2018	AWWA	0
109	B407	Liquid Ferric Chloride	2018	AWWA	0
110	B408	Liquid Polyaluminum Chloride	2018	AWWA	0
111	B504	Monosodium Phosphate, Anhydrous	2018	AWWA	0
112	B505	Disodium Phosphate, Anhydrous	2018	AWWA	0
113	B506	Zinc Orthophosphate	2018	AWWA	0
114	B510	Carbon Dioxide	2018	AWWA	0
115	B701	Sodium Fluoride Seventh Edition	2018	AWWA	0
116	B702	Sodium Fluorosilicate	2018	AWWA	0
117	C207	Steel Pipe Flanges for Waterworks Service Sizes 4 in Through 144 in. (100 mm Through 3,600 mm)	2018	AWWA	0
118	C221	Fabricated Steel Mechanical Slip-Type Expansion Joints	2018	AWWA	0

119	C222	Polyurethane Coatings for the Interior and Exterior of Steel Water Pipe and Fittings First Edition	2018	AWWA	0
120	C224	Two-Layer Nylon-II-Based Polyamide Coating System for the Interior and Exterior of Steel Water Pipe, Connections, Fittings, and Special Sections	2017	AWWA	0
121	C227	Bolted, Split-Sleeve Restrained and Nonrestrained Couplings for Plain-End Pipe	2017	AWWA	0
122	C208	Dimensions for Fabricated Steel Water Pipe Fittings	2017	AWWA	0
123	B502	Sodium Polyphosphate, Glassy (Sodium Hexametaphosphate)	2017	AWWA	0
124	B503	Sodium Tripolyphosphate	2017	AWWA	0
125	C111-A21.11	NULL	2017	AWWA	0
126	C151-A21.51	NULL	2017	AWWA	0
127	C200	Steel Water Pipe - 6 in. (150 mm) and Larger	2017	AWWA	0
128	C206	Field Welding of Steel Water Pipe	2017	AWWA	0
129	B511	Potassium Hydroxide	2017	AWWA	0
130	B550	Calcium Chloride	2017	AWWA	0
131	B601	Sodium Metabisulfite	2017	AWWA	0
132	B602	Copper Sulfate	2017	AWWA	0
133	20622	NULL	2017	AWWA	0
134	20831	NULL	2017	AWWA	0
135	M11	Steel Pipe - A Guide for Design and Installation	2017	AWWA	0
136	C900-16 Errata	Polyvinyl Chloride (PVC) Pressure Pipe and Fabricated Fittings, 4 In. Through 60 In. (100 mm Through 1,500 mm)	2017	AWWA	0
137	C217a	Microcrystalline Wax and Petrolatum Tape Coating Systems for Steel Water Pipe and Fittings	2017	AWWA	0
138	C810	NULL	2017	AWWA	0
139	B200	Sodium Chloride	2017	AWWA	0
140	C303	Concrete Pressure Pipe, Bar-Wrapped, Steel-cylinder Type	2017	AWWA	0
141	C901	Polyethylene (PE) Pressure Pipe and Tubing, 1/2 IN. (13 mm) Through 3 in. (76 mm), for Water Service	2017	AWWA	0
142	C907	Polyvinyl Chloride (PVC) Pressure Fittings for Water - 4 in. Through 8 in. (100 mm Through 200 mm) First Edition	2017	AWWA	0
143	D102	Coating Steel Water-storage Tanks	2017	AWWA	0
144	D104	Automatically Controlled, Impressed-current Cathodic Protection for the Interior of Steel Water Tanks	2017	AWWA	0
145	C530	Pilot Operated Control Valves	2017	AWWA	0
146	C550	Protective Interior Coatings for Valves and Hydrants	2017	AWWA	0
147	C600	Installation of Ductile-Iron Water Mains and Their Appurtenances	2017	AWWA	0
148	C602	Cement-Mortar Lining of Water Pipelines in Place 4 IN (100 mm) and Larger	2017	AWWA	0
149	C604	Installation of Steel Water Pipe--4 In. (100 mm) and Larger	2017	AWWA	0
150	C508	Swing-check Valves for Waterworks Service, 2-in . Through 24-in. (50-mm Through 600-mm) NPS	2017	AWWA	0
151	C510	Double Check Valve Backflow Prevention Assembly	2017	AWWA	0
152	C511	Reduced-pressure Principle Backflow Prevention Assembly	2017	AWWA	0
153	C218	Coating the Exterior of Aboveground Steel Water Pipelines and Fittings Third Edition	2017	AWWA	0
154	C219	Bolted, Sleeve-Type Couplings for Plain-End Pipe	2017	AWWA	0
155	C220	Stainless-steel Pipe, 4 in.(100 mm) and Larger Addendum C220a-99	2017	AWWA	0
156	C231	NULL	2017	AWWA	0
157	M5	Water Utility Management	2017	AWWA	0
158	G520	NULL	2017	AWWA	0
159	M1	Principles of Water Rates, Fees, and Charges Fifth Edition	2017	AWWA	0

160	G420	Communications and Customer Relations	2017	AWWA	0
161	G440	Emergency Preparedness Practices	2017	AWWA	0
162	G100	Water Treatment Plant Operation and Management	2017	AWWA	0
163	D115	Circular Prestressed Concrete Water Tanks with Circumferential Tendons First Edition	2017	AWWA	0
164	E102	Submersible Vertical Turbine Pumps	2017	AWWA	0
165	M32	Distribution Network Analysis for Water Utilities First Edition	2017	AWWA	0
166	M58	Internal Corrosion Control in Water Distribution Systems	2017	AWWA	0
167	M49	Butterfly Valves: Torque, Head Loss, and Cavitation Analysis First Edition	2017	AWWA	0
168	M50	Water Resources Planning	2017	AWWA	0
169	M52	Water Conservation Programs--A Planning Manual	2017	AWWA	0
170	M68	NULL	2017	AWWA	0
171	M52 Errata	Water Conservation Programs--A Planning Manual	2017	AWWA	0
172	M54	Developing Rates for Small Systems	2016	AWWA	0
173	F110	Ultraviolet Disinfection Systems for Drinking Water	2016	AWWA	0
174	M4	Water Fluoridation Principles and Practices Fourth Edition ; Erratum - August 1995	2016	AWWA	0
175	M11	Steel Pipe - A Guide for Design and Installation Third Edition	2016	AWWA	0
176	C300	Reinforced Concrete Pressure Pipe, Steel-cylinder Type	2016	AWWA	0
177	C302	Reinforced Concrete Pressure Pipe, Noncylinder Type	2016	AWWA	0
178	C517	Resilient-Seated Cast-Iron Eccentric Plug Valves	2016	AWWA	0
179	C541	Hydraulic and Pneumatic Cylinder and Vane-Type Actuators for Valves and Slide Gates	2016	AWWA	0
180	C542	Electric Motor Actuators for Valves and Slide Gates	2016	AWWA	0
181	D106	Standard for Sacrificial-Anode Cathodic Protection Systems for the Interior Submerged Surfaces of Steel Water Tanks	2016	AWWA	0
182	D107	Composite Elevated Tanks for Water Storage	2016	AWWA	0
183	C909	Molecularly Oriented Polyvinyl Chloride (PVCO) Pressure Pipe, 4 in. Through 12 in. (100 mm Through 600 mm), for Water Distribution	2016	AWWA	0
184	C903	Polyethylene-Aluminum-polyethylene & Crosslinked Polyethylene-Aluminum-crosslinked Polyethylene Composite Pressure Pipes, 1/2 in. (12 mm) Through 2 in. (50 mm), for Water Service First Edition	2016	AWWA	0
185	C671	NULL	2016	AWWA	0
186	C900	Polyvinyl Chloride (PVC) Pressure Pipe and Fabricated Fittings, 4 in. Through 12 in.(100 mm Through 300 mm), for Water Distribution	2016	AWWA	0
187	C750	Transit-Time Flowmeters in Full Closed Conduits	2016	AWWA	0
188	C751	NULL	2016	AWWA	0
189	C218	Coating the Exterior of Aboveground Steel Water Pipelines and Fittings	2016	AWWA	0
190	C707	Encoder-Type Remote-Registration Systems for Cold-Water Meters	2016	AWWA	0
191	B100	Granular Filter Material ANSI/AWWA B100-01	2016	AWWA	0
192	B101	Precoat Filter Media	2016	AWWA	0
193	B114	NULL	2016	AWWA	0
194	20691	NULL	2016	AWWA	0
195	M36	Water Audits and Loss Control Programs - Fourth Edition	2016	AWWA	0
196	M44	Distribution Valves: Selection, Installation, Field Testing, and Maintenance - Third Edition	2016	AWWA	0
197	M51	Air-Valves: Air-Release, Air/Vacuum and Combination - Second Edition	2016	AWWA	0
198	M53	Microfiltration and Ultrafiltration Membranes for Drinking Water - Second Edition	2016	AWWA	0

199	1940	NULL	2016	AWWA	0
200	1941	NULL	2016	AWWA	0
201	1942	NULL	2016	AWWA	0
202	1943	NULL	2016	AWWA	0
203	1944	NULL	2016	AWWA	0
204	C904	Cross-Linked Polyethylene (PEX) Pressure Tubing, 1/2 In. (13 mm) Through 3 In. (76 mm), for Water Service	2016	AWWA	0
205	M17	Fire Hydrants: Installation, Field, Testing, and Maintenance - Fifth Edition	2016	AWWA	0
206	B507	NULL	2016	AWWA	0
207	B451	Poly(Diallyldimethylammonium Chloride)	2016	AWWA	0
208	B302	Ammonium Sulfate	2016	AWWA	0
209	B403	Aluminum Sulfate - Liquid, Ground, or Lump	2016	AWWA	0
210	B405	Sodium Aluminate	2016	AWWA	0
211	C104-A21.4	NULL	2016	AWWA	0
212	C215	Extruded Polyolefin Coatings for the Exterior of Steel Water Pipelines	2016	AWWA	0
213	C217	Cold-Applied Petrolatum Tape and Petroleum Wax Tape Coatings for the Exterior of Special Sections, Connections, and Fittings for Buried or Submerged Steel Water Pipelines Third Edition	2016	AWWA	0
214	C230	Stainless-Steel Full-Encirclement Repair and Service Connection Clamps	2016	AWWA	0
215	B600	Powdered Activated Carbon	2016	AWWA	0
216	B603	Permanganates	2016	AWWA	0
217	C606	Grooved and Shouldered Joints	2015	AWWA	0
218	416	Sustainability assessment for water treatment chemical products	2015	AWWA	0
219	A100	Water Wells	2015	AWWA	0
220	C670	Online Chlorine Analyzer Operation and Maintenance	2015	AWWA	0
221	C700	Cold-Water Meters - Displacement Type, Bronze Main Case	2015	AWWA	0
222	C701	Cold-Water Meters Turbine Type, for Customer Service	2015	AWWA	0
223	C702	Cold-Water Meters Compound Type	2015	AWWA	0
224	C703	Cold-Water Meters - Fire Service Type	2015	AWWA	0
225	C704	Propeller-Type Meters for Waterworks Applications	2015	AWWA	0
226	C708	Cold-Water Meters Multijet Type Addendum C708A-98	2015	AWWA	0
227	C710	Cold-Water Meters Displacement Type, Plastic Main Case	2015	AWWA	0
228	C712	Cold-Water Meters - Singlejet Type First Edition	2015	AWWA	0
229	C713	Cold-Water Meters: Fluidic-Oscillator Type	2015	AWWA	0
230	C906	Polyethylene (PE) Pressure Pipe and Fittings, 4 in. (100 mm) Through 63 in. (1,575 mm), for Water Distribution and Transmission	2015	AWWA	0
231	G200	Distribution Systems Operation and Management	2015	AWWA	0
232	B102	Manganese Greensand for Filters	2015	AWWA	0
233	B112	NULL	2015	AWWA	0
234	B116	NULL	2015	AWWA	0
235	B305	Anhydrous Ammonia	2015	AWWA	0
236	B306	Aqua Ammonia (Liquid Ammonium Hydroxide)	2015	AWWA	0
237	B512	Sulfur Dioxide	2015	AWWA	0
238	C203	Coal-Tar Protective Coatings and Linings for Steel Water Pipelines - Enamel and Tape - Hot Applied	2015	AWWA	0

239	C210	Liquid-Epoxy Coating Systems for the Interior and Exterior of Steel Water Pipelines	2015	AWWA	0
240	C213	Fusion-Bonded Epoxy Coating for the Interior and Exterior of Steel Water Pipelines	2015	AWWA	0
241	C216	Heat-shrinkable Cross-Linked Polyolefin Coatings for the Exterior of Special Sections, Connections, and Fittings for Steel Water Pipelines	2015	AWWA	0
242	C229	Fusion-Bonded Polyethylene Coating for Steel Water Pipe and Fittings	2015	AWWA	0
243	C504	Rubber-seated Butterfly Valves	2015	AWWA	0
244	C507	Ball Valves, 6 in. Through 48 in. (150mm Through 1200 mm) Fourth Edition	2015	AWWA	0
245	E103	Horizontal and Vertical Line-Shaft Pumps	2015	AWWA	0
246	M14	Backflow Prevention and Cross-Connection Control Recommended Practices - Fourth Edition	2015	AWWA	0
247	C509	Resilient-Seated Gate Valves for Water Supply Service	2015	AWWA	0
248	C515	Reduced-Wall, Resilient-Seated Gate Valves for Water Supply Service	2015	AWWA	0
249	M63	Aquifer Storage and Recovery - First Edition	2015	AWWA	0
250	M65	On-Site Generation of Hypochlorite - First Edition	2015	AWWA	0
251	C906-15 Errata	Polyethylene (PE) Pressure Pipe and Fittings, 4 In. thru 65 In. (100 mm Through 1650 mm), for Waterworks	2015	AWWA	0
252	C116/A21.16	Protective Fusion-Bonded Coatings for the Interior and Exterior Surfaces of Ductile-Iron and Gray-Iron Fittings for Water Supply Service	2015	AWWA	0
253	C512	Air Release,Air/ Vacuum, and Combination Air Valves for Waterworks Service Second Edition	2015	AWWA	0
254	C514	Air Valve and Vent Inflow Preventer Assemblies for Potable Water Distribution System and Storage Facilities	2015	AWWA	0
255	C560a	Cast Iron Slide Gates Addendum	2015	AWWA	0
256	M66	Cylinder and Vane Actuators and Controls-Design and Installation	2015	AWWA	0
257	C150/A21.50	Thickness Design of Ductile-Iron Pipe	2014	AWWA	0
258	D121a	Bolted Aboveground Thermosetting Fiberglass-Reinforced Plastic Panel-Type Tanks for Water Storage	2014	AWWA	0
259	M45	Fiberglass Pipe Design - Third Edition	2014	AWWA	0
260	C520	Knife Gate Valves, Sizes 2 In. (50 mm) Through 96 In. (2,400 mm)	2014	AWWA	0
261	C800	Underground Service Line Valves and Fittings	2014	AWWA	0
262	C225	Fused Polyolefin Coatings for Steel Water Pipe	2014	AWWA	0
263	M12	Simplified Procedures for Water Examination - Sixth Edition	2014	AWWA	0
264	M22	Sizing Water Service Lines and Meters - Third Edition	2014	AWWA	0
265	M27	External Corrosion Control for Infrastructure Sustainability - Third Edition	2014	AWWA	0
266	M29	Water Utility Capital Financing - Fourth Edition	2014	AWWA	0
267	C516	Large-Diameter Rubber-Sealed Butterfly Valves, 78 in (2000mm) and Larger	2014	AWWA	0
268	M45	Fiberglass Pipe Design	2014	AWWA	0
269	C304	Design of Prestressed Concrete Cylinder Pipe	2014	AWWA	0
270	G300	Source Water Protection	2014	AWWA	0
271	C651	Disinfecting Water Mains	2014	AWWA	0
272	M3	Safety Practices for Water Utilities Sixth Edition	2014	AWWA	0
273	M21	Groundwater	2014	AWWA	0
274	M28	Rehabilitation of Water Mains	2014	AWWA	0
275	B404	Liquid Sodium Silicate	2014	AWWA	0
276	B406	Ferric Sulfate	2014	AWWA	0
277	B452	EPI-DMA Polyamines	2014	AWWA	0
278	C150	Thickness Design of Ductile-Iron Pipe	2014	AWWA	0

279	C214	Tape Coating Systems for the Exterior of Steel Water Pipelines	2014	AWWA	0
280	C228	Stainless-Steel Pipe Flanges for Water Service--Sizes 2 In. Through 72 In. (50 mm Through 1,800 mm)	2014	AWWA	0
281	C301	Prestressed Concrete Pressure Pipe, Steel-cylinder Type Erratum - January 2000	2014	AWWA	0
282	C502	Dry-Barrel Fire Hydrants Incorporates Addendum C502A -95	2014	AWWA	0
283	C503	Wet-Barrel Fire Hydrants	2014	AWWA	0
284	C560	Cast-Iron Slide Gates Supersedes AWWA C501-927 Errata December 2002	2014	AWWA	0
285	C561	Fabricated Stainless Steel Slide Gates	2014	AWWA	0
286	C562	Fabricated Aluminum Slide Gates	2014	AWWA	0
287	C563	Fabricated Composite Slide Gates	2014	AWWA	0
288	D102	Coating Steel Water-storage Tanks	2014	AWWA	0
289	D121	Bolted Aboveground Thermosetting Fiberglass-Reinforced Plastic Panel-Type Tanks for Water Storage includes Amendment (2014)	2014	AWWA	0
290	G481	Reclaimed Water Program Operation and Management	2014	AWWA	0
291	G430	Security Practices for Operation and Management	2014	AWWA	0
292	G480	Water Conservation Program Operation and Management	2013	AWWA	0
293	G510	Standard for Wastewater Treatment Plant Operations and Management	2013	AWWA	0
294	J100	Risk Analysis and Management for Critical Asset Protection Risk and Resilience Management of Water and Wastewater Systems	2013	AWWA	0
295	F101	Contact-Molded, Fiberglass-Reinforced Plastic Wash Water Troughs and Launderers	2013	AWWA	0
296	F102	Matched-Die-Molded, Fiberglass-Reinforced Plastic Weir Plates, Scum Baffles, and Mounting Brackets	2013	AWWA	0
297	C950	Fiberglass Pressure Pipe	2013	AWWA	0
298	D110	Wire- and Strand-Wound, Circular-prestressed Concrete Water Tanks Addendum A - June 1996; Erratum - January 2001	2013	AWWA	0
299	C714	Cold-Water Meters for Residential Fire Sprinkler Systems in One- and Two-Family Dwellings and Manufactured Homes	2013	AWWA	0
300	C605	Underground Installation of Polyvinyl Chloride (PVC) Pressure Pipe and Fittings for Water First Edition	2013	AWWA	0
301	C653	Disinfection of Water Treatment Plants	2013	AWWA	0
302	C654	Disinfection of Wells Second Edition	2013	AWWA	0
303	C518	Dual-Disc Swing-Check Valves for Waterworks Service	2013	AWWA	0
304	C550	Protective Interior Coatings for Valves and Hydrants	2013	AWWA	0
305	C226	Stainless Steel Fittings for Waterworks Service, Sizes 1/2 In. Through 72 In. (15 mm Through 1800 mm)	2013	AWWA	0
306	C223	Fabricated Steel and Stainless Steel Tapping Sleeves	2013	AWWA	0
307	C207	Steel Pipe Flanges for Waterworks Service Sizes 4 in Through 144 in. (100 mm Through 3,600 mm)	2013	AWWA	0
308	C209	Cold-Applied Tape Coatings for the Exterior of Special Sections, Connections, and Fittings for Steel Water Pipelines	2013	AWWA	0
309	B605	Granular Activated Carbon	2013	AWWA	0
310	C104	Cement Mortar Lining for Ductile Iron Pipe and Fittings for Water	2013	AWWA	0
311	B453	Polyacrylamide ANSI/AWWA 8453-01	2013	AWWA	0
312	B501	Sodium Hydroxide (Caustic Soda)	2013	AWWA	0
313	B506	Zinc Orthophosphate	2013	AWWA	0
314	B304	Liquid Oxygen	2013	AWWA	0
315	B130	Membrane Bioreactor Systems	2013	AWWA	0
316	B201	Soda Ash	2013	AWWA	0
317	B202	Quicklime and Hydrated Lime	2013	AWWA	0
318	M42	Steel Water-storage Tanks	2013	AWWA	0



319	M9 Errata	Concrete Pressure Pipe	2013	AWWA	0
320	M11	Steel Pipe - A Guide for Design and Installation	2013	AWWA	0
321	M56	Fundamentals and Control of Nitrification in Chloraminated Drinking Water Distribution Systems	2013	AWWA	0
322	J100	Risk and Resilience Management of Water and Wastewater Systems - First Edition	2013	AWWA	0
323	C950	Fiberglass Pressure Pipe	2013	AWWA	0
324	M9-2008 Errata	Concrete Pressure Pipe	2013	AWWA	0
325	C905-10 Errata	Polyvinyl Chloride (PVC) Pressure Pipe and Fabricated Fittings, 14 in. Through 48 in. (350 mm through 1,200 mm), for Water Transmission and Distribution	2013	AWWA	0
326	M19	Emergency Planning for Water Utility Management	2012	AWWA	0
327	C110/A21.10	Ductile-Iron and Gray-Iron Fittings	2012	AWWA	0
328	STANDARD METHODS	NULL	2012	AWWA	0
329	M1	Principles of Water Rates, Fees, and Charges	2012	AWWA	0
330	M49	Butterfly Valves: Torque, Head Loss, and Cavitation Analysis	2012	AWWA	0
331	M32	Distribution Network Analysis for Water Utilities	2012	AWWA	0
332	C111-A21.11	NULL	2012	AWWA	0
333	C200	Steel Water Pipe, 6 in. (150 mm) and Larger	2012	AWWA	0
334	B200	Sodium Chloride	2012	AWWA	0
335	B101	Precoat Filter Media	2012	AWWA	0
336	B402	Ferrous Sulfate	2012	AWWA	0
337	B407	Liquid Ferric Chloride	2012	AWWA	0
338	B505	Disodium Phosphate, Anhydrous	2012	AWWA	0
339	B510	Carbon Dioxide	2012	AWWA	0
340	B504	Monosodium Phosphate, Anhydrous	2012	AWWA	0
341	C110	Ductile-Iron and Gray-Iron Fittings, 3 in. Through 48 in (76 mm Through 1219 mm), for Water	2012	AWWA	0
342	B604	Granular Activated Carbon	2012	AWWA	0
343	C200	Steel Water Pipe - 6 in. (150 mm) and Larger	2012	AWWA	0
344	C205	Cement-Mortar Protective Lining and Coating for Steel Water Pipe - 4 in. (100 mm) and Larger - Shop Applied	2012	AWWA	0
345	C208	Dimensions for Fabricated Steel Water Pipe Fittings	2012	AWWA	0
346	C221	Fabricated Steel Mechanical Slip-Type Expansion Joints	2012	AWWA	0
347	C220	Stainless-steel Pipe, 4 in.(100 mm) and Larger Addendum C220a-99	2012	AWWA	0
348	C530	Pilot Operated Control Valves	2012	AWWA	0
349	C701	Cold-Water Meters Turbine Type, for Customer Service	2012	AWWA	0
350	C704	Propeller-Type Meters for Waterworks Applications	2012	AWWA	0
351	C561	Fabricated Stainless Steel Slide Gates	2012	AWWA	0
352	C563	Fabricated Composite Slide Gates	2012	AWWA	0
353	C562	Fabricated Aluminum Slide Gates	2012	AWWA	0
354	C800	Underground Service Line Valves and Fittings	2012	AWWA	0
355	C907	Polyvinyl Chloride (PVC) Pressure Fittings for Water - 4 in. Through 8 in. (100 mm Through 200 mm) First Edition	2012	AWWA	0
356	F110	Ultraviolet Disinfection Systems for Drinking Water	2012	AWWA	0
357	D121	Bolted Aboveground Thermosetting Fiberglass-Reinforced Plastic Panel-Type Tanks for Water Storage	2012	AWWA	0
358	M6	Water Meters - Selection , Installation, Testing, and Maintenance	2012	AWWA	0

359	D130	Flexible-Membrane Materials for Potable Water Applications	2011	AWWA	0
360	G440	Emergency Preparedness Practices	2011	AWWA	0
361	G100	Water Treatment Plant Operation and Management	2011	AWWA	0
362	D100	Welded Steel Tanks for Water Storage	2011	AWWA	0
363	D102	Coating Steel Water-storage Tanks	2011	AWWA	0
364	D104	Automatically Controlled, Impressed-current Cathodic Protection for the Interior of Steel Water Tanks	2011	AWWA	0
365	C708	Cold-Water Meters Multijet Type Addendum C708A-98	2011	AWWA	0
366	C604	Installation of Steel Water Pipe--4 In. (100 mm) and Larger	2011	AWWA	0
367	C602	Cement-Mortar Lining of Water Pipelines in Place 4 IN (100 mm) and Larger	2011	AWWA	0
368	C606	Grooved and Shouldered Joints	2011	AWWA	0
369	C703	Cold-Water Meters - Fire Service Type	2011	AWWA	0
370	C652	Disinfection of Water-storage Facilities	2011	AWWA	0
371	C507	Ball Valves, 6 in. Through 48 in. (150mm Through 1200 mm) Fourth Edition	2011	AWWA	0
372	C300	Reinforced Concrete Pressure Pipe, Steel-cylinder Type	2011	AWWA	0
373	C302	Reinforced Concrete Pressure Pipe, Noncylinder Type	2011	AWWA	0
374	C219	Bolted, Sleeve-Type Couplings for Plain-End Pipe	2011	AWWA	0
375	C224	Two-Layer Nylon-II-Based Polyamide Coating System for the Interior and Exterior of Steel Water Pipe, Connections, Fittings, and Special Sections	2011	AWWA	0
376	C227	Bolted, Split-Sleeve Restrained and Nonrestrained Couplings for Plain-End Pipe	2011	AWWA	0
377	C230	Stainless-Steel Full-Encirclement Repair and Service Connection Clamps	2011	AWWA	0
378	C206	Field Welding of Steel Water Pipe	2011	AWWA	0
379	C153	Ductile-Iron Compact Fittings	2011	AWWA	0
380	C115	Flanged Ductile-Iron Pipe with Threaded Flanges	2011	AWWA	0
381	B701	Sodium Fluoride Seventh Edition	2011	AWWA	0
382	B702	Sodium Fluorosilicate	2011	AWWA	0
383	B703	Fluorosilicic Acid	2011	AWWA	0
384	B503	Sodium Tripolyphosphate	2011	AWWA	0
385	B502	Sodium Polyphosphate, Glassy (Sodium Hexametaphosphate)	2011	AWWA	0
386	B601	Sodium Metabisulfite	2011	AWWA	0
387	M58	Internal Corrosion Control in Water Distribution Systems	2011	AWWA	0
388	M60	Drought Preparedness and Response	2011	AWWA	0
389	M61	Desalination of Seawater	2011	AWWA	0
390	M37	Operational Control of Coagulation and Filtration Processes	2011	AWWA	0
391	C508	Swing-Check Valves for Waterworks Service, 2-In. Through 48-In. (50-mm Through 1,200-mm) NPS	2011	AWWA	0
392	M57	Algae-Source to Treatment	2010	AWWA	0
393	M47	Construction Contact Administration	2010	AWWA	0
394	C105-A21.5	NULL	2010	AWWA	0
395	M23	PVC Pipe - Design and Installation	2010	AWWA	0
396	B600	Powdered Activated Carbon	2010	AWWA	0
397	B550	Calcium Chloride	2010	AWWA	0
398	B603	Potassium Permanganate	2010	AWWA	0
399	B511	Potassium Hydroxide	2010	AWWA	0

400	B408	Liquid Polyaluminum Chloride	2010	AWWA	0
401	B451	PolyDiallyldimethylammonium Chloride)	2010	AWWA	0
402	B302	Ammonium Sulfate	2010	AWWA	0
403	B303	Sodium Chlorite	2010	AWWA	0
404	B102	Manganese Greensand for Filters	2010	AWWA	0
405	B300	Hypochlorites	2010	AWWA	0
406	B301	Liquid Chlorine	2010	AWWA	0
407	C105	Polyethylene Encasement for Ductile-Iron Pipe Systems	2010	AWWA	0
408	C215	Extruded Polyolefin Coatings for the Exterior of Steel Water Pipelines	2010	AWWA	0
409	C504	Rubber-seated Butterfly Valves	2010	AWWA	0
410	C516	Large-Diameter Rubber-Sealed Butterfly Valves, 78 in (2000mm) and Larger	2010	AWWA	0
411	C702	Cold-Water Meters Compound Type	2010	AWWA	0
412	C706	Direct-Reading, Remote-Registration Systems for Cold-Water Meters R(2001)	2010	AWWA	0
413	C600	Installation of Ductile-Iron Water Mains and Their Appurtenances	2010	AWWA	0
414	C707	Encoder-Type Remote-Registration Systems for Cold-Water Meters R(1992)	2010	AWWA	0
415	C712	Cold-Water Meters - Singlejet Type First Edition	2010	AWWA	0
416	C750	Transit-Time Flowmeters in Full Closed Conduits	2010	AWWA	0
417	C713	Cold-Water Meters: Fluidic-Oscillator Type	2010	AWWA	0
418	C905	Polyvinyl Chloride (PVC) Pressure Pipe and Fabricated Fittings, 14 Inches Through 48 Inches (350mm Through 1,200mm), for Water Transmission and Distribution	2010	AWWA	0
419	D106	Standard for Sacrificial-Anode Cathodic Protection Systems for the Interior Submerged Surfaces of Steel Water Tanks	2010	AWWA	0
420	D107	Composite Elevated Tanks for Water Storage	2010	AWWA	0
421	D108	Aluminum Dome Roofs For Water Storage Facilities	2010	AWWA	0
422	D103	Factory-coated Bolted Steel Tanks for Water Storage	2009	AWWA	0
423	D120	Thermosetting Fiberglass-Reinforced Plastic Tanks	2009	AWWA	0
424	C909	Molecularly Oriented Polyvinyl Chloride (PVCO) Pressure Pipe, 4 in. Through 12 in. (100 mm Through 600 mm), for Water Distribution	2009	AWWA	0
425	C710	Cold-Water Meters Displacement Type, Plastic Main Case	2009	AWWA	0
426	G200	Distribution Systems Operation and Management	2009	AWWA	0
427	G400	Utility Management System	2009	AWWA	0
428	G410	Business Practices for Operation and Management	2009	AWWA	0
429	G420	Communications and Customer Relations	2009	AWWA	0
430	G430	Security Practices for Operation and Management	2009	AWWA	0
431	C655	Field Dechlorination	2009	AWWA	0
432	C670	Online Chlorine Analyzer Operation and Maintenance	2009	AWWA	0
433	C700	Cold-Water Meters - Displacement Type, Bronze Main Case	2009	AWWA	0
434	C517	Resilient-Seated Cast-Iron Eccentric Plug Valves	2009	AWWA	0
435	C515	Reduced-Wall, Resilient-seated Gate Valves for Water Supply Service Second Edition	2009	AWWA	0
436	C542	Electric Motor Actuators for Valves and Slide Gates	2009	AWWA	0
437	C508	Swing-check Valves for Waterworks Service, 2-in . Through 24-in. (50-mm Through 600-mm) NPS	2009	AWWA	0
438	C509	Resilient-seated Gate Valves for Water Supply Service	2009	AWWA	0
439	C500	Metal-seated Gate Valves for Water Supply Service	2009	AWWA	0

440	C217	Cold-Applied Petrolatum Tape and Petroleum Wax Tape Coatings for the Exterior of Special Sections, Connections, and Fittings for Buried or Submerged Steel Water Pipelines Third Edition	2009	AWWA	0
441	C116	Protective Fusion-Bonded Coatings for the Interior and Exterior Surfaces of Ductile-Iron and Gray-Iron Fittings for Water Supply Service	2009	AWWA	0
442	C151	Ductile-Iron Pipe, Centrifugally Cast, for Water	2009	AWWA	0
443	B110	Membrane Systems	2009	AWWA	0
444	B100	Granular Filter Material ANSI/AWWA B100-01	2009	AWWA	0
445	B403	Aluminum Sulfate - Liquid, Ground, or Lump	2009	AWWA	0
446	M41	Ductile-Iron Pipe and Fittings Second Edition; Erratum : 01/2003	2009	AWWA	0
447	M24	Dual Water Systems Second Edition	2009	AWWA	0
448	C222	Polyurethane Coatings for the Interior and Exterior of Steel Water Pipe and Fittings	2009	AWWA	0
449	M36	Water Audits and Leak Detection	2009	AWWA	0
450	M9	Concrete Pressure Pipe	2008	AWWA	0
451	M29	Water Utility Capital Financing	2008	AWWA	0
452	M31	Distribution System Requirements for Fire Protection	2008	AWWA	0
453	B404	Liquid Sodium Silicate	2008	AWWA	0
454	B304	Liquid Oxygen	2008	AWWA	0
455	B201	Soda Ash	2008	AWWA	0
456	B501	Sodium Hydroxide (Caustic Soda)	2008	AWWA	0
457	B512	Sulfur Dioxide	2008	AWWA	0
458	B602	Copper Sulfate	2008	AWWA	0
459	C150	Thickness Design of Ductile-Iron Pipe	2008	AWWA	0
460	C203	Coal-Tar Protective Coatings and Linings for Steel Water Pipelines - Enamel and Tape - Hot Applied	2008	AWWA	0
461	C104	Cement Mortar Lining for Ductile Iron Pipe and Fittings for Water	2008	AWWA	0
462	C110	Ductile-Iron and Gray-Iron Fittings, 3 in. Through 48 in (76 mm Through 1219 mm), for Water	2008	AWWA	0
463	C218	Coating the Exterior of Aboveground Steel Water Pipelines and Fittings Third Edition	2008	AWWA	0
464	C228	Stainless-Steel Pipe Flanges for Water Service--Sizes 2 In. Through 72 In. (50 mm Through 1,800 mm)	2008	AWWA	0
465	C229	Fusion-Bonded Polyethylene Coating for Steel Water Pipe and Fittings	2008	AWWA	0
466	C222	Polyurethane Coatings for the Interior and Exterior of Steel Water Pipe and Fittings First Edition	2008	AWWA	0
467	C303	Concrete Pressure Pipe, Bar-Wrapped, Steel-cylinder Type	2008	AWWA	0
468	C541	Hydraulic and Pneumatic Cylinder and Vane-Type Actuators for Valves and Slide Gates	2008	AWWA	0
469	C518	Dual-Disc Swing-Check Valves for Waterworks Service	2008	AWWA	0
470	C704	Propeller-Type Meters for Waterworks Applications	2008	AWWA	0
471	C901	Polyethylene (PE) Pressure Pipe and Tubing, 1/2 IN. (13 mm) Through 3 in. (76 mm), for Water Service	2008	AWWA	0
472	C900	Polyvinyl Chloride (PVC) Pressure Pipe and Fabricated Fittings, 4 in. Through 12 in.(100 mm Through 300 mm), for Water Distribution	2007	AWWA	0
473	C906	Polyethylene (PE) Pressure Pipe and Fittings, 4 in. (100 mm) Through 63 in. (1,575 mm), for Water Distribution and Transmission	2007	AWWA	0
474	C950	Fiberglass Pressure Pipe	2007	AWWA	0
475	G300	Source Water Protection	2007	AWWA	0
476	E103	Horizontal and Vertical Line-Shaft Pumps	2007	AWWA	0
477	F102	Matched-Die-Molded, Fiberglass-Reinforced Plastic Weir Plates, Scum Baffles, and Mounting Brackets	2007	AWWA	0

478	F101	Contact-Molded, Fiberglass-Reinforced Plastic Wash Water Troughs and Launderers	2007	AWWA	0
479	C701	Cold-Water Meters Turbine Type, for Customer Service	2007	AWWA	0
480	C560	Cast-Iron Slide Gates Supersedes AWWA C501-927 Errata December 2002	2007	AWWA	0
481	C620	Spray-Applied In-Place Epoxy Lining of Water Pipelines, 3 in. and Larger	2007	AWWA	0
482	C530	Pilot Operated Control Valves	2007	AWWA	0
483	C510	Double Check Valve Backflow Prevention Assembly	2007	AWWA	0
484	C511	Reduced-pressure Principle Backflow Prevention Assembly	2007	AWWA	0
485	C512	Air Release,Air/ Vacuum, and Combination Air Valves for Waterworks Service Second Edition	2007	AWWA	0
486	C304	Design of Prestressed Concrete Cylinder Pipe	2007	AWWA	0
487	C301	Prestressed Concrete Pressure Pipe, Steel-cylinder Type Erratum - January 2000	2007	AWWA	0
488	C221	Fabricated Steel Mechanical Slip-Type Expansion Joints	2007	AWWA	0
489	C220	Stainless-steel Pipe, 4 in.(100 mm) and Larger Addendum C220a-99	2007	AWWA	0
490	C223	Fabricated Steel and Stainless Steel Tapping Sleeves	2007	AWWA	0
491	C227	Bolted, Split-Sleeve Restrained and Nonrestrained Couplings for Plain-End Pipe	2007	AWWA	0
492	C225	Fused Polyolefin Coating systems for the Exterior of Steel Water Pipelines First Edition	2007	AWWA	0
493	C216	Heat-shrinkable Cross-Linked Polyolefin Coatings for the Exterior of Special Sections, Connections, and Fittings for Steel Water Pipelines	2007	AWWA	0
494	C213	Fusion-Bonded Epoxy Coating for the Interior and Exterior of Steel Water Pipelines	2007	AWWA	0
495	C214	Tape Coating Systems for the Exterior of Steel Water Pipelines	2007	AWWA	0
496	C208	Dimensions for Fabricated Steel Water Pipe Fittings	2007	AWWA	0
497	C207	Steel Pipe Flanges for Waterworks Service Sizes 4 in Through 144 in. (100 mm Through 3,600 mm)	2007	AWWA	0
498	C210	Liquid-Epoxy Coating Systems for the Interior and Exterior of Steel Water Pipelines	2007	AWWA	0
499	C111	Rubber-Gasket Joints for Ductile-Iron Pressure Pipe and Fittings	2007	AWWA	0
500	C111/A21.11	Rubber-Gasket Joints for Ductile-Iron Pressure Pipe and Fittings	2007	AWWA	0
501	B605	Granular Activated Carbon	2007	AWWA	0
502	C205	Cement-Mortar Protective Lining and Coating for Steel Water Pipe - 4 in. (100 mm) and Larger - Shop Applied	2007	AWWA	0
503	B202	Quicklime and Hydrated Lime	2007	AWWA	0
504	B200	Sodium Chloride	2007	AWWA	0
505	B306	Aqua Ammonia (Liquid Ammonium Hydroxide)	2007	AWWA	0
506	M46	Reverse Osmosis and Nanofiltration	2007	AWWA	0
507	M50	Water Resources Planning	2007	AWWA	0
508	M52	Water Conservation Programs--A Planning Manual	2006	AWWA	0
509	M44	Distribution Valves: Selection, Installation, Field Testing , and Maintenance	2006	AWWA	0
510	M33	Flowmeters in Water Supply	2006	AWWA	0
511	M17	Installation, Field Testing, and Maintenance of Fire Hydrants	2006	AWWA	0
512	M20	Water Chlorination Principles and Practices	2006	AWWA	0
513	M48	Waterborne Pathogens	2006	AWWA	0
514	M55	PE Pipe--Design and Installation	2006	AWWA	0
515	E102	Submersible Vertical Turbine Pumps	2006	AWWA	0
516	B305	Anhydrous Ammonia	2006	AWWA	0
517	B402	Ferrous Sulfate	2006	AWWA	0
518	B405	Sodium Aluminate	2006	AWWA	0

519	B406	Ferric Sulfate	2006	AWWA	0
520	A100	Water Wells	2006	AWWA	0
521	B510	Carbon Dioxide	2006	AWWA	0
522	B506	Zinc Orthophosphate	2006	AWWA	0
523	B453	Polyacrylamide ANSI/AWWA 8453-01	2006	AWWA	0
524	B452	EPI-DMA Polyamines	2006	AWWA	0
525	C153	Ductile-Iron Compact Fittings	2006	AWWA	0
526	B701	Sodium Fluoride Seventh Edition	2006	AWWA	0
527	B703	Fluorosilicic Acid	2006	AWWA	0
528	B702	Sodium Fluorosilicate	2006	AWWA	0
529	C209	Cold-Applied Tape Coatings for the Exterior of Special Sections, Connections, and Fittings for Steel Water Pipelines	2006	AWWA	0
530	C226	Stainless Steel Fittings for Waterworks Service, Sizes 1/2 In. Through 72 In. (15 mm Through 1800 mm)	2006	AWWA	0
531	C224	Two-Layer Nylon-II-Based Polyamide Coating System for the Interior and Exterior of Steel Water Pipe, Connections, Fittings, and Special Sections	2006	AWWA	0
532	C219	Bolted, Sleeve-Type Couplings for Plain-End Pipe	2006	AWWA	0
533	C504	Rubber-seated Butterfly Valves	2006	AWWA	0
534	C606	Grooved and Shouldered Joints	2006	AWWA	0
535	C602	Cement-Mortar Lining of Water Pipelines in Place 4 IN (100 mm) and Larger	2006	AWWA	0
536	C604	Installation of Steel Water Pipe--4 In. (100 mm) and Larger	2006	AWWA	0
537	E102	Submersible Vertical Turbine Pumps	2006	AWWA	0
538	D102	Coating Steel Water-storage Tanks	2006	AWWA	0
539	D115	Circular Prestressed Concrete Water Tanks with Circumferential Tendons First Edition	2006	AWWA	0
540	C904	Cross-Linked Polyethylene (PEX) Pressure Pipe, 1/2 In. (12mm) Through 3 In. (76 mm), for Water Service	2006	AWWA	0
541	C903	Polyethylene-Aluminum-polyethylene & Crosslinked Polyethylene-Aluminum-crosslinked Polyethylene Composite Pressure Pipes, 1/2 in. (12 mm) Through 2 in. (50 mm), for Water Service First Edition	2005	AWWA	0
542	C800	Underground Service Line Valves and Fittings	2005	AWWA	0
543	C708	Cold-Water Meters Multijet Type Addendum C708A-98	2005	AWWA	0
544	C713	Cold-Water Meters: Fluidic-Oscillator Type	2005	AWWA	0
545	D100	Welded Steel Tanks for Water Storage	2005	AWWA	0
546	G100	Water Treatment Plant Operation and Management	2005	AWWA	0
547	C651	Disinfecting Water Mains	2005	AWWA	0
548	C605	Underground Installation of Polyvinyl Chloride (PVC) Pressure Pipe and Fittings for Water First Edition	2005	AWWA	0
549	C550	Protective Interior Coatings for Valves and Hydrants	2005	AWWA	0
550	C600	Installation of Ductile-Iron Water Mains and Their Appurtenances	2005	AWWA	0
551	C706	Direct-Reading, Remote-Registration Systems for Cold-Water Meters R(2001)	2005	AWWA	0
552	C707	Encoder-Type Remote-Registration Systems for Cold-Water Meters R(1992)	2005	AWWA	0
553	C507	Ball Valves, 6 in. Through 48 in. (150mm Through 1200 mm) Fourth Edition	2005	AWWA	0
554	C503	Wet-Barrel Fire Hydrants	2005	AWWA	0
555	C502	Dry-Barrel Fire Hydrants Incorporates Addendum C502A -95	2005	AWWA	0
556	C513	Open-channel, Fabricated-Metal Slide Gates First Edition	2005	AWWA	0
557	C517	Resilient-Seated Cast-Iron Eccentric Plug Valves	2005	AWWA	0
558	C105	Polyethylene Encasement for Ductile-Iron Pipe Systems	2005	AWWA	0

559	C200	Steel Water Pipe - 6 in. (150 mm) and Larger	2005	AWWA	0
560	C115	Flanged Ductile-Iron Pipe with Threaded Flanges	2005	AWWA	0
561	C115/A21.15	Flanged Ductile-Iron Pipe with Ductile-Iron or Gray-Iron Threaded Flanges	2005	AWWA	0
562	B407	Liquid Ferric Chloride	2005	AWWA	0
563	B503	Sodium Tripolyphosphate	2005	AWWA	0
564	B502	Sodium Polyphosphate, Glassy (Sodium Hexametaphosphate)	2005	AWWA	0
565	B504	Monosodium Phosphate, Anhydrous	2005	AWWA	0
566	B505	Disodium Phosphate, Anhydrous	2005	AWWA	0
567	B511	Potassium Hydroxide	2005	AWWA	0
568	B601	Sodium Metabisulfite	2005	AWWA	0
569	B604	Granular Activated Carbon	2005	AWWA	0
570	B550	Calcium Chloride	2005	AWWA	0
571	B600	Powdered Activated Carbon	2005	AWWA	0
572	B304	Liquid Oxygen	2005	AWWA	0
573	B303	Sodium Chlorite	2005	AWWA	0
574	B302	Ammonium Sulfate	2005	AWWA	0
575	M5	Water Utility Management	2005	AWWA	0
576	M45	Fiberglass Pipe Design	2005	AWWA	0
577	M53	Microfiltration and Ultrafiltration Membranes for Drinking Water	2005	AWWA	0
578	C603	Installation of Asbestos-cement Pressure Pipe	2005	AWWA	0
579	C402	Asbestos-cement Transmission Pipe, 18 in. Through 42 in. (450 mm Through 1,050 mm), for Water Supply Service	2005	AWWA	0
580	C403	Selection of Asbestos-cement Transmission Pipe, Sizes 18 in. Through 42 in. (450 mm Through 1,050 mm), for Water Supply Service	2005	AWWA	0
581	M54	Developing Rates for Small Systems	2004	AWWA	0
582	M22	Sizing Water Service Line and Meters	2004	AWWA	0
583	M27	External Corrosion - Introduction to Chemistry and Control	2004	AWWA	0
584	M7	Problem Organisms in Water : Identification and Treatment	2004	AWWA	0
585	M4	Water Fluoridation Principles and Practices	2004	AWWA	0
586	M14	Recommended Practice for Backflow Prevention and Cross- Connection Control	2004	AWWA	0
587	B102	Manganese Greensand for Filters	2004	AWWA	0
588	B300	Hypochlorites	2004	AWWA	0
589	B301	Liquid Chlorine	2004	AWWA	0
590	B451	Poly(Diallyldimethylammonium Chloride)	2004	AWWA	0
591	C300	Reinforced Concrete Pressure Pipe, Steel-cylinder Type	2004	AWWA	0
592	C215	Extruded Polyolefin Coatings for the Exterior of Steel Water Pipelines	2004	AWWA	0
593	C217	Cold-Applied Petrolatum Tape and Petroleum Wax Tape Coatings for the Exterior of Special Sections, Connections, and Fittings for Buried or Submerged Steel Water Pipelines Third Edition	2004	AWWA	0
594	C512	Air Release,Air/ Vacuum, and Combination Air Valves for Waterworks Service Second Edition	2004	AWWA	0
595	C302	Reinforced Concrete Pressure Pipe, Noncylinder Type	2004	AWWA	0
596	C703	Cold-Water Meters - Fire Service Type	2004	AWWA	0
597	C561	Fabricated Stainless Steel Slide Gates	2004	AWWA	0
598	C563	Fabricated Composite Slide Gates	2004	AWWA	0

599	C606	Grooved and Shouldered Joints	2004	AWWA	0
600	G200	Distribution Systems Operation and Management	2004	AWWA	0
601	M11	Steel Pipe - A Guide for Design and Installation Third Edition	2004	AWWA	0
602	D104	Automatically Controlled, Impressed-current Cathodic Protection for the Interior of Steel Water Tanks	2004	AWWA	0
603	D110	Wire- and Strand-Wound, Circular-prestressed Concrete Water Tanks Addendum A - June 1996; Erratum - January 2001	2004	AWWA	0
604	C907	Polyvinyl Chloride (PVC) Pressure Fittings for Water - 4 in. Through 8 in. (100 mm Through 200 mm) First Edition	2004	AWWA	0
605	C750	Transit-Time Flowmeters in Full Closed Conduits	2003	AWWA	0
606	D102	Coating Steel Water-storage Tanks	2003	AWWA	0
607	M21	Groundwater Third Edition	2003	AWWA	0
608	M41	Ductile-Iron Pipe and Fittings Second Edition; Erratum : 01/2003	2003	AWWA	0
609	C653	Disinfection of Water Treatment Plants	2003	AWWA	0
610	C654	Disinfection of Wells Second Edition	2003	AWWA	0
611	C400	Asbestos-cement Pressure Pipe, 4 in . Through 16 in (100 mm Through 400 mm), for Water Distribution Systems	2003	AWWA	0
612	C210	Liquid-Epoxy Coating Systems for the Interior and Exterior of Steel Water Pipelines	2003	AWWA	0
613	C225	Fused Polyolefin Coating systems for the Exterior of Steel Water Pipelines First Edition	2003	AWWA	0
614	C116	Protective Fusion-Bonded Coatings for the Interior and Exterior Surfaces of Ductile-Iron and Gray-Iron Fittings for Water Supply Service	2003	AWWA	0
615	C206	Field Welding of Steel Water Pipe	2003	AWWA	0
616	C110	Ductile-Iron and Gray-Iron Fittings, 3 in. Through 48 in (76 mm Through 1219 mm), for Water	2003	AWWA	0
617	C104	Cement Mortar Lining for Ductile Iron Pipe and Fittings for Water	2003	AWWA	0
618	B408	Liquid Polyaluminum Chloride	2003	AWWA	0
619	B501	Sodium Hydroxide (Caustic Soda)	2003	AWWA	0
620	B603	Potassium Permanganate	2003	AWWA	0
621	B201	Soda Ash	2003	AWWA	0
622	B200	Sodium Chloride	2003	AWWA	0
623	B403	Aluminum Sulfate - Liquid, Ground, or Lump	2003	AWWA	0
624	B404	Liquid Sodium Silicate	2003	AWWA	0
625	C401	Selection of Asbestos-cement Pressure Pipe, 4 in . Through 16 in.(100 mm Through 400 mm), for Water Distribution Systems	2003	AWWA	0
626	B202	Quicklime and Hydrated Lime	2002	AWWA	0
627	B602	Copper Sulfate	2002	AWWA	0
628	B512	Sulfur Dioxide	2002	AWWA	0
629	C203	Coal-Tar Protective Coatings and Linings for Steel Water Pipelines - Enamel and Tape - Hot Applied	2002	AWWA	0
630	C150	Thickness Design of Ductile-Iron Pipe	2002	AWWA	0
631	C150/A21.50	Thickness Design of Ductile-Iron Pipe Erratum: 02/2003	2002	AWWA	0
632	C151/A21.51	Ductile-Iron Pipe, Centrifugally Cast, for Water Erratum	2002	AWWA	0
633	C151	Ductile-Iron Pipe, Centrifugally Cast, for Water	2002	AWWA	0
634	C224	Two-Layer Nylon-II-Based Polyamide Coating System for the Interior and Exterior of Steel Water Pipe, Connections, Fittings, and Special Sections	2002	AWWA	0
635	C218	Coating the Exterior of Aboveground Steel Water Pipelines and Fittings Third Edition	2002	AWWA	0
636	C223	Fabricated Steel and Stainless Steel Tapping Sleeves	2002	AWWA	0
637	C303	Concrete Pressure Pipe, Bar-Wrapped, Steel-cylinder Type	2002	AWWA	0



638	C500	Metal-seated Gate Valves for Water Supply Service	2002	AWWA	0
639	C540	Power-Actuating Devices for Valves and Slide Gates	2002	AWWA	0
640	C700	Cold-Water Meters - Displacement Type, Bronze Main Case	2002	AWWA	0
641	C701	Cold-Water Meters Turbine Type, for Customer Service	2002	AWWA	0
642	C704	Propeller-Type Meters for Waterworks Applications	2002	AWWA	0
643	C652	Disinfection of Water-storage Facilities	2002	AWWA	0
644	M23	PVC Pipe - Design and Installation Second Edition	2002	AWWA	0
645	M3	Safety Practices for Water Utilities Sixth Edition	2002	AWWA	0
646	M12	Simplified Procedures for Water Examination Fifth Edition	2002	AWWA	0
647	F102	Matched-Die-Molded, Fiberglass-Reinforced Plastic Weir Plates, Scum Baffles, and Mounting Brackets	2002	AWWA	0
648	F101	Contact-Molded, Fiberglass-Reinforced Plastic Wash Water Troughs and Launderers	2002	AWWA	0
649	D130	Flexible-Membrane Materials for Potable Water Applications	2002	AWWA	0
650	C909	Molecularly Oriented Polyvinyl Chloride (PVCO) Pressure Pipe, 4 in. Through 12 in. (100 mm Through 600 mm), for Water Distribution	2002	AWWA	0
651	D120	Thermosetting Fiberglass-Reinforced Plastic Tanks	2002	AWWA	0
652	C710	Cold-Water Meters Displacement Type, Plastic Main Case	2002	AWWA	0
653	C712	Cold-Water Meters - Singlejet Type First Edition	2002	AWWA	0
654	C901	Polyethylene (PE) Pressure Pipe and Tubing, 1/2 IN. (13 mm) Through 3 in. (76 mm), for Water Service	2002	AWWA	0
655	C903	Polyethylene-Aluminum-polyethylene & Crosslinked Polyethylene-Aluminum-crosslinked Polyethylene Composite Pressure Pipes, 1/2 in. (12 mm) Through 2 in. (50 mm), for Water Service First Edition	2002	AWWA	0
656	C800	Underground Service Line Valves and Fittings	2001	AWWA	0
657	D104	Automatically Controlled, Impressed-current Cathodic Protection for the Interior of Steel Water Tanks	2001	AWWA	0
658	C950	Fiberglass Pressure Pipe	2001	AWWA	0
659	C908	PVC Self-Tapping Saddle Tees for Use on PVC Pipe	2001	AWWA	0
660	M2	Instrumentation and Control Third Edition; Erratum: 03/2002	2001	AWWA	0
661	M19	Emergency Planning for Water Utility Management Fourth Edition	2001	AWWA	0
662	M28	Rehabilitation of Water Mains	2001	AWWA	0
663	C702	Cold-Water Meters Compound Type	2001	AWWA	0
664	C550	Protective Interior Coatings for Valves and Hydrants	2001	AWWA	0
665	C515	Reduced-Wall, Resilient-seated Gate Valves for Water Supply Service Second Edition	2001	AWWA	0
666	C508	Swing-check Valves for Waterworks Service, 2-in . Through 24-in. (50-mm Through 600-mm) NPS	2001	AWWA	0
667	C509	Resilient-seated Gate Valves for Water Supply Service	2001	AWWA	0
668	C224	Two-Layer Nylon-II-Based Polyamide Coating System for the Interior and Exterior of Steel Water Pipe, Connections, Fittings, and Special Sections	2001	AWWA	0
669	C221	Fabricated Steel Mechanical Slip-Type Expansion Joints	2001	AWWA	0
670	C219	Bolted, Sleeve-Type Couplings for Plain-End Pipe	2001	AWWA	0
671	C213	Fusion-Bonded Epoxy Coating for the Interior and Exterior of Steel Water Pipelines	2001	AWWA	0
672	C207	Steel Pipe Flanges for Waterworks Service Sizes 4 in Through 144 in. (100 mm Through 3,600 mm)	2001	AWWA	0
673	C208	Dimensions for Fabricated Steel Water Pipe Fittings	2001	AWWA	0
674	B453	Polyacrylamide ANSI/AWWA 8453-01	2001	AWWA	0
675	B505	Disodium Phosphate, Anhydrous	2001	AWWA	0
676	B504	Monosodium Phosphate, Anhydrous	2001	AWWA	0

677	B502	Sodium Polyphosphate, Glassy (Sodium Hexametaphosphate)	2001	AWWA	0
678	B503	Sodium Tripolyphosphate	2001	AWWA	0
679	B101	Precoat Filter Media	2001	AWWA	0
680	B100	Granular Filter Material ANSI/AWWA B100-01	2001	AWWA	0
681	M49	Butterfly Valves: Torque, Head Loss, and Cavitation Analysis First Edition	2001	AWWA	0
682	M50	Water Resources Planning	2001	AWWA	0
683	M51	Air-Release,Air/vacuum, & Combination Air Valves	2001	AWWA	0
684	B405	Sodium Aluminate	2000	AWWA	0
685	B302	Ammonium Sulfate	2000	AWWA	0
686	B303	Sodium Chlorite	2000	AWWA	0
687	B402	Ferrous Sulfate	2000	AWWA	0
688	B550	Calcium Chloride	2000	AWWA	0
689	B511	Potassium Hydroxide	2000	AWWA	0
690	B510	Carbon Dioxide	2000	AWWA	0
691	B601	Sodium Metabisulfite	2000	AWWA	0
692	C209	Cold-Applied Tape Coatings for the Exterior of Special Sections, Connections, and Fittings for Steel Water Pipelines	2000	AWWA	0
693	C214	Tape Coating Systems for the Exterior of Steel Water Pipelines	2000	AWWA	0
694	C216	Heat-shrinkable Cross-Linked Polyolefin Coatings for the Exterior of Special Sections, Connections, and Fittings for Steel Water Pipelines	2000	AWWA	0
695	C153	Ductile-Iron Compact Fittings	2000	AWWA	0
696	C205	Cement-Mortar Protective Lining and Coating for Steel Water Pipe - 4 in. (100 mm) and Larger - Shop Applied	2000	AWWA	0
697	C153/A21.53	Ductile-Iron Compact Fittings, for Water Service	2000	AWWA	0
698	B703	Fluorosilicic Acid	2000	AWWA	0
699	C111/A21.11	Rubber-Gasket Joints for Ductile-Iron Pressure Pipe and Fittings	2000	AWWA	0
700	C111	Rubber-Gasket Joints for Ductile-Iron Pressure Pipe and Fittings	2000	AWWA	0
701	C560	Cast-Iron Slide Gates Supersedes AWWA C501-927 Errata December 2002	2000	AWWA	0
702	C402	Asbestos-cement Transmission Pipe, 18 in. Through 42 in. (450 mm Through 1,050 mm), for Water Supply Service	2000	AWWA	0
703	C403	Selection of Asbestos-cement Transmission Pipe, Sizes 18 in. Through 42 in. (450 mm Through 1,050 mm), for Water Supply Service	2000	AWWA	0
704	C504	Rubber-seated Butterfly Valves	2000	AWWA	0
705	C602	Cement-Mortar Lining of Water Pipelines in Place 4 IN (100 mm) and Larger	2000	AWWA	0
706	M25	Flexible-Membrane Covers and Linings for Potable-Water Reservoirs Third Edition	2000	AWWA	0
707	M37	Operational Control of Coagulation and Filtration Processes Second Edition	2000	AWWA	0
708	M1	Principles of Water Rates, Fees, and Charges Fifth Edition	2000	AWWA	0
709	M6	Water Meters - Selection , Installation, Testing, and Maintenance Fourth Edition	1999	AWWA	0
710	M36	Water Audits and Leak Detection Second Edition	1999	AWWA	0
711	M34	Water Rate Structures and Pricing Second Edition	1999	AWWA	0
712	C906	Polyethylene (PE) Pressure Pipe and Fittings, 4 in. (100 mm) Through 63 in. (1,575 mm), for Water Distribution and Transmission	1999	AWWA	0
713	C600	Installation of Ductile-Iron Water Mains and Their Appurtenances	1999	AWWA	0
714	C651	Disinfecting Water Mains	1999	AWWA	0
715	C507	Ball Valves, 6 in. Through 48 in. (150mm Through 1200 mm) Fourth Edition	1999	AWWA	0

716	C304	Design of Prestressed Concrete Cylinder Pipe	1999	AWWA	0
717	C301	Prestressed Concrete Pressure Pipe, Steel-cylinder Type Erratum - January 2000	1999	AWWA	0
718	C515	Reduced-Wall, Resilient-seated Gate Valves for Water Supply Service Second Edition	1999	AWWA	0
719	C512	Air Release, Air/ Vacuum, and Combination Air Valves for Waterworks Service Second Edition	1999	AWWA	0
720	C115	Flanged Ductile-Iron Pipe with Threaded Flanges	1999	AWWA	0
721	C105/A21.5	Polyethylene Encasement for Ductile-Iron Pipe Systems	1999	AWWA	0
722	C105	Polyethylene Encasement for Ductile-Iron Pipe Systems	1999	AWWA	0
723	B702	Sodium Fluorosilicate	1999	AWWA	0
724	B605	Granular Activated Carbon	1999	AWWA	0
725	B701	Sodium Fluoride Seventh Edition	1999	AWWA	0
726	C115/A21.15	Flanged Ductile-Iron Pipe with Threaded Flanges	1999	AWWA	0
727	C215	Extruded Polyolefin Coatings for the Exterior of Steel Water Pipelines	1999	AWWA	0
728	C217	Cold-Applied Petrolatum Tape and Petroleum Wax Tape Coatings for the Exterior of Special Sections, Connections, and Fittings for Buried or Submerged Steel Water Pipelines Third Edition	1999	AWWA	0
729	C218	Coating the Exterior of Aboveground Steel Water Pipelines and Fittings Third Edition	1999	AWWA	0
730	C222	Polyurethane Coatings for the Interior and Exterior of Steel Water Pipe and Fittings First Edition	1999	AWWA	0
731	B301	Liquid Chlorine	1999	AWWA	0
732	B300	Hypochlorites	1999	AWWA	0
733	M46	Reverse Osmosis and Nanofiltration First Edition	1999	AWWA	0
734	M48	Waterborne Pathogens	1999	AWWA	0
735	M30	Precoat Filtration	1999	AWWA	0
736	B201	Soda Ash	1998	AWWA	0
737	B200	Sodium Chloride	1998	AWWA	0
738	B403	Aluminum Sulfate - Liquid, Ground, or Lump	1998	AWWA	0
739	B408	Liquid Polyaluminum Chloride	1998	AWWA	0
740	B407	Liquid Ferric Chloride	1998	AWWA	0
741	B404	Liquid Sodium Silicate	1998	AWWA	0
742	B603	Potassium Permanganate	1998	AWWA	0
743	B501	Sodium Hydroxide (Caustic Soda)	1998	AWWA	0
744	B451	PolyDiallyldimethylammonium Chloride)	1998	AWWA	0
745	B452	EPI-DMA Polyamines	1998	AWWA	0
746	C220	Stainless-steel Pipe, 4 in.(100 mm) and Larger Addendum C220a-99	1998	AWWA	0
747	C116	Protective Fusion-Bonded Coatings for the Interior and Exterior Surfaces of Ductile-Iron and Gray-Iron Fittings for Water Supply Service	1998	AWWA	0
748	C116/A21.16	Protective Fusion-Bonded Epoxy Coatings for the Interior and Exterior Surfaces of Ductile-Iron and Gray-Iron Fittings for Water Supply Service First Edition	1998	AWWA	0
749	C110	Ductile-Iron and Gray-Iron Fittings, 3 in. Through 48 in (76 mm Through 1219 mm), for Water	1998	AWWA	0
750	C110/A21.10	Ductile-Iron and Gray-Iron Fittings, 3 in. Through 48 in (76 mm Through 1219 mm), for Water Erratum: October 1999	1998	AWWA	0
751	C909	Molecularly Oriented Polyvinyl Chloride (PVCO) Pressure Pipe, 4 in. Through 12 in. (100 mm Through 600 mm), for Water Distribution	1998	AWWA	0
752	M31	Distribution System Requirements for Fire Protection Third Edition	1998	AWWA	0
753	M29	Water Utility Capital Financing Second Edition	1998	AWWA	0

754	M42	Steel Water-storage Tanks First Edition	1998	AWWA	0
755	D103	Factory-coated Bolted Steel Tanks for Water Storage	1997	AWWA	0
756	D102	Coating Steel Water-storage Tanks	1997	AWWA	0
757	D104	Automatically Controlled, Impressed-current Cathodic Protection for the Interior of Steel Water Tanks	1997	AWWA	0
758	C905	Polyvinyl Chloride (PVC) Pressure Pipe and Fabricated Fittings, 14 Inches Through 48 Inches (350mm Through 1,200mm), for Water Transmission and Distribution	1997	AWWA	0
759	C900	Polyvinyl Chloride (PVC) Pressure Pipe and Fabricated Fittings, 4 in. Through 12 in.(100 mm Through 300 mm), for Water Distribution	1997	AWWA	0
760	C513	Open-channel, Fabricated-Metal Slide Gates First Edition	1997	AWWA	0
761	C511	Reduced-pressure Principle Backflow Prevention Assembly	1997	AWWA	0
762	C510	Double Check Valve Backflow Prevention Assembly	1997	AWWA	0
763	C503	Wet-Barrel Fire Hydrants	1997	AWWA	0
764	C606	Grooved and Shouldered Joints	1997	AWWA	0
765	C653	Disinfection of Water Treatment Plants	1997	AWWA	0
766	C654	Disinfection of Wells Second Edition	1997	AWWA	0
767	C200	Steel Water Pipe - 6 in. (150 mm) and Larger	1997	AWWA	0
768	C203	Coal-Tar Protective Coatings and Linings for Steel Water Pipelines - Enamel and Tape - Hot Applied	1997	AWWA	0
769	C206	Field Welding of Steel Water Pipe	1997	AWWA	0
770	C221	Fabricated Steel Mechanical Slip-Type Expansion Joints	1997	AWWA	0
771	C300	Reinforced Concrete Pressure Pipe, Steel-cylinder Type	1997	AWWA	0
772	C219	Bolted, Sleeve-Type Couplings for Plain-End Pipe	1997	AWWA	0
773	C210	Liquid-Epoxy Coating Systems for the Interior and Exterior of Steel Water Pipelines	1997	AWWA	0
774	B512	Sulfur Dioxide	1997	AWWA	0
775	B406	Ferric Sulfate	1997	AWWA	0
776	A100	Water Wells	1997	AWWA	0
777	B100	Granular Filter Material ANSI/AWWA B100-01	1996	AWWA	0
778	B550	Calcium Chloride	1996	AWWA	0
779	B511	Potassium Hydroxide	1996	AWWA	0
780	B604	Granular Activated Carbon	1996	AWWA	0
781	B600	Powdered Activated Carbon	1996	AWWA	0
782	B453	Polyacrylamide ANSI/AWWA 8453-01	1996	AWWA	0
783	C213	Fusion-Bonded Epoxy Coating for the Interior and Exterior of Steel Water Pipelines	1996	AWWA	0
784	C208	Dimensions for Fabricated Steel Water Pipe Fittings	1996	AWWA	0
785	C150	Thickness Design of Ductile-Iron Pipe	1996	AWWA	0
786	C151	Ductile-Iron Pipe, Centrifugally Cast, for Water	1996	AWWA	0
787	C703	Cold-Water Meters - Fire Service Type	1996	AWWA	0
788	C706	Direct-Reading, Remote-Registration Systems for Cold-Water Meters R(2001)	1996	AWWA	0
789	C603	Installation of Asbestos-cement Pressure Pipe R(2000)	1996	AWWA	0
790	C901	Polyethylene (PE) Pressure Pipe and Tubing, 1/2 IN. (13 mm) Through 3 in. (76 mm), for Water Service	1996	AWWA	0
791	C708	Cold-Water Meters Multijet Type Addendum C708A-98	1996	AWWA	0
792	D100	Welded Steel Tanks for Water Storage	1996	AWWA	0
793	M44	Distribution Valves: Selection, Installation, Field Testing , and Maintenance First Edition	1996	AWWA	0

794	M45	Fiberglass Pipe Design First Edition	1996	AWWA	0
795	M26	Water Rates and Related Charges Second Edition	1996	AWWA	0
796	D130	Flexible-Membrane Materials for Potable Water Applications	1996	AWWA	0
797	F101	Contact-Molded, Fiberglass-Reinforced Plastic Wash Water Troughs and Launderers	1996	AWWA	0
798	F102	Matched-Die-Molded, Fiberglass-Reinforced Plastic Weir Plates, Scum Baffles, and Mounting Brackets	1996	AWWA	0
799	M47	Construction Contact Administration First Edition	1996	AWWA	0
800	M30	Precoat Filtration Second Edition	1995	AWWA	0
801	M38	Electrodialysis and Electrodialysis Reversal First Edition	1995	AWWA	0
802	M4	Water Fluoridation Principles and Practices Fourth Edition ; Erratum - August 1995	1995	AWWA	0
803	M7	Problem Organisms in Water : Identification and Treatment Second Edition	1995	AWWA	0
804	M9	Concrete Pressure Pipe Second Edition	1995	AWWA	0
805	C950	Fiberglass Pressure Pipe	1995	AWWA	0
806	D110	Wire- and Strand-Wound, Circular-prestressed Concrete Water Tanks Addendum A - June 1996; Erratum - January 2001	1995	AWWA	0
807	D115	Circular Prestressed Concrete Water Tanks with Circumferential Tendons First Edition	1995	AWWA	0
808	C710	Cold-Water Meters Displacement Type, Plastic Main Case	1995	AWWA	0
809	C602	Cement-Mortar Lining of Water Pipelines in Place 4 IN (100 mm) and Larger	1995	AWWA	0
810	C700	Cold-Water Meters - Displacement Type, Bronze Main Case	1995	AWWA	0
811	C302	Reinforced Concrete Pressure Pipe, Noncylinder Type	1995	AWWA	0
812	C303	Concrete Pressure Pipe, Bar-Wrapped, Steel-cylinder Type	1995	AWWA	0
813	C205	Cement-Mortar Protective Lining and Coating for Steel Water Pipe - 4 in. (100 mm) and Larger - Shop Applied	1995	AWWA	0
814	C111	Rubber-Gasket Joints for Ductile-Iron Pressure Pipe and Fittings	1995	AWWA	0
815	C104/A21.4	Cement-Mortar Lining for Ductile-Iron Pipe and Fittings for Water	1995	AWWA	0
816	C104	Cement Mortar Lining for Ductile Iron Pipe and Fittings for Water	1995	AWWA	0
817	C209	Cold-Applied Tape Coatings for the Exterior of Special Sections, Connections, and Fittings for Steel Water Pipelines	1995	AWWA	0
818	C214	Tape Coating Systems for the Exterior of Steel Water Pipelines	1995	AWWA	0
819	B505	Disodium Phosphate, Anhydrous	1995	AWWA	0
820	B510	Carbon Dioxide	1995	AWWA	0
821	B302	Ammonium Sulfate	1995	AWWA	0
822	B402	Ferrous Sulfate	1995	AWWA	0
823	B303	Sodium Chlorite	1995	AWWA	0
824	B405	Sodium Aluminate	1994	AWWA	0
825	B101	Precoat Filter Media	1994	AWWA	0
826	B504	Monosodium Phosphate, Anhydrous	1994	AWWA	0
827	B503	Sodium Tripolyphosphate	1994	AWWA	0
828	B502	Sodium Polyphosphate, Glassy (Sodium Hexametaphosphate)	1994	AWWA	0
829	B703	Fluorosilicic Acid	1994	AWWA	0
830	C207	Steel Pipe Flanges for Waterworks Service Sizes 4 in Through 144 in. (100 mm Through 3,600 mm)	1994	AWWA	0
831	C153	Ductile-Iron Compact Fittings	1994	AWWA	0
832	C504	Rubber-seated Butterfly Valves	1994	AWWA	0
833	C502	Dry-Barrel Fire Hydrants Incorporates Addendum C502A -95	1994	AWWA	0
834	C509	Resilient-seated Gate Valves for Water Supply Service	1994	AWWA	0

835	C605	Underground Installation of Polyvinyl Chloride (PVC) Pressure Pipe and Fittings for Water First Edition	1994	AWWA	0
836	M24	Dual Water Systems Second Edition	1994	AWWA	0
837	C540	Power-Actuating Devices for Valves and Slide Gates	1993	AWWA	0
838	C508	Swing-check Valves for Waterworks Service, 2-in . Through 24-in. (50-mm Through 600-mm) NPS	1993	AWWA	0
839	C401	Selection of Asbestos-cement Pressure Pipe, 4 in . Through 16 in.(100 mm Through 400 mm), for Water Distribution Systems	1993	AWWA	0
840	C500	Metal-seated Gate Valves for Water Supply Service	1993	AWWA	0
841	B200	Sodium Chloride	1993	AWWA	0
842	B202	Quicklime and Hydrated Lime	1993	AWWA	0
843	C501	Cast Iron Slide Gates	1992	AWWA	0
844	C652	Disinfection of Water-storage Facilities	1992	AWWA	0
845	C702	Cold-Water Meters Compound Type	1992	AWWA	0
846	C707	Encoder-Type Remote-Registration Systems for Cold-Water Meters R(1992)	1992	AWWA	0
847	C704	Propeller-Type Meters for Waterworks Applications	1992	AWWA	0
848	C907	Polyvinyl Chloride (PVC) Pressure Fittings for Water - 4 in. Through 8 in. (100 mm Through 200 mm) First Edition	1991	AWWA	0
849	B602	Copper Sulfate	1991	AWWA	0
850	M14	Recommended Practice for Backflow Prevention and Cross- Connection Control Second Edition	1990	AWWA	0
851	M35	Revenue Requirements First Edition	1990	AWWA	0
852	C550	Protective Interior Coatings for Valves and Hydrants	1990	AWWA	0
853	M32	Distribution Network Analysis for Water Utilities First Edition	1989	AWWA	0
854	M33	Flowmeters in Water Supply First Edition	1989	AWWA	0
855	M17	Installation, Field Testing, and Maintenance of Fire Hydrants Third Edition	1989	AWWA	0
856	M11	Steel Pipe - A Guide for Design and Installation Third Edition	1989	AWWA	0
857	C800	Underground Service Line Valves and Fittings	1989	AWWA	0
858	C701	Cold-Water Meters Turbine Type, for Customer Service	1988	AWWA	0
859	E101	Vertical Turbine Pumps - Line Shaft and Submersible Types	1988	AWWA	0
860	M27	External Corrosion - Introduction to Chemistry and Control	1987	AWWA	0
861	D101	Inspecting and Repairing Steel Water Tanks, Standpipes, Reservoirs, and Elevated Tanks, for Water Storage	1986	AWWA	0
862	D120	Thermosetting Fiberglass-Reinforced Plastic Tanks	1984	AWWA	0
863	C707	Encoder-Type Remote-Registration Systems for Cold-Water Meters R(1992)	1982	AWWA	0
864	C601	Disinfecting Water Mains	1981	AWWA	0
865	M5	Water Utility Management	1980	AWWA	0
866	M22	Sizing Water Service Line and Meters	1975	AWWA	0
867	M20	Water Chlorination Principles and Practices	1973	AWWA	0
868	A21.14	Standard for Gray Iron and Ductile Iron Fittings, 3 Inch through 24 Inch, for Gas	1968	AWWA	0
869	M5	Water Utility Management	0	AWWA	0

**Hercules Ebooks Institute**

**[www.herculesebooks.com](http://www.herculesebooks.com) [info@herculesebooks.com](mailto:info@herculesebooks.com) +989141908737**