

Standards Manager Web Standards List
DELPHI-Delphi Interior and Lighting Systems

Id	Number	Title	Year	Organization	Page
1	DX550085	POST TREATMENT OF STEEL FOR REDUCING THE RISK OF HYDROGEN EMBRITTLEMENT	2014	DELPHI	0
2	DX520400	PERFORMANCE REQUIREMENTS FOR ADHESIVE COATED THREADED FASTENERS	2014	DELPHI	0
3	DX550700	PROTECTIVE FINISHES - PHOSPHATE TYPE	2014	DELPHI	0
4	DX551600	CORROSION PROTECTIVE COATINGS HEXAVALENT CHROMIUM FREE MECHANICAL ZINC AND ZINC-TIN PLATING	2014	DELPHI	0
5	DX551800	CORROSION PROTECTIVE COATINGS - CHROMIUM FREE ZINC RICH INORGANIC WITH TOPCOAT	2013	DELPHI	0
6	DX900423	METHOD FOR QUANTIFYING THE PERCENT COHESIVE FAILURE OF AN ADHESIVE SEAL USING A TEST COUPON	2013	DELPHI	0
7	DX552500	SURFACE CLEANLINESS OF METAL COMPONENTS	2012	DELPHI	0
8	DX520500	MECHANICAL AND MATERIAL REQUIREMENTS FOR METRIC EXTERNALLY THREADED FASTENERS	2012	DELPHI	0
9	DX550086	SUPPLIER QUALIFICATION FOR SURFACE CLEANLINESS ON METALLIC COMPONENTS	2012	DELPHI	0
10	DX900359	Test Method for the Quantitative Determination of Hexavalent Chromium on Parts (Aluminum & Aluminum Alloys Excluded)	2012	DELPHI	0
11	DX551300	CORROSION PROTECTIVE COATINGS ZINC ALLOY PLATING (HEXAVALENT CHROMIUM FREE)	2011	DELPHI	0
12	DX900424	METHOD FOR QUANTIFYING THE PERCENT COHESIVE FAILURE OF AN ADHESIVE SEAL	2011	DELPHI	0
13	DX720305	ENGINEERING SPECIFICATION FOR 60MM AND 40MM DIAMETER, 6 TAB ATTACHMENT DRIVER AIRBAG EMBLEMS	2009	DELPHI	0
14	DX720315	SPECIFICATION FOR BAR CODE SERIAL NUMBER NOMENCLATURE FOR DELPHI MANUFACTURED INFLATORS	2009	DELPHI	0
15	DX551200	CORROSION PROTECTIVE COATINGS HEXAVALENT CHROMIUM FREE ZINC PLATING	2009	DELPHI	0
16	DX280108	GREASE, LITHIUM, SYNTHETIC	2009	DELPHI	0
17	DX300415	Thermoplastic Olefinic Elastomer (TEO) Injection Molding Compound	2009	DELPHI	0
18	DX552100	CATHODIC ELECTRODEPOSITION COATINGS (ELPO) FOR FASTENERS AND BULK PROCESSED COMPONENTS	2008	DELPHI	0
19	DX280107	RUBBER LUBRICANT	2008	DELPHI	0
20	DX750002	DIAPHRAGM MATERIAL FOR TRANSMISSION APPLICATIONS	2008	DELPHI	0
21	DX220001	70 DUROMETER, HNBR COMPOUND	2008	DELPHI	0
22	DX300390	THERMOPLASTIC POLYESTER ELASTOMER Shore D 30, LOW FLEXURAL MODULUS	2008	DELPHI	0
23	DX551900	CORROSION PREVENTATIVES RUST INHIBITORS	2008	DELPHI	0
24	DX300416	NYLON 6 - HIGH IMPACT, HEAT STABILIZED, EXTRUSION GRADE COPOLYMER COMPOUND	2008	DELPHI	0
25	DX300201	NYLON 66 - HOMOPOLYMER, IMPACT MODIFIED	2008	DELPHI	0
26	DX300432	EPOXY HARDENER	2007	DELPHI	0
27	DX550083	SUPPLIER QUALIFICATION FOR NEW COATING SYSTEMS OR APPLICATORS	2007	DELPHI	0
28	DX701815	PERFORMANCE SPECIFICATION FOR THE SEWN CUSHION ASSEMBLY USED IN THE DRIVER AIRBAG MODULE	2007	DELPHI	0
29	DX900351	POWER PRODUCTS MOTOR DYNAMOMETER TESTING	2007	DELPHI	0
30	DX300439	SILICONE POTTING ULTRAVIOLET AND MOISTURE CURE	2007	DELPHI	0
31	DX551000	ANODIC COATINGS ON ALUMINUM	2007	DELPHI	0

32	DX702271	PERFORMANCE SPECIFICATION FOR THE SEWN CUSHION ASSEMBLY USED IN THE PASSENGER AIRBAG MODULE	2007	DELPHI	0
33	DX300430	HIGH Tg EPOXY HARDENER	2007	DELPHI	0
34	DX000296	THERMOSETTING METHACRYLATE RESIN AND CATALYST, ADHESIVE/SEALANT	2007	DELPHI	0
35	DX300431	EPOXY RESIN	2007	DELPHI	0
36	DX300001	THERMOPLASTIC POLYOLEFIN ELASTOMER HEAT STABILIZED ALLOY, SHORE D50	2007	DELPHI	0
37	DX300437	EPOXY HARDENER	2007	DELPHI	0
38	DX300102	NYLON 66 - 33% GLASS FIBER REINFORCED, HIGH IMPACT MODIFIED, HEAT STABILIZED	2007	DELPHI	0
39	DX300162	ACETAL - COPOLYMER, IMPACT MODIFIED	2007	DELPHI	0
40	DX300438	ONE-COMPONENT EPOXY RESIN	2007	DELPHI	0
41	DX551700	CORROSION PROTECTIVE FINISHES FOR ZINC DIE CASTINGS	2007	DELPHI	0
42	DX900422	Buckle Twisting test (BTT)	2007	DELPHI	0
43	DX300436	EPOXY RESIN	2007	DELPHI	0
44	DX900421	Buckle Cantilever test (BCT)	2007	DELPHI	0
45	DX551500	CORROSION PREVENTATIVE COATINGS - CHROMIUM FREE ZINC-ALUMINUM COATING	2007	DELPHI	0
46	DX000298	POLYESTER FILM TAPE, ACRYLIC ADHESIVE, 2 MIL.	2007	DELPHI	0
47	DX550004	SOLID FILM LUBRICANT COATINGS RESIN BONDED MOS2 AND PTFE	2007	DELPHI	0
48	DX650096	REACTIVE SULFUR REQUIREMENTS AFTER NITRATE CLEANING POWDER METAL COMPONENTS	2007	DELPHI	0
49	DX650056	PLASTICS PARTS	2007	DELPHI	0
50	DX300045	ACETAL - GENERAL PURPOSE, COPOLYMER	2007	DELPHI	0
51	DX300435	LOW VOLATILES SILICONE GEL	2007	DELPHI	0
52	DX280104	TALC POWDER LUBRICANT	2007	DELPHI	0
53	DX650031	PHOSPHATES ON METALLIC SUBSTRATES	2007	DELPHI	0
54	DX550900	AUTODEPOSITION PRIMER (DIP PROCESS) FOR STEEL AND GALVANIZED (ZINC) SUBSTRATES	2007	DELPHI	0
55	DX900419	ANALYSIS OF MATERIALS FOR SULFUR COMPOUNDS BY THE SILVER GETTER TEST	2007	DELPHI	0
56	DX300349	TALC FILLED POLYPROPYLENE COPOLYMER	2006	DELPHI	0
57	DX300363	THERMOPLASTIC POLYESTER ELASTOMER - 55 TYPE D HARDNESS, 200 MPA FLEXURAL MODULUS	2006	DELPHI	0
58	DX750000	RESIN COATED IRON POWDER, AND LUBRICATION BLENDED IRON POWDER, PHENOLIC THERMOSET RESIN, BISSTEARAMIDE	2006	DELPHI	0
59	DX810009	NON-CFC CO2 BLOWN POLYURETHANE FOAM SYSTEM	2006	DELPHI	0
60	DX650059	PAINT PART PERFORMANCE REQUIREMENTS	2006	DELPHI	0
61	DX300099	THERMOPLASTIC POLYOLEFIN ELASTOMER HEAT STABILIZED, ALLOY, SHORE D40	2006	DELPHI	0
62	DX900376	POWER LIFT GATE DRIVE UNIT ASSEMBLY BACKLASH	2006	DELPHI	0
63	DX550800	CORROSION PROTECTIVE COATINGS - FLUORCARBON TYPE	2006	DELPHI	0
64	DX300369	POLYSULFONE RESIN	2006	DELPHI	0
65	DX300425	POLYAMIDE HOT MELT FOR SEALING APPLICATIONS	2006	DELPHI	0
66	DX300426	HIGH Tg EPOXY RESIN	2006	DELPHI	0
67	DX551400	CATHODIC ELECTRODEPOSITION COATINGS (ELPO)	2006	DELPHI	0
68	DX550077	CORROSION PROTECTIVE COATINGS PHOSPHATE/ ORGANIC/OIL TYPE	2006	DELPHI	0
69	DX300132	PLASTIC MOLDING COMPOUNDS	2006	DELPHI	0
70	DX552000	PLATING MULTILAYER ELECTROPLATED/BLACK TYPE	2006	DELPHI	0
71	DX300500	COLOR CONCENTRATE - INTEGRAL SKIN FOAM FOR STEERING WHEELS	2006	DELPHI	0

72	DX550073	CORROSION PROTECTIVE COATINGS HEXAVALENT CHROMIUM FREE TIN-ZINC ALLOY PLATING FOR GROUNDING APPLICATIONS	2006	DELPHI	0
73	DX200019	FINISHED LEATHER	2006	DELPHI	0
74	DX280106	LOW TEMPERATURE, WATER REPELLENT, SYNTHETIC LATCH GREASE. PTFE MODIFIED	2006	DELPHI	0
75	DX280102	SILICONE DAMPENING GREASE, PTFE MODIFIED	2005	DELPHI	0
76	DX900325	TEST FOR PREVAILING TORQUE NUTS (HAND QUALIFICATION TEST)	2005	DELPHI	0
77	DX300428	LOW VISCOSITY LIQUID SEALANT	2005	DELPHI	0
78	DX280103	CALCIUM SULFONATE LOW TEMPERATURE SYNTHETIC GREASE	2005	DELPHI	0
79	DX520013	MATERIAL AND PERFORMANCE REQUIREMENTS FOR INDUCTION HARDENED TYPE TR (THREAD ROLLING) TAPPING SCREWS	2005	DELPHI	0
80	DX900326	HAND HELD TEST DUST APPLICATION	2005	DELPHI	0
81	DX300012	ABS â GENERAL PURPOSE	2005	DELPHI	0
82	DX300261	POLYPROPYLENE - COPOLYMER, 23% TALC STABILIZED	2005	DELPHI	0
83	DX900324	TEST FOR PREVAILING TORQUE NUTS	2005	DELPHI	0
84	DX900417	SEAT BELT TENSION SENSOR (BTS) - NO LOAD FUNCTIONAL TEST SPECIFICATION	2005	DELPHI	0
85	DX201200	POLYETHYLENE FOAM FOR INTERIOR SPACER/SHIM APPLICATIONS	2005	DELPHI	0
86	DX300389	NYLON 66 - HOMOPOLYMER, 10% PTFE LUBRICATED, 10% ARAMID FIBER REINFORCED, HEAT STABILIZED	2005	DELPHI	0
87	DX300424	POLYAMIDE-46, 30% GLASS FILLED, HEAT STABILIZED	2005	DELPHI	0
88	DX810012	AKZO NOBELâ S AT665M TWO COMPONENT SOFT TOUCH URETHANE PAINT FOR ABS, PC/ABS AND PC (DELPHI ADRIAN OPERATIONS)	2005	DELPHI	0
89	DX810011	AKZO NOBELâ S AT665M TWO COMPONENT SOFT TOUCH URETHANE PAINT FOR ABS, PC/ABS AND PC (DELPHI CMM OPERATIONS)	2005	DELPHI	0
90	DX300262	POLYPROPYLENE - COPOLYMER, 23% TALC STABILIZED	2005	DELPHI	0
91	DX900346	DOOR MODULE SALT TESTING	2005	DELPHI	0
92	DX550084	EXTERIOR PAINTED PARTS APPEARANCE REQUIREMENTS	2005	DELPHI	0
93	DX650095	HIGH VOLTAGE AVALANCHE DIODE	2005	DELPHI	0
94	DX900349	POWER PRODUCTS OBSTRUCTION DETECTION EFFORT TEST	2005	DELPHI	0
95	DX900356	SEAT BELT TENSION SENSOR ANCHOR TENSILE STRENGTH	2005	DELPHI	0
96	DX900145	TESTING OIL PRESSURE SENSORS AND SWITCHES	2005	DELPHI	0
97	DX300419	15% GLASS FILLED NYLON 6/6 and REGRIND	2005	DELPHI	0
98	DX210043	POLYIMIDE HEAVY BUILD 240 Degree C MAGNET WIRE	2004	DELPHI	0
99	DX810010	AMERICHEMâ S STABILIZED HIGH OPACITY COLOR CONCENTRATE FOR USE IN THERMOPLASTIC OLEFIN ROLL STOCK MATERIALS	2004	DELPHI	0
100	DX900383	SEAT BELT TENSION SENSOR - BIASED HUMIDITY TEST	2004	DELPHI	0
101	DX900411	COEFFICIENT OF FRICTION	2004	DELPHI	0
102	DX900365	BELT TENSION SENSOR - TEMPERATURE RESISTANCE	2004	DELPHI	0
103	DX300385	POLYPROPYLENE HOMOPOLYMER â 35% GLASS FIBER/MINERAL, HEAT STABILIZED, IMPACT MODIFIED	2004	DELPHI	0
104	DX900342	PEAK MANUAL EFFORT TEST	2004	DELPHI	0
105	DX900412	ADHESION OF INTERIOR WALLS - WEATHERSTRIPS	2004	DELPHI	0
106	DX900348	EVENT CYCLE TIME	2004	DELPHI	0
107	DX300421	FIBERGLASS SLEEVING	2004	DELPHI	0

108	DX900366	BELT TENSION SENSOR - DUST EXPOSURE TEST	2004	DELPHI	0
109	DX900410	SEPARATION OF THE BULB FROM THE CARRIER WEATHERSTRIPS	2004	DELPHI	0
110	DX300100	THERMOPLASTIC POLYOLEFIN ELASTOMER - HEAT STABILIZED, ALLOY, SHORE A73	2004	DELPHI	0
111	DX201400	FLEXIBLE CELLULAR URETHANE MATERIALS	2004	DELPHI	0
112	DX210029	HARD DRAWN STAINLESS STEEL WIRE	2004	DELPHI	0
113	DX300341	NYLON 6 - 40% GLASS FIBER, HEAT STABILIZED, REDUCED MOISTURE	2004	DELPHI	0
114	DX210004	AUTOMOTIVE ARC WELDING SPECIFICATION	2004	DELPHI	0
115	DX900382	SEAT BELT TENSION SENSOR - THERMAL SHOCK TEST	2004	DELPHI	0
116	DX900409	WATER ABSORPTION WEATHERSTRIPS	2004	DELPHI	0
117	DX900402	BELT TENSION SENSOR - EXTENDED CINCH	2004	DELPHI	0
118	DX900357	BELT TENSION SENSOR - MECHANICAL CYCLE TESTING	2004	DELPHI	0
119	DX280073	LUBRICANT - GREASE, TEFLON FILLED FOR AUTOMOTIVE HARDWARE	2004	DELPHI	0
120	DX900413	SPLICE STRENGTH OF WEATHERSTRIPS	2004	DELPHI	0
121	DX500108	M Point for External Metric Thread, Coarse Pitch Fasteners	2004	DELPHI	0
122	DX900384	SEAT BELT TENSION SENSOR - SQUEAK AND RATTLE AVOIDANCE TEST	2004	DELPHI	0
123	DX300375	THERMOPLASTIC ELASTOMER POLYOLEFINIC, SHORE D40	2004	DELPHI	0
124	DX280094	LOW TEMPERATURE, CORROSION RESISTANT, SYNTHETIC LATCH GREASE	2004	DELPHI	0
125	DX900371	BELT TENSION SENSOR - LEAD WIRE STRENGTH	2004	DELPHI	0
126	DX900405	WEATHERSTRIP COATING CURE TEST	2004	DELPHI	0
127	DX900416	SEATBELT BUCKLE LATCH COMPONENT TENSILE STRENGTH	2004	DELPHI	0
128	DX300342	NYLON 66 - 40% GLASS FIBER REINFORCED, LUBRICATED REDUCED MOISTURE	2004	DELPHI	0
129	DX900378	SEAT BELT TENSION SENSOR - POWER AND TEMPERATURE CYCLING	2004	DELPHI	0
130	DX900358	SEAT BELT TENSION SENSOR - FUNCTIONAL CHECKS WITH RIGID LINK	2004	DELPHI	0
131	DX900414	FREEZE CHARACTERISTICS OF WEATHERSTRIPS	2004	DELPHI	0
132	DX300391	TWO COMPONENT FLEXIBLE POLYURETHANE FOAM SYSTEMS	2004	DELPHI	0
133	DX220000	40 DUROMETER, SILICONE COMPOUND	2004	DELPHI	0
134	DX900355	SEAT BELT TENSION SENSOR - FUNCTION AFTER STATIC LOAD	2004	DELPHI	0
135	DX550041	CORROSION PROTECTIVE COATINGS - PHOSPHATE/ZINC/ORGANIC TYPE	2004	DELPHI	0
136	DX900407	LOAD LOSS SET - WEATHERSTRIPS	2004	DELPHI	0
137	DX300124	POLYETHYLENE - HIGH DENSITY, EXTRUSION GRADE, COPOLYMER	2004	DELPHI	0
138	DX200500	FLEXIBLE EXPANDED RUBBER MATERIALS	2004	DELPHI	0
139	DX900406	INSERTION - EXTRACTION - WEATHERSTRIP	2004	DELPHI	0
140	DX900401	BELT TENSION SENSOR - WATER SUBMERSION	2004	DELPHI	0
141	DX900408	COMPRESSION LOAD DEFLECTION WEATHERSTRIPS	2004	DELPHI	0
142	DX300352	NYLON 6, REDUCED MOISTURE, 10% GLASS FILLED	2004	DELPHI	0
143	DX900381	SEAT BELT TENSION SENSOR - FLUID COMPATIBILITY TEST	2004	DELPHI	0
144	DX900364	BELT TENSION SENSOR - CORROSION RESISTANCE	2004	DELPHI	0
145	DX300413	PVC- 72 SHORE A, UV STABILIZED, 18% MINERAL FILLED, INJECTION MOLDING GRADE	2004	DELPHI	0
146	DX300348	NYLON 610-37% GLASS FIBER REINFORCED, 5% PTFE, LUBRICATED, HEAT STABILIZED	2004	DELPHI	0
147	DX211200	LOW CARBON AND STRUCTURAL QUALITY STEEL SHEET AND STRIP	2004	DELPHI	0
148	DX900363	BELT TENSION SENSOR - IMPACT STRENGTH	2004	DELPHI	0

149	DX210041	LOW CARBON STEEL WIRE	2004	DELPHI	0
150	DX300392	NYLON 612 - 43% GLASS FIBER REINFORCED COPOLYMER	2004	DELPHI	0
151	DX300420	POLYETHERETHERKETONE 30% CARBON FIBER FILLED	2004	DELPHI	0
152	DX900379	SEAT BELT TENSION SENSOR - MECHANICAL SHOCK TEST	2004	DELPHI	0
153	DX900380	SEAT BELT TENSION SENSOR - RANDOM VIBRATION	2004	DELPHI	0
154	DX550078	CORROSION PROTECTIVE COATINGS PHOSPHATE/ELECTRO-ORGANIC/OIL TYPE	2004	DELPHI	0
155	DX900415	COMPATIBILITY WITH MATING WEATHERSTRIPS	2004	DELPHI	0
156	DX900394	M/W ACTUATOR MULTIFUNCTION SWITCH DRAG TORQUE	2003	DELPHI	0
157	DX300406	THERMOPLASTIC POLYESTER ELASTOMER	2003	DELPHI	0
158	DX300323	STABILIZED COLOR CONCENTRATE FOR USE IN THERMOPLASTIC OLEFIN SKIN MATERIALS	2003	DELPHI	0
159	DX810005	AKZO NOBELâ S 105S SERIES SOLVENTBASE CLEARCOAT	2003	DELPHI	0
160	DX300058	ACETAL - HOMOPOLYMER, GENERAL PURPOSE	2003	DELPHI	0
161	DX300259	ABS+PC - 8% MINERAL FILLED, HIGH IMPACT, INJECTION MOLDING GRADE	2003	DELPHI	0
162	DX900391	MECHANICAL INTEGRITY - ELECTRICAL CONNECTORS	2003	DELPHI	0
163	DX900403	SEATBELT PRETENSIONER STATIC DEPLOYMENT TEST	2003	DELPHI	0
164	DX300405	POLYOLEFIN ALLOY- HIGH IMPACT, 550 MPa FLEXURAL MODULUS	2003	DELPHI	0
165	DX000008	Substances of Concern and Recycled Content	2003	DELPHI	0
166	DX300407	THERMOPLASTIC ELASTOMER- STYRENE BLOCK COPOLYMER, INTERIOR, SHORE A 50, PAINTABLE	2003	DELPHI	0
167	DX300322	THERMOPLASTIC OLEFIN SKIN MATERIAL FOR AUTOMOTIVE INTERIORS	2003	DELPHI	0
168	DX810007	AKZO NOBELâ _S AT635 TWO COMPONENT SOFT TOUCH TWO MIL URETHANE PAINT FOR ABS, PC/ABS AND PC	2003	DELPHI	0
169	DX320000	THERMOPLASTIC MATERIALS RESIN AND PART REQUIREMENTS	2003	DELPHI	0
170	DX900389	TERMINAL STABILITY	2003	DELPHI	0
171	DX300408	NYLON 6- HIGH IMPACT MODIFIED, HEAT STABILIZED	2003	DELPHI	0
172	DX900395	MANUAL WINDOW REGULATOR SPINDLE TORQUE	2003	DELPHI	0
173	DX330000	INTUMESCENT MATERIAL CHLORINATED POLYETHYLENE BASED	2003	DELPHI	0
174	DX550006	PLATING - NICKEL - ZINC CONVERSION	2003	DELPHI	0
175	DX900387	OPEN/CLOSE TIME - DUAL OVERHEAD DRIVE	2003	DELPHI	0
176	DX650092	PERFORMANCE REQUIREMENTS FOR LABELS	2003	DELPHI	0
177	DX300404	THERMOPLASTIC POLYOLEFINIC ELASTOMER 45 TYPE D HARDNESS, 86 MPA FLEXURAL MODULUS	2003	DELPHI	0
178	DX210005	AUTOMOTIVE RESISTANCE SPOT WELDS	2003	DELPHI	0
179	DX300395	THERMOPLASTIC ELASTOMER STYRENE BLOCK COPOLYMER FOR INTERIOR APPLICATIONS, SHORE A 89	2003	DELPHI	0
180	DX810004	AKZO NOBELâ S 105S SERIES PIGMENTED VINYL LACQUER BASECOAT	2003	DELPHI	0
181	DX900377	SEAT BELT TENSION SENSOR - FUNCTIONAL CHECKS USING SEAT BELT WEBBING	2003	DELPHI	0
182	DX000005	STANDARD REQUIREMENTS	2003	DELPHI	0
183	DX280101	LOW TEMPERATURE, CORROSION RESISTANT, SYNTHETIC LATCH GREASE, PTFE MODIFIED	2003	DELPHI	0
184	DX900393	M/W ACTUATOR MULTIFUNCTION SWITCH OPEN/CLOSE ZONE	2003	DELPHI	0
185	DX280099	LITHIUM THICKENED, SYNTHETIC GREASE FOR BODY HARDWARE	2003	DELPHI	0
186	DX900400	POWER WINDOW REGULATOR TRAVEL TIME	2003	DELPHI	0
187	DX300326	COPOLYESTER ELASTOMER - 200 MPA FLEXURAL MODULUS	2003	DELPHI	0
188	DX300403	NYLON 66 - HEAT STABILIZED	2003	DELPHI	0

189	DX300136	NYLON 66 - 43% GLASS FIBER REINFORCED, HEAT STABILIZED	2003	DELPHI	0
190	DX300412	THERMOPLASTIC ELASTOMER- STYRENE BLOCK COPOLYMER, SHORE A90, INTERIOR, PAINTABLE	2003	DELPHI	0
191	DX900122	DETERMINATION OF COATING WEIGHT ON PHOSPHATED PANELS	2003	DELPHI	0
192	DX810003	AKZO NOBELâ S AT664 SERIES WATERBASED POST PAINT FOR VACUUM FORMED TPO INTERIOR PARTS	2003	DELPHI	0
193	DX000295	PERFORMANCE REQUIREMENTS OF ANTI-SQUEAK, ITCH, RATTLE, FIBER TAPE	2003	DELPHI	0
194	DX810002	AKZO NOBELâ S 664P-100 WATERBASED FOAM SIDE ADHESION PROMOTER FOR VACUUM FORMED TPO SHEET INSTRUMENT PANELS	2003	DELPHI	0
195	DX900361	TEST METHOD FOR THE QUANTITATIVE DETERMINATION OF TRIVALENT CHROMIUM ON PARTS AND COMPONENTS	2003	DELPHI	0
196	DX300345	PBTP - 15% GLASS FIBER REINFORCED, TOUGHENED	2003	DELPHI	0
197	DX900399	POWER WINDOW REGULATOR CURRENT DRAW	2003	DELPHI	0
198	DX900388	CONNECTOR RETENTION	2003	DELPHI	0
199	DX300367	THERMOPLASTIC ELASTOMER, POLYOLEFINIC FOR UNDERHOOD AND INTERIOR APPLICATIONS, SHORE A 55	2003	DELPHI	0
200	DX900398	POWER WINDOW REGULATOR STATIC STRENGTH	2003	DELPHI	0
201	DX900392	IMPACT CYCLING - ACTUATOR	2003	DELPHI	0
202	DX300325	POLYPROPYLENE - 13% GLASS FIBER/, CHEMICALLY COUPLED, HEAT STABILIZED, COPOLYMER	2003	DELPHI	0
203	DX810001	AKZO NOBELâ S 660-POB WATERBASED TOPSIDE ADHESION PROMOTER FOR VACUUM FORMED TPO SHEET INSTRUMENT PANELS	2003	DELPHI	0
204	DX300409	THERMOPLASTIC POLYESTER ELASTOMER- 55 TYPE D HARDNESS, 520 MPa FLEXURAL MODULUS	2003	DELPHI	0
205	DX900396	WINDOW REGULATOR VERTICAL PLAY and GLASS TIP	2003	DELPHI	0
206	DX300414	POLYPROPYLENE (PP) COPOLYMER, MEDIUM HIGH IMPACT MOLDING COMPOUND	2003	DELPHI	0
207	DX300324	POLYPROPYLENE 40%MINERAL FILLED AND GLASS FIBER REINFORCED, CHEMICAL COUPLED HOMOPOLYMER	2003	DELPHI	0
208	DX810008	AKZO NOBELâ S 253LH SERIES WATERBASED URETHANE / ACRYLIC LOW HIDE PAINT FOR EXTRUDED TPO SHEET USED FOR VACUUM FORMED INTERIOR PARTS	2003	DELPHI	0
209	DX300398	POLYPROPYLENE - 25% GLASS FIBER/MICA FILLED, CHEMICALLY COUPLED, HEAT STABILIZED, HIGH CRYSTALLINE HOMOPOLYMER	2003	DELPHI	0
210	DX300117	ACETAL - HOMOPOLYMER, HIGH IMPACT	2003	DELPHI	0
211	DX900163	CHIP RESISTANCE OF COATING	2003	DELPHI	0
212	DX900390	CONNECTOR INSERTION	2003	DELPHI	0
213	DX300402	DRAFT POLYETHYLENE FOAM TAPE	2003	DELPHI	0
214	DX300387	ACETAL - ALLOY, WITH LUBRICANT	2003	DELPHI	0
215	DX300411	POLYPHENYLENE ETHER- EXPANDABLE COPOLYMER FOAM-GENERAL PURPOSE	2003	DELPHI	0
216	DX300410	THERMOPLASTIC POLYESTER ELASTOMER- 55 TYPE D HARDNESS, 400 MPa FLEXURAL MODULUS	2003	DELPHI	0
217	DX900397	MANUAL WINDOW REGULATOR SPINDLE BACKLASH	2003	DELPHI	0
218	DX810000	AKZO NOBELâ S 253E SERIES WATERBASED URETHANE / ACRYLIC PAINT FOR EXTRUDED TPO SHEET USED FOR VACUUM FORMED INTERIOR PARTS	2003	DELPHI	0
219	DX300260	POLYOLEFIN ALLOY - 20% MINERAL FILLED, UV STABLE, HIGH IMPACT	2002	DELPHI	0
220	DX280098	LUBRICANT, GRAPHITE FILLED, LOW-TEMPERATURE	2002	DELPHI	0
221	DX550010	CORROSION PROTECTIVE COATINGS PHOSPHATE/ZINC/ORGANIC TYPE	2002	DELPHI	0
222	DX300351	ACETAL 15% PTFE, 10% GLASS FIBER REINFORCED COPOLYMER	2002	DELPHI	0
223	DX900362	BELT TENSION SENSOR - HIGH AND LOW TEMPERATURE PERFORMANCE AND ENDURANCE	2002	DELPHI	0

224	DX300344	GASKET - CELLULOSE/RUBBER	2002	DELPHI	0
225	DX550200	PLATING ZINC	2002	DELPHI	0
226	DX300279	OSULLIVAN CP VINYL SHEET	2002	DELPHI	0
227	DX900140	OUTDOOR WEATHERING OF AUTOMOTIVE EXTERIOR MATERIALS	2002	DELPHI	0
228	DX300277	FORMULA III NON-CD EXTRUDABLE VINYL PELLETS	2002	DELPHI	0
229	DX010101	COATING - LOW FRICTION FOR PLASTICS	2002	DELPHI	0
230	DX900368	BELT TENSION SENSOR - LOW TEMPERATURE STORAGE	2002	DELPHI	0
231	DX300368	THERMOPLASTIC POLYESTER ELASTOMER -39 TYPE D DUROMETER HARDNESS, 45 MPA FLEXURAL MODULUS	2002	DELPHI	0
232	DX300275	RIGID POLYVINYL CHLORIDE FILM	2002	DELPHI	0
233	DX300401	POLYPROPYLENE 30% LONG GLASS FIBER REINFORCED,CHEMICALLY COUPLED, HOMOPOLYMER	2002	DELPHI	0
234	DX550100	CORROSION PROTECTIVE COATINGS - ZINC ALLOY PLATING	2002	DELPHI	0
235	DX300364	NYLON 66 - 33% GLASS FIBER REINFORCED, HEAT STABILIZED	2002	DELPHI	0
236	DX550047	CATHODIC ACRYLIC ELPO FOR APPLIED PARTS	2002	DELPHI	0
237	DX300258	THERMOPLASTIC ELASTOMER - STYRENE BLOCK COPOLYMER	2002	DELPHI	0
238	DX900369	BELT TENSION SENSOR - HIGH ALTITUDE RESISTANCE	2002	DELPHI	0
239	DX280096	WATER DISPLACING CORROSION PREVENTIVE	2002	DELPHI	0
240	DX900312	THERMAL EXPANSION/CONTRACTION - SUPERPLUG	2002	DELPHI	0
241	DX300129	PBTP - 15% GLASS FIBER REINFORCED	2002	DELPHI	0
242	DX900313	BELT TENSION SENSOR â MECHANICAL CYCLE & ABRASION TESTING USING WEIGHT FIXTURE	2002	DELPHI	0
243	DX550053	POWDER TOPCOATS FOR INTERIOR METAL COMPONENTS	2002	DELPHI	0
244	DX900121	KNIFE CROSS-HATCH ADHESION TEST PROCEDURE FOR PAINTED ELASTOMERIC PLASTIC SUBSTRATES	2002	DELPHI	0
245	DX300353	NYLON 66 10% GLASS FILLED	2002	DELPHI	0
246	DX550011	CORROSION PROTECTIVE COATINGS ZINC/ORGANIC TYPE	2002	DELPHI	0
247	DX550013	CORROSION PROTECTIVE COATINGS - PHOSPHATE/ORGANIC/OIL TYPE	2002	DELPHI	0
248	DX900370	BELT TENSION SENSOR - DROP TEST	2002	DELPHI	0
249	DX300362	NYLON-COPOLYMER, HEAT STABILIZED	2002	DELPHI	0
250	DX550043	ELECTRODEPOSITION PRIMER - CATHODIC ELPO FOR SMALL PARTS	2002	DELPHI	0
251	DX300396	POLYOLEFIN ALLOY - 20% MINERAL FILLED, UV STABLE, HIGH IMPACT	2002	DELPHI	0
252	DX900354	SEAT BELT TENSION SENSOR - COVER STRENGTH	2002	DELPHI	0
253	DX300268	NYLON 6 - 25% GLASS FIBER REINFORCED/MINERAL FILLED, HEAT STABILIZED	2002	DELPHI	0
254	DX280097	HIGH WATER REPELLENT SYNTHETIC GREASE FOR BODY HARDWARE	2002	DELPHI	0
255	DX900360	TEST METHOD FOR THE QUANTITATIVE DETERMINATION OF WATER SOLUBLE LEAD IN PARTS AND COMPONENTS	2002	DELPHI	0
256	DX550007	CORROSION PROTECTIVE COATINGS CHROMATE/ZINC/ORGANIC TYPE	2002	DELPHI	0
257	DX550002	PLATING - ZINC/COPPER/NICKEL/CHROMIUM TYPE	2002	DELPHI	0
258	DX300274	POLYPROPYLENE BEADS USED IN ADHESIVES	2002	DELPHI	0
259	DX550071	PRIMER-CATHODIC MEDIUM BUILD ELECTROCOAT	2002	DELPHI	0
260	DX300190	NYLON 66 - ULTRAVIOLET LIGHT RESISTANT, HIGH IMPACT	2002	DELPHI	0
261	DX550050	PRIMER - CATHODIC LOW BUILD ELECTROCOAT	2002	DELPHI	0
262	DX300265	NYLON 66-HOMOPOLYMER, 33% GLASS FIBER REINFORCED, 5% PTFE, HEAT STABILIZED	2002	DELPHI	0
263	DX900304	AUTOMOTIVE COMPONENT EMC SPECIFICATION	2002	DELPHI	0

264	DX300264	POLYPROPYLENE, MINERAL FILLED HEAT AND U.V. STABLE IMPACT MODIFIED COPOLYMER	2002	DELPHI	0
265	DX900016	SPOT TEST ETCH SUSCEPTIBILITY OF STAINLESS STEEL	2001	DELPHI	0
266	DX210036	DIE CAST MAGNESIUM - AM50	2001	DELPHI	0
267	DX211100	SPRING MATERIALS - PRECOATED MUSIC WIRE	2001	DELPHI	0
268	DX900018	CHEMICAL STRESS RESISTANCE OF PLASTICS	2001	DELPHI	0
269	DX900039	LINT PICKUP AND LINT RETENTION OF TEXTILES	2001	DELPHI	0
270	DX300393	ACETAL - HOMOPOLYMER ALLOY, HIGH IMACT, LOW MODULUS	2001	DELPHI	0
271	DX900041	CRAZING OF VINYL TRIM MATERIALS	2001	DELPHI	0
272	DX900038	WEAR OR ABRASION OF TEXTILES ON SEAT SQUIRM MACHINE	2001	DELPHI	0
273	DX300036	PBT - GENERAL PURPOSE	2001	DELPHI	0
274	DX900116	ULTRAVIOLET/VISIBLE TRANSMISSION THROUGH CURED PAINT FILM	2001	DELPHI	0
275	DX900113	THERMAL SHOCK TEST FOR PAINT ADHESION	2001	DELPHI	0
276	DX300373	PHOSPHORESCENT POLYPROPYLENE	2001	DELPHI	0
277	DX300394	RECYCLED NYLON 6 - 33% GLASS FIBER REINFORCED HEAT STABILIZED	2001	DELPHI	0
278	DX900042	RESISTANCE TO WATER SPOTTING, FINISH DISTURBANCE, SALT STAINING AND DISCOLORATION	2001	DELPHI	0
279	DX010100	URETHANE PAINT, ONE OR TWO COMPONENT, INTERIOR	2001	DELPHI	0
280	DX900112	WATER ABSORPTION TEST FOR ADHESIVES AND SEALANTS	2001	DELPHI	0
281	DX280093	EXTREME PRESSURE, BODY HARDWARE SYNTHETIC GREASE	2001	DELPHI	0
282	DX900049	MINK PULL-OUT	2001	DELPHI	0
283	DX900043	RESISTANCE TO ARCING OR CHARRING OF DIELECTRICALLY EMBOSSED MATERIALS	2001	DELPHI	0
284	DX900308	RECOMMENDED PRACTICE TO MINIMIZE DAMAGE OF ELECTRONIC DEVICES DUE TO ELECTROSTATIC DISCHARGE FOR ELECTRONIC COMPONENT SUPPLIERS AND SERVICE CENTERS	2001	DELPHI	0
285	DX900054	SHRINKAGE, GRAIN LOSS, GLOSS AND COLOR CHANGE VACUUM FORMING MATERIAL	2001	DELPHI	0
286	DX300370	NYLON 66 - 20% PTFE FILLED, HEAT STABILIZED	2001	DELPHI	0
287	DX300358	POLYETHYLENE - MEDIUM DENSITY, HOMOPOLYMER, EXTRUSION GRADE	2001	DELPHI	0
288	DX300378	PVC - 75 SHORE A, UV STABILIZED, INJECTION MOLDING GRADE	2001	DELPHI	0
289	DX900119	SCAB CORROSION CREEPBACK OF PAINT SYSTEMS ON METAL SUBSTRATES	2001	DELPHI	0
290	DX900037	RESISTANCE TO COLD CRACKING OF INTERIOR VINYL MATERIALS	2001	DELPHI	0
291	DX210034	DIE CAST ALUMINUM - MODIFIED AA 515.0	2001	DELPHI	0
292	DX300359	PBT - 30% GLASS FIBER REINFORCED	2000	DELPHI	0
293	DX900307	PROCEDURE FOR QUALIFYING HOSE COUPLING ASSEMBLIES	2000	DELPHI	0
294	DX010059	INTERIOR PAINT FOR POLYURETHANE (PUR)	2000	DELPHI	0
295	DX300372	TUBING - HEAT SHRINK	2000	DELPHI	0
296	DX010060	INTERIOR PAINT FOR THERMOPLASTIC POLYOLEFIN ELASTOMER (E/P)	2000	DELPHI	0
297	DX300383	IONOMER - 3% GLASS FIBER FILLED, UV STABILIZED, HEAT STABILIZED, BLACK	2000	DELPHI	0
298	DX300381	PBT POLYESTER -7% GLASS FIBER REINFORCED, IMPACT MODIFIED	2000	DELPHI	0
299	DX300019	POLYCARBONATE - GENERAL PURPOSE, COLORABLE	2000	DELPHI	0
300	DX900033	METHOD FOR DETERMINING ADHESION OF ZINC COATINGS ON SHEET STEEL (SIMULATED DRAW BEAD TEST)	2000	DELPHI	0
301	DX500078	TYPE B SPRING NUTS	2000	DELPHI	0
302	DX500038	METRIC HEX FLANGE HEAD BOLTS	2000	DELPHI	0
303	DX010058	INTERIOR PAINT FOR THERMOPLASTIC POLYESTER (EEBC)	2000	DELPHI	0

304	DX300017	POLYCARBONATE - UV LIGHT RESISTANT, INJECTION MOLDING GRADE	2000	DELPHI	0
305	DX010055	INTERIOR PAINT FOR PHENOLICS (PF)	2000	DELPHI	0
306	DX900329	HORN BLOWING MECHANISM DURABILITY (STEERING WHEEL)	2000	DELPHI	0
307	DX010049	INTERIOR PAINT FOR POLYVINYL CHLORIDE (PVC)	2000	DELPHI	0
308	DX000291	STANDARD REQUIREMENTS - ADHESIVES	2000	DELPHI	0
309	DX280051	GREASE, PHOSPHATE AND PAINT RESISTANT	2000	DELPHI	0
310	DX900047	TEST FOR DETERMINING IMPACT STRENGTH OF PLASTICS	2000	DELPHI	0
311	DX280072	GREASE, PHOSPHATE AND PAINT RESISTANT	2000	DELPHI	0
312	DX000001	RESTRICTED AND REPORTABLE CHEMICALS	2000	DELPHI	0
313	DX300380	THERMOPLASTIC ELASTOMER - STYRENE BLOCK COPOLYMER	2000	DELPHI	0
314	DX300366	NYLON 66 - VERY HIGH IMPACT MODIFIED, HEAT STABILIZED	2000	DELPHI	0
315	DX000002	RECYCLING DESIGN GUIDE	2000	DELPHI	0
316	DX900117	ABRASION RESISTANCE OF ORGANIC COATINGS (TABER ABRASER METHOD)	2000	DELPHI	0
317	DX010054	INTERIOR PAINT FOR ABS, ABS + PC, S/MA, AND/OR PPE	2000	DELPHI	0
318	DX000211	ADHESIVE, TWO-PART, EPOXY, HARDENER	2000	DELPHI	0
319	DX300023	ABS + PC - MEDIUM HEAT, HIGH IMPACT	2000	DELPHI	0
320	DX280071	GREASE, PHOSPHATE AND PAINT RESISTANT	2000	DELPHI	0
321	DX500040	METRIC TAPERED AND REDUCED CROSS SECTION RETAINING RINGS	2000	DELPHI	0
322	DX300382	NYLON 66 - 38% GLASS FIBER REINFORCED/MINERAL FILLED, HEAT STABILIZED	2000	DELPHI	0
323	DX300360	ACETAL - HOMOPOLYMER, 20% PTFE FIBER FILLED	2000	DELPHI	0
324	DX300374	NYLON 66, TOUGHENED, HEAT STABILIZED, BLACK	2000	DELPHI	0
325	DX900159	WATER FOG HUMIDITY TEST	2000	DELPHI	0
326	DX900032	SHEET METAL SURFACE TEXTURE MEASUREMENTS	2000	DELPHI	0
327	DX280082	FUEL GASOHOL	2000	DELPHI	0
328	DX650057	PLASTIC MATERIALS USED IN ASH TRAY APPLICATIONS	2000	DELPHI	0
329	DX900420	Belt Tension Sensor 90 Degree Tensile Test	2000	DELPHI	0
330	DX900036	SLIDING ENTRY TEST	2000	DELPHI	0
331	DX500041	"J" SHAPE AND "U" SHAPE SPRING NUT ASSEMBLY DATA	2000	DELPHI	0
332	DX300354	40% GLASS FILLED, IMPACT MODIFIED, MEGA CHEMICALLY COUPLED POLYPROPYLENE	2000	DELPHI	0
333	DX900115	ACCELERATED CORROSION TEST	2000	DELPHI	0
334	DX900169	DETERMINATION OF FOGGING CHARACTERISTICS OF AUTOMOTIVE INTERIOR TRIM MATERIALS	2000	DELPHI	0
335	DX900161	TAPE ADHESION TEST FOR PAINT FINISHES	2000	DELPHI	0
336	DX650011	ADHESION REQUIREMENTS OF PRESSURE SENSITIVE ADHESIVE COATED PARTS (MINIMAL STRESS)	2000	DELPHI	0
337	DX900035	RESISTANCE TO RAVELING OF WOVEN TEXTILES	2000	DELPHI	0
338	DX900309	HARDNESS TEST AND HARDNESS NUMBER	2000	DELPHI	0
339	DX280500	MILL OIL - CORROSION PREVENTIVE FOR SHEET METAL	2000	DELPHI	0
340	DX900277	AUTOMOTIVE ENVIRONMENTAL CYCLE TESTS FOR ELECTRICAL COMPONENTS	2000	DELPHI	0
341	DX010057	ENAMELS, INTERIOR, STEERING WHEELS	2000	DELPHI	0
342	DX000233	ADHESIVE, WATERBASED, URETHANE	2000	DELPHI	0
343	DX900256	ARTICULATING HEAD RESTRAINT ROTATIONAL CYCLE TEST	2000	DELPHI	0
344	DX900305	STANDARD FOR AUTOMOTIVE RELAYS	2000	DELPHI	0

345	DX300376	NYLON 6 - 40% MINERAL & GLASS FIBER REINFORCED, LOW GLOSS, EXTERIOR WEATHERABLE & HEAT STABILIZED	2000	DELPHI	0
346	DX010056	LACQUERS, INTERIOR, SIR COVERS	2000	DELPHI	0
347	DX300361	ACETAL COPOLYMER, 10% GLASS FIBER REINFORCED	2000	DELPHI	0
348	DX900278	CLEANING/SOLVENT RESISTANCE OF AUTOMOTIVE COMPONENTS DURING NORMAL CUSTOMER USE	2000	DELPHI	0
349	DX900184	MICRO MOTOR DYNAMOMETER	2000	DELPHI	0
350	DX900120	SOLVENT RUB METHOD FOR DETERMINING CURE OF PAINTED METAL OR PLASTIC SUBSTRATES	2000	DELPHI	0
351	DX900034	DIELECTRIC EMBOSSING OF PADDING	2000	DELPHI	0
352	DX000285	ADHESIVE, ONE-PART, ACRYLIC, UV-LIGHT CURE	2000	DELPHI	0
353	DX300365	ACETAL - 10% MINERAL FILLED ACETAL COPOLYMER	2000	DELPHI	0
354	DX900171	MINIWEDGE DOOR LOCK ACTUATOR OUTPUT FORCE	2000	DELPHI	0
355	DX500080	METRIC UNIFORM CROSS SECTION RECTANGULAR RETAINING RINGS	2000	DELPHI	0
356	DX900302	DETERMINE OF HYDROGEN EMBRITTLEMENT STATIC LOADING	2000	DELPHI	0
357	DX900160	CASS TEST COPPER - ACCELERATED ACETIC ACID SALT SPRAY TEST (FOG)	2000	DELPHI	0
358	DX900275	IMMUNITY TO RADIATED ELECTROMAGNETIC FIELDS - (REVERBERATION METHOD)	2000	DELPHI	0
359	DX300356	ACETAL COPOLYMER - 10% GLASS FIBER, 15% PTFE / SILICONE LUBRICATED	2000	DELPHI	0
360	DX010047	PRIMER (ADHESION PROMOTER) - NONCONDUCTIVE, INTERIORS, FOR OLEFINIC PLASTICS	2000	DELPHI	0
361	DX300269	POLYCARBONATE + POLY (BUTYLENE TEREPHTHALATE) - 10% GLASS FIBER REINFORCED, IMPACT MODIFIED, ALLOY	2000	DELPHI	0
362	DX900068	DIME SCRAPE TEST TO DETERMINE PAINT ADHESION AND BRITTLNESS	2000	DELPHI	0
363	DX900144	STANDARD FOR AUTOMOTIVE FLASHERS	2000	DELPHI	0
364	DX900199	ROUTINE TESTING OF CASE HARDENED STEEL PARTS FOR CASE DEPTH AND CORE HARDNESS	2000	DELPHI	0
365	DX000271	ADHESIVE, TRANSFER FILM	2000	DELPHI	0
366	DX300371	NYLON 66- 20% GLASS BEAD REINFORCED, HEAT STABILIZED	2000	DELPHI	0
367	DX000269	ADHESIVE, ONE-PART, ACRYLIC, UV-LIGHT CURE	1999	DELPHI	0
368	DX280009	SOLVENT, NAPHTHA, VM AND P	1999	DELPHI	0
369	DX500036	METRIC HEX HEAD MACHINE SCREWS	1999	DELPHI	0
370	DX900059	TOPCOAT ADHESION OF VINYL	1999	DELPHI	0
371	DX900150	PERSPIRATION RESISTANCE	1999	DELPHI	0
372	DX000200	EPOXY, TWO-PART, ROOM TEMPERATURE CURE, RESIN	1999	DELPHI	0
373	DX300056	ACETAL - HOMOPOLYMER, UV LIGHT RESISTANT	1999	DELPHI	0
374	DX500002	METRIC HEX FLANGE HEAD TAPPING SCREWS TYPES AB, B, BF AND BT	1999	DELPHI	0
375	DX000232	ADHESIVE, HEAT ACTIVATED, POLYESTER FILM	1999	DELPHI	0
376	DX300104	NYLON 46 - HEAT STABILIZED	1999	DELPHI	0
377	DX520007	SURFACE DISCONTINUITIES ON BOLTS AND SCREWS	1999	DELPHI	0
378	DX000235	ADHESIVE, TWO-PART, ACRYLIC, ACTIVATOR	1999	DELPHI	0
379	DX900131	COLORFASTNESS TO CROCKING (RUBBING)	1999	DELPHI	0
380	DX280054	GREASE, WATER RESISTANT, NOISE DAMPENING	1999	DELPHI	0
381	DX650005	UNEXPOSED EXTERIOR ADHESIVE BACKED FILMS	1999	DELPHI	0
382	DX500056	METRIC PAN HEAD TYPE 1A CROSS RECESS MACHINE SCREWS	1999	DELPHI	0
383	DX300013	ABS + POLYCARBONATE - ALLOY	1999	DELPHI	0
384	DX900019	EXTRACTION OF THREADS FOR PERCENT LUBRICANT AND PERCENT RESIN	1999	DELPHI	0

385	DX300038	POLYEHTYLENE - LOW DENSITY, HOMOPOLYMER, INJ. MOLDED, UV STABLE	1999	DELPHI	0
386	DX300060	POLYPROPYLENE - MEDIUM IMPACT, COPOLYMER	1999	DELPHI	0
387	DX500004	METRIC MACHINE SCREW AND CONICAL SPRING WASHER ASSEMBLIES	1999	DELPHI	0
388	DX300081	POLYCARBONATE - MEDIUM HEAT, IMPACT MODIFIED	1999	DELPHI	0
389	DX300175	ABS - MEDIUM HEAT RESISTANT, UV STABILIZED	1999	DELPHI	0
390	DX900026	DIMENSIONAL STABILITY OF SHEEPSKIN	1999	DELPHI	0
391	DX300194	NYLON 66 - 14% GLASS AND RUBBER FILLED, HEAT STABILIZED	1999	DELPHI	0
392	DX900088	WEAR RESISTANCE - RCA WEAR TESTER	1999	DELPHI	0
393	DX300320	NYLON 66 - HOMOPOLYMER, WEATHER RESISTANT, IMPACT MODIFIED	1999	DELPHI	0
394	DX520014	HOT ROLLED STEEL WIRE FOR BOLTS WITH RECESSED HEADS	1999	DELPHI	0
395	DX900185	PROCEDURE FOR RADIAL CRUSH TEST OF SINTERED METAL HINGE STRAP BUSHINGS	1999	DELPHI	0
396	DX900175	ELECTRICAL REVERSIBILITY CHECK FOR NON-REVERSIBLE MOTORS	1999	DELPHI	0
397	DX900296	DETERMINATION OF CREASE RESISTANCE	1999	DELPHI	0
398	DX900062	OVERLAY PROPERTIES OF VINYL COATED FABRICS FOR SIDEWALL APPLICATIONS	1999	DELPHI	0
399	DX900219	RIVET PUSH-OUT TEST	1999	DELPHI	0
400	DX210038	FREE MACHINING CARBON STEEL BAR - SAE 1212	1999	DELPHI	0
401	DX500082	MODULES OF METRIC GEARS	1999	DELPHI	0
402	DX520010	MATERIAL AND PERFORMANCE REQUIREMENTS FOR CASE HARDENED (THREAD CUTTING) TAPPING SCREWS TYPE D, TYPE F AND TYPE T	1999	DELPHI	0
403	DX280045	GREASE, WITH FLUOROCARBON POWDER	1999	DELPHI	0
404	DX280059	LITHIUM COMPLEX, POLYMER ADDITVE GREASE	1999	DELPHI	0
405	DX300116	ACETAL - HOMOPOLYMER, HIGH FLOW	1999	DELPHI	0
406	DX300130	NYLON 612 - 33% GLASS FIBER REINFORCED, HEAT STABILIZED COPOLYMER	1999	DELPHI	0
407	DX500032	POINTS FOR POINTED BOLT AND SCREW PRODUCTS	1999	DELPHI	0
408	DX300149	PPE - GENERAL PURPOSE	1999	DELPHI	0
409	DX300335	NYLON 66 - HOMOPOLYMER, 33% GLASS FIBER REINFORCED, HEAT STABLIZED	1999	DELPHI	0
410	DX300200	NYLON 66 - HOMOPOLYMER, HEAT STABILIZED, LUBRICATED	1999	DELPHI	0
411	DX300302	NYLON 66 - HOMOPOLMER, IMPACT MODIFIED, HEAT STABILIZED	1999	DELPHI	0
412	DX500083	BASIC RACKS OF METRIC INVOLUTE GEARS	1999	DELPHI	0
413	DX900079	TEST FOR STRESS MARK SUSCEPTIBILITY OF PLASTIC MATERIALS	1999	DELPHI	0
414	DX900009	PLIABILITY	1999	DELPHI	0
415	DX280047	LUBRICANT, SYNTHETIC FLUID	1999	DELPHI	0
416	DX500093	METRIC SCREW THREADS	1999	DELPHI	0
417	DX300131	POLYETHYLENE FOAM: CROSS-LINKED, BLACK	1999	DELPHI	0
418	DX500033	MAXIMUM GRIP GAGING LENGTHS AND MINIMUM BODY LENGTHS FOR METRIC BOLT AND SCREW PRODUCTS	1999	DELPHI	0
419	DX200008	HEAT SET POLYESTER - DOOR FIBER PADDING	1999	DELPHI	0
420	DX300150	PET - 35% GLASS AND MINERAL FILLED, IMPACT MODIFIED	1999	DELPHI	0
421	DX500046	PENETRATION GAGES AND GAGING FOR METRIC 6-LOBED SOCKETS	1999	DELPHI	0
422	DX280061	LUBRICANT - OIL, SEWING MACHINE TYPE A & B GREASE, SYNTHETIC, HIGH TEMPERATURE	1999	DELPHI	0
423	DX300303	NYLON 66 - HOMOPOLYMER, IMPACT MODIFIED, HEAT STABILIZED	1999	DELPHI	0
424	DX210100	HIGH-CARBON COLD-ROLLED STEEL STRIP	1999	DELPHI	0

425	DX500060	METRIC FLAT WASHERS (GENERAL PURPOSE)	1999	DELPHI	0
426	DX900193	DOOR LOCK IMMERSION TYPE FREEZE TEST	1999	DELPHI	0
427	DX280064	GREASE, PTFE FILLED BENTONE	1999	DELPHI	0
428	DX280087	GREASE, LOW TEMPERATURE, BODY HARDWARE APPLICATIONS	1999	DELPHI	0
429	DX900321	DROP TEST - SMALL COMPONENTS AND ASSEMBLIES	1999	DELPHI	0
430	DX500037	METRIC HEAVY HEX FLANGE HEAD BOLTS	1999	DELPHI	0
431	DX900200	ELECTRICAL/PNEUMATIC SYSTEM INTERFACE REQUIREMENTS	1999	DELPHI	0
432	DX500049	METRIC TAPPING SCREW AND CONICAL SPRING WASHER ASSEMBLIES - TYPES D, F, T AND TR	1999	DELPHI	0
433	DX000241	ADHESIVE, ONE-PART, EPOXY, STRUCTURAL - METAL	1999	DELPHI	0
434	DX900132	COEFFICIENTS OF FRICTION OF SOFT TRIM MATERIAL	1999	DELPHI	0
435	DX000003	AUTHORING DELPHI-I STANDARDS	1999	DELPHI	0
436	DX300000	ABS - HEAT RESISTANT	1999	DELPHI	0
437	DX650006	ADHESIVES PERFORMANCE REQUIREMENTS OF BONDED FRP ASSEMBLIES	1999	DELPHI	0
438	DX300014	ABS + POLYCARBONATE - HEAT STABILIZED	1999	DELPHI	0
439	DX900021	ADHESION OF FIBER COATING	1999	DELPHI	0
440	DX300040	NYLON 12 - HEAT STABILIZED	1999	DELPHI	0
441	DX300063	PVC - 90 SHORE A, UV STABILIZE, 20% MINERAL FILLED	1999	DELPHI	0
442	DX500005	METRIC FLAT 90 DEGREE COUNTERSUNK HEAD TYPE 1A CROSS RECESS TAPPING SCREWS TYPES AB, B, BF AND BT	1999	DELPHI	0
443	DX300105	ASA - HIGH HEAT, WEATHERABLE, TERPOLYMER	1999	DELPHI	0
444	DX900183	ROUTINE ROCKWELL HARDNESS TESTING OF HARDENED AND TEMPERED STEEL PARTS	1999	DELPHI	0
445	DX900010	RESISTANCE TO PILLING OF AUTOMOTIVE UPHOLSTERY	1999	DELPHI	0
446	DX900086	SCUFF RESISTANCE TEST FOR PAINTED PLASTICS	1999	DELPHI	0
447	DX300330	(ABS + PC) ALLOY - 8% MINERAL FILLED	1999	DELPHI	0
448	DX900295	PROCEDURE FOR CROWBAR TESTING STRUCTURALLY BONDED PLASTIC ASSEMBLIES	1999	DELPHI	0
449	DX900063	PLIABILITY OF PLASTIC MATERIAL	1999	DELPHI	0
450	DX900197	POWER SLIDING VAN DOOR REVERSAL LOAD TEST	1999	DELPHI	0
451	DX900058	FLAGGING, ALLOWANCE AND GENERAL MATERIAL SPECIFICATION FOR MOLDABLE VINYL	1999	DELPHI	0
452	DX900136	MULTI-AXIAL IMPACT TEST	1999	DELPHI	0
453	DX500022	METRIC HEX HEAD TAPPING SCREWS TYPES D, F AND T - GENERAL SPECIFICATIONS	1999	DELPHI	0
454	DX000272	ADHESIVE, TRANSFER FILM, POSITIONING	1999	DELPHI	0
455	DX280041	GREASE, TRANSLUCENT	1999	DELPHI	0
456	DX280017	RUBBER LUBRICANT (LIQUID SOAP)	1999	DELPHI	0
457	DX300057	NYLON 6 - 33% GLASS FIBER REINFORCED, UV STABILIZED, HEAT STABILIZED	1999	DELPHI	0
458	DX000210	ADHESIVE, INSTANT, CYANOACRYLATE, SURFACE INSENSITIVE	1999	DELPHI	0
459	DX300176	ABS - HIGH IMPACT, UV STABILIZED	1999	DELPHI	0
460	DX900020	FLAGGING, ALLOWANCE AND GENERAL MATERIAL SPECIFICATION FOR INTERIOR CUT AND SEWN VINYL COATED FABRICS	1999	DELPHI	0
461	DX300195	NYLON 6 - 40% MINERAL FILLED, HEAT STABILIZED	1999	DELPHI	0
462	DX900071	TORQUE TENSION TEST	1999	DELPHI	0
463	DX000231	ADHESIVE, TWO-PART, WATERBASED POLYURETHANE, HEAT ACTIVATED	1999	DELPHI	0
464	DX000260	ADHESIVE, TRANSFER FILM	1999	DELPHI	0

465	DX300064	PVC - 85 SHORE A, WEATHERABLE, INTEGRAL COLORED, INJECTION MOLDING COMPOUND	1999	DELPHI	0
466	DX550070	PRIMER - CATHODIC HIGH BUILD ELECTROCOAT	1999	DELPHI	0
467	DX300338	NYLON 66 - HOMOPOLYMER, VERY HIGH IMPACT	1999	DELPHI	0
468	DX500034	ENGAGEMENT GAGES AND GAGING FOR METRIC 6-LOBED EXTERNAL DRIVE PROVISIONS	1999	DELPHI	0
469	DX520006	MATERIAL AND PERFORMANCE REQUIREMENTS FOR METRIC AND CUSTOMARY SERIES CASE HARDENED TAPPING SCREWS	1999	DELPHI	0
470	DX000268	ADHESIVE, TRANSFER FILM	1999	DELPHI	0
471	DX280066	LUBRICATING GREASE	1999	DELPHI	0
472	DX300177	NYLON 66 - HOMOPOLYMER, RECYCLED, HIGH IMPACT	1999	DELPHI	0
473	DX900323	DETERMINING PAINT THICKNESS OF PAINTED FLEXIBLE PLASTIC PARTS	1999	DELPHI	0
474	DX000209	ADHESIVE, TWO-PART, EPOXY ROOM TEMPERATURE CURE	1999	DELPHI	0
475	DX500045	METRIC OVAL 90 DEGREE COUNTERSUNK TRIM HEAD TYPE 1A CROSS RECESS MACHINE SCREWS	1999	DELPHI	0
476	DX000230	ADHESIVE, TWO-PART, WATERBASED POLYURETHANE, HEAT ACTIVATED	1999	DELPHI	0
477	DX300109	NYLON 66 - 20% GLASS FIBER REINFORCED, HIGH IMPACT, HEAT STABILIZED	1999	DELPHI	0
478	DX000251	ADHESIVE, TAPE, TEMPORARY HOLD DOWN	1999	DELPHI	0
479	DX900133	TRIMETHYLAMINE IN FIBERGLASS PARTS	1999	DELPHI	0
480	DX000004	GM REQUIREMENTS FOR INTERIOR APPEARANCE PARTS	1999	DELPHI	0
481	DX900012	HIGH TEMPERATURE HUMIDITY AGING	1999	DELPHI	0
482	DX500058	METRIC BREAK MANDREL BLIND RIVETS - TYPE TFN	1999	DELPHI	0
483	DX300016	POLYCARBONATE - WEATHER RESISTANT, LENS GRADE	1999	DELPHI	0
484	DX900022	FIRMNESS OF PADDING	1999	DELPHI	0
485	DX300042	ACETAL - HIGH MOLECULAR WEIGHT COPOLYMER	1999	DELPHI	0
486	DX900085	KNIFE QUICK ADHESION TEST FOR STATIONARY GLASS BONDING MATERIALS TO PAINT	1999	DELPHI	0
487	DX300331	(ABS + PC) ALLOY - 8% MINERAL FILLED	1999	DELPHI	0
488	DX900182	TENSILE TEST PROCEDURE FOR ANCHORAGE STRENGTH	1999	DELPHI	0
489	DX900011	EVALUATING BRITTLINESS OF PAINTED PLASTICS AND SEALANTS BY MEANS OF A MANDREL	1999	DELPHI	0
490	DX300065	PVC - 85 SHORE A, WEATHERABLE, INTEGRAL COLORED, EXTRUSION MOLDING COMPOUND	1999	DELPHI	0
491	DX300187	NYLON 66 - 40% FIBROUS MINERAL REINFORCED, HEAT STABILIZED	1999	DELPHI	0
492	DX300084	SMA - HIGH HEAT, 20% GLASS FIBER REINFORCED	1999	DELPHI	0
493	DX900072	ABILITY OF EXTERIOR GRAPHICS TO WITHSTAND HIGH PRESSURE WAND CAR WASH SPRAY	1999	DELPHI	0
494	DX900195	SECTOR TOOTH STRENGTH TEST ELECTRIC WINDOW REGULATORS	1999	DELPHI	0
495	DX900057	FORMABILITY OF UNSUPPORTED EXPANDED VINYL HEAD RESTRAINT MATERIAL	1999	DELPHI	0
496	DX900135	TEST FOR SOLVENT BARRIER PROPERTIES OF PRIMER	1999	DELPHI	0
497	DX500076	TYPE A PUSH ON SPRING NUTS	1999	DELPHI	0
498	DX650055	DECORATIVE SECOND SURFACE FINISHES ON PLASTICS PARTS	1999	DELPHI	0
499	DX900294	ODOR ACCEPTABILITY - CAN TEST	1999	DELPHI	0
500	DX280070	LUBRICANT - OIL, SEWING MACHINE TYPE A & B	1999	DELPHI	0
501	DX300134	SAN - UV STABILIZED, CLEAR	1999	DELPHI	0
502	DX200007	UNSUPPORTED VINYL	1999	DELPHI	0
503	DX300152	ACRYLIC - WEATHER RESISTANT, LENS GRADE	1999	DELPHI	0
504	DX280062	GREASE, ZINC OXIDE AND CALCIUM TYPE	1999	DELPHI	0
505	DX300270	POLYCARBONATE & MDASH - HIGH VISCOSITY	1999	DELPHI	0

506	DX300304	ABS - ULTRAVIOLET LIGHT STABILIZED, LOW GLOSS	1999	DELPHI	0
507	DX210200	LOW CARBON MARTENSITIC STEEL SHEET	1999	DELPHI	0
508	DX520100	MECHANICAL AND METALLURGICAL REQUIREMENTS FOR METRIC SERIES STEEL NUTS	1999	DELPHI	0
509	DX520012	MATERIALS AND PERFORMANCE REQUIREMENTS FOR METRIC AND CUSTOMARY SERIES CASE HARDENED SELF - DRILLING TAPPING SCREWS	1999	DELPHI	0
510	DX300082	IONOMER - OLEFIN MODIFIED, WEATHER RESISTANT, INTEGRALLY COLORED	1999	DELPHI	0
511	DX300101	NYLON 66/6 - 13% GLASS FIBER REINFORCED, COPOLYMER	1999	DELPHI	0
512	DX300118	POLYETHYLENE - MEDIUM DENSITY POLYETHYLENE	1999	DELPHI	0
513	DX280031	GREASE, POLYUREA, PTFE, MULTI-TEMPERATURE, NLGI 2	1999	DELPHI	0
514	DX500068	METRIC TUBULAR RIVETS	1999	DELPHI	0
515	DX520016	MATERIAL AND PERFORMANCE REQUIREMENTS FOR INDUCTION HARDENED (THREAD CUTTING) TAPPING SCREWS - TYPE D, TYPE F AND TYPE T	1999	DELPHI	0
516	DX500061	METRIC HEXAGON SOCKET SET SCREWS	1999	DELPHI	0
517	DX500062	METRIC HEX WASHER HEAD MACHINE SCREWS	1999	DELPHI	0
518	DX500069	METRIC HARDENED SMALL FLAT WASHERS	1999	DELPHI	0
519	DX500077	TYPE A SPRING NUTS	1999	DELPHI	0
520	DX500015	METRIC SLOTTED HEX NUTS	1999	DELPHI	0
521	DX551100	NONDECORATIVE POWDER COATINGS	1999	DELPHI	0
522	DX500011	METRIC FLAT 90 DEGREE COUNTERSUNK HEAD TYPE 1A CROSS RECESS TAPPING SCREWS TYPES D, F AND T	1999	DELPHI	0
523	DX210300	HOT DIPPED GALVANIZED ZINC COATED STEEL SHEET	1999	DELPHI	0
524	DX210002	ACUZINC(TM) HOT CHAMBER DIE CAST ALLOY	1999	DELPHI	0
525	DX300305	ABS - ULTRAVIOLET LIGHT STABILIZED, LOW GLOSS	1999	DELPHI	0
526	DX900015	HYDROLYTIC STABILITY	1999	DELPHI	0
527	DX300196	NYLON 6 - HOMOPOLYMER, GENERAL PURPOSE, HEAT STABILIZED	1999	DELPHI	0
528	DX300153	ACRYLIC - EXTERIOR TRIM	1999	DELPHI	0
529	DX280042	GREASE, SYNTHETIC INSTRUMENT	1999	DELPHI	0
530	DX300271	PBTP - 30% GLASS FIBER REINFORCED, POLYCARBONATE MODIFIED	1999	DELPHI	0
531	DX300119	POLYETHYLENE - LOW DENSITY, HOMOPOLYMER, INJECTION MOLDING GRADE	1999	DELPHI	0
532	DX300291	POLYOLEFIN ALLOY - 320 MPA FLEXURAL MODULUS	1999	DELPHI	0
533	DX300135	ACETAL - COPOLYMER, UV STABILIZED, INTEGRALLY COLORED	1999	DELPHI	0
534	DX900005	TEST FOR OZONE RESISTANCE OF ELASTOMER COMPOUNDS	1999	DELPHI	0
535	DX900293	TEST FOR STAINING CHARACTERISTICS OF ADHESIVES AND SEALERS	1999	DELPHI	0
536	DX900075	WEAR RESISTANCE - CANVAS BELT WEAR TESTER	1999	DELPHI	0
537	DX900187	MOTOR-ACTUATOR DROP TEST	1999	DELPHI	0
538	DX900056	GRAIN RETENTION OF INTERIOR TRIM MATERIALS	1999	DELPHI	0
539	DX900109	ADHESION AND DURABILITY OF EXTERIOR TRIMS	1999	DELPHI	0
540	DX300337	NYLON 66 - HOMOPOLYMER, VERY HIGH IMPACT	1999	DELPHI	0
541	DX500055	METRIC FLAT 90 DEGREE COUNTERSUNK HEAD 6-LOBED SOCKET MACHINE SCREWS	1999	DELPHI	0
542	DX000267	ADHESIVE, TAPE, CARPET BONDING	1999	DELPHI	0
543	DX280083	METHYL ALCOHOL	1999	DELPHI	0
544	DX000257	ADHESIVE, HEAT ACTIVATED	1999	DELPHI	0

545	DX300066	PVC - 85 SHORE A, UV STABILIZED, INTEGRAL COLORED, EXTRUSION MOLDING COMPOUND	1999	DELPHI	0
546	DX000226	ADHESIVE, HOT MELT, POLYAMID	1999	DELPHI	0
547	DX300121	POLYETHYLENE - HIGH DENSITY	1999	DELPHI	0
548	DX500075	METRIC TYPE AHS SELF-PIERCING NUTS	1999	DELPHI	0
549	DX000207	ADHESIVE, TWO-PART, EPOXY, HARDENER	1999	DELPHI	0
550	DX300179	NYLON 66 - 13% GLASS FIBER REINFORCED, HEAT STABILIZED	1999	DELPHI	0
551	DX900014	TEST FOR DIMENSIONAL STABILITY	1999	DELPHI	0
552	DX300199	NYLON 66 - 40% FIBROUS MINERAL REINFORCED	1999	DELPHI	0
553	DX900101	EVALUATION OF PAINT, SAG, POP AND STRIKE-IN PROPERTIES	1999	DELPHI	0
554	DX300332	(ABS + PC) ALLOY - 8% MINERAL FILLED	1999	DELPHI	0
555	DX900196	REAR COMPARTMENT STRIKER HIGH FREQUENCY BI-DIRECTIONAL FATIGUE	1999	DELPHI	0
556	DX900029	GLASS CONTENT OF GLASS REINFORCED PLASTICS	1999	DELPHI	0
557	DX000255	ADHESIVE, HOT MELT, PRESSURE SENSITIVE	1999	DELPHI	0
558	DX900134	AGING TEST FOR VINYL COMPOUNDS AND/OR PARTS	1999	DELPHI	0
559	DX300020	THERMOPLASTIC POLYOLEFIN ELASTOMER HEAT STABILIZED, ALLOY, SHORE A87	1999	DELPHI	0
560	DX900023	ADHESION-CREEP CHARACTERISTICS OF ADHESIVES ON SPONGE RUBBER	1999	DELPHI	0
561	DX300043	ACETAL - LUBRICATED, 20% PTFE	1999	DELPHI	0
562	DX300067	POLYPROPYLENE - GENERAL PURPOSE, COPOLYMER	1999	DELPHI	0
563	DX300085	SMA - COPOLYMER, 20% GLASS REINFORCED, MEDIUM HEAT RESISTANT	1999	DELPHI	0
564	DX500010	METRIC HEX WASHER HEAD TAPPING SCREWS TYPES AB, B, BF, AND BT	1999	DELPHI	0
565	DX300002	POLYCARBONATE - WEATHER RESISTANT, INTEGRAL COLOR, MEDIUM VISCOSITY	1999	DELPHI	0
566	DX650007	ADHESIVE REQUIREMENTS FOR STRUCTURALLY BONDED PLASTICS (NON FRP)	1999	DELPHI	0
567	DX500063	METRIC FLAT 90 DEGREE COUNTERSUNK HEAD TYPE 1A CROSS RECESS MACHINE SCREWS	1999	DELPHI	0
568	DX280002	GREASE, SILICONE, CABLE ASSEMBLY	1999	DELPHI	0
569	DX550500	CORROSION PROTECTIVE COATINGS - ALUMINUM BASECOAT/ORGANIC OR INORGANIC TOPCOAT	1999	DELPHI	0
570	DX500088	RECOMMENDED METRIC HOLE SIZES	1999	DELPHI	0
571	DX900040	COLOR TRANSFER OF SEWING THREAD	1999	DELPHI	0
572	DX300189	NYLON 6 - HOMOPOLYMER, IMPACT MODIFIED, HEAT STABILIZED	1999	DELPHI	0
573	DX280043	GREASE, EXTREME PRESSURE	1999	DELPHI	0
574	DX200012	VINYL REPAIR PAINT IN AEROSOL CONTAINERS	1999	DELPHI	0
575	DX300147	NYLON 6 - UV RESISTANT, HEAT STABILIZED	1999	DELPHI	0
576	DX500043	METRIC TYPE C SPRING PINS	1999	DELPHI	0
577	DX280075	LUBRICANT - GREASE, TEFLON FILLED FOR AUTOMOTIVE HARDWARE	1999	DELPHI	0
578	DX300197	NYLON 6 - 13% GLASS FIBER REINFORCED, HEAT STABILIZED	1999	DELPHI	0
579	DX200018	SUPPORTED VINYL	1999	DELPHI	0
580	DX300300	NYLON 66 - HOMOPOLYMER, 35% MINERAL FILLED, HEAT STABILIZED	1999	DELPHI	0
581	DX500059	METRIC COTTER PINS	1999	DELPHI	0
582	DX500066	METRIC PAN HEAD TYPE 1A CROSS RECESS TAPPING SCREWS TYPES D, F AND T	1999	DELPHI	0
583	DX500012	METRIC HEAVY HEX NUTS	1999	DELPHI	0
584	DX650065	POLYETHYLENE FILM	1999	DELPHI	0
585	DX900298	MIGRATION OF OILS OR DYESTUFFS	1999	DELPHI	0

586	DX500020	METRIC HEX WASHER HEAD TAPPING SCREWS TYPES D, F AND T	1999	DELPHI	0
587	DX900060	DIELECTRIC EMBOSSING OF VINYL	1999	DELPHI	0
588	DX900268	IMMUNITY TO RADIATED ELECTROMAGNETIC FIELDS (BCI METHOD)	1999	DELPHI	0
589	DX900065	STITCH TEAR RESISTANCE OF VINYL COATED GENUINE LEATHER	1999	DELPHI	0
590	DX900153	IMPACT TEST FOR PLASTIC MATERIALS (INSTRUMENTED OR NON-INSTRUMENTED)	1999	DELPHI	0
591	DX000243	ADHESIVE, INSTANT, CYANOACRYLATE	1999	DELPHI	0
592	DX900149	TEST FOR DETERMINING ACOUSTIC TRANSPARENCY OF A SPEAKER COVERING	1999	DELPHI	0
593	DX000273	ADHESIVE, TRANSFER FILM	1999	DELPHI	0
594	DX201800	DIELECTRIC EMBOSSING SUBFOUNDATION BOARD	1999	DELPHI	0
595	DX000208	ADHESIVE, INSTANT, CYANOACRYLATE, TOUGHENED	1999	DELPHI	0
596	DX300051	POLYCARBONATE - HIGH HEAT, IMPACT MODIFIED	1999	DELPHI	0
597	DX500071	METRIC PILOTED TYPES E AND F PROJECTION WELD NUTS	1999	DELPHI	0
598	DX900031	LUBRICANT - ELECTROCOAT PRIMER COMPATIBILITY	1999	DELPHI	0
599	DX300191	NYLON 66 - UV STABILIZED, HEAT STABILIZED	1999	DELPHI	0
600	DX900099	ADHESION AND DURABILITY OF BONDED WEATHERSTRIP - PRESSURE SENSITIVE ADHESIVE	1999	DELPHI	0
601	DX300318	NYLON 66 - HOMOPOLYMER, WEATHER RESISTANT, VERY HIGH IMPACT	1999	DELPHI	0
602	DX000236	ADHESIVE, INSTANT, CYANOACRYLATE, NONBLOOMING	1999	DELPHI	0
603	DX300096	NYLON 66 - 32% GLASS FIBER REINFORCED, HEAT STABILIZED, MOS2 LUBRICATED	1999	DELPHI	0
604	DX000213	ADHESIVE, SOLVENT BASED, NONSTRUCTURAL	1999	DELPHI	0
605	DX300172	ABS - HIGH HEAT RESISTANT, ULTRAVIOLET LIGHT STABILIZED, INJECTION MOLDING GRADE, PELLET FORM	1999	DELPHI	0
606	DX500106	METRIC UNIFORM CROSS SECTION SPIRAL RETAINING RINGS	1999	DELPHI	0
607	DX650094	DECORATIVE INTERIOR WOOD COMPONENTS	1999	DELPHI	0
608	DX300077	POLYPROPYLENE - HIGH IMPACT, COPOLYMER	1999	DELPHI	0
609	DX500009	METRIC OVAL 90 DEGREE COUNTERSUNK HEAD 6-LOBED SOCKET TAPPING SCREWS TYPES AB, B, BF, AND BT	1999	DELPHI	0
610	DX300098	POLYOLEFIN ALLOY - 550 MPA FLEXURAL MODULUS	1999	DELPHI	0
611	DX300115	ACETAL - HOMOPOLYMER, HIGH FLOW	1999	DELPHI	0
612	DX300148	PHENOLIC - 20% MINERAL FILLED, BLACK	1999	DELPHI	0
613	DX500044	THREAD RUNOUT AND BOLT STRAIGHTNESS REFEREE GAGES AND GAGING	1999	DELPHI	0
614	DX280080	GREASE, SYNTHETIC, POLYUREA, SHEAR STABLE, MULTI-PURPOSE	1999	DELPHI	0
615	DX300198	NYLON 6 - 33% GLASS FIBER REINFORCED, HEAT STABILIZED	1999	DELPHI	0
616	DX200040	MOLDED POLYURETHANE FOAM FOR TRIM ITEMS	1999	DELPHI	0
617	DX300301	NYLON 66 - HOMOPOLYMER, IMPACT MODIFIED, HEAT STABILIZED	1999	DELPHI	0
618	DX210037	COLD DRAWN MODIFIED SAE 1006 - SAE 1012 STEEL WIRE	1999	DELPHI	0
619	DX280006	GREASE, SYNTHETIC #1	1999	DELPHI	0
620	DX550600	DECORATIVE CHROMIUM PLATING COPPER, NICKEL, CHROMIUM TYPE	1999	DELPHI	0
621	DX500089	RECOMMENDED SPECIAL METRIC HOLE SIZES FOR TAPPING SCREWS	1999	DELPHI	0
622	DX300011	ABS - ULTRAVIOLET LIGHT STABILIZED, LOW GLOSS	1999	DELPHI	0
623	DX650087	INTERIOR TRIM PARTS PERFORMANCE	1999	DELPHI	0
624	DX300035	ABS + PC - HIGH HEAT, HIGH IMPACT BLEND	1999	DELPHI	0
625	DX300062	PVC 70 SHORE A, INTERIOR, EXTRUSION MOLDING COMPOUND	1999	DELPHI	0

626	DX900081	PROCEDURE FOR DETERMINING HEAT BUILD-UP OF INSULATING MATERIAL	1999	DELPHI	0
627	DX900007	MEASURING THICKNESS OF ELECTRODEPOSITS AND ANODIC COATINGS	1999	DELPHI	0
628	DX000228	ADHESIVE, HOT MELT, POLYAMIDE, SEAT COVER TO FOAM BUN	1999	DELPHI	0
629	DX900129	CUP DUCTILITY TEST	1999	DELPHI	0
630	DX280048	LUBRICANT, RUBBER	1999	DELPHI	0
631	DX900148	CREEP TEST FOR ELASTOMERIC SEAT SUSPENSION SYSTEMS	1999	DELPHI	0
632	DX280086	GREASE EXTREME LOW TEMPERATURE	1999	DELPHI	0
633	DX500092	RECOMMENDED NON-GAGE NOTCHES FOR SHEET METAL PARTS	1999	DELPHI	0
634	DX500025	METRIC OVAL 90 DEGREE COUNTERSUNK TRIM HEAD 6-LOBED SOCKET TAPPING SCREWS TYPES AB, B, BF AND BT	1999	DELPHI	0
635	DX280010	LUBRICANT, WAX	1999	DELPHI	0
636	DX900167	Tensile Test for Safety Belt Anchor Bolts	1999	DELPHI	0
637	DX280057	RUBBER LUBRICATING JELLY	1999	DELPHI	0
638	DX500042	METRIC HELICAL SPRING LOCK WASHERS	1999	DELPHI	0
639	DX650004	PROTECTIVE TAPES	1999	DELPHI	0
640	DX900297	PLIABILITY OF SEAT BELT WEBBING	1999	DELPHI	0
641	DX900061	RESISTANCE OF ARCING AND CHARRING OF ADHESIVES, RESINS AND MARKING INKS	1999	DELPHI	0
642	DX900265	BEND TEST FOR HEAT TREATED PARTS MADE FROM FLAT ROLLED OR WIRE STEEL PRODUCTS	1999	DELPHI	0
643	DX900064	RESISTANCE TO MARRING OR SCUFFING	1999	DELPHI	0
644	DX900151	TEST FOR THE STAINING OF TRIM MATERIALS	1999	DELPHI	0
645	DX900090	QUALITATIVE ANALYSIS OF PLASTICIZERS IN POLYVINYL CHLORIDE (PVC) MOLDINGS	1999	DELPHI	0
646	DX300319	NYLON 66 - HOMOPOLYMER, WEATHER RESISTANT, IMPACT MODIFIED	1999	DELPHI	0
647	DX900030	WATER SPRAY RESISTANCE OF GREASE	1999	DELPHI	0
648	DX300192	NYLON 66 - UV STABILIZED HOMOPOLYMER	1999	DELPHI	0
649	DX900080	FASTENING STRENGTHS OF HOOK AND LOOP TAPES	1999	DELPHI	0
650	DX900008	TEST FOR MEASURING EXPANSION OF SEALERS	1999	DELPHI	0
651	DX000234	ADHESIVE, TWO-PART, ACRYLIC RESIN	1999	DELPHI	0
652	DX900130	COATING CURE TEST	1999	DELPHI	0
653	DX280053	GREASE, HIGH TEMPERATURE WATER SPRAY RESISTANT NO. 1-2	1999	DELPHI	0
654	DX650002	ADHESION PERFORMANCE OF DECORATIVE EXTERIOR EMBLEMS AND SCRIPT	1999	DELPHI	0
655	DX500053	METRIC PAN HEAD 6-LOBED SOCKET MACHINE SCREWS	1999	DELPHI	0
656	DX300037	POLYPROPYLENE - 30% GLASS FIBER REINFORCED, CHEMICALLY COUPLED, HOMOPOLYMER	1999	DELPHI	0
657	DX300059	POLYPHENYLENE ETHER - HEAT RESISTANT, HIGH FLOW	1999	DELPHI	0
658	DX500003	METRIC HEX HEAD TAPPING SCREWS TYPES AB, B, BF AND BT	1999	DELPHI	0
659	DX300079	POLYURETHANE ISRIM - INTEGRAL SKIN FOAM	1999	DELPHI	0
660	DX900097	ADHESION OF WEATHERSTRIPS TO PAINT, PAINT STAINING AND WRINKLE RESISTANCE	1999	DELPHI	0
661	DX210011	SPRING MATERIALS - MUSIC WIRE	1999	DELPHI	0
662	DX300052	ACRYLIC - WEATHER RESISTANT, HEAT RESISTANT	1999	DELPHI	0
663	DX300103	NYLON 66/6 - 43% GLASS FIBER REINFORCED, HEAT STABILIZED	1999	DELPHI	0
664	DX000212	ADHESIVE, RUBBER, BUTYL, EXTRUDABLE	1999	DELPHI	0
665	DX300174	POLYPHENYLENE ETHER - 15% GLASS REINFORCED	1999	DELPHI	0
666	DX000227	ADHESIVE, CONTACT, SOLVENT BASED, FLEXIBLE, NONCRAZING	1999	DELPHI	0

667	DX300340	POLYAMIDE 6 WITH 40% BY MASS GLASS FIBERS, IMPACT RESISTANT MODIFIED	1999	DELPHI	0
668	DX520011	MATERIAL AND PERFORMANCE REQUIREMENTS FOR TYPE TR (THREAD ROLLING) SCREWS CASE HARDENED	1999	DELPHI	0
669	DX210020	SPRING MATERIALS - OIL TEMPERED CARBON STEEL SPRING WIRE	1999	DELPHI	0
670	DX210400	HIGH STRENGTH, LOW ALLOY SHEET STEEL	1999	DELPHI	0
671	DX550015	CORROSION PROTECTIVE COATINGS - PHOSPHATE/ELECTRO-ORGANIC/OIL TYPE	1999	DELPHI	0
672	DX900048	TEST FOR TACK RANGE OF ADHESIVES	1999	DELPHI	0
673	DX900271	CONDUCTED TRANSIENT EMISSIONS	1999	DELPHI	0
674	DX900066	WICKING AND BLISTERING OF CONVERTIBLE TOP AND ROOF TRIM MATERIALS	1999	DELPHI	0
675	DX900154	TEST FOR CLEANABILITY OF TEXTILES OF PLASTICS	1999	DELPHI	0
676	DX210040	PASSIVATION OF STAINLESS STEEL	1999	DELPHI	0
677	DX900173	WINDOW REGULATOR MOTOR WATER ENTRY	1999	DELPHI	0
678	DX500057	METRIC TYPE S SPRING PINS	1999	DELPHI	0
679	DX520009	DECARBURIZATION OF HARDENED AND TEMPERED BOLTS AND STUDS	1999	DELPHI	0
680	DX500001	METRIC PAN HEAD 6-LOBED SOCKET TAPPING SCREWS TYPES AB, B, BF AND BT	1999	DELPHI	0
681	DX900166	COMPATIBILITY OF VINYL MATERIALS AND LEATHER	1999	DELPHI	0
682	DX500067	METRIC TYPE AH SELF-PIERCING OR CLINCH NUTS	1999	DELPHI	0
683	DX300033	THERMOPLASTIC POLYURETHANE - 30% GLASS AND MINERAL REINFORCED	1999	DELPHI	0
684	DX280088	GREASE, SYNTHETIC, POLYUREA, SHEAR STABLE, MULTI-PURPOSE, NLGI #2 GRADE	1999	DELPHI	0
685	DX300054	IONOMER - WEATHER RESISTANT, INTEGRALLY COLORED	1999	DELPHI	0
686	DX300075	POLYPROPYLENE - HOMOPOLYMER, 13% GLASS FIBER REINFORCED	1999	DELPHI	0
687	DX300094	POLYPROPYLENE - 20% TALC FILLED HOMOPOLYMER	1999	DELPHI	0
688	DX900004	TEST FOR VOLATILES IN SILICONE RUBBER	1999	DELPHI	0
689	DX520800	SEALING COMPOUNDS FOR USE WITH FASTENERS AND ATTACHING CLIPS	1999	DELPHI	0
690	DX900253	RIVET DUCTILITY TEST	1999	DELPHI	0
691	DX500048	PENETRATION GAGES AND GAGING FOR TYPE 1A CROSS RECESSES	1999	DELPHI	0
692	DX000274	ADHESIVE, TRANSFER FILM	1999	DELPHI	0
693	DX201700	FIBROUS SOUND ABSORBER MATERIALS	1999	DELPHI	0
694	DX000222	ADHESIVE, HOT MELT, SPRAY, EDGE FOLD	1999	DELPHI	0
695	DX300039	POLYETHYLENE - LINEAR LOW DENSITY, LOW GLOSS, BLOW MOLDING GRADE	1999	DELPHI	0
696	DX900046	PROCEDURE FOR TESTING FLAMMABILITY OF MATERIALS	1999	DELPHI	0
697	DX000238	ADHESIVE, INSTANT, CYANOACRYLATE, GENERAL PURPOSE	1999	DELPHI	0
698	DX300095	NYLON 66 - 2.5% MOS2 LUBRICATED, HEAT STABILIZED	1999	DELPHI	0
699	DX900091	MILDEW RESISTANCE - PINK STAIN TEST	1999	DELPHI	0
700	DX300317	NYLON 66 - HOMOPOLYMER, WEATHER RESISTANT, VERY HIGH IMPACT	1999	DELPHI	0
701	DX900084	TEST FOR WEAR RESISTANCE OF PLASTICS	1999	DELPHI	0
702	DX550003	PLATING - MULTILAYER ELECTROPLATED/BLACK TYPE	1999	DELPHI	0
703	DX210039	COLD DRAWN MODIFIED SAE 1010 - SAE 1012 STEEL WIRE	1999	DELPHI	0
704	DX900128	RECOMMENDED PRACTICE FOR HOT WATER IMMERSION TESTING	1999	DELPHI	0
705	DX280046	GREASE, ELECTRICAL	1999	DELPHI	0
706	DX900146	CORROSION PROTECTION BY GREASE IN HUMIDITY CABINET	1999	DELPHI	0
707	DX300097	POLYOLEFIN ALLOY - WEATHER RESISTANT, 550 MPA FLEXURAL MODULUS	1999	DELPHI	0

708	DX300114	ACETAL - HOMOPOLYMER, LOW DTUL	1999	DELPHI	0
709	DX300128	PBTP - 30% GLASS FIBER REINFORCED, IMPACT MODIFIED	1999	DELPHI	0
710	DX300055	POLYETHYLENE - MEDIUM DENSITY, UV STABILIZED, BLOW MOLDING GRADE	1999	DELPHI	0
711	DX300076	POLYPROPYLENE - 12% MICA FILLED, CHEMICALLY COUPLED, HEAT STABILIZED, COPOLYMER	1999	DELPHI	0
712	DX900045	RESISTANCE TO TUFT REMOVAL OR LOOP PULLOUT OF FLOOR COVERINGS	1999	DELPHI	0
713	DX650082	SOURCE PERFORMANCE EVALUATION AND REPORTING PROCEDURE FASTENERS	1999	DELPHI	0
714	DX000216	ADHESIVE, TAPE, ABRASION RESISTANT	1999	DELPHI	0
715	DX300010	ABS - CHROME PLATABLE GRADE	1999	DELPHI	0
716	DX900017	PROCEDURE TO DETERMINE THE FEMALE MOLD FORMING TEMPERATURE OF VACUUM MATERIAL	1999	DELPHI	0
717	DX300034	POLYETHYLENE - BLOW MOLDING COLOR CONCENTRATE	1999	DELPHI	0
718	DX280049	GREASE, EXTREME LOW TEMPERATURE (-40 DEGREES F)	1999	DELPHI	0
719	DX280085	SYNTHETIC ELECTRICAL SWITCH GREASE	1999	DELPHI	0
720	DX500086	WOODRUFF KEYSLOTS AND KEYWAYS	1999	DELPHI	0
721	DX500018	METRIC OVAL 90 DEGREE COUNTERSUNK HEAD TYPE 1A CROSS RECESS TAPPING SCREWS TYPES D, F AND T	1999	DELPHI	0
722	DX500090	RECOMMENDED PUNCH SIZES FOR METRIC HOLES	1999	DELPHI	0
723	DX500023	RECOMMENDED HOLE SIZES FOR METRIC TAPPING SCREWS	1999	DELPHI	0
724	DX000007	INFORMATION REQUIRED FOR MATERIAL SAFETY DATA SHEETS	1999	DELPHI	0
725	DX500047	METRIC ALL METAL DIRECTIONAL PREVAILING TORQUE-TENSION HEX NUTS	1999	DELPHI	0
726	DX201300	POLYURETHANE FOAM FOR TRIM PADDING APPLICATIONS	1999	DELPHI	0
727	DX000256	ADHESIVE, HOT MELT, PRESSURE SENSITIVE	1999	DELPHI	0
728	DX300031	STYRENE MALEIC ANHYDRIDE - HIGH IMPACT, COPOLYMER	1999	DELPHI	0
729	DX000239	ADHESIVE, TAPE, ACRYLIC, EXTERIOR MOUNTING	1999	DELPHI	0
730	DX300093	NYLON 66 - 50% LONG GLASS FIBER REINFORCED, HEAT STABILIZED	1999	DELPHI	0
731	DX000221	ADHESIVE, ANAEROBIC, ADHESIVE/SEALANT	1999	DELPHI	0
732	DX300161	POLYPHENYLENE ETHER - IMPACT RESISTANT, MODIFIED	1999	DELPHI	0
733	DX900044	MILDEW GROWTH	1999	DELPHI	0
734	DX300188	NYLON 66 - 13% GLASS FIBER REINFORCED, IMPACT MODIFIED, HEAT STABILIZED	1999	DELPHI	0
735	DX900001	HIGH TEMPERATURE FLOW PROPERTIES OF GREASE	1999	DELPHI	0
736	DX900303	THROW POWER OF ELECTRODEPOSITION PRIMERS	1999	DELPHI	0
737	DX900013	MILDEW RESISTANCE - MIXED CULTURE METHOD	1999	DELPHI	0
738	DX900272	IMMUNITY TO CONDUCTED SINUSOIDAL BURSTS	1999	DELPHI	0
739	DX900067	DIELECTRIC EMBOSSING OF BODY CLOTH	1999	DELPHI	0
740	DX900158	SALT SPRAY TEST	1999	DELPHI	0
741	DX500000	HEADER POINTS FOR SCREW PRODUCTS	1999	DELPHI	0
742	DX500021	METRIC HEX FLANGE HEAD TAPPING SCREWS TYPES D, F AND T - GENERAL SPECIFICATIONS	1999	DELPHI	0
743	DX900188	DRY TO TOUCH PROTECTIVE OIL TYPE COMPOUNDS	1999	DELPHI	0
744	DX900127	PROCESS REQUIREMENTS FOR PREPARING CHROME PLATED PARTS FOR PAINTING	1999	DELPHI	0
745	DX900143	RESISTANCE OF COATINGS TO CHEMICAL ETCHING AND DISTORTION	1999	DELPHI	0
746	DX300009	ABS - 20% GLASS FIBER REINFORCED, INJECTION MOLDING GRADE	1999	DELPHI	0
747	DX900094	SCREEN ANALYSIS OF POLYSTYRENE BEADS	1999	DELPHI	0
748	DX300316	NYLON 66 - HOMOPOLYMER, VERY HIGH IMPACT, HEAT STABILIZED	1999	DELPHI	0

749	DX900102	PROCEDURE FOR EVALUATING PARTING LINES	1999	DELPHI	0
750	DX520018	SEALING COMPOUND COATING FOR SCREWS	1999	DELPHI	0
751	DX500052	METRIC HEX FLANGE HEAD MACHINE SCREWS	1999	DELPHI	0
752	DX300347	PVC POWDER - CASTABLE, FLEXIBLE	1999	DELPHI	0
753	DX500072	METRIC TYPE AM SQUARE PROJECTION WELD NUTS	1999	DELPHI	0
754	DX300113	ACETAL - HOMOPOLYMER, UV STABILIZED	1999	DELPHI	0
755	DX900103	PRESSURE SENSITIVE ADHESIVE COMPATIBILITY WITH TOPCOAT PAINT SYSTEMS	1999	DELPHI	0
756	DX300127	PBTP - 20% GLASS FIBER REINFORCED, FLAME RETARDANT	1999	DELPHI	0
757	DX500030	DOG POINTS FOR METRIC BOLTS	1999	DELPHI	0
758	DX300145	POLYPHENYLENE ETHER - BLOW MOLDING GRADE	1999	DELPHI	0
759	DX280015	LUBRICANT - OIL, SEWING MACHINE TYPE A & B	1999	DELPHI	0
760	DX300193	NYLON 66 - HOMOPOLYMER, IMPACT MODIFIED, UV STABILIZED, HEAT STABILIZED	1999	DELPHI	0
761	DX200016	CARPET MATERIALS	1999	DELPHI	0
762	DX300299	NYLON 66 - HOMOPOLYMER, 35% MINERAL FILLED, HEAT STABILIZED	1999	DELPHI	0
763	DX210032	SPRING MATERIALS - HIGH TENSILE STRENGTH, HARD DRAWN, STEEL SPRING WIRE	1999	DELPHI	0
764	DX300339	NYLON 66 - HOMOPOLYMER, VERY HIGH IMPACT	1999	DELPHI	0
765	DX280001	GREASE, LITHIUM, SEMI-SYNTHETIC	1999	DELPHI	0
766	DX550400	PLATING COPPER/NICKEL/CHROMIUM/BLACK CHROMIUM TYPE	1999	DELPHI	0
767	DX300355	NYLON 66 - GENERAL PURPOSE	1999	DELPHI	0
768	DX500091	SURFACE TEXTURE - ROUGHNESS, WAVINESS AND LAY	1999	DELPHI	0
769	DX650200	SOFT INTERIOR TRIM PARTS	1999	DELPHI	0
770	DX300112	ACETAL COPOLYMER, HIGH FLOW	1999	DELPHI	0
771	DX300126	PBTP - 45% GLASS AND MINERAL REINFORCED	1999	DELPHI	0
772	DX500029	METRIC ROUND HEAD SQUARE NECK BOLTS	1999	DELPHI	0
773	DX300144	S/MA - TERPOLYMER	1999	DELPHI	0
774	DX280004	HIGH TEMPERATURE GREASE - SEAT TRACK, SEAT RISER PIVOT POWDER PAINT CYCLE RESISTANT	1999	DELPHI	0
775	DX300181	NYLON 66 - HOMOPOLYMER, IMPACT MODIFIED, HEAT STABILIZED	1999	DELPHI	0
776	DX200013	SEWING THREAD	1999	DELPHI	0
777	DX300296	NYLON 66 - HOMOPOLYMER, 32% MINERAL FILLED, IMPACT MODIFIED	1999	DELPHI	0
778	DX300329	(ABS + PC) ALLOY - 8% MINERAL FILLED	1999	DELPHI	0
779	DX280000	GREASE, ELECTRICAL CONNECTOR	1999	DELPHI	0
780	DX550300	CHROMATE FINISHES FOR ZINC DIE CASTINGS	1999	DELPHI	0
781	DX210021	SPRING MATERIALS - HARD DRAWN CARBON STEEL SPRING WIRE	1999	DELPHI	0
782	DX000261	ADHESIVE, HOT MELT, PRESSURE SENSITIVE	1999	DELPHI	0
783	DX300026	POLYOLEFIN ALLOY - 700 MPA FLEXURAL MODULUS	1999	DELPHI	0
784	DX900000	SULFUR DIOXIDE SPOT TEST	1999	DELPHI	0
785	DX900273	IMMUNITY TO JUMP START VOLTAGES	1999	DELPHI	0
786	DX900162	PROCEDURES FOR LABORATORY ACCELERATED EXPOSURE OF AUTOMOTIVE MATERIALS	1999	DELPHI	0
787	DX500027	METRIC OVAL 90 DEGREE COUNTERSUNK TRIM HEAD TYPE 1A CROSS RECESS TAPPING SCREWS TYPES AB,B, BF AND BT	1999	DELPHI	0
788	DX900050	FORMABILITY OF UNSUPPORTED EXPANDED VINYL	1999	DELPHI	0
789	DX650012	ADHESION REQUIREMENTS FOR EXTERIOR PLASTIC TRIM ATTACHED WITH PRESSURE SENSITIVE TAPE	1999	DELPHI	0

790	DX520017	SEALING COMPOUNDS	1999	DELPHI	0
791	DX000240	ADHESIVE, TRANSFER FILM	1999	DELPHI	0
792	DX300090	ABS - HIGH IMPACT	1999	DELPHI	0
793	DX000223	ADHESIVE, WATERBASED. SPRAYABLE	1999	DELPHI	0
794	DX300159	PPE - HEAT RESISTANT	1999	DELPHI	0
795	DX000202	ADHESIVE, TWO-PART, SILICONE, RTV, LOW VOLATILITY, SEALER	1999	DELPHI	0
796	DX300186	NYLON 6 - GENERAL PURPOSE	1999	DELPHI	0
797	DX900095	CONDUCTIVITY TEST OF COATED PLASTIC PARTS	1999	DELPHI	0
798	DX300315	NYLON 66 - HOMOPOLYMER, VERY HIGH IMPACT, HEAT STABILIZED	1999	DELPHI	0
799	DX900104	RESIDUAL PENTANE CONTENT BY GAS CHROMATOGRAPHY	1999	DELPHI	0
800	DX900189	DOOR LOCK OPERATING CHARACTERISTICS	1999	DELPHI	0
801	DX900126	INTERIOR TRIM HAND PEEL STRENGTH PROCEDURE	1999	DELPHI	0
802	DX210700	ZINC COATED, HIGH STRENGTH, LOW ALLOY SHEET STEEL	1999	DELPHI	0
803	DX900142	AUTOMOTIVE ENVIRONMENTAL CYCLES	1999	DELPHI	0
804	DX300074	POLYPROPYLENE - 25% MICA FILLED IMPACT MODIFIED COPOLYMER POLYPROPYLENE	1999	DELPHI	0
805	DX300092	POLYCARBONATE - HIGH HEAT, HIGH FLOW, IMPACT MODIFIED	1999	DELPHI	0
806	DX500065	METRIC ALL METAL PREVAILING TORQUE-TENSION FLANGED HEX NUTS	1999	DELPHI	0
807	DX300008	ABS - MEDIUM IMPACT, EXTRUSION GRADE	1999	DELPHI	0
808	DX300032	POLYCARBONATE - 10% GLASS FIBER REINFORCED, IMPACT MODIFIED	1999	DELPHI	0
809	DX300053	IONOMER - 13% GLASS FIBER FILLED, WEATHER RESISTANT, BLACK	1999	DELPHI	0
810	DX500064	METRIC OVAL 90 DEGREE COUNTERSUNK HEAD TYPE 1A CROSS RECESS MACHINE SCREWS	1999	DELPHI	0
811	DX900310	DUSTOUT FROM FIBER SOUND ABSORBER PAD	1999	DELPHI	0
812	DX500079	METRIC PUSH-ON BOLT RETAINING SPRING NUTS	1999	DELPHI	0
813	DX520700	MECHANICAL AND MATERIAL REQUIREMENTS FOR METRIC THRU HARDENED THREAD FORMING AND THREAD CUTTING SCREWS	1999	DELPHI	0
814	DX300091	ABS - 15% GLASS FIBER REINFORCED, HIGH IMPACT GRADE	1999	DELPHI	0
815	DX300111	ACETAL COPOLYMER, IMPACT MODIFIED	1999	DELPHI	0
816	DX900100	SIDE IMPACT TEST	1999	DELPHI	0
817	DX200035	SPEAKER COVERINGS	1999	DELPHI	0
818	DX300125	PETP - 35% GLASS FIBER REINFORCED	1999	DELPHI	0
819	DX300073	POLYPROPYLENE - 10% CALCIUM CARBONATE FILLED, IMPACT MODIFIED	1999	DELPHI	0
820	DX500008	METRIC FLAT 90 DEGREE COUNTERSUNK HEAD 6-LOBED SOCKET TAPPING SCREWS TYPES AB, B, BF AND BT	1999	DELPHI	0
821	DX280039	GREASE, SYNTHETIC CONTACT	1999	DELPHI	0
822	DX200017	EMBROIDERED EMBLEMS (BONDABLE, INTERIOR USAGE)	1999	DELPHI	0
823	DX300143	PS - HIGH HEAT, HIGH IMPACT	1999	DELPHI	0
824	DX200000	FIBERGLASS MAT	1999	DELPHI	0
825	DX300178	NYLON 66 - VERY HIGH IMPACT MODIFIED	1999	DELPHI	0
826	DX300295	NYLON 66 - HOMOPOLYMER, 32% MINERAL FILLED, IMPACT MODIFIED	1999	DELPHI	0
827	DX210026	SPRING MATERIALS - HARD DRAWN HIGH CARBON STEEL SPRING WIRE	1999	DELPHI	0
828	DX300314	NYLON 66 - HOMOPOLYMER, VERY HIGH IMPACT, HEAT STABILIZED	1999	DELPHI	0
829	DX211000	COLD ROLLED CARBON STEEL STRIP	1999	DELPHI	0

830	DX550069	CORROSION PROTECTIVE COATINGS - ZINC PHOSPHATE/BLACK ORGANIC	1999	DELPHI	0
831	DX550009	CORROSION PROTECTIVE COATINGS - PHOSPHATE/BLACK ZINC ORGANIC TYPE	1999	DELPHI	0
832	DX650078	COMPRESSION MOLDABLE FELT TRIM ASSEMBLIES	1999	DELPHI	0
833	DX520008	SURFACE DISCONTINUITIES OF NUTS	1999	DELPHI	0
834	DX900165	THUMBNAIL HARDNESS TEST FOR PAINTED PARTS	1999	DELPHI	0
835	DX200300	POLYESTER DIELECTRIC SIDEWALL PADDING	1999	DELPHI	0
836	DX000266	ADHESIVE, TRANSFER FILM	1999	DELPHI	0
837	DX300015	ASA+PC - WEATHER RESISTANT, INJECTION MOLDING GRADE	1999	DELPHI	0
838	DX000229	ADHESIVE, TWO-PART, WATERBASED POLYURETHANE, HEAT ACTIVATED	1999	DELPHI	0
839	DX500073	METRIC BREAK MANDREL BLIND RIVETS TYPE TFS	1999	DELPHI	0
840	DX000206	ADHESIVE, TWO-PART, EPOXY, RESIN	1999	DELPHI	0
841	DX300180	NYLON 66 - HOMOPOLYMER, HIGH IMPACT MODIFIED, HEAT STABILIZED	1999	DELPHI	0
842	DX900078	VARIABLE SURFACE TEMPERATURE HEAT EXPOSURE TEST	1999	DELPHI	0
843	DX900107	TEST FOR MEASURING THE RAMP EXPANSION OF SEALERS	1999	DELPHI	0
844	DX500039	METRIC HEX BOLTS	1999	DELPHI	0
845	DX000258	ADHESIVE, TRANSFER FILM	1999	DELPHI	0
846	DX300068	PS - EXPANDABLE POLYSTYRENE	1999	DELPHI	0
847	DX000259	ADHESIVE-SEALER, SILICONE RUBBER, ONE PART RTV	1999	DELPHI	0
848	DX900137	RESISTANCE TO SYNTHETIC PERSPIRATION	1999	DELPHI	0
849	DX000006	DELPHI-I REQUIREMENTS FOR EXTERIOR APPEARANCE PARTS	1999	DELPHI	0
850	DX900111	MOLDING AND EMBLEM ADHESION TEST PLUCK RESISTANCE	1999	DELPHI	0
851	DX900194	DOOR LOCK FREEZE-IN FIXTURE	1999	DELPHI	0
852	DX900076	CYCLIC CHIPPING TEST	1999	DELPHI	0
853	DX500014	METRIC HEX JAM NUTS	1999	DELPHI	0
854	DX300003	THERMOPLASTIC POLYOLEFIN ELASTOMER - HEAT STABILIZED, ALLOY, SHORE A64	1999	DELPHI	0
855	DX650010	COIL COATED ADHESIVES - SHEET STOCK	1999	DELPHI	0
856	DX300021	THERMOPLASTIC ELASTOMER - POLYOLEFINIC, INTERIOR/EXTERIOR, SHORE A 67	1999	DELPHI	0
857	DX900024	DIELECTRIC SEALING PROPERTIES OF ROOF TRIM AND CONVERTIBLE TOP MATERIALS	1999	DELPHI	0
858	DX300044	ACETAL - 25% SHORT GLASS FIBER REINFORCED, COPOLYMER, COUPLED	1999	DELPHI	0
859	DX300069	POLYPHENYLENE ETHER - HIGH FLOW	1999	DELPHI	0
860	DX500006	METRIC OVAL 90 DEGREE COUNTERSUNK HEAD TYPE 1A CROSS RECESS TAPPING SCREWS TYPES AB, B, BF, AND BT	1999	DELPHI	0
861	DX520200	MECHANICAL AND QUALITY REQUIREMENTS FOR EXTERNALLY THREADED FASTENERS	1999	DELPHI	0
862	DX500013	METRIC HEX FLANGE NUTS	1999	DELPHI	0
863	DX650053	FINISH DURABILITY REQUIREMENTS FOR DECORATIVE INTERIOR PLASTIC PARTS	1999	DELPHI	0
864	DX900006	QUALITY CONTROL OF LUBRICANTS	1999	DELPHI	0
865	DX900289	IMPACT RESISTANCE OF VINYL COVERED PARTS	1999	DELPHI	0
866	DX900074	ZINC PHOSPHATE CRYSTAL SIZE DETERMINATION USING "FAXFILM" REPLICATION	1999	DELPHI	0
867	DX900186	ELECTRICAL COMPONENTS/SYSTEMS - DUST EXPOSURE	1999	DELPHI	0
868	DX900055	DIELECTRIC EMBOSsing OF CARPET	1999	DELPHI	0
869	DX900077	GASOLINE PUDDLE TEST FOR GASOLINE FILL AREAS	1999	DELPHI	0
870	DX300336	NYLON 66 - HOMOPOLYMER, 33% GLASS FIBER REINFORCED, HEAT STABILIZED	1999	DELPHI	0

871	DX300138	NYLON 12 - 23% GLASS FIBER REINFORCED, HEAT STABILIZED	1999	DELPHI	0
872	DX300106	ABS - UV STABILIZED, GENERAL PURPOSE	1999	DELPHI	0
873	DX200044	SEAT BELT WEBBING - POLYESTER	1999	DELPHI	0
874	DX300120	POLYETHYLENE - LOW DENSITY, UV STABILIZED, BLOW MOLDING GRADE	1999	DELPHI	0
875	DX300154	ACRYLIC - IMIDE COPOLYMER, WEATHER RESISTANT, LENS GRADE	1999	DELPHI	0
876	DX280027	LUBRICANT - GREASE, TEFLON FILLED FOR AUTOMOTIVE HARDWARE	1999	DELPHI	0
877	DX300290	PVC - 60 SHORE A, UV STABLE, 6% MINERAL FILLED, INJECTION MOLDING COMPOUND	1999	DELPHI	0
878	DX210007	HOT ROLLED STEEL ROD, WIRE, & BAR - MODIFIED SAE 10B21 FOR HEAT TREAT APPLICATIONS	1999	DELPHI	0
879	DX300306	ABS - ULTRAVIOLET LIGHT STABILIZED, LOW GLOSS	1999	DELPHI	0
880	DX210500	NICKEL/ZINC ALLOY COATED STEEL STRIP	1999	DELPHI	0
881	DX550048	ACRYLIC POWDER TOPCOAT FOR PARTS	1999	DELPHI	0
882	DX650022	FIBER COATING - INTERIOR OR EXTERIOR	1999	DELPHI	0
883	DX500016	METRIC HEX NUTS - GENERAL SPECIFICATIONS	1999	DELPHI	0
884	DX300107	ABS + PC - HIGH IMPACT, HEAT STABILIZED, PLATING GRADE	1999	DELPHI	0
885	DX300122	POLYETHYLENE - HIGH DENSITY, COPOLYMER, INJECTION MOLDING	1999	DELPHI	0
886	DX300139	POLYPROPYLENE - HEAT RESISTANT, HIGH CRYSTALLINE, UV STABILIZED COPOLYMER	1999	DELPHI	0
887	DX500035	METRIC ROUND HEAD SHORT SQUARE NECK BOLTS	1999	DELPHI	0
888	DX200004	DOOR WINDOW GLASS RUN CHANNEL LINING	1999	DELPHI	0
889	DX300156	POLYPROPYLENE - HEAT STABILIZED, UV STABILIZED, IMPACT MODIFIED	1999	DELPHI	0
890	DX500019	METRIC FLAT 90 DEGREE COUNTERSUNK TRIM HEAD TYPE 1A CROSS RECESS TAPPING SCREWS TYPES AB, B, BF AND BT	1999	DELPHI	0
891	DX300292	COPOLYESTER ELASTOMER - 300 MPA FLEXURAL MODULUS	1999	DELPHI	0
892	DX210012	SURFACE TEXTURE - STEEL SHEET AND STRIP	1999	DELPHI	0
893	DX300310	POLYCARBONATE - WEATHER RESISTANT, LENS GRADE	1999	DELPHI	0
894	DX210600	LOW CARBON HOT AND COLD ROLLED SHEET STEEL FOR CASE HARDENING APPLICATIONS	1999	DELPHI	0
895	DX650025	INTERIOR MOLDED TRIM PANELS	1999	DELPHI	0
896	DX280032	GREASE, CORROSION RESISTANT CALCIUM	1999	DELPHI	0
897	DX900276	TEST FOR RESISTANCE TO ODOR OF TEXTILES	1999	DELPHI	0
898	DX300086	SMA - 12% GLASS REINFORCED, IMPACT RESISTANT COPOLYMER	1999	DELPHI	0
899	DX900073	GASOLINE DIP TEST FOR PAINTED PARTS	1999	DELPHI	0
900	DX900180	DOOR LATCH CYCLE FIXTURE SEAL FORCE	1999	DELPHI	0
901	DX500051	METRIC OVAL 90 DEGREE COUNTERSUNK TRIM HEAD 6-LOBED SOCKET MACHINE SCREWS	1999	DELPHI	0
902	DX900053	ACCELERATED AGING AND STEAMING	1999	DELPHI	0
903	DX550021	BLACK OXIDE FINISH	1999	DELPHI	0
904	DX300334	NYLON 66 - HOMOPOLYMER, 33% GLASS FIBER REINFORCED, HEAT STABILIZED	1999	DELPHI	0
905	DX650052	APPLIED GRAPHICS ON PLASTIC PARTS	1999	DELPHI	0
906	DX900003	TEST FOR SOLID CONTENT OF ADHESIVES AND SEALERS	1999	DELPHI	0
907	DX900288	AUTOMOTIVE INSERT FABRIC	1999	DELPHI	0
908	DX300027	NYLON 66 - 60% GLASS FIBER REINFORCED, HEAT STABILIZED	1999	DELPHI	0
909	DX900025	FLEX TEST FOR DECALS	1999	DELPHI	0
910	DX300004	CELLULOSE ACETATE BUTYRATE	1999	DELPHI	0
911	DX900192	DOOR LOCK BACKOUT CHECK	1999	DELPHI	0

912	DX900083	METHOD OF DETERMINING MELTING POINT OF SEMICRYSTALLINE POLYMERS BY DIFFERENTIAL SCANNING CALORIMETRY	1999	DELPHI	0
913	DX000264	ADHESIVE, CONTACT, RECLAIMED RUBBER, WEATHERSTRIP	1999	DELPHI	0
914	DX900138	IMPACT TEST EXTERIOR BODY SIDE MOLDINGS	1999	DELPHI	0
915	DX300070	POLYPROPYLENE - HOMOPOLYMER, 32% MINERAL/GLASS REINFORCED	1999	DELPHI	0
916	DX300087	SMA - HEAT RESISTANT, 16% GLASS FIBER REINFORCED COPOLYMER	1999	DELPHI	0
917	DX300108	PETP - 30% GLASS FIBER REINFORCED	1999	DELPHI	0
918	DX500026	METRIC HEXAGON SOCKET GAGES AND GAGING	1999	DELPHI	0
919	DX300182	NYLON 66 - 40% MINERAL FILLED, HEAT STABILIZED	1999	DELPHI	0
920	DX900089	EVALUATING PAINT APPEARANCE AND ADHESION	1999	DELPHI	0
921	DX300297	NYLON 66 - HOMOPOLYMER, 32% MINERAL FILLED, IMPACT MODIFIED	1999	DELPHI	0
922	DX900174	WINDOW REGULATOR ACTUATOR "JAM" RESISTANCE	1999	DELPHI	0
923	DX200400	DIELECTRIC EMBOSSING PAD	1999	DELPHI	0
924	DX000265	ADHESIVE, TRANSFER FILM	1999	DELPHI	0
925	DX300018	ABS - EXTRUSION GRADE	1999	DELPHI	0
926	DX000247	ADHESIVE, PROMOTER, FOAM TAPE	1999	DELPHI	0
927	DX300071	PP - 20% MICA FILLED, CHEMICALLY COUPLED HOMOPOLYMER	1999	DELPHI	0
928	DX300083	POLYPROPYLENE - GLASS FIBER AND MINERAL FILLED, HEAT STABILIZED, IMPACT MODIFIED COPOLYMER	1999	DELPHI	0
929	DX000225	ADHESIVE, TAPE, PROMOTOR	1999	DELPHI	0
930	DX300137	NYLON 66/6 - 33% GLASS FIBER REINFORCED, UV STABILIZED, HEAT STABILIZED	1999	DELPHI	0
931	DX000205	ADHESIVE, TWO-PART, EPOXY, UV SET, ROOM TEMPERATURE CURE	1999	DELPHI	0
932	DX900027	CORROSION CREEPBACK TEST METHOD	1999	DELPHI	0
933	DX000262	ADHESIVE, TRANSFER FILM, VACUUM FORMABLE	1999	DELPHI	0
934	DX300025	POLYOLEFIN ALLOY - WEATHER RESISTANT, 700 MPA FLEXURAL MODULUS	1999	DELPHI	0
935	DX000242	ADHESIVE, INSTANT, CYANOACRYLATE	1999	DELPHI	0
936	DX300089	ABS - ULTRAVIOLET LIGHT STABILIZED, LOW GLOSS	1999	DELPHI	0
937	DX900069	COLOR CHANGE DUE TO TEMPERATURE OR HUMIDITY	1999	DELPHI	0
938	DX900164	OVEN AGING TEST PROCEDURE FOR PAINTED PLASTIC SUBSTRATES	1999	DELPHI	0
939	DX900051	COATING ADHESION OF VINYL COATED MATERIALS	1999	DELPHI	0
940	DX650058	DECORATIVE INTERIOR PLASTIC LAMINATES AND FILMS	1999	DELPHI	0
941	DX010045	INTERIOR PAINT FOR POLYCARBONATE (PC)	1999	DELPHI	0
942	DX210030	PROJECTION WELDING QUALITY STEEL - ELECTROGALVANIZED	1999	DELPHI	0
943	DX201000	LABEL - SEAT BELT WEBBING	1999	DELPHI	0
944	DX900096	GUIDE TO IDENTIFYING ADHESIVE FAILURE MODES	1999	DELPHI	0
945	DX300313	NYLON 66 - HOMOPOLYMER, VERY HIGH IMPACT, HEAT STABILIZED	1999	DELPHI	0
946	DX900105	PREPARATION OF ACID RAIN SOLUTION	1999	DELPHI	0
947	DX000220	ADHESIVE, HOT MELT, URETHANE, PLASTICS OR METAL	1999	DELPHI	0
948	DX300158	POLYPROPYLENE - 43% GLASS FIBER REINFORCED CHEMICALLY COUPLED POLYPROPYLENE COPOLYMER	1999	DELPHI	0
949	DX520300	METALLURGICAL REQUIREMENTS FOR STEEL NUTS	1999	DELPHI	0
950	DX000203	ADHESIVE, TWO-PART, SILICONE, BASE	1999	DELPHI	0

951	DX300185	NYLON 6 - 15% GLASS FIBER REINFORCED/25% MINERAL FILLED, HEAT STABILIZED	1999	DELPHI	0
952	DX900190	DOOR LOCK BACKOUT	1999	DELPHI	0
953	DX900125	FLAME RESISTANCE TEST FOR ADHESIVES AND SEALERS	1999	DELPHI	0
954	DX210019	COLD ROLLED, MODIFIED SAE 10B21 STEEL STRIP FOR HEAT TREAT APPLICATIONS	1999	DELPHI	0
955	DX900141	SEAM STRENGTH OF AUTOMOTIVE MATERIALS	1999	DELPHI	0
956	DX300007	POLYOLEFIN ALLOY - 32% CALCIUM CARBONATE FILLED, HEAT STABILIZED	1999	DELPHI	0
957	DX650018	ADHESION REQUIREMENTS FOR BONDING EXTERIOR BONDING MOLDING COMPOUNDS (SMC)	1999	DELPHI	0
958	DX300030	POLYETHERIMIDE - 40% GLASS FIBER REINFORCED, AMORPHOUS, HOMOPOLYMER	1999	DELPHI	0
959	DX900028	TEST FOR EVALUATING ZINC PHOSPHATE COATING	1999	DELPHI	0
960	DX300049	POLYPROPYLENE - 30% GLASS FIBER REINFORCED, CHEMICALLY COUPLED, HEAT STABILIZED HOMOPOLYMER	1999	DELPHI	0
961	DX300346	PVC - 70 SHORE A, UV STABILIZED, 3% MINERAL FILLED	1999	DELPHI	0
962	DX900317	SAG RESISTANCE	1999	DELPHI	0
963	DX500017	METRIC FLAT 90 DEGREE COUNTERSUNK TRIM HEAD 6-LOBED SOCKET TAPPING SCREWS TYPES AB, B, BF AND BT	1999	DELPHI	0
964	DX500024	METRIC TYPE TUS3 PROJECTION WELD STUDS - GENERAL SPECIFICATIONS	1999	DELPHI	0
965	DX900172	GREASE ON COUNTERBALANCE SPRINGS	1999	DELPHI	0
966	DX200001	FLAGGING AND ALLOWANCE SPECIFICATION FOR INTERIOR NONWOVEN CARPET MATERIALS	1999	DELPHI	0
967	DX300173	POLYPROPYLENE - 15% TALC FILLED, HIGH IMPACT, UV STABLE, COPOLYMER	1999	DELPHI	0
968	DX280040	LUBRICANT, HIGH TEMPERATURE, NONCORROSIVE	1999	DELPHI	0
969	DX300294	NYLON 66 - HOMOPOLYMER, 35% MINERAL FILLED, HEAT STABILIZED	1999	DELPHI	0
970	DX210025	CHROME SILICON SPRING STEEL WIRE	1999	DELPHI	0
971	DX300312	POLYCARBONATE - WEATHER RESISTANT, LENS GRADE	1999	DELPHI	0
972	DX210900	LOW CARBON STEEL SHEET	1999	DELPHI	0
973	DX650076	METAL SURFACE PREPARATION	1999	DELPHI	0
974	DX280033	NYOGEL - 760G, HIGH TEMPERATURE ELECTRICAL CONNECTOR GREASE	1999	DELPHI	0
975	DX520600	RECLOSABLE FASTENERS	1999	DELPHI	0
976	DX500070	SLOT GAGES AND GAGING FOR METRIC SLOTTED HEX NUTS	1999	DELPHI	0
977	DX200036	FABRIC - WINDOW GLASS STABILIZERS	1999	DELPHI	0
978	DX300142	POLYPROPYLENE - HOMOPOLYMER, GENERAL PURPOSE, INJECTION MOLDING	1999	DELPHI	0
979	DX000263	ADHESIVE, TAPE, PAPER, PRINTABLE	1999	DELPHI	0
980	DX300024	POLYETHYLENE - HIGH DENSITY, HIGH MOLECULAR WEIGHT, USAGE - MOLDED FUEL TANKS	1999	DELPHI	0
981	DX000246	ADHESIVE, PROMOTER	1999	DELPHI	0
982	DX300078	PS - EXPANDABLE, FLAME RETARDANT (SE)	1999	DELPHI	0
983	DX000224	ADHESIVE, HOT MELT	1999	DELPHI	0
984	DX300140	NYLON 6 - RECYCLED, GENERAL PURPOSE, HEAT STABILIZED	1999	DELPHI	0
985	DX000204	ADHESIVE, TWO-PART, SILICONE, CATALYST	1999	DELPHI	0
986	DX300183	NYLON 66 - GENERAL PURPOSE	1999	DELPHI	0
987	DX900319	PRESSURE STABILITY	1999	DELPHI	0
988	DX900002	TEST FOR COLD SHOCK RESISTANCE OF SEALERS, DEADENERS AND VINYL FILMS	1999	DELPHI	0
989	DX900279	FLAMMABILITY OF MATERIALS	1999	DELPHI	0
990	DX900093	TEST FOR INTRINSIC MELT VISCOSITY OF THERMOPLASTIC RESINS	1999	DELPHI	0

991	DX300298	NYLON 66 - HOMOPOLYMER, 35% MINERAL FILLED, HEAT STABILIZED	1999	DELPHI	0
992	DX900106	COLD SLAM TEST	1999	DELPHI	0
993	DX200029	AUTOMOTIVE UPHOLSTERY FABRIC	1999	DELPHI	0
994	DX900139	TEST FOR THERMAL-OXIDATIVE STABILITY CHARACTERISTICS OF PLASTICS	1999	DELPHI	0
995	DX300005	ABS + PC 10% GLASS FILLED, BLEND	1999	DELPHI	0
996	DX650015	COMPOUND, THREAD SEALING, HIGH TEMPERATURE	1999	DELPHI	0
997	DX900191	DOOR LOCK FORCE OPEN (TIP-ON-TIP)	1999	DELPHI	0
998	DX900087	EFFECT OF SHEET METAL FORMING LUBRICANTS ON THE PHOSPHATE SYSTEM	1999	DELPHI	0
999	DX300029	ABS + PC - 8% MINERAL FILLED	1999	DELPHI	0
1000	DX300110	POLYETHYLENE - HIGH DENSITY, HIGH MOLECULAR WEIGHT	1999	DELPHI	0
1001	DX300046	NYLON 66 - HOMOPOLYMER, EXTRUSION GRADE	1999	DELPHI	0
1002	DX300072	POLYPROPYLENE - 40% MINERAL FILLED AND GLASS FIBER REINFORCED, CHEMICALLY COUPLED	1999	DELPHI	0
1003	DX500007	METRIC PAN HEAD TYPE 1A CROSS RECESS TAPPING SCREWS TYPES AB, B, BF AND BT	1999	DELPHI	0
1004	DX300088	ABS - MEDIUM HIGH HEAT RESISTANT, ULTRAVIOLET LIGHT STABILIZED	1999	DELPHI	0
1005	DX300061	PVC - 60 SHORE A, INTERIOR, INJECTION MOLDING COMPOUND	1999	DELPHI	0
1006	DX300184	NYLON 6 - 30% MINERAL FILLED/10% GLASS REINFORCED, HEAT STABILIZED	1999	DELPHI	0
1007	DX210800	ELECTROGALVANIZED ZINC COATED STEEL SHEET	1999	DELPHI	0
1008	DX900108	STABILITY OF ADHESIVES AND SEALERS	1999	DELPHI	0
1009	DX650069	DOOR AND QUARTER TRIM PANEL PERFORMANCE SPECIFICATION	1999	DELPHI	0
1010	DX500054	METRIC OVAL 90 DEGREE COUNTERSUNK HEAD 6-LOBED SOCKET MACHINE SCREWS	1999	DELPHI	0
1011	DX900157	WEATHERING EXPOSURE TESTS FOR INTERIOR TRIMS	1999	DELPHI	0
1012	DX300141	NYLON 6 - 40% GLASS FIBER REINFORCED/MINERAL FILLED, UV STABILIZED, HEAT STABILIZED	1999	DELPHI	0
1013	DX300123	POLYETHYLENE - HIGH DENSITY, COPOLYMER, BLOW MOLDING/EXTRUSION GRADE, PELLET FORM	1999	DELPHI	0
1014	DX500028	METRIC TAPPING SCREW AND CONICAL SPRING WASHER ASSEMBLIES TYPES AB, B, BF, BSD AND BT	1999	DELPHI	0
1015	DX300157	POLYPROPYLENE - COPOLYMER, 25% MINERAL FILLED, UV STABILIZED	1999	DELPHI	0
1016	DX300293	NYLON 66 - HOMOPOLYMER, 33% GLASS FIBER REINFORCED, HEAT STABILIZED	1999	DELPHI	0
1017	DX210023	OIL TEMPERED CARBON STEEL VALVE SPRING WIRE	1999	DELPHI	0
1018	DX300311	POLYCARBONATE - EXTERIOR LENS	1999	DELPHI	0
1019	DX900070	CAR WASH SIMULATION TEST	1999	DELPHI	0
1020	DX900168	CYCLE LIFE OF HOOK AND LOOP TAPES	1999	DELPHI	0
1021	DX900052	DRAPEABILITY OF SOUND ABSORBER MATERIAL	1999	DELPHI	0
1022	DX900176	ELECTRIC MOTOR VIBRATION TEST (NO LOAD, FREE RUN)	1999	DELPHI	0
1023	DX500031	WOBBLE GAGES AND GAGING FOR TYPE 1A CROSS RECESSES	1999	DELPHI	0
1024	DX300333	NYLON 66 - HOMOPOLYMER, 32% MINERAL FILLED, IMPACT MODIFIED	1999	DELPHI	0
1025	DX200800	SPUN BONDED POLYESTER	1999	DELPHI	0
1026	DX500074	METRIC COILED THREAD INSERTS	1999	DELPHI	0
1027	DX520003	PRESSURE SENSITIVE ADHESIVE COATED HOOK AND LOOP FASTENERS	1999	DELPHI	0
1028	DX300350	ACETAL - HOMOPOLYMER, INTERNAL LUBRICANT	1999	DELPHI	0
1029	DX280060	LUBRICANT, GREASE, POLYISOBUTYLENE	1998	DELPHI	0
1030	DX520401	REFER TO DELPHI DX520400	0	DELPHI	0
1031	DX520402	REFER TO DELPHI DX520400	0	DELPHI	0

Hercules Ebooks Institute

www.herculesebooks.com info@herculesebooks.com +989141908737