

Standards Manager Web Standards List

IP-The Institute of Petroleum

| Id | Number | Title | Year | Organization | Page |
|----|--------|--|------|--------------|------|
| 1 | 170/23 | Determination of flash point - Abel closed-cup method - BSI BS 2000-170; BSI BS EN ISO 13736; CEN EN ISO 13736 | 2023 | IP | |
| 2 | 313/23 | Methods of test for petroleum and its products _ BS 2000-313:2001 Determination of air release of lubricating and hydraulic oils - BSI BS 2000-313 | 2023 | IP | |
| 3 | 425/01 | Liquid petroleum products - Unleaded petrol - Determination of benzene content by gas chromatography - BSI BS 2000-425; BSI BS EN 12177; CEN EN 12177 | 2023 | IP | |
| 4 | 467/23 | Determination of the high temperature stability of middle distillate fuels | 2023 | IP | |
| 5 | 529/23 | Determination of the freezing point of aviation fuels Automatic laser method | 2023 | IP | |
| 6 | 637/23 | Determination of oxidation stability by rapidly accelerated oxidation method at 120 °C | 2023 | IP | |
| 7 | 480/22 | Petroleum products _ Determination of boiling range distribution by gas chromatography method _ Part 1: Middle distillates and lubricating base oils | 2022 | IP | 0 |
| 8 | 545/22 | Determination of boiling range distribution of crude oil - Gas chromatography method - Part 3: Crude oil | 2022 | IP | 0 |
| 9 | 441/22 | Determination of the pour point of crude petroleum | 2022 | IP | |
| 10 | 572/22 | Ethanol as a blending component for petrol - Determination of water content - Karl Fischer potentiometric titration method | 2022 | IP | 0 |
| 11 | 601/22 | Determination of light hydrocarbons in stabilised crude oils - Gas chromatography method | 2022 | IP | 0 |
| 12 | 602/22 | Determination of sustained combustibility of liquids | 2022 | IP | 0 |
| 13 | 627/22 | Determination of cloud point û Automatic stepwise cooling method | 2022 | IP | 0 |
| 14 | 630/22 | Determination of the concentration of dispersed particles in diesel fuel û Automatic Particle Counter (APC) Light Obscuration Method | 2022 | IP | 0 |
| 15 | 635/22 | Determination of composition of refinery heating gas and calculation of carbon content and calorific value û Gas chromatography method | 2022 | IP | 0 |
| 16 | 544/07 | Determination of corrosiveness to metal of lubricating grease - Metal corrosion method | 2021 | IP | 0 |
| 17 | 585/21 | Determination of fatty acid methyl esters (FAME), derived from bio-diesel fuel, in aviation turbine fuel - GC-MS with selective ion monitoring/scan detection method | 2021 | IP | 0 |
| 18 | 453/21 | Determination of the high temperature foaming characteristics of lubricating oils | 2021 | IP | 0 |
| 19 | 566/21 | Liquid petroleum products _ Determination of hydrocarbon types and oxygenates in automotive-motor gasoline and in ethanol (E85) automotive fuel Multidimensional gas chromatography method | 2021 | IP | 0 |
| 20 | 143/04 | Determination of asphaltenes (heptane insolubles) in crude petroleum and petroleum products - BSI BS 2000-143 | 2021 | IP | 0 |
| 21 | 170/21 | Determination of flash point - Abel closed-cup method - BSI BS 2000-170; BSI BS EN ISO 13736; CEN EN ISO 13736 | 2021 | IP | 0 |
| 22 | 183/08 | Determination of evaporation loss of lubricating grease | 2021 | IP | 0 |
| 23 | 196/21 | Petroleum products - Determination of colour (ASTM scale) | 2021 | IP | 0 |
| 24 | 317/95 | Determination of residues in liquefied petroleum gases - Low temperature evaporation method | 2021 | IP | 0 |
| 25 | 631/21 | Determination of the contamination level of fatty acid methyl esters in middle distillate and residual fuels using Flow Analysis by Fourier Transform Infrared Spectroscopy - Rapid Screening Method | 2021 | IP | 0 |
| 26 | 634/21 | Petroleum products - Determination of turbidity point and aniline point equivalent | 2021 | IP | 0 |
| 27 | 131/21 | Petroleum products - Gum content of light and middle distillate fuels - Jet evaporation method | 2021 | IP | 0 |
| 28 | 444/21 | Determination of the cloud point of petroleum products - Automatic stepped cooling method | 2021 | IP | 0 |
| 29 | 445/21 | Determination of the cloud point of petroleum products - Automatic linear cooling rate method | 2021 | IP | 0 |
| 30 | 446/21 | Determination of the cloud point of petroleum products - Automatic constant cooling rate method | 2021 | IP | 0 |
| 31 | 2/98 | Petroleum products and hydrocarbon solvents - Determination of aniline point and mixed aniline point - BSI BS 2000-2 | 2021 | IP | 0 |

| | | | | | |
|----|-----------------|--|------|----|---|
| 32 | 13/94 | Petroleum products - Determination of carbon residue - Conradson method | 2021 | IP | 0 |
| 33 | 34/21 | Determination of flash point ù Pensky-Martens closed cup method | 2021 | IP | 0 |
| 34 | 48/21 | Determination of oxidation characteristics of lubricating oil | 2021 | IP | 0 |
| 35 | 71 SECTION 1/20 | Methods of test for Petroleum and its products Part 71.Section 1.Petroleum products - Transparent and opaque liquids - Determination of kinematic viscosity and calculation of dynamic viscosity - BSI BS 2000-71.1; BSI BS EN ISO 3104; CEN EN ISO 3104 | 2020 | IP | 0 |
| 36 | 628/20 | Determination of the Solvent Yellow 124 content of kerosine and gas oil HPLC Method | 2020 | IP | 0 |
| 37 | 37/04 | Determination of acidity and alkalinity of lubricating grease | 2020 | IP | 0 |
| 38 | 367-3/20 | Petroleum and related products - Precision of measurement methods and results - Part 3: Monitoring and verification of published precision data in relation to methods of test | 2020 | IP | 0 |
| 39 | 392/90 | Determination of aromatic hydrogen and carbon content - High resolution nuclear magnetic resonance spectroscopy method | 2020 | IP | 0 |
| 40 | 412/20 | Petroleum products - Determination of water separability of petroleum oils and synthetic fluids | 2020 | IP | 0 |
| 41 | 481/20 | Determination of air saturated vapour pressure (ASVP) of crude oil | 2020 | IP | 0 |
| 42 | 411/99 | Liquefied petroleum gases - Corrosiveness to copper - Copper strip test | 2020 | IP | 0 |
| 43 | 618/20 | Determination of cold filter blocking tendency | 2020 | IP | 0 |
| 44 | 436/20 | Determination of aromatic hydrocarbon types in aviation fuels and petroleum distillates - High performance liquid chromatography method with refractive index detection | 2020 | IP | 0 |
| 45 | 450/20 | Diesel fuel Assessment of lubricity using the high?frequency reciprocating rig (HFRR)_ Part 1: Test method (ISO 12156?1:2018) | 2020 | IP | 0 |
| 46 | 472/19 | Determination of fungal fragment content of fuels boiling below 390 °C | 2019 | IP | 0 |
| 47 | 490/19 | Petroleum products - Determination of sulfur content of automotive fuels - Ultraviolet fluorescence method | 2019 | IP | 0 |
| 48 | 497/19 | Petroleum products _ Determination of sulfur content of automotive fuels _ Wavelength-dispersive X-ray fluorescence spectrometry | 2019 | IP | 0 |
| 49 | 501/05 | Determination of aluminium, silicon, vanadium, nickel, iron, sodium, calcium, zinc and phosphorous in residual fuel oil by ashing, fusion and inductively coupled plasma emission spectrometry | 2019 | IP | 0 |
| 50 | 626/19 | Petroleum products and related products Determination of kinematic viscosity Method by Stabinger type viscosimeter | 2019 | IP | 0 |
| 51 | 401/95 | Methods of test for Petroleum and its products Part 401.Liquefied petroleum gases - Detection of hydrogen sulfide - Lead acetate method - BSI BS 2000-401; BSI BS EN ISO 8819; CEN EN ISO 8819 | 2019 | IP | 0 |
| 52 | 391/19 | Petroleum products - Determination of aromatic hydrocarbon types in middle distillates - High performance liquid chromatography method with refractive index detection | 2019 | IP | 0 |
| 53 | 629/19 | Petroleum products and related products. Determination of kinematic viscosity. Method by Stabinger type viscosimeter | 2019 | IP | 0 |
| 54 | 135/19 | Determination of rust-preventing characteristics of steam-turbine oil in the presence of water | 2019 | IP | 0 |
| 55 | 618/19 | Determination of cold filter blocking tendency | 2019 | IP | 0 |
| 56 | 504/2010 | Bitumen and bituminous binders _ Determination of staining tendency of bitumen - BSI BS 2000-504; BSI BS EN 13301; CEN EN 13301 | 2019 | IP | 0 |
| 57 | 477/2001 | Liquefied petroleum gases - Method of sampling - BSI BS 2000-477; BSI BS EN ISO 4257; CEN EN ISO 4257 | 2019 | IP | 0 |
| 58 | 486/2009 | Bitumen and bituminous binders _ Determination of mixing stability with cement of bituminous emulsions - BSI BS 2000-486; BSI BS EN 12848; CEN EN 12848 | 2019 | IP | 0 |
| 59 | 487/2009 | Bitumen and bituminous binders _ Determination of penetration power of bituminous emulsions - BSI BS 2000-487; BSI BS EN 12849; CEN EN 12849 | 2019 | IP | 0 |
| 60 | 292/2009 | Bitumen and bituminous binders _ Determination of particle polarity of bituminous emulsions - BSI BS 2000-292; BSI BS EN 1430; CEN EN 1430 | 2019 | IP | 0 |
| 61 | 428/2004 | Methods of test for petroleum and its products - BS 2000-428: Liquid petroleum products - Petrol - Determination of low lead concentrations by atomic absorption spectrometry - BSI BS 2000-428; BSI BS EN 237; CEN EN 237 | 2019 | IP | 0 |

| | | | | | |
|----|------------|--|------|----|---|
| 62 | 547/2006 | Fat and oil derivatives _ Fatty acid methyl ester (FAME) _ Determination of Ca, K, Mg and Na content by optical emission spectral analysis with inductively coupled plasma (ICP OES) - BSI BS 2000-547; BSI BS EN 14538; CEN EN 14538 | 2019 | IP | 0 |
| 63 | 459.2/2000 | Bitumen and bituminous binders - Determination of the paraffin wax content - Part 2: Method by extraction - BSI BS 2000-459.2; BSI BS EN 12606-2; CEN EN 12606-2 | 2019 | IP | 0 |
| 64 | 581/2009 | Ethanol as a blending component for petrol _ Determination of phosphorus, copper and sulfur content _ Direct method by inductively coupled plasma optical emission spectrometry (ICP OES) - BSI BS 2000-581; BSI BS EN 15837; CEN EN 15837 | 2019 | IP | 0 |
| 65 | 490/2019 | Petroleum products _ Determination of sulfur content of automotive fuels _ Ultraviolet fluorescence method - BSI BS 2000-490; BSI BS EN ISO 20846; CEN EN ISO 20846 | 2019 | IP | 0 |
| 66 | 493/2019 | Bitumen and bituminous binders _ Recovery of binder from bituminous emulsion or cut-back or fluxed bituminous binders Part 1: Recovery by evaporation - BSI BS 2000-493; BSI BS EN 13074-1; CEN EN 13074-1 | 2019 | IP | 0 |
| 67 | 497/2019 | Petroleum products _ Determination of sulfur content of automotive fuels _ Wavelength-dispersive X-ray fluorescence spectrometry - BSI BS 2000-497; BSI BS EN ISO 20884; CEN EN ISO 20884 | 2019 | IP | 0 |
| 68 | 542/2019 | Bitumen and bituminous binders _ Recovery of binder from bituminous emulsion or cut-back or fluxed bituminous binders Part 2: Stabilisation after recovery by evaporation - BSI BS 2000-542; BSI BS EN 13074-2; CEN EN 13074-2 | 2019 | IP | 0 |
| 69 | 631/2019 | Liquid petroleum products - Determination of distillation characteristics at atmospheric pressure - Micro-distillation - BS 2000-631; BS EN 17306; CEN EN 17306; CORR: September 30, 2019 | 2019 | IP | 0 |
| 70 | 41/19 | Petroleum products _ Determination of the ignition quality of diesel fuels _ Cetane engine method | 2019 | IP | 0 |
| 71 | 146/19 | Determination of foaming characteristics of lubricating oils | 2019 | IP | 0 |
| 72 | 177/19 | Determination of weak and strong acid number - Potentiometric titration method | 2019 | IP | 0 |
| 73 | 200/19 | Guidelines for the use of the Petroleum Measurement Tables | 2019 | IP | 0 |
| 74 | 236/19 | Petroleum products - Determination of knock characteristics of motor and aviation fuels - Motor method | 2019 | IP | 0 |
| 75 | 237/19 | Petroleum products - Determination of knock characteristics of motor fuels - Research method copy | 2019 | IP | 0 |
| 76 | 385/19 | Determination of the viable aerobic microbial content of middle distillate fuels and associated water _ Filtration and culture method | 2019 | IP | 0 |
| 77 | 375/11 | Petroleum products - Total sediment in residual fuel oils - Part 1: Determination by hot filtration | 2018 | IP | 0 |
| 78 | 354/17 | Determination of the acid number of aviation turbine fuels - Colour-indicator titration method | 2018 | IP | 0 |
| 79 | 323/18 | Determination of thermal oxidation stability of gas turbine fuels | 2018 | IP | 0 |
| 80 | 274/18 | Determination of electrical conductivity of aviation and distillate fuels | 2018 | IP | 0 |
| 81 | 216/05 | Determination of particulate contaminant of aviation turbine fuels by line sampling | 2018 | IP | 0 |
| 82 | 157/18 | Determination of the oxidation stability of inhibited mineral oils (the TOST test) | 2018 | IP | 0 |
| 83 | 513/2018 | Bitumen and bituminous binders - Determination of dynamic viscosity of bitumen and bituminous binders by the cone and plate method - BSI BS 2000-513; BSI BS EN 13702; CEN EN 13702 | 2018 | IP | 0 |
| 84 | 457/2012 | Methods of test for petroleum and its products _ BS 2000-457: Bitumen and bituminous binders _ Characterization of perceptible properties - BSI BS 2000-457; BSI BS EN 1425; CEN EN 1425 | 2018 | IP | 0 |
| 85 | 520/2018 | Bitumen and bituminous binders _ Determination of the tensile properties of modified bitumen by the force ductility method - BSI BS 2000-520; BSI BS EN 13589; CEN EN 13589 | 2018 | IP | 0 |
| 86 | 380/2018 | Petroleum products - Calculation of cetane index of middle-distillate fuels by the four variable equation - BSI BS 2000-380; BSI BS EN ISO 4264; CEN EN ISO 4264 | 2018 | IP | 0 |
| 87 | 394/2018 | Liquid petroleum products - Vapour pressure Part 1: Determination of air saturated vapour pressure (ASVP) and calculated dry vapour pressure equivalent (DVPE) - BSI BS 2000-394; BSI BS EN 13016-1; CEN EN 13016-1; CORR: May 31, 2018 | 2018 | IP | 0 |
| 88 | 458/2018 | Bitumen and bituminous binders - Determination of residual binder and oil distillate from bitumen emulsions by distillation - BSI BS 2000-458; BSI BS EN 1431; CEN EN 1431 | 2018 | IP | 0 |
| 89 | 600/2012 | Petroleum products _ Determination of low concentration of sulfur in automotive fuels _ Energy-dispersive X-ray fluorescence spectrometric method - BSI BS 2000-600; BSI BS EN ISO 13032; CEN EN ISO 13032 | 2018 | IP | 0 |

| | | | | | |
|-----|----------|---|------|----|---|
| 90 | 464/2001 | Methods of test for petroleum and its products - BS 2000-464: Liquid petroleum products - Determination of sodium content - Atomic absorption spectrometric method - BSI BS 2000-464; BSI BS EN 241; CEN EN 241 | 2018 | IP | 0 |
| 91 | 170/2013 | Determination of flash point - Abel closed-cup method - BSI BS 2000-170; BSI BS EN ISO 13736; CEN EN ISO 13736 | 2018 | IP | 0 |
| 92 | 503/2004 | Methods of test for Petroleum and its products - BS 2000-503: Determination of chlorine and bromine content - Wavelength-dispersive X-ray fluorescence spectrometry - BSI BS 2000-503; BSI BS ISO 15597 | 2018 | IP | 0 |
| 93 | 572/2009 | Ethanol as a blending component for petrol - Determination of water content - Karl Fischer potentiometric titration method - BSI BS 2000-572; BSI BS EN 15692; CEN EN 15692 | 2018 | IP | 0 |
| 94 | 602/2013 | Determination of sustained combustibility of liquids - BSI BS 2000-602; BSI BS EN ISO 9038; CEN EN ISO 9038 | 2018 | IP | 0 |
| 95 | 4/02 | Methods of test for petroleum and its products BS 2000-4: Determination of ash - BSI BS 2000-4; BSI BS EN ISO 6245; CEN EN ISO 6245; AMD 15249: July 21, 2004; CORR 15414: October 28, 2004 | 2018 | IP | 0 |
| 96 | 505/2018 | Bitumen and bituminous binders Determination of dynamic viscosity of bituminous binder using a rotating spindle apparatus - BS 2000-505; BS EN 13302; CEN EN 13302 | 2018 | IP | 0 |
| 97 | 619/2018 | Liquid petroleum products Vapour pressure Part 3: Determination of vapour pressure and calculated dry vapour pressure equivalent (DVPE) (Triple Expansion Method) - BSI BS 2000-619; BSI BS EN 13016?3; CEN EN 13016?3 | 2018 | IP | 0 |
| 98 | 549/2007 | Bitumen and bituminous binders Measurement of density and specific gravity Capillary-stoppered pycnometer method - BSI BS 2000-549; BSI BS EN 15326; CEN EN 15326; AMD 1: August 31, 2009 | 2018 | IP | 0 |
| 99 | 489/2003 | Methods of test for petroleum and its products BS 2000-489: Petroleum products Determination of low lead contents in gasolines Wavelength-dispersive X-ray fluorescence spectrometry (XRF) - BSI BS 2000-489; BSI BS EN 13723; CEN EN 13723 | 2018 | IP | 0 |
| 100 | 551/2007 | Bitumen and bituminous binders Accelerated long-term ageing/conditioning by the rotating cylinder method (RCAT) - BSI BS 2000-551; BSI BS EN 15323; CEN EN 15323 | 2018 | IP | 0 |
| 101 | 620/18 | Standard test method for flash point by modified continuously closed cup (MCCCFP) tester | 2018 | IP | 0 |
| 102 | 623/18 | Automotive fuels Determination of manganese and iron content in diesel Inductively coupled plasma optical emission spectrometry (ICP OES) method | 2018 | IP | 0 |
| 103 | 624/18 | Determination of water separation characteristics of aviation turbine fuel by small scale water separation instrument | 2018 | IP | 0 |
| 104 | 625/18 | Automotive fuels and fat and oil derivatives Determination of saturated monoglycerides content in Fatty Acid Methyl Esters (FAME) Method by GC-FID | 2018 | IP | 0 |
| 105 | 617/18 | Determination of generic cetane number (G-CN) of fuels using a constant volume combustion chamber primary reference fuels calibration (PRFC) method | 2018 | IP | 0 |
| 106 | 598/18 | Petroleum Products - Determination of the smoke point of kerosine, manual and automated method | 2018 | IP | 0 |
| 107 | 447/08 | Petroleum products - Determination of sulfur content - Wavelength-dispersive X-ray fluorescence spectrometry | 2018 | IP | 0 |
| 108 | 477/08 | Liquefied petroleum gases - Method of sampling | 2018 | IP | 0 |
| 109 | 478/02 | Determination of copper in aviation turbine fuels by graphite furnace atomic absorption spectrometry | 2018 | IP | 0 |
| 110 | 467/17 | Determination of the high temperature stability of middle distillate fuels | 2017 | IP | 0 |
| 111 | 441/17 | Determination of the pour point of crude petroleum | 2017 | IP | 0 |
| 112 | 379/88 | Determination of organically bound trace nitrogen Oxidative combustion and chemiluminescence method | 2017 | IP | 0 |
| 113 | 406/14 | Petroleum products Determination of boiling range distribution by gas chromatography | 2017 | IP | 0 |
| 114 | 507/07 | Determination of boiling range distribution by gas chromatography method - Part 2: Heavy distillates and residual fuels | 2017 | IP | 0 |
| 115 | 544/07 | Determination of corrosiveness to metal of lubricating grease - Metal corrosion method | 2017 | IP | 0 |
| 116 | 545/09 | Determination of boiling range distribution of crude oil - Gas chromatography method - Part 3: Crude oil | 2017 | IP | 0 |
| 117 | 596/17 | Petroleum products - Determination of distillation characteristics of petroleum products - Micro distillation method | 2017 | IP | 0 |
| 118 | 438/2001 | Methods of test for petroleum and its products BS 2000-438: Petroleum products Determination of water Coulometric Karl Fischer titration method - BSI BS 2000-438; BSI BS EN ISO 12937; CEN EN ISO 12937; CORR: January 23, 2002 | 2017 | IP | 0 |
| 119 | 409/2007 | Liquid petroleum products Vapour pressure Part 2: Determination of absolute pressure (AVP) between 40 °C and 100 °C - BSI BS 2000-409; BSI BS EN 13016-2; CEN EN 13016-2 | 2017 | IP | 0 |

| | | | | | |
|-----|----------|---|------|----|---|
| 120 | 506/2017 | Bitumen and bituminous binders - Determination of the loss in mass after heating of industrial bitumen - BSI BS 2000-506; BSI BS EN 13303; CEN EN 13303 | 2017 | IP | 0 |
| 121 | 604/2012 | Lubricants, industrial oils and related products - Determination of the foaming and air release properties of industrial gear oils using a spur gear test rig - Flender foam test procedure - BSI BS 2000-604; BSI BS ISO 12152 | 2017 | IP | 0 |
| 122 | 474/2012 | Bitumen and bituminous binders Sampling bituminous binders - BSI BS 2000-474; BSI BS EN 58; CEN EN 58 | 2017 | IP | 0 |
| 123 | 129/2003 | Methods of test for petroleum and its products _ Part 129: Determination of bromine number _ Colour indicator titration method - BSI BS 2000-129 | 2017 | IP | 0 |
| 124 | 588/2011 | Automotive fuels _ Determination of manganese content in unleaded petrol _ Flame atomic absorption spectrometric method (FAAS) - BSI BS 2000-588; BSI BS EN 16135; CEN EN 16135 | 2017 | IP | 0 |
| 125 | 50/17 | Determination of cone penetration of lubricating grease | 2017 | IP | 0 |
| 126 | 17/10 | Determination of colour Lovibond tintometer method | 2017 | IP | 0 |
| 127 | 131/17 | Petroleum products - Gum content of light and middle distillate fuels - Jet evaporation method | 2017 | IP | 0 |
| 128 | 15/17 | Petroleum products - Determination of pour point | 2017 | IP | 0 |
| 129 | 480/06 | Petroleum products _ Determination of boiling range distribution by gas chromatography method _ Part 1: Middle distillates and lubricating base oils - BSI BS 2000-480; BSI BS EN 15199-1; CEN EN 15199-1 | 2017 | IP | 0 |
| 130 | 220/17 | Determination of rust prevention characteristics of lubricating greases | 2017 | IP | 0 |
| 131 | 215/13 | Determination of water washout characteristics of lubricating grease | 2017 | IP | 0 |
| 132 | 139/98 | Petroleum products and lubricants - Determination of acid or base number - Colour-indicator titration method | 2017 | IP | 0 |
| 133 | 168/13 | Determination of rolling bearing performance of lubricating grease | 2017 | IP | 0 |
| 134 | 280/99 | Petroleum products and lubricants Inhibited mineral turbine oils Determination of oxidation stability | 2017 | IP | 0 |
| 135 | 367-1/17 | Petroleum and related products û Precision of measurement methods and results û Part 1: Determination of precision data in relation to methods of test | 2017 | IP | 0 |
| 136 | 367-2/17 | Petroleum and related products û Precision of measurement methods and results û Part 2: Interpretation and application of precision data in relation to methods of test | 2017 | IP | 0 |
| 137 | 387/17 | Determination of filter blocking tendency | 2017 | IP | 0 |
| 138 | 395/17 | Liquefied petroleum gases - Assessment of the dryness of propane - Valve freeze method | 2017 | IP | 0 |
| 139 | 408/17 | Liquid petroleum products - Unleaded petrol - Determination of organic oxygenate compounds and total organically bound oxygen content by gas chromatography (O-FID) | 2017 | IP | 0 |
| 140 | 399/16 | Determination of hydrogen sulphide in fuel oils copy | 2016 | IP | 0 |
| 141 | 229/16 | Determination of the relative oxidation stability by rotating bomb of mineral turbine oil copy | 2016 | IP | 0 |
| 142 | 58E/16 | Bitumen and bituminous binders - Determination of softening point - Ring and ball method | 2016 | IP | 0 |
| 143 | 566/2016 | Liquid petroleum products _ Determination of hydrocarbon types and oxygenates in automotive-motor gasoline and in ethanol (E85) automotive fuel _ Multidimensional gas chromatography method - BSI BS 2000-566; BSI BS EN ISO 22854; CEN EN ISO 22854 | 2016 | IP | 0 |
| 144 | 582/2016 | Petroleum products _ Determination of boiling range distribution _ Gas chromatography method - CORR: October 31, 2016; BSI BS 2000-582; BS EN ISO 3924; CEN EN ISO 3924 | 2016 | IP | 0 |
| 145 | 276/2011 | Petroleum products _ Determination of base number _ Perchloric acid potentiometric titration method - BSI BS 2000-276; BSI BS ISO 3771 | 2016 | IP | 0 |
| 146 | 373/2010 | Petroleum products _ Determination of sulfur content _ Oxidative microcoulometry method - BSI BS 2000-323; BSI BS EN ISO 16591; CEN EN ISO 16591 | 2016 | IP | 0 |
| 147 | 19/2011 | Methods of test for petroleum and its products Part 19: Determination of demulsibility characteristics of lubricating oil - BSI BS 2000-19; CORR: July 31, 2011 | 2016 | IP | 0 |
| 148 | 494/2016 | Bitumen and bituminous binders _ Determination of breaking behaviour Part 1: Determination of breaking value of cationic bituminous emulsions, mineral filler method - BSI BS 2000-494; BSI BS EN 13075-1; CEN EN 13075-1 | 2016 | IP | 0 |

| | | | | | |
|-----|--------------|--|------|----|---|
| 149 | 189/190/2005 | Methods of test for petroleum and its products _ BS 2000-189/190: Crude petroleum and liquid or solid petroleum products _ Determination of density or relative density _ Capillary-stoppered pycnometer and graduated bicapillary pycnometer methods - BSI BS | 2016 | IP | 0 |
| 150 | 10/2011 | Methods of test for petroleum and its products Part 10: Determination of kerosine burning characteristics 24-hour method - BSI BS 2000-10 | 2016 | IP | 0 |
| 151 | 34/2016 | Determination of flash point - Pensky-Martens closed cup method - BSI BS 2000-34; BSI BS EN ISO 2719; CEN EN ISO 2719 | 2016 | IP | 0 |
| 152 | 306/2011 | Methods of test for petroleum and its products Part 306: Determination of oxidation stability of straight mineral oil - BSI BS 2000-306; CORR: July 31, 2011 | 2016 | IP | 0 |
| 153 | 48/2011 | Methods of test for petroleum and its products Part 48: Determination of oxidation characteristics of lubricating oil - BSI BS 2000-48; CORR: July 31, 2011 | 2016 | IP | 0 |
| 154 | 455/2011 | Methods of test for petroleum and its products Part 455: Determination of the manganese content of gasoline _ Atomic absorption spectrometry (AAS) method - BSI BS 2000-455; CORR: September 2012 | 2016 | IP | 0 |
| 155 | 519/2016 | Bitumen and bituminous binders _ Determination of the tensile properties of bituminous binders by the tensile test method - BSI BS 2000-519; BSI BS EN 13587; CEN EN 13587 | 2016 | IP | 0 |
| 156 | 495/2016 | Bitumen and bituminous binders - Determination of breaking behaviour Part 2: Determination of fines mixing time of cationic bituminous emulsions - BSI BS 2000-495; BSI BS EN 13075-2; CEN EN 13075-2 | 2016 | IP | 0 |
| 157 | 601/16 | Determination of light hydrocarbons in stabilised crude oils - Gas chromatography method | 2016 | IP | 0 |
| 158 | 621/16 | Determination of low level metallic elements in vacuum gas oil/waxy distillates _ Flame atomic absorption spectrophotometry (AAS) or inductively coupled plasma-emission spectrophotometry (ICP-ES) method | 2016 | IP | 0 |
| 159 | 508/16 | Automotive fuels - Assessment of petrol and diesel quality - Fuel quality monitoring system (FQMS) | 2016 | IP | 0 |
| 160 | 528/16 | Determination of the freezing point of aviation turbine fuels _ Automated fibre optic method | 2016 | IP | 0 |
| 161 | 529/16 | Determination of the freezing point of aviation fuels _ Automatic laser method | 2016 | IP | 0 |
| 162 | 530/12 | Determination of the density of grease _ Density cup method | 2016 | IP | 0 |
| 163 | 435/16 | Determination of the freezing point of aviation turbine fuels by the automatic phase transition method | 2016 | IP | 0 |
| 164 | 531/10 | Determination of sulfur content of automotive fuels - Low-background proportional counter energy-dispersive X-ray fluorescence spectrometry method | 2015 | IP | 0 |
| 165 | 532/10 | Determination of the sulfur content of automotive fuels - Polarized X-ray fluorescence spectrometry method | 2015 | IP | 0 |
| 166 | 570/15 | Determination of hydrogen sulfide in fuel oils _ Rapid liquid phase extraction method | 2015 | IP | 0 |
| 167 | 615/15 | Determination of ignition delay and derived cetane number (DCN) of middle distillate fuels _ Ignition delay and combustion delay determination using a constant volume combustion chamber with direct fuel injection | 2015 | IP | 0 |
| 168 | 608/15 | Determination of Mercury in burner fuels derived from waste mineral oils - Wavelength dispersive X-ray fluorescence spectrometry method | 2015 | IP | 0 |
| 169 | 583/15 | Determination of the fatty acid methyl esters content of aviation turbine fuel using flow analysis by Fourier transform infrared spectroscopy _ Rapid screening method | 2015 | IP | 0 |
| 170 | 527/05 | Method of test for petroleum and its products _ BS 2000-527: Petroleum products and lubricants _ Determination of low-temperature cone penetration of lubricating greases - BSI BS 2000-527; BSI BS ISO 13737 | 2015 | IP | 0 |
| 171 | 61/1999 | Method of test for petroleum and its products _ BS 2000-61: Determination of sulfur _ High pressure combustion method - BSI BS 2000-61 | 2015 | IP | 0 |
| 172 | 313/01 | Methods of test for petroleum and its products _ BS 2000-313:2001 Determination of air release of lubricating and hydraulic oils - BSI BS 2000-313 | 2015 | IP | 0 |
| 173 | 606/2015 | Automotive fuels - Determination of high-boiling components including fatty acid methyl esters in petrol and ethanol (E85) automotive fuel - Gas chromatographic method - BSI BS 2000-606; BSI BS EN 16270; CEN EN 16270 | 2015 | IP | 0 |
| 174 | 133/79 | Methods of test for Petroleum and its products Part 133.Determination of drop melting point of wax and petrolatum - BSI BS 2000-133 | 2015 | IP | 0 |
| 175 | 589/2015 | Automotive fuels - Determination of manganese and iron content in unleaded petrol - Inductively coupled plasma optical emission spectrometry (ICP OES) method - BSI BS 2000-589; BSI BS EN 16136; CEN EN 16136 | 2015 | IP | 0 |

| | | | | | |
|-----|-----------------|--|------|----|---|
| 176 | 80/2015 | Bitumen and bituminous binders _ Determination of the Fraass breaking point - BSI BS 2000-80; BSI BS EN 12593; CEN EN 12593 | 2015 | IP | 0 |
| 177 | 1/1994 | Methods of test for Petroleum and its products Part 1.Determination of acidity, neutralization value - Colour indicator titration method - BSI BS 2000-1 | 2015 | IP | 0 |
| 178 | 523/2015 | Determination of flash no-flash and flash point _ Rapid equilibrium closed cup method - BSI BS 2000-523; BSI BS EN ISO 3679; CEN EN ISO 3679 | 2015 | IP | 0 |
| 179 | APPENDIX B/1996 | Methods of test for Petroleum and its products Part 0.Section 0.2.Specifications for IP standard reference liquids - BSI BS 2000-0.2 | 2015 | IP | 0 |
| 180 | 76/70 | Methods of test for Petroleum and its products Part 76.Determination of congealing point of waxes and petrolatum - BSI BS 2000-76 | 2015 | IP | 0 |
| 181 | 346/96 | Methods of test for Petroleum and its products Part 346.Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method - BSI BS 2000-346 | 2015 | IP | 0 |
| 182 | 450/00 | Methods of test for petroleum and its products _ BS 2000-450: Diesel fuel _ Assessment of lubricity using the high-frequency reciprocating rig (HFRR) Part 1: Test method - BSI BS 2000-450 | 2015 | IP | 0 |
| 183 | 50/88 | Methods of test for Petroleum and its products Part 50.Determination of cone penetration of lubricating grease - BSI BS 2000-50 | 2015 | IP | 0 |
| 184 | 620/2014 | Automotive fuels _ Blends of Fatty acid methyl ester (FAME) with diesel fuel _ Determination of oxidation stability by rapidly accelerated oxidation method at 120 °C - BSI BS 2000-620; BSI BS EN 16568; CEN EN 16568 | 2015 | IP | 0 |
| 185 | 456/00 | Methods of test for petroleum and its products _ BS 2000-456: Determination of potassium in gasoline _ Atomic absorption spectrometry (AAS) method - BSI BS 2000-456 | 2015 | IP | 0 |
| 186 | APPENDIX I/1996 | Methods of test for Petroleum and its products Part 0.Section 0.4.Barometric pressure corrections - BSI BS 2000-0.4 | 2015 | IP | 0 |
| 187 | 137/82 | Methods of test for Petroleum and its products Part 137.Determination of oil content of water mix metalworking oil dilutions - BSI BS 2000-137 | 2015 | IP | 0 |
| 188 | 179/93 | Methods of test for Petroleum and its products Part 179.Determination of cone penetration of petrolatum - BSI BS 2000-179 | 2015 | IP | 0 |
| 189 | 35/93 | Methods of test for Petroleum and its products Part 35.Determination of open flash and fire point - Pensky-Martens method - BSI BS 2000-35 | 2015 | IP | 0 |
| 190 | 454/00 | Methods of test for petroleum and its products - BS 2000-454: Determination of phosphorus in gasoline - Spectrophotometric method - BSI BS 2000-454 | 2015 | IP | 0 |
| 191 | 107/86 | Determination of sulphur - Lamp combustion method - BSI BS 2000-107 | 2015 | IP | 0 |
| 192 | 459.1/15 | Bitumen and bituminous binders _ Determination of the paraffin wax content Part 1: Method by distillation - BSI BS 2000-459.1; BSI BS EN 12606-1; CEN EN 12606-1 | 2015 | IP | 0 |
| 193 | 142/85 | Methods of test for Petroleum and its products Part 142.Determination of oxidation stability of lubricating grease - Oxygen bomb method - BSI BS 2000-142 | 2015 | IP | 0 |
| 194 | 49/2015 | Bitumen and bituminous binders _ Determination of needle penetration - BSI BS 2000-49; BSI BS EN 1426; CEN EN 1426 | 2015 | IP | 0 |
| 195 | 12/79 | Methods of test for Petroleum and its products Part 12.Determination of specific energy - BSI BS 2000-12 | 2015 | IP | 0 |
| 196 | 317/1995 | Methods of test for Petroleum and its products Part 317.Determination of residues in liquefied petroleum gases - Low temperature evaporation method - BSI BS 2000-317 | 2015 | IP | 0 |
| 197 | ANNEX A/01 | Methods of test for petroleum and its products _ BS 2000 Part 0: General introduction Section 0.1: Specifications _ IP standard for thermometers - BSI BS 2000-0.1 | 2015 | IP | 0 |
| 198 | 272/00 | Methods of test for petroleum and its products - BS 2000-272: Determination of mercaptan sulfur and hydrogen sulfide content of liquefied petroleum gases (LPG) - Electrometric titration method - BSI BS 2000-272 | 2015 | IP | 0 |
| 199 | 154/2000 | Petroleum products Corrosiveness to copper Copper strip test - BSI BS 2000-154; BSI BS EN ISO 2160; CEN EN ISO 2160 | 2015 | IP | 0 |
| 200 | 223/93 | Methods of test for Petroleum and its products Part 223.Determination of ash of petroleum products containing mineral matter - BSI BS 2000-223 | 2015 | IP | 0 |

| | | | | | |
|-----|------------|---|------|----|---|
| 201 | 213/93 | Methods of test for Petroleum and its products Part 213.Determination of neutralization value of bitumen - Colour indicator titration method - BSI BS 2000-213 | 2015 | IP | 0 |
| 202 | 58/2015 | Bitumen and bituminous binders _ Determination of the softening point _ Ring and Ball method - BSI BS 2000-58; BSI BS EN 1427; CEN EN 1427 | 2015 | IP | 0 |
| 203 | 138/14 | Determination of oxidation stability of aviation fuel Potential residue method copy | 2015 | IP | 0 |
| 204 | 37/04 | Determination of acidity and alkalinity of lubricating grease | 2015 | IP | 0 |
| 205 | 309/2015 | Diesel and domestic heating fuels - Determination of cold filter plugging point - Stepwise cooling bath method - BSI BS 2000-309; BSI BS EN 116; CEN EN 116 | 2015 | IP | 0 |
| 206 | 16/15 | Determination of the freezing point of aviation fuels Manual method | 2015 | IP | 0 |
| 207 | 186/93 | Determination of low temperature torque of lubricating grease | 2015 | IP | 0 |
| 208 | 240/15 | Determination of extreme pressure properties of lubricating fluids - Timken method copy | 2015 | IP | 0 |
| 209 | 266/93 | Determination of churning tendency of bearing greases | 2015 | IP | 0 |
| 210 | 392/90 | Determination of aromatic hydrogen and carbon content - High resolution nuclear magnetic resonance spectroscopy method | 2015 | IP | 0 |
| 211 | 326/15 | Determination of extreme pressure properties of grease - Timken method | 2015 | IP | 0 |
| 212 | 310/84 | Determination of cone penetration of grease - One-quarter and one-half scale cone method | 2015 | IP | 0 |
| 213 | 308/85 | Determination of barium, calcium, magnesium and zinc in unused lubricating oils - Atomic absorption method | 2014 | IP | 0 |
| 214 | 356/99 | Crude petroleum - Determination of water - Potentiometric Karl Fischer titration method | 2014 | IP | 0 |
| 215 | 360/96 | Research and Motor Method Octane Ratings Using On-Line Analyzers | 2014 | IP | 0 |
| 216 | 362/93 | Determination of total lead content of gasoline - Atomic absorption spectrophotometry method | 2014 | IP | 0 |
| 217 | 396/14 | Determination of dropping point of lubricating grease - Automatic apparatus method | 2014 | IP | 0 |
| 218 | 239/14 | Determination of extreme pressure and anti-wear properties of lubricating fluids and greases - Four ball method (European conditions) | 2014 | IP | 0 |
| 219 | 287/08 | Determination of rust prevention characteristics of water mix metal working fluids - Cast iron drillings/filter paper method | 2014 | IP | 0 |
| 220 | 183/08 | Determination of evaporation loss of lubricating grease | 2014 | IP | 0 |
| 221 | 224/02 | Determination of low lead content of light petroleum distillates by dithizone extraction and calorimetric determination | 2014 | IP | 0 |
| 222 | 225/76 | Determination of copper in light petroleum distillates - Spectrophotometric method | 2014 | IP | 0 |
| 223 | 228/72 | Determination of lead content of gasoline - X-ray spectrometric method | 2014 | IP | 0 |
| 224 | 237/2014 | Petroleum products _ Determination of knock characteristics of motor fuels _ Research method - BSI BS 2000-237; BSI BS EN ISO 5164; CEN EN ISO 5164 | 2014 | IP | 0 |
| 225 | 30/07 | Detection of mercaptans, hydrogen sulfide, elemental sulfur and peroxides - Doctor test method | 2014 | IP | 0 |
| 226 | 440/2014 | Liquid petroleum products - Determination of contamination in middle distillates - BSI BS 2000-440; BSI BS EN 12662; CEN EN 12662 | 2014 | IP | 0 |
| 227 | 125/08 | Determination of cast iron corrosion characteristics of petroleum products | 2014 | IP | 0 |
| 228 | 226/04 | Methods of test for petroleum and its products _ BS 2000-226: Petroleum products _ Calculation of viscosity index from kinematic viscosity - BSI BS 2000-226; BSI BS ISO 2909 | 2014 | IP | 0 |
| 229 | 336/2004 | Petroleum products - Determination of sulfur content - Energy-dispersive X-ray fluorescence spectrometry - BSI BS 2000-336; BSI BS EN ISO 8754; CEN EN ISO 8754; CORR 14812: October 27, 2003 | 2014 | IP | 0 |
| 230 | 460-1/2014 | Bitumen and bituminous binders _ Determination of the resistance to hardening under the influence of heat and air _ Part 1: RTFOT method - BSI BS 2000-460-1; BSI BS EN 12607-1; CEN EN 12607-1 | 2014 | IP | 0 |
| 231 | 69/01 | Methods of test for petroleum and its products - BS 2000-69: Petroleum products - Determination of vapour pressure - Reid method - BSI BS 2000-69; BSI BS ISO 3007 | 2014 | IP | 0 |
| 232 | 398/2014 | Petroleum products - Determination of carbon residue - Micro method - BSI BS EN ISO 10370; BSI BS 2000-398; CEN EN ISO 10370 | 2014 | IP | 0 |

| | | | | | |
|-----|------------|---|------|----|---|
| 233 | 222/2014 | Bitumen and bituminous binders _ Determination of dynamic viscosity by vacuum capillary - BSI BS 2000-222; BSI BS EN 12596; CEN EN 12596 | 2014 | IP | 0 |
| 234 | 319/2014 | Bitumen and bituminous binders _ Determination of kinematic viscosity - BSI BS 2000-319; BSI BS EN 12595; CEN EN 12595 | 2014 | IP | 0 |
| 235 | 460-3/2014 | Bitumen and bituminous binders - Determination of the resistance to hardening under influence of heat and air Part 3: RFT method - BSI BS 2000-460-3; BSI BS EN 12607-3; CEN EN 12607-3 | 2014 | IP | 0 |
| 236 | 461/2014 | Bitumen and bituminous binders Preparation of test samples - BSI BS 2000-461; BSI BS EN 12594; CEN EN 12594 | 2014 | IP | 0 |
| 237 | 236/2014 | Petroleum products _ Determination of knock characteristics of motor and aviation fuels _ Motor method - BSI BS 2000-236; BS EN ISO 5163; CEN EN ISO 5163 | 2014 | IP | 0 |
| 238 | 498/2014 | Liquid petroleum products - Determination of ignition delay and derived cetane number (DCN) of middle distillate fuels by combustion in a constant volume chamber - BSI BS EN 15195; BSI BS 2000-498; CEN EN 15195 | 2014 | IP | 0 |
| 239 | 496/2005 | Methods of test for petroleum and its products BS 2000-496: Petroleum products Determination of sulfur content of automotive fuels Energy-dispersive X-ray fluorescence spectrometry - BSI BS 2000-496; BSI BS EN ISO 20847; CEN EN ISO 20847 | 2014 | IP | 0 |
| 240 | 47/2014 | Bitumen and bituminous binders - Determination of solubility - BSI BS 2000-47; BSI BS EN 12592; CEN EN 12592 | 2014 | IP | 0 |
| 241 | 578/14 | Petroleum products and fat and oil derivates - Fatty acid methyl esters (FAME) for diesel engines - Determination of polyunsaturated (?4 double bonds) fatty acid methyl esters (PUFA) by gas chromatography | 2014 | IP | 0 |
| 242 | 579/14 | Liquid petroleum products - Determination of fatty acid methyl ester (FAME) content in middle distillates - Infrared spectrometry Method | 2014 | IP | 0 |
| 243 | 599/14 | Determination of Fatty Acid Methyl Esters (FAME) in aviation turbine fuel - Gas Chromatography using heart-cut and refocusing | 2014 | IP | 0 |
| 244 | 613/14 | Determination of the viable aerobic microbial content of fuels and associated water - Thixotropic Gel Culture Method | 2014 | IP | 0 |
| 245 | 614/14 | Liquefied petroleum gases - Determination of dissolved residue - Gas chromatographic method using liquid, on-column injection | 2014 | IP | 0 |
| 246 | 574/14 | Automotive fuels - Fatty acid methyl ester (FAME) fuel and blends with diesel fuel - Determination of oxidation stability by accelerated oxidation method | 2014 | IP | 0 |
| 247 | 569/09 | Determination of colour in Lovibond units Automatic method | 2014 | IP | 0 |
| 248 | 540/08 | Determination of the existent gum content of aviation turbine fuel - Jet evaporation method | 2014 | IP | 0 |
| 249 | 407/95 | Determination of barium, calcium, phosphorus, sulfur and zinc by wavelength dispersive X-ray fluorescence spectroscopy | 2014 | IP | 0 |
| 250 | 437/98 | Determination of additive elements in unused lubricating oils and additive packages by inductively coupled plasma atomic emission spectrometry | 2014 | IP | 0 |
| 251 | 460-2/14 | Bitumen and bituminous binders - Determination of the resistance to hardening under influence of heat and air - Part 2: TFOT method | 2014 | IP | 0 |
| 252 | 460-3/14 | Bitumen and bituminous binders - Determination of the resistance to hardening under influence of heat and air - Part 3: RFT method | 2014 | IP | 0 |
| 253 | 483/14 | Determination of sediment in crude oil - Membrane filtration method | 2014 | IP | 0 |
| 254 | 563/13 | Ethanol as a blending component for petrol - Determination of inorganic chloride and sulfate content - Ion chromatographic method | 2013 | IP | 0 |
| 255 | 565/13 | Determination of the level of cleanliness of aviation turbine fuel - Portable automatic particle counter method | 2013 | IP | 0 |
| 256 | 610/13 | Determination of sulfur, vanadium, nickel, iron, calcium, zinc and phosphorous in residual fuel oil by wavelength dispersive x-ray fluorescence spectrometry | 2013 | IP | 0 |
| 257 | 611/13 | Determination of corrosiveness to silver of automotive gasoline - Silver strip method | 2013 | IP | 0 |
| 258 | 577/13 | Determination of the level of cleanliness of aviation turbine fuel - Automatic particle counter method using light extinction | 2013 | IP | 0 |
| 259 | 509/2013 | Automotive fuels - Assessment of petrol and diesel fuel quality - Sampling from retail site pumps and commercial site fuel dispensers - BSI BS 2000-509; BSI BS EN 14275; CEN EN 14275 | 2013 | IP | 0 |

| | | | | | |
|-----|----------|---|------|----|---|
| 260 | 605/2013 | Petroleum products - Determination of content of Benzo(a)pyrene (BaP) and selected polycyclic aromatic hydrocarbons (PAH) in extender oils - Procedure using double LC cleaning and GC/MS analysis - BSI BS 2000-605; BSI BS EN 16143; CEN EN 16143 | 2013 | IP | 0 |
| 261 | 508/2013 | Automotive fuels - Assessment of petrol and diesel quality - Fuel quality monitoring system (FQMS) - BSI BS 2000-508; BSI BS EN 14274; CEN EN 14274; CORR: September 30, 2015 | 2013 | IP | 0 |
| 262 | 612/2013 | Diesel and domestic heating fuels - Determination of cold filter plugging point - Linear cooling bath method - BSI BS EN 16329; BSI BS 2000-612; CEN EN 16239 | 2013 | IP | 0 |
| 263 | 571/2013 | Ethanol as a blending component for petrol _ Determination of higher alcohols, methanol and other impurities _ Gas chromatographic method - BSI BS 2000-571; BSI BS EN 15721; CEN EN 15721 | 2013 | IP | 0 |
| 264 | 510/04 | Petroleum products - Determination of organic halogen content Oxidative microcoulometric method - BSI BS 2000-510; BSI BS EN 14077; CEN EN 14077 | 2013 | IP | 0 |
| 265 | 265/01 | Determination of total salts content of crude oil - Conductivity method | 2013 | IP | 0 |
| 266 | 285/79 | Determination of nickel and vanadium - Spectrophotometric method | 2012 | IP | 0 |
| 267 | 291/12 | Bitumen and bituminous binders - Determination of water content in bitumen emulsions - Azeotropic distillation method | 2012 | IP | 0 |
| 268 | 284/2004 | Methods of test for petroleum and its products _ Part 284: Determination of unsaponifiable and saponifiable matter in oils fats and waxes - BSI BS 2000-284 | 2012 | IP | 0 |
| 269 | 182/06 | Methods of test for petroleum and its products Part 182: Determination of inorganic acidity of petroleum products Colour indicator titration method - BSI BS 2000-182 | 2012 | IP | 0 |
| 270 | 535/2012 | Bitumen and bituminous binders _ Accelerated long-term ageing conditioning by a Pressure Ageing Vessel (PAV) - BSI BS 2000-535; BSI BS EN 14769; CEN EN 14769 | 2012 | IP | 0 |
| 271 | 143/04 | Determination of asphaltenes (heptane insolubles) in crude petroleum and petroleum products - BSI BS 2000-143 | 2012 | IP | 0 |
| 272 | 533/2012 | Bitumen and bituminous binders _ Determination of the flexural creep stiffness _ Bending Beam Rheometer (BBR) - BSI BS 2000-533; BSI BS EN 14771; CEN EN 14771 | 2012 | IP | 0 |
| 273 | 607/2012 | Automotive fuels - Determination of iodine value in fatty acid methyl esters (FAME) - Calculation method from gas chromatographic data - BSI BS 2000-607; BSI BS EN 16300; CEN EN 16300 | 2012 | IP | 0 |
| 274 | 609/2012 | Petroleum products and fat and oil derivatives - Determination of phosphorus content in fatty acid methyl esters (FAME) - Optical emission spectral analysis with inductively coupled plasma (ICP OES) - BSI BS 2000-609; BSI BS EN 16294; CEN EN 16294 | 2012 | IP | 0 |
| 275 | 567/2012 | Liquid petroleum products _ Determination of ignition delay and derived cetane number (DCN) of middle distillate fuels _ Fixed range injection period, constant volume combustion chamber method - BSI BS 2000-567; BSI BS EN 16144; CEN EN 16144 | 2012 | IP | 0 |
| 276 | 121/2011 | Methods of test for petroleum and its products - Part 121: Determination of oil separation from lubricating grease - Pressure filtration method - AMD: January 2014; BSI BS 2000-121 | 2012 | IP | 0 |
| 277 | 138/2002 | Methods of test for petroleum and its products _ Part 138: Determination of oxidation stability of aviation fuel Potential residue method - BSI BS 2000-138 | 2012 | IP | 0 |
| 278 | 112/2011 | Methods of test for petroleum and its products - Part 112: Determination of oil separation from lubricating grease - Copper strip method - AMD: January 2014; BSI BS 2000-112 + A1 | 2012 | IP | 0 |
| 279 | 595/12 | Liquid petroleum products - Middle distillates and fatty acid methyl ester (FAME) fuels and blends - Determination of oxidation stability by rapid small scale oxidation method | 2012 | IP | 0 |
| 280 | 580/12 | Determination of the thermal stability, emulsion stability and foaming characteristics of water mix metal working fluids | 2012 | IP | 0 |
| 281 | 603/12 | Bitumen and bituminous binders - Determination of efflux time of bituminous emulsions using the Redwood No. II Viscometer | 2012 | IP | 0 |
| 282 | 597/12 | Rating of heater tubes Interferometric method | 2012 | IP | 0 |
| 283 | 559/12 | Determination of density of middle distillate fuels - Hand held oscillating U-tube density meter method | 2012 | IP | 0 |
| 284 | 484/12 | Bitumen and bituminous binders - Determination of efflux time by the efflux viscometer - Part 1:Bituminous emulsions | 2012 | IP | 0 |
| 285 | 481/12 | Determination of air saturated vapour pressure (ASVP) of crude oil | 2012 | IP | 0 |
| 286 | 426/98 | Determination of the oil content of effluent water - Extraction and infra-red spectrometric method | 2012 | IP | 0 |

| | | | | | |
|-----|-----------------|--|------|----|---|
| 287 | 451 | Determination of aromatic carbon content of lubricant mineral base oils - Infrared spectroscopy method | 2012 | IP | 0 |
| 288 | 422/96 | Determination of the filter flow of aviation turbine fuels at low temperatures (FFLT) (simulated freezing point) | 2011 | IP | 0 |
| 289 | 568/11 | Determination of the static dissipater additives (SDA) in aviation turbine fuel and middle distillate fuels - HPLC method | 2011 | IP | 0 |
| 290 | 521/11 | Bitumen and bituminous binders - Determination of adhesivity of bitumen emulsions by water immersion test | 2011 | IP | 0 |
| 291 | 499/11 | Determination of aromatic carbon content of lubricant mineral base oils and middle distillate petroleum fractions - Carbon-13 nuclear magnetic resonance (NMR) spectroscopy method | 2011 | IP | 0 |
| 292 | 592/11 | Determination of lead, nickel, chromium, copper, zinc, arsenic, cadmium, thallium, antimony, cobalt, manganese and vanadium in burner fuels derived from waste mineral oils Inductively coupled plasma mass spectrometry method | 2011 | IP | 0 |
| 293 | 593/11 | Determination of lead, nickel, chromium, copper, zinc, arsenic, cadmium, thallium, antimony, cobalt, manganese and vanadium in burner fuels derived from waste mineral oils Wavelength dispersive x-ray fluorescence spectrometry method | 2011 | IP | 0 |
| 294 | 594/11 | Determination of mercury in burner fuels derived from waste mineral oils _ Combustion, amalgamation, cold vapour atomic absorption spectrometry method | 2011 | IP | 0 |
| 295 | 123/2011 | Petroleum products Determination of distillation characteristics at atmospheric pressure - BSI BS 2000-123; BSI BS EN ISO 3405; CEN EN ISO 3405 | 2011 | IP | 0 |
| 296 | 71 SECTION 1/96 | Methods of test for Petroleum and its products Part 71. Section 1. Petroleum products - Transparent and opaque liquids - Determination of kinematic viscosity and calculation of dynamic viscosity - BSI BS 2000-71.1; BSI BS EN ISO 3104; CEN EN ISO 3104 | 2011 | IP | 0 |
| 297 | 502/2011 | Bitumen and bituminous binders Determination of efflux time by the efflux viscometer Part 2: Cut-back and fluxed bituminous binders - BSI BS 2000-502; BSI BS EN 12846-2; CEN EN 12846-2 | 2011 | IP | 0 |
| 298 | 493 | BITUMEN AND BITUMINOUS BINDERS - RECOVERY OF BINDER FROM BITUMINOUS EMULSION OR CUT-BACK OR FLUXED BITUMINOUS BINDERS PART 1: RECOVERY BY EVAPORATION | 2011 | IP | 0 |
| 299 | 497 | PETROLEUM PRODUCTS - DETERMINATION OF SULFUR CONTENT OF AUTOMOTIVE FUELS - WAVELENGTH-DISPERSIVE X-RAY FLUORESCENCE SPECTROMETRY | 2011 | IP | 0 |
| 300 | 542 | BITUMEN AND BITUMINOUS BINDERS - RECOVERY OF BINDER FROM BITUMINOUS EMULSION OR CUT-BACK OR FLUXED BITUMINOUS BINDERS PART 2: STABILISATION AFTER RECOVERY BY EVAPORATION | 2011 | IP | 0 |
| 301 | 513 | BITUMEN AND BITUMINOUS BINDERS - DETERMINATION OF DYNAMIC VISCOSITY OF BITUMEN AND BITUMINOUS BINDERS BY THE CONE AND PLATE METHOD | 2010 | IP | 0 |
| 302 | 587/2010 | Liquid petroleum products Determination of nickel and vanadium content Inductively coupled plasma optical emission spectrometry method (ICP OES) - BSI BS 2000-587; BSI BS EN 15944; CEN EN 15944 | 2010 | IP | 0 |
| 303 | 163/2010 | Petroleum products Determination of sulfated ash in lubricating oils and additives - BSI BS 2000-163; CORR: August 31, 2011 | 2010 | IP | 0 |
| 304 | 525/2010 | Bitumen and bituminous binders Determination of the distillation characteristics of cut-back and fluxed bituminous binders made with mineral fluxes - BSI BS 2000-525; BSI BS EN 13358; CEN EN 13358 | 2010 | IP | 0 |
| 305 | 518/2010 | Bitumen and bituminous binders Visualisation of polymer dispersion in polymer modified bitumen - BSI BS 2000-518; BSI BS EN 13632; CEN EN 13632 | 2010 | IP | 0 |
| 306 | 586/2010 | Automotive fuels Ethanol blending component and ethanol (E85) automotive fuel Determination of electrical conductivity - BSI BS 2000-586; BSI BS EN 15938; CEN EN 15938 | 2010 | IP | 0 |
| 307 | 584/10 | Bitumen and bituminous binders - Determination of the fracture toughness temperature by a three point bending test on a notched specimen | 2010 | IP | 0 |
| 308 | 590/10 | Determination of fatty acid methyl esters (FAME) in aviation turbine fuel - HPLC evaporative light scattering detector method | 2010 | IP | 0 |
| 309 | 516/10 | Bitumen and bituminous binders - Determination of the elastic recovery of modified bitumen | 2010 | IP | 0 |
| 310 | 517/10 | Bitumen and bituminous binders - Determination of storage stability of modified bitumen | 2010 | IP | 0 |
| 311 | 543/10 | Determination of the viscosity and calculation of kinematic viscosity - Automatic capillary tube method | 2010 | IP | 0 |
| 312 | 423/10 | Determination of particulate contaminant in aviation turbine fuels by laboratory filtration | 2010 | IP | 0 |
| 313 | 424/96 | Determination of fuel system icing inhibitor content of aviation turbine kerosines by high performance liquid chromatography | 2010 | IP | 0 |

| | | | | | |
|-----|----------|---|------|----|---|
| 314 | 446/09 | Determination of the cloud point of petroleum products - Automatic constant cooling rate method | 2009 | IP | 0 |
| 315 | 488/09 | Bitumen and bituminous binders - Determination of the pH value of bituminous emulsions | 2009 | IP | 0 |
| 316 | 473/02 | Determination of the composition of liquefied petroleum gases - Gas chromatography method | 2009 | IP | 0 |
| 317 | 562/09 | Determination of the foaming characteristics of water mix metalworking fluids - Foam test rig method | 2009 | IP | 0 |
| 318 | 575/09 | Bitumen and bituminous binders - Determination of adhesivity of cut-back and fluxed bituminous binders by water immersion test - Aggregate method | 2009 | IP | 0 |
| 319 | 485/2009 | Bitumen and bituminous binders _ Determination of settling tendency of bituminous emulsions - BSI BS 2000-485; BSI BS EN 12847; CEN EN 12847 | 2009 | IP | 0 |
| 320 | 578/2009 | Petroleum products and fat and oil derivates _ Fatty acid methyl esters (FAME) for diesel engines _ Determination of polyunsaturated (greater than or equal to 4 double bonds) fatty acid methyl esters (PUFA) by gas chromatography - AMD: January 31, 2014; B | 2009 | IP | 0 |
| 321 | 573/2009 | Ethanol as a blending component of petrol _ Determination of appearance _ Visual method - BSI BS 2000-573; BSI BS EN 15769; CEN EN 15769 | 2009 | IP | 0 |
| 322 | 390/2009 | Petroleum products Total sediment in residual fuel oils Part 2: Determination using standard procedures for ageing - BSI BS 2000-390; BSI BS ISO 10307-2:2009; CORR: October 31, 2010 | 2009 | IP | 0 |
| 323 | 576/2009 | Ethanol as a blending component for petrol _ Determination of total dry residue (involatile material) _ Gravimetric method - BSI BS 2000-576; BSI BS EN 15691; CEN EN 15691 | 2009 | IP | 0 |
| 324 | 91/09 | Bitumen and bituminous binders - Determination of residue on sieving of bituminous emulsions, and determination of storage stability by sieving | 2009 | IP | 0 |
| 325 | 195/98 | Determination of distillation characteristics of volatile organic liquids | 2009 | IP | 0 |
| 326 | 372/85 | Determination of carbon number distribution of paraffin wax - Gas chromatography method | 2009 | IP | 0 |
| 327 | 560/08 | Determination of silicon, chromium, nickel, iron and copper in used greases - Wavelength dispersive X-ray fluorescence spectroscopy method | 2008 | IP | 0 |
| 328 | 561/08 | Determination of silicon, chromium, copper, nickel and iron in used grease - Inductively coupled plasma atomic emission spectroscopy (ICP-AES) method | 2008 | IP | 0 |
| 329 | 539/08 | Determination of water content of ethanol - Coulometric Karl Fischer titration method | 2008 | IP | 0 |
| 330 | 550/08 | Determination of the sulfated ash of burner fuels derived from waste mineral oils | 2008 | IP | 0 |
| 331 | 522/08 | Bitumen and bituminous binders - Determination of cohesion of bituminous binders with pendulum test | 2008 | IP | 0 |
| 332 | 462-3/08 | Petroleum products and used oils - Determination of PCBs and related products - Determination and quantification of polychlorinated terphenyls (PCT) and polychlorinated benzyl toluenes (PCBT) content by gas chromatography (GC) using an elec | 2008 | IP | 0 |
| 333 | 460-1/07 | Bitumen and bituminous binders - Determination of the resistance to hardening under influence of heat and air - Part 1: RFTOT method | 2007 | IP | 0 |
| 334 | 459-1/07 | Bitumen and bituminous binders - Determination of the paraffin wax content - Part 1: Method by distillation | 2007 | IP | 0 |
| 335 | 558/07 | Code of Practice for optimization, sample handling, calibration, and validation of X-ray fluorescence spectrometry methods for elemental analysis of petroleum products and lubricants | 2007 | IP | 0 |
| 336 | 548/07 | Determination of aromatic hydrocarbon types in middle distillates - High performance liquid chromatography method with refractive index detection | 2007 | IP | 0 |
| 337 | 415/07 | Determination of particulate content of middle distillate fuels - Laboratory filtration method | 2007 | IP | 0 |
| 338 | 447/2007 | Petroleum products _ Determination of sulfur content _ Wavelength-dispersive X-ray fluorescence spectrometry - BSI BS 2000-447; BSI BS EN ISO 14596; CEN EN ISO 14596 | 2007 | IP | 0 |
| 339 | 552/2007 | Ethanol as a blending component for petrol _ Determination of inorganic chloride _ Potentiometric method - BSI BS 2000-552; BSI BS EN 15484; CEN EN 15484 | 2007 | IP | 0 |
| 340 | 556/2007 | Ethanol as a blending component for petrol _ Determination of copper content _ Graphite furnace atomic absorption spectrometric method - BSI BS 2000-556; BSI BS EN 15488; CEN EN 15488 | 2007 | IP | 0 |
| 341 | 555/2007 | Ethanol as a blending component for petrol _ Determination of phosphorus content _ Ammonium molybdate spectrometric method - BSI BS 2000-555; BSI BS EN 15487; CEN EN 15487 | 2007 | IP | 0 |

| | | | | | |
|-----|------------|---|------|----|---|
| 342 | 554/2007 | Ethanol as a blending component for petrol _ Determination of sulfur content _ Ultraviolet fluorescence method - BSI BS 2000-554; BSI BS EN 15486; CEN EN 15486 | 2007 | IP | 0 |
| 343 | 156/07 | Petroleum products and related materials _ Determination of hydrocarbon types _ Fluorescent indicator adsorption method - BSI BS 2000-156; BSI BS EN 15553; CEN EN 15553 | 2007 | IP | 0 |
| 344 | 553/2007 | Ethanol as a blending component for petrol _ Determination of sulfur content _ Wavelength dispersive X-ray fluorescence spectrometric method - BSI BS 2000-553; BSI BS EN 15485; CEN EN 15485 | 2007 | IP | 0 |
| 345 | 557/2007 | Ethanol as a blending component for petrol _ Determination of pHe - BSI BS 2000-557; BSI BS EN 15490; CEN EN 15490 | 2007 | IP | 0 |
| 346 | 538/2007 | Ethanol as a blending component for petrol _ Determination of total acidity _ Colour indicator titration method - BSI BS 2000-538; BSI BS EN 15491; CEN EN 15491 | 2007 | IP | 0 |
| 347 | 391/2006 | Petroleum products _ Determination of aromatic hydrocarbon types in middle distillates _ High performance liquid chromatography method with refractive index detection - BSI BS 2000-391; BSI BS EN 12916; CEN EN 12916 | 2006 | IP | 0 |
| 348 | 536/2012 | Methods of test for petroleum and its products.Bitumen and bituminous binders _ Determination of complex shear modulus and phase angle _ Dynamic Shear Rheometer (DSR) - BSI BS 2000-536; BSI BS EN 14770; CEN EN 14770 | 2006 | IP | 0 |
| 349 | 135/06 | Determination of rust-preventing characteristics of steam-turbine oil in the presence of water | 2006 | IP | 0 |
| 350 | 136-1/98 | Petroleum products - Determination of saponification number - Part 1: Colour-indicator titration method | 2006 | IP | 0 |
| 351 | 374/01 | Determination of coumarin content of kerosine - Fluorimetric and high performance liquid chromatography methods | 2006 | IP | 0 |
| 352 | 343/01 | Determination of 2,4-dimethyl-6-tertiary-butyl phenol content of aviation turbine fuel - High performance liquid chromatography method | 2006 | IP | 0 |
| 353 | 368/01 | Determination of hydrocarbon types in lubricating oil basestocks - Preparative high performance liquid chromatography method | 2006 | IP | 0 |
| 354 | 369/84 | Determination of composition of oil soluble petroleum sulphonates - Liquid chromatography method | 2006 | IP | 0 |
| 355 | 298/92 | Determination of quinizarin - Extraction spectrophotometric method | 2006 | IP | 0 |
| 356 | 289/06 | Determination of water reaction of aviation fuels | 2006 | IP | 0 |
| 357 | 541/06 | Determination of ignition and combustion characteristics of residual fuels â __ Constant volume combustion chamber method | 2006 | IP | 0 |
| 358 | 534/06 | Determination of flash point - Small scale closed cup ramp method | 2006 | IP | 0 |
| 359 | 537/06 | Determination of the purity of Derived Cetane Number reference materials - gas chromatography method | 2006 | IP | 0 |
| 360 | 469/01 | Determination of saturated, aromatic and polar compounds in petroleum products by thin layer chromatography and flame ionization detection | 2006 | IP | 0 |
| 361 | 471/06 | Determination of the water content of distillate petroleum products - Potentiometric Karl Fischer titration method | 2006 | IP | 0 |
| 362 | 470/05 | Determination of aluminium, silicon, vanadium, nickel, iron, calcium, zinc and sodium in residual fuel oil by ashing, fusion and atomic absorption spectrometry | 2005 | IP | 0 |
| 363 | 524/05 | Determination of flash/no flash - Rapid equilibrium closed cup method (ISO 3680:2004) | 2005 | IP | 0 |
| 364 | 295/83 | Determination of electric strength of insulating oils | 2005 | IP | 0 |
| 365 | 189/190/05 | Crude petroleum and liquid or solid petroleum products - Determination of density or relative density - Capillary-stoppered pyknometer and graduated bicapillary pyknometer methods | 2005 | IP | 0 |
| 366 | 316/93 | Determination of heptane insolubles in used lubricating oils | 2005 | IP | 0 |
| 367 | 475/2005 | Methods of test for petroleum and its products BS 2000-475: Petroleum liquids Manual sampling - BSI BS 2000-475; BSI BS EN ISO 3170; CEN EN ISO 3170 | 2005 | IP | 0 |
| 368 | 512/2005 | Methods of test for petroleum and its products Part 512: Petroleum and related products _ Preparation of a test portion of high-boiling liquids for the determination of water content _ Nitrogen purge method - BSI BS 2000-512; BSI BS EN ISO 20764; CEN EN I | 2005 | IP | 0 |
| 369 | 365/96 | Crude petroleum and petroleum products - Determination of density - Oscillating U-tube method - BSI BS 2000-365; BSI BS EN ISO 12185; CEN EN ISO 12185 | 2004 | IP | 0 |

| | | | | | |
|-----|------------|---|------|----|---|
| 370 | 40/96 | Petroleum products - Determination of oxidation stability of gasoline - Induction period method - BSI BS 2000-40; BSI BS EN ISO 7536; CEN EN ISO 7536 | 2004 | IP | 0 |
| 371 | 412/96 | Petroleum products - Determination of water Separability of petroleum oils and synthetic fluids - BSI BS 2000-412 | 2004 | IP | 0 |
| 372 | 15/95 | Petroleum products - Determination of pour point - BSI BS 2000-15 | 2004 | IP | 0 |
| 373 | 13/1994 | Petroleum products - Determination of carbon residue - Conradson method - BSI BS 2000-13 | 2004 | IP | 0 |
| 374 | 355/01 | Petroleum products Estimation of net specific energy of aviation turbine fuels using hydrogen content data - BSI BS 2000-355; BSI BS ISO 15911 | 2004 | IP | 0 |
| 375 | 342/00 | Methods of test for petroleum and its products _ BS 2000-342:2000 Petroleum products Determination of thiol (mercaptan) sulfur in light and middle distillate fuels Potentiometric method - BSI BS 2000-342 | 2004 | IP | 0 |
| 376 | 377/95 | Petroleum products - Determination of aluminium and silicon in fuel oils - Inductively coupled plasma emission and atomic absorption spectroscopy methods - BSI BS 2000-377 | 2004 | IP | 0 |
| 377 | 462.2/2001 | Petroleum products and used oils Determination of PCBs and related products Part 2: Calculation of polychlorinated biphenyl (PCB) content - BSI BS 2000-462.2; BSI BS EN 12766-2; CEN EN 12766-2 | 2004 | IP | 0 |
| 378 | 270/96 | Petroleum products - Determination of lead content of gasoline - Iodine monochloride method - BSI BS 2000-270; BSI BS EN ISO 3830; CEN EN ISO 3830 | 2004 | IP | 0 |
| 379 | 149/1993 | Petroleum products - Lubricating oils and additives - Determination of phosphorus content - Quinoline phosphomolybdate method - BSI BS 2000-149 | 2004 | IP | 0 |
| 380 | 381/97 | Methods of test for Petroleum and its products Part 381.Aviation fuels - Estimation of net specific energy - BSI BS 2000-381 | 2004 | IP | 0 |
| 381 | 388/96 | Methods of test for Petroleum and its products Part 388.Petroleum products - Determination of the oxidation stability of middle-distillate fuels - BSI BS 2000-388; BSI BS EN ISO 12205; CEN EN ISO 12205 | 2004 | IP | 0 |
| 382 | 136.2/1999 | Methods of test for petroleum and its products - Part 136: Determination of saponification number - Section 136.2: Potentiometric titration method - BSI BS 2000-136.2 | 2004 | IP | 0 |
| 383 | 160/1999 | Crude petroleum and liquid petroleum products - Laboratory determination of density - Hydrometer method - BSI BS 2000-160; BSI BS EN ISO 3675; CEN EN ISO 3675 | 2004 | IP | 0 |
| 384 | 410/98 | Liquefied petroleum gases - Determination of gauge vapour pressure - LPG method - BSI BS 2000-410; BSI BS EN ISO 4256; CEN EN ISO 4256 | 2004 | IP | 0 |
| 385 | 413/96 | Petroleum products - Low levels of vanadium in liquid fuels - Determination by flameless atomic absorption spectrometry after ashing - BSI BS 2000-413 | 2004 | IP | 0 |
| 386 | 462/2001 | Petroleum products and used oils Determination of PCBs and related products Part 1: Separation and determination of selected PCB congeners by gas chromatography (GC) using an electron capture detector (ECD) - BSI BS 2000-462; BSI BS EN 12766-1; CEN EN 127 | 2004 | IP | 0 |
| 387 | 53/2000 | Crude petroleum and fuel oils.Determination of sediment.Extraction method - BSI BS 2000-53; BSI BS EN ISO 3735; CEN EN ISO 3735 | 2004 | IP | 0 |
| 388 | 425/01 | Liquid petroleum products - Unleaded petrol - Determination of benzene content by gas chromatography - BSI BS 2000-425; BSI BS EN 12177; CEN EN 12177 | 2004 | IP | 0 |
| 389 | 196/97 | Methods of test for Petroleum and its products Part 196.Petroleum products - Determination of colour (ASTM scale) - BSI BS 2000-196 | 2004 | IP | 0 |
| 390 | 466/2001 | Liquid petroleum products Unleaded petrol Determination of organic oxygenate compounds and total organically bound oxygen content by gas chromatography using column switching - BSI BS 2000-466; BSI BS EN 13132; CEN EN 13132 | 2004 | IP | 0 |
| 391 | 449/2000 | Methods of test for petroleum and its products BS 2000-449: Petroleum products and lubricants Determination of acid number Non-aqueous potentiometric titration method - BSI BS 2000-449; BSI BS EN 12634; CEN EN 12634 | 2004 | IP | 0 |
| 392 | 130/1998 | Petroleum products - Determination of bromine number of distillates and aliphatic olefins - Electrometric method - BSI BS 2000-130 | 2004 | IP | 0 |
| 393 | 491/03 | Method of test for petroleum and its products _ BS 2000-491: Determination of flash/no flash Closed cup equilibrium method - BSI BS 2000-491; BSI BS EN ISO 1516; CEN EN ISO 1516; CORR 13951: May 30, 2002 | 2004 | IP | 0 |

| | | | | | |
|-----|-----------------|---|------|----|---|
| 394 | 462.3/04 | Petroleum products and used oils - Determination of PCBs and related products - Part 3: Determination and quantification of polychlorinated terphenyls (PCT) and polychlorinated benzyl toluenes (PCBT) content by gas chromatography (GC) using an electron ca | 2004 | IP | 0 |
| 395 | 243/94 | Methods of test for Petroleum and its products Part 243.Petroleum products and hydrocarbons - Determination of sulfur content - Wickbold combustion method - BSI BS 2000-243; BSI BS EN 24260; CEN EN 24260 | 2004 | IP | 0 |
| 396 | 433/99 | Petroleum products - Determination of vanadium and nickel content - Wavelength-dispersive X-ray fluorescence spectrometry - BSI BS 2000-433; BSI BS EN ISO 14597; CEN EN ISO 14597 | 2004 | IP | 0 |
| 397 | 2/98 | Petroleum products and hydrocarbon solvents - Determination of aniline point and mixed aniline point - BSI BS 2000-2 | 2004 | IP | 0 |
| 398 | 432/2000 | Liquefied petroleum gases - Calculation method for density and vapour pressure - BSI BS 2000-432; BSI BS EN ISO 8973; CEN EN ISO 8973 | 2004 | IP | 0 |
| 399 | 429/96 | Liquid petroleum products - Petrol - Determination of the benzene content by infrared spectrometry - BSI BS 2000-429; BSI BS EN 238; CEN EN 238; AMD 14890: January 22, 2004 | 2004 | IP | 0 |
| 400 | 14/1994 | Petroleum Products - Determination of Carbon Residue - Ramsbottom Method - BSI BS 2000-14 | 2004 | IP | 0 |
| 401 | 414/96 | Industrial quenching oils - Determination of cooling characteristics - Nickel-alloy probe test method - BSI BS 2000-414 | 2004 | IP | 0 |
| 402 | 315/95 | Petroleum products - Electrical insulating oils - Detection of corrosive sulfur | 2004 | IP | 0 |
| 403 | 371/85 | Determination of drop point of petrolatum | 2004 | IP | 0 |
| 404 | 416/96 | Determination of sulfate and nitrate in diesel particulate filter samples | 2004 | IP | 0 |
| 405 | 417/96 | Determination of base number - Potentiometric titration method | 2004 | IP | 0 |
| 406 | 418/96 | Determination of relative volatility of automotive lubricating oils by isothermal thermogravimetry | 2004 | IP | 0 |
| 407 | 393/96 | Determination of volatility of automotive lubricating oils - Thermogravimetric method | 2004 | IP | 0 |
| 408 | 389/93 | Determination of wax appearance temperature (WAT) of middle distillate fuels by differential thermal analysis (DTA) or differential scanning calorimetry (DSC) | 2004 | IP | 0 |
| 409 | 376/86 | Determination of needle penetration of petroleum wax | 2004 | IP | 0 |
| 410 | 212/92 | Determination of viscosity of bitumen emulsions- Engler method | 2004 | IP | 0 |
| 411 | 185/65 | Determination of odour of petroleum wax | 2004 | IP | 0 |
| 412 | 235/86 | Determination of density of light hydrocarbons - Pressure hydrometer method | 2004 | IP | 0 |
| 413 | 249/79 | Determination of density - Bingham pyknometer method | 2004 | IP | 0 |
| 414 | 132/1996 | Petroleum products - Lubricating grease - Determination of dropping point - BSI BS 2000-132 | 2004 | IP | 0 |
| 415 | 395/1998 | Liquefied petroleum gases - Assessment of the dryness of propane - Valve freeze method - BSI BS 2000-395; BSI BS EN ISO 13758; CEN EN ISO 13758 | 2004 | IP | 0 |
| 416 | 74/2000 | Petroleum products and bituminous materials - Determination of water - Distillation method - BSI BS 2000-74 | 2004 | IP | 0 |
| 417 | 401/95 | Methods of test for Petroleum and its products Part 401.Liquefied petroleum gases - Detection of hydrogen sulfide - Lead acetate method - BSI BS 2000-401; BSI BS EN ISO 8819; CEN EN ISO 8819 | 2004 | IP | 0 |
| 418 | 431/98 | Petroleum products - Determination of acid number - Semi-micro colour-indicator titration method - BSI BS 2000-431 | 2004 | IP | 0 |
| 419 | 411/98 | Liquefied petroleum gases - Corrosiveness to copper - Copper strip test - BSI BS 2000-411; BSI BS EN ISO 6251; CEN EN ISO 6251 | 2004 | IP | 0 |
| 420 | 405/1994 | Commercial propane and butane - Analysis by gas chromatography - BSI BS 2000-405; BSI BS EN 27941; CEN EN 27941 | 2004 | IP | 0 |
| 421 | 439/2001 | Petroleum products - determination of water - potentiometric Karl Fischer titration method - BSI BS 2000-439; BSI BS ISO 6296 | 2004 | IP | 0 |
| 422 | 71 SECTION 2/95 | Specifications and operating instructions for glass capillary kinematic viscometers - BSI BS 2000-71.2 | 2004 | IP | 0 |
| 423 | 465/2001 | Methods of test for petroleum and its products - BS 2000-465: Liquid petroleum products - Determination of nickel and vanadium content - Atomic absorption spectrometric method - BSI BS 2000-465; BSI BS EN 13131; CEN EN 13131 | 2004 | IP | 0 |
| 424 | 358/1997 | Crude petroleum - Determination of water - Distillation method - BSI BS 2000-358; BSI BS EN ISO 9029; CEN EN ISO 9029 | 2004 | IP | 0 |

| | | | | | |
|-----|----------|--|------|----|---|
| 425 | 492/2003 | Determination of flash point - Closed cup equilibrium method - BSI BS 2000-492; BSI BS EN ISO 1523; CEN EN ISO 1523 | 2004 | IP | 0 |
| 426 | 511/04 | Determination of carbonyl compounds in dilute motor exhaust - Liquid chromatography method | 2004 | IP | 0 |
| 427 | 515/04 | Bitumen and bituminous binders - Determination of deformation energy | 2004 | IP | 0 |
| 428 | 500/03 | Determination of the phosphorus content of residual fuels by ultra-violet spectrometry | 2003 | IP | 0 |
| 429 | 299/03 | Determination of bromine index - Electrometric titration method | 2003 | IP | 0 |
| 430 | 36/02 | Determination of flash and fire points - Cleveland open cup method | 2002 | IP | 0 |
| 431 | 463/02 | Determination of the presence of phenalenes and phenalenones in middle distillate fuels which affect potential instability - Rapid method by portable spectrophotometer | 2002 | IP | 0 |
| 432 | 462-2/02 | Petroleum products and used oils - Determination of PCBs and related products - Part 2: Calculation of polychlorinated biphenyl (PCB) content | 2002 | IP | 0 |
| 433 | 476/02 | Petroleum liquids - Automatic pipeline sampling | 2002 | IP | 0 |
| 434 | 479/02 | Determination of wet and dry crude oil densities - Hydrometer method | 2002 | IP | 0 |
| 435 | 462-1/01 | Petroleum products and used oils - Determination of PCBs and related products - Part I: Separation and determination of selected PCB congeners by gas chromatography (GC) using an electron capture detector (ECD) | 2001 | IP | 0 |
| 436 | 55/77 | Determination of melting point of wax - Cooling curve method | 2001 | IP | 0 |
| 437 | 158/69 | Determination of oil content of waxes - Gravimetric method | 2001 | IP | 0 |
| 438 | 247/69 | Determination of engine cleanliness and wear - Merit rating system method | 2001 | IP | 0 |
| 439 | 231/69 | Determination of engine cleanliness - Caterpillar high speed supercharged compression ignition method | 2001 | IP | 0 |
| 440 | 378/87 | Determination of storage stability at 43 °C of distillate fuel | 2001 | IP | 0 |
| 441 | 400/01 | Determination of base number of petroleum products - Conductimetric titration method | 2001 | IP | 0 |
| 442 | 131/99 | METHODS OF TEST FOR PETROLEUM AND ITS PRODUCTS PART 131. PETROLEUM PRODUCTS - GUM CONTENT OF LIGHT AND MIDDLE DISTILLATE FUELS - JET EVAPORATION METHOD | 2000 | IP | 0 |
| 443 | 459-2 | Bitumen and bituminous binders - Determination of the paraffin wax content - Part 2: Method by extraction | 2000 | IP | 0 |
| 444 | 442/99 | Analysis of fuel- and oil-derived hydrocarbons in diesel particulates on filters - Gas chromatography method | 1999 | IP | 0 |
| 445 | 443/99 | Extraction of the soluble organic fraction (SOF) of diesel particulates collected on filters - Soxhlet extraction method | 1999 | IP | 0 |
| 446 | 386/99 | Crude petroleum - Determination of water - Coulometric Karl Fischer titration method | 1999 | IP | 0 |
| 447 | 430/98 | Petroleum products - Determination of alkyl nitrate in diesel fuels - Spectrometric method - BSI BS 2000-430; BSI BS EN ISO 13759; CEN EN ISO 13759 | 1998 | IP | 0 |
| 448 | 427/97 | Liquefied Petroleum Gases - Determination of Oily Residues - High Temperature Method - BSI BS 2000-427; BSI BS EN ISO 13757; CEN EN ISO 13757 | 1997 | IP | 0 |
| 449 | 57/95 | Petroleum products - Determination of the smoke point of kerosine - BSI BS 2000-57 | 1995 | IP | 0 |
| 450 | 219/94 | TEST METHOD FOR CLOUD POINT OF PETROLEUM PRODUCTS | 1994 | IP | 0 |

Hercules Ebooks Institute

www.herculesebooks.com info@herculesebooks.com +989141908737